1. Introduction

Self-Consistency Prompting is an advanced prompting strategy used with Large Language Models (LLMs) to improve the accuracy, reliability, and robustness of answers, particularly for tasks requiring multi-step reasoning, logical analysis, or scientific problem solving.

Traditional prompting methods often rely on a single generated response. However, due to probabilistic generation in LLMs, a single response may contain reasoning errors even when the model is capable of solving the task correctly. Self-Consistency Prompting addresses this limitation by sampling multiple reasoning paths and selecting the most consistent final answer.

This technique builds upon Chain-of-Thought (CoT) prompting and extends it by introducing diversity in reasoning before aggregating results.

---

2. Background: Chain-of-Thought (CoT) Prompting

Chain-of-Thought prompting encourages the model to produce intermediate reasoning steps before giving the final answer.

2.1 Purpose of CoT

- Enables step-by-step reasoning
- Improves performance on arithmetic, logical, and symbolic tasks
- Mimics human problem-solving process

2.2 Limitations of Single CoT

Despite improvements, standard CoT has key weaknesses:

1. Single Reasoning Path Dependency
    - Only one reasoning trajectory is explored.
    - If an early step is incorrect, the final answer becomes incorrect.
2. Sensitivity to Sampling Noise
    - Slight variations in generation can change outcomes.

3. Hidden Internal Reasoning
    - Even without explicit CoT instructions, LLMs may internally reason, but errors remain possible.

Thus, relying on a single CoT output is unreliable for high-stakes or complex tasks.

---

3. Self-Consistency Prompting

3.1 Definition

Self-Consistency Prompting is a decoding strategy that replaces greedy decoding (single output) with sampling multiple reasoning paths and selecting the most consistent answer among them.

3.2 Core Principle

> The correct answer is likely to appear more frequently across diverse reasoning paths than incorrect answers.

3.3 Methodology

Step 1 — Multiple Sampling

- The same prompt is issued multiple times to the model.
- Sampling randomness is introduced using parameters such as temperature.

Step 2 — Diverse Reasoning Paths

- Each run might generate a different Chain-of-Thought.
- This produces varied intermediate reasoning steps.

Step 3 — Answer Aggregation

- Extract final answers from each reasoning path.
- Identify the most frequent answer (majority voting).

Step 4 — Final Selection

- The answer with highest consistency across runs is selected as the final output.

---

4. Computational Considerations

4.1 Increased Cost

- Requires multiple model executions
- Higher latency and compute usage

4.2 Trade-Off

Accuracy improvement vs computational expense

---

5. Suitable Use Cases

Self-Consistency Prompting is particularly effective for closed-ended problems where a single correct answer exists.

---

6. Limitations of Self-Consistency

6.1 Not Ideal for Open-Ended Problems

Tasks with multiple valid answers do not benefit from majority voting.

Examples:

- Creative writing
- Opinion-based questions
- Exploratory discussions

6.2 Semantic Diversity

Different answers may all be correct but expressed differently.

---

7. Advanced Technique for Open-Ended Tasks: US-CoT

7.1 Motivation

To address limitations of Self Consistent prompting for open-ended problems, an enhanced approach is used.

US-CoT (Universal Self-Consistency Chain-of-Thought) extends the idea by incorporating semantic evaluation instead of simple majority voting.

7.2 Procedure

Step 1 — Generate Multiple Responses

The LLM produces several solutions to the same open-ended question.

Step 2 — Solution Aggregation

All responses are collected together.

Step 3 — Semantic Analysis
Instead of counting identical answers:

- Identify common themes
- Detect shared reasoning
- Evaluate conceptual similarity

Step 4
Provide all candidate answers back to the model with instructions to:

- Read carefully
- Identify consensus
- Choose the answer that very deeply identity the consensus

Step 5 — Final Output
Select the response best representing collective reasoning.

---

8. Applications of US-CoT

- Open-ended analytical questions
- Long-form summarization
- Code generation
- Research synthesis
- Conceptual explanations

---

9. Key Takeaways

1. Self-Consistency Prompting enhances reliability of LLM outputs.
2. It mitigates errors arising from single reasoning paths.
3. Best suited for tasks with definitive answers.
4. Requires additional computational resources.
5. US-CoT extends the method to open-ended reasoning tasks.
6. These techniques represent advanced methods in prompt engineering for reasoning-centric applications.