

**EXP5:CPT NETWORK TOPOLOGY CREATION
CERTIFICATION**

RAVI BALA M.V
Register Number: 24BCE1419

Faculty Name: Subbulakshmi
Lab Slot: L55 + L56

Course Name: Computer Networks Lab
Course Code: BCSE308L

CREATING A NETWORK:

IN VIDEO 2:


```
C:\>ipconfig

FastEthernet0 Connection:(default port)

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address.....: FE80::2E0:B0FF:FECB:8E
    IPv6 Address.....: ::
    IPv4 Address.....: 192.168.0.2
    Subnet Mask.....: 255.255.255.0
    Default Gateway.....: ::
                           192.168.0.1

Bluetooth Connection:

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address.....: ::
    IPv6 Address.....: ::
    IPv4 Address.....: 0.0.0.0
    Subnet Mask.....: 0.0.0.0
    Default Gateway.....: ::
                           0.0.0.0
```



A WORKING NETWORK ARCHITECTURE ABOVE.

CISCO PACKET CERTIFICATION



CHANGING IP CONFIG FOR LETTER R FIRST LETTER OF MY NAME: Classful addressing:

IP Configuration	
☒ DHCP	☒ Static
IPv4 Address	82.0.0.1
Subnet Mask	255.0.0.0
Default Gateway	0.0.0.0
DNS Server	0.0.0.0

IPv6 Configuration	
☒ Automatic	☒ Static
IPv6 Address	
Link Local Address	FE80::200:CFF:FEA3:2158
Default Gateway	
DNS Server	

- Laptop: 82.0.0.1
- PC1: 82.0.0.2

- Server: 82.0.0.10

Classless addressing:

The screenshot shows a network configuration window titled "IP Configuration" with a close button (X) in the top right corner. The "Interface" dropdown menu is set to "Wireless0".

IP Configuration

☒ DHCP ☒ Static

IPv4 Address: 82.0.0.1

Subnet Mask: 255.255.255.0

Default Gateway: 0.0.0.0

DNS Server: 0.0.0.0

IPv6 Configuration

☒ Automatic ☒ Static

IPv6 Address: [Empty field] / [Empty field]

Link Local Address: FE80::260:3EFF:FE33:61BB

Default Gateway: [Empty field]

DNS Server: [Empty field]