

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)
Department of Computer Science and Engineering
CO5 ASSESSMENT TOOL 1 – Research Paper Review / Literature Survey

Course Code:	CSA10 / CSA1063	Course Title:	Software Engineering
CO Assessed:	CO5	Assessment:	Assessment Tool 1 – Research Paper Review / Literature Survey
Weightage:	20%	Total Marks:	25
CO5 Statement:	Evaluate emerging technologies and societal impacts, maintaining and evolving software systems responsibly		
Student Name:	M.Ravi kiran	Reg. No.:	192325086

Code of Conduct

I M.Ravi kiran Student Name / Reg No_____ certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the Student: M.Ravi kiran

Annexure A – Research Paper Review / Literature Survey
Assigned Problem Statement: Smart Parking Management Platform

1. Introduction

The rapid growth in vehicle ownership across urban areas has made locating an available parking space one of the most persistent sources of traffic congestion, fuel wastage and driver frustration. A Smart Parking Management Platform aims to resolve this by combining sensing technologies (IoT, RFID, computer vision), communication networks and intelligent software to detect, predict and allocate parking spaces in real time. This literature survey reviews six research works spanning IoT-based sensing, hybrid RFID/WSN architectures, computer-vision-based occupancy detection, automated license-plate-based billing, and machine-learning-driven demand prediction, in order to understand existing approaches, their strengths, limitations and the research gaps that remain open.

2. Individual Paper Reviews

2.1 Alam, M. R. et al. (2023) — A Survey on IoT Driven Smart Parking Management System: Approaches, Limitations and Future Research Agenda (IEEE Access)

Objective: To consolidate the fragmented body of work on IoT-driven parking systems into a single taxonomy covering sensing components, communication standards and security. Methodology: A systematic literature review following a defined search strategy across Web of Science and Scopus. Technologies/Datasets: Secondary review of over a hundred peer-reviewed articles; no primary dataset. Key Findings: The paper classifies existing systems by sensor type, cloud-storage model and communication protocol, and highlights online reservation, authentication and energy-saving as the dominant feature set of modern platforms.

2.2 Biyik, C., Allam, Z., Pieri, G., Moroni, D., O'Fraifer, M., O'Connell, E., Olariu, S., Khalid, M. (2021) — Smart Parking Systems: Reviewing the Literature, Architecture and Ways Forward (Smart Cities, MDPI)

Objective: To analyze smart parking solutions from a technical perspective and propose a reference architecture. Methodology: Structured literature review of sensor technologies (ultrasonic, magnetometer, camera-based) and system layers. Technologies/Datasets: Comparative review of prior implementations; no new dataset collected. Key Findings: Proposes a layered architecture (sensing, communication, application) and positions smart parking as a core enabler of smart-city transport policy, while noting that vehicular-detection technology choice is central to system cost and accuracy.

2.3 Amato, G., Carrara, F., Falchi, F., Gennaro, C., Meghini, C., Vairo, C. (2017) — Deep Learning for Decentralized Parking Lot Occupancy Detection (Expert Systems with Applications)

Objective: To detect parking-slot occupancy from camera images without per-slot hardware sensors. Methodology: A decentralized Convolutional Neural Network (mAlexNet) designed to run on low-power smart cameras. Technologies/Datasets: Evaluated on the public PKLot dataset (~700,000 labeled images) and the authors' own CNRPark-EXT benchmark, collected under varying weather and occlusion conditions. Key Findings: The lightweight CNN achieved high classification accuracy while remaining efficient enough to run on embedded hardware such as a Raspberry Pi, demonstrating that vision-based detection can scale without one sensor per parking bay.

2.4 Abdulkader, O., Bamhdi, A. M., Thayananthan, V., Jambi, K., Alrasheedi, M. (2018) — A Novel and Secure Smart Parking Management System (SPMS) Based on Integration of WSN, RFID and IoT

Objective: To improve the security and reliability of vehicle authentication in parking systems. Methodology: A hybrid architecture combining Wireless Sensor Networks, RFID tagging and IoT connectivity for vehicle identification and real-time monitoring. Technologies/Datasets: Prototype testbed using RFID tags and WSN nodes. Key Findings: The hybrid design improved authentication accuracy and real-time tracking over single-technology systems, though at the cost of higher deployment complexity.

2.5 Advanced IoT-Integrated Parking Systems with Automated License Plate Recognition and Payment Management (2025) — Scientific Reports

Objective: To automate the full parking cycle — detection, vehicle identification and payment — without manual intervention. Methodology: IR-sensor-based occupancy confirmation combined with camera-based Automatic License Plate Recognition (ALPR) and an integrated payment gateway. Technologies/Datasets: IR occupancy sensors, ALPR camera module and a microcontroller platform. Key Findings: The integrated pipeline reduced manual gate operations and enabled automated billing, though recognition accuracy is sensitive to plate occlusion, regional plate formats and lighting conditions.

2.6 Machine Learning Models and Mathematical Approaches for Predictive IoT Smart Parking (2024) — PMC

Objective: To move parking allocation from static, first-come-first-served logic to predictive, demand-aware allocation. Methodology: Machine-learning models trained on real-time IoT sensor streams to forecast slot-occupancy trends. Technologies/Datasets: Real-time and simulated occupancy sensor data. Key Findings: ML-based prediction improved short-term availability forecasting accuracy relative to static rule-based methods, helping reduce driver cruising time and associated congestion.

3. Comparative Analysis

The reviewed works can be grouped into three broad methodological families. Sensor/communication surveys (Alam et al. 2023; Biyik et al. 2021) provide breadth — they classify the technology landscape but offer no empirical performance figures, making them strong for architecture design but weak for benchmarking. Detection-layer studies (Amato et al. 2017; the ALPR-based Scientific Reports study) report concrete accuracy figures and are directly comparable on performance: vision-based CNN detection scales well across many slots per camera but is sensitive to environmental conditions, while ALPR-based identification adds billing automation at the cost of plate-recognition sensitivity. The RFID/WSN hybrid (Abdulkader et al. 2018) trades efficiency for stronger security guarantees, and is comparatively less scalable due to per-vehicle tagging requirements. The predictive ML study (PMC, 2024) is unique in optimizing for anticipatory allocation rather than reactive detection, and its scalability depends heavily on the quantity and quality of historical sensor data available at a given site. Across all six works, accuracy and detection reliability are reported qualitatively or with dataset-specific figures rather than under a common benchmark, which limits direct apples-to-apples comparison — this itself is one of the research gaps discussed in Section 5.

4. Comparative Literature Survey Table

Author / Year	Research Problem	Methodology	Dataset / Tools	Key Findings	Limitations	Research Gap
Alam et al., 2023	Fragmented understanding of IoT-driven parking technologies, components and standards	Systematic literature survey (Web of Science, Scopus) taxonomy of sensor, communication and cloud layers	Secondary data — 100+ peer-reviewed articles	Classifies parking systems by sensing technology, communication protocol and security mechanism	No empirical validation; taxonomy not tested on a live deployment	Lack of a unified architecture combining security, energy efficiency and scalability
Biyik et al., 2021	No holistic architecture linking smart parking to smart-city goals	Structured review of sensor types (ultrasonic, magnetometer, camera) and system architectures	Secondary data — comparative review of prior implementations	Proposes a layered reference architecture (sensing, communication, application) for smart parking	Reference architecture not benchmarked on cost or latency	Absence of standardized interoperability framework across vendors
Amato et al., 2017 (CNRPark/PKLot study)	Sensor-based occupancy detection is costly to install and maintain per slot	Decentralized CNN (mAlexNet) deployed on smart cameras for visual occupancy classification	PKLot (~700,000 images) and CNRPark-EXT (public benchmark)	Achieved high classification accuracy while running on low-power embedded hardware (Raspberry Pi)	Accuracy drops under occlusion, poor lighting and adverse weather	Need for lightweight models that generalize across unseen camera viewpoints
Abdulkader et al., 2018	Conventional parking systems lack integrated security and real-time monitoring	Hybrid architecture integrating Wireless Sensor Networks (WSN), RFID and IoT	Prototype testbed with RFID tags and WSN nodes	Improved authentication and vehicle-tracking accuracy over single-technology systems	Higher deployment and maintenance cost; limited scalability testing	Trade-off between security overhead and real-time responsiveness is unresolved
Advanced IoT-ALPR study, Scientific Reports, 2025	Manual entry/exit and payment handling causes congestion at	IoT sensors combined with Automatic License Plate Recognition (ALPR) and	IR occupancy sensors, camera-based ALPR module, microcontroller platform	End-to-end automation of detection, identification and billing with reduced manual	Recognition accuracy affected by plate occlusion, regional plate formats and	Limited work on cross-region plate-format generalization and payment-fraud resilience

Author / Year	Research Problem	Methodology	Dataset / Tools	Key Findings	Limitations	Research Gap
	parking gates	automated payment gateway		intervention	low-light conditions	
Predictive ML/AI study, PMC, 2024	Static, first-come-first-served allocation cannot anticipate demand fluctuations	Machine learning models (regression, classification) trained on real-time IoT sensor streams	Simulated / real-time occupancy sensor data streams	Improved short-term slot-availability prediction accuracy versus static rule-based methods	Model performance depends on volume/quality of historical data; limited cross-city testing	Need for transferable prediction models that adapt to new parking sites with minimal retraining

5. Limitations and Challenges of Existing Approaches

- Environmental sensitivity: vision-based and ALPR systems lose accuracy under poor lighting, occlusion, adverse weather and non-standard license plate formats.
- Cost–scalability trade-off: RFID/WSN hybrid systems offer strong security but require per-vehicle or per-slot hardware, raising deployment and maintenance costs at scale.
- Lack of common benchmarks: survey-type papers classify technologies but rarely provide comparable, standardized performance metrics across studies.
- Data dependency of ML models: predictive approaches need substantial historical occupancy data and degrade when transferred to a new site with little prior data.
- Limited end-to-end integration: most studies optimize a single layer (sensing, detection, or payment) rather than validating a fully integrated platform under real-world load.
- Interoperability gap: no widely adopted standard exists for combining sensor data, communication protocols and cloud platforms across vendors.

6. Research Gap

Across the reviewed literature, no single study combines all of the following in one validated platform: (i) low-cost, environment-robust detection (vision or IoT sensor based), (ii) secure, scalable vehicle identification, (iii) predictive, demand-aware slot allocation using machine learning, and (iv) automated, standardized payment handling — all benchmarked together under real-world traffic and weather variability. Existing works address these dimensions largely in isolation, and cross-study comparison is hampered by inconsistent datasets and evaluation metrics. This points to a clear gap for an integrated, benchmarked Smart Parking Management Platform that unifies detection, prediction, security and payment within a single, interoperable architecture.

7. Future Research Directions

- Develop lightweight, edge-deployable vision models that maintain accuracy under occlusion, low light and adverse weather without dependence on high-end hardware.
- Design transferable ML prediction models (e.g., via transfer learning) that require minimal retraining when deployed at a new parking site.
- Establish standardized, open benchmarks and evaluation metrics for smart-parking detection, prediction and security research to enable fair cross-study comparison.

- Investigate lightweight security protocols that preserve the authentication benefits of RFID/WSN integration without the full per-vehicle hardware cost.
- Build and evaluate fully integrated platforms — detection, prediction, identification and payment — under real-world multi-site pilot deployments.
- Explore interoperability standards that allow sensor, communication and cloud components from different vendors to work together within one platform.

8. References

- [1] M. R. Alam et al., "A Survey on IoT Driven Smart Parking Management System: Approaches, Limitations and Future Research Agenda," *IEEE Access*, 2023.
- [2] C. Biyik, Z. Allam, G. Pieri, D. Moroni, M. O'Fraifer, E. O'Connell, S. Olariu, and M. Khalid, "Smart Parking Systems: Reviewing the Literature, Architecture and Ways Forward," *Smart Cities*, vol. 4, pp. 623–642, 2021.
- [3] G. Amato, F. Carrara, F. Falchi, C. Gennaro, and C. Vairo, "Deep Learning for Decentralized Parking Lot Occupancy Detection," *Expert Systems with Applications*, 2017.
- [4] O. Abdulkader, A. M. Bamhdi, V. Thayananthan, K. Jambi, and M. Alrasheedi, "A Novel and Secure Smart Parking Management System (SPMS) Based on Integration of WSN, RFID, and IoT," 2018.
- [5] "Advanced IoT-Integrated Parking Systems with Automated License Plate Recognition and Payment Management," *Scientific Reports*, 2025.
- [6] "Machine Learning Models and Mathematical Approaches for Predictive IoT Smart Parking," *PMC*, 2024.
- [7] IoT-based smart parking systems survey, *IET Conference Publication / IEEE Xplore*, 2021.
- [8] "Smart Parking Systems Technologies, Tools, and Challenges for Implementing in a Smart City Environment: A Survey Based on IoT & ML Perspective," *International Journal of Machine Learning and Cybernetics*, Springer, 2024.