
# **Cucumber Report**



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Verify the login feature	1 m 14.503 s	4	0	4	0	20	16	4	0

#	Feature Name	Scenario Name
1	Verify the login feature	Verify error message with invalid credentials
2		Verify error message with invalid credentials
3		Verify error message with invalid credentials
4		Verify error message with invalid credentials


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@sanity	4	0	4	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Verify the login feature	4	0	4	0	1 m 14.503 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verify the login feature	Verify error message with invalid credentials	5	4	1	0	23.670 s
2		Verify error message with invalid credentials	5	4	1	0	23.365 s
3		Verify error message with invalid credentials	5	4	1	0	23.650 s
4		Verify error message with invalid credentials	5	4	1	0	3.768 s

DETAILED SECTION -- 7 -

## Verify the login feature

FAILED	DURATION - 1 m 14.503 s	Scenarios		Steps	
		Total - 4		Total - 20	
/ 1:09:22.618 am // .	1:10:37.121 am /	Pass - 0	4	Pass - 16	20
		Fail - 4		Fail - 4	20
		Skip - 0		Skip - 0	




#	Step / Hook Details	Status	Duration
1	Given I am on Login page	PASSED	0.001 s
2	And Enter username ""	PASSED	0.357 s
3	And Enter password ""	PASSED	0.092 s
4	And Click on Login Button	PASSED	0.102 s
5	Then Verify Error message "Required"	FAILED	20.100 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='oxd-text oxd-textp oxd-alert-content-text']"} (Session info: chrome=120.0.6099.71) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4b1cb44fa6978c80ffa5b2a14dfc1ed7, findElement {using=xpath, value=//p[@class='oxd-text oxd-textp oxd-alert-content-text']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.71, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617, userDataDir: C:\Users\pjati\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53706}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53706/devtoo, se:cdpVersion: 120.0.6099.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4b1cb44fa6978c80ffa5b2a14dfc1ed7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)		
	at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:60)		
	at com.orangehrmlive.demo.pages.LoginPage.requiredMeassge(LoginPage.java:52)		
	at com.orangehrmlive.demo.steps.LoginTest.verifyErrorMessage(LoginTest.java:69)		
	at ?.Verify Error message "Required"(file:///C:/Users/pjati/IdeaProjectsorange-hrm/orange-hrm-cucumber/src/test/resources/features/		
	logintest.feature:37)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.473 s
	Verify error message with invalid credentials		
	School of Man (1)  The state of Man (1)  The		


DETAILED SECTION -- 9 --



#	Step / Hook Details	Status	Duration
1	Given I am on Login page	PASSED	0.000 s
2	And Enter username "test123@gmail.com"	PASSED	1.005 s
3	And Enter password ""	PASSED	0.067 s
4	And Click on Login Button	PASSED	0.063 s
5	Then Verify Error message "Required"	FAILED	20.088 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='oxd-text oxd-textp oxd-alert-content-text]"}. (Session info: chrome=120.0.6099.71) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d1.0b; java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2202f9d8732625af7ec69a096112cc18, findElement {using=xpath, value=//p[@class='oxd-text oxd-textp oxd-alert-content-text']}. Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.71, chrome: {chromedriverVersion: 120.0.6099.71, userDatable: userDatable: Culsershypath\canada.Veca}, fedem:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53746}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53746/devtoo, se:cdpVersion: 120.0.6099.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true) Session ID: 2202f9d8732625af7ec69a096112cc18 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:252) at org.openqa.selenium.remote.entitpComma		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)		
	at com.orangehrmlive.demo.utility.Utility.getTextFromElement(Utility.java:60)		
	at com.orangehrmlive.demo.pages.LoginPage.requiredMeassge(LoginPage.java:52)		
	at com.orangehrmlive.demo.steps.LoginTest.verifyErrorMessage(LoginTest.java:69)		
	at ?.Verify Error message "Required"(file:///C:/Users/pjati/IdeaProjectsorange-hrm/orange-hrm-cucumber/src/test/resources/features/		
	logintest.feature:37)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.486 s
	Verify error message with invalid credentials		
	Frange BN.  Logia  Water States  France States  Fra		




#	Step / Hook Details	Status	Duration
1	Given I am on Login page	PASSED	0.001 s
2	And Enter username ""	PASSED	0.416 s
3	And Enter password "test123"	PASSED	0.074 s
4	And Click on Login Button	PASSED	0.079 s
5	Then Verify Error message "Required"	FAILED	20.084 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[@class='oxd-text		

DETAILED SECTION -- 11 --

dev/documentation/webdriver/troubleshooting/errors#n	rome=120.0.6099.71) For documentation on this error, please visit: https://www.selenium.		
Command: [ffa4d3930bf06ea23369c03f7a3f0899, find Capabilities {acceptInsecureCerts: false, browserName 120.0.6099.71 (9729082fe617, userDataDir: C:\User localhost:53786}, networkConnectionEnabled: false, paws://localhost:53786/devtoo, se:cdpVersion: 120.0.66 pageLoad: 300000, script: 30000}, unhandledPromptB webauthn:extension:largeBlob: true, webauthn:extensi	no-such-element-exception Build info: version: '4.15.0', revision: '1014b5521b' System ion: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Element {using=xpath, value=//p[@class='oxd-text oxd-textp oxd-alert-content-text']}] e: chrome, browserVersion: 120.0.6099.71, chrome: {chromedriverVersion: s\pjati\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: ageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: 099.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, ehavior: dismiss and notify, webauthn:extension:credBlob: true, on:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
true} Session ID: ffa4d3930bf06ea23369c03f7a3f0899			
at java.base/jdk.internal.reflect.NativeConstructorAc	cessorImpl.newInstanceo(Native Method) cessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	orAccessorImpl.newInstance(NativeConstructorAccessorImpl.java.77)		
at java.base/java.lang.reflect.Constructor.newInstan			
at java.base/java.lang.reflect.Constructor.newInstan			
	DResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	ResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	pResponseCodec.decode(W3CHttpResponseCodec.java:52)		
at org.openqa.selenium.remote.HttpCommandExect			
	nandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	nandExecutor.execute(DriverCommandExecutor.java:175)		
at org.openqa.selenium.remote.RemoteWebDriver.e	execute(RemoteWebDriver.java:607)		
at org.openqa.selenium.remote.ElementLocation\$E	lementFinder\$2.findElement(ElementLocation.java:165)		
at org.openqa.selenium.remote.ElementLocation.fin	dElement(ElementLocation.java:59)		
at org.openqa.selenium.remote.RemoteWebDriver.f	indElement(RemoteWebDriver.java:364)		
at org.openqa.selenium.remote.RemoteWebDriver.f	indElement(RemoteWebDriver.java:358)		
at org.openqa.selenium.support.pagefactory.Default	:ElementLocator.findElement(DefaultElementLocator.java:68)		
	I.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown			
at com.orangehrmlive.demo.utility.Utility.getTextFroi			
at com.orangehrmlive.demo.pages.LoginPage.requi			
at com.orangehrmlive.demo.steps.LoginTest.verifyE			
	/pjati/IdeaProjectsorange-hrm/orange-hrm-cucumber/src/test/resources/features/		
logintest.feature:37)			
* Not displayable characters are replaced by '?'.			
AFTER - com.orangehrmlive.demo.steps.Hooks.t	tearDown(io.cucumber.java.Scenario)	PASSED	0.436 s

#	Step / Hook Details	Status	Duration
	Grange RM.  Lagis  Wasser States  Laund  Value  Laund  Value  Laund  Value  Val		



#	Step / Hook Details	Status	Duration
1	Given I am on Login page	PASSED	0.001 s
2	And Enter username "test123@gmail.com"	PASSED	0.352 s
3	And Enter password "test123"	PASSED	0.078 s
4	And Click on Login Button	PASSED	0.061 s
5	Then Verify Error message "Invalid credential"	FAILED	0.726 s
	java.lang.AssertionError: Error not displayed expected [Invalid credential] but found [Invalid credentials] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at com.orangehrmlive.demo.steps.LoginTest.verifyErrorMessage(LoginTest.java:69) at ?.Verify Error message "Invalid credential"(file:///C:/Users/pjati/IdeaProjectsorange-hrm/orange-hrm-cucumber/src/test/resources/features/logintest.feature:37) * Not displayable characters are replaced by '?'.		
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.459 s
	Verify error message with invalid credentials		

#	Step / Hook Details	Status	Duration
	Grange est  Legis		