

C2 S3 P2_Ravindhar V

Process 2: Create Two Tables and Define Columns Within the Database Created


For table 1. emp_information

MySQL > USE LnD;

```
CREATE TABLE emp_information (  
  emp_ID INT,  
  emp_First_Name VARCHAR(100),  
  emp_Last_Name VARCHAR(100),  
  emp_Address VARCHAR(200),  
  emp_Role VARCHAR(100));
```

For table 2. emp_salary

```
MySQL> CREATE TABLE emp_salary (  
  emp_ID INT,  
  emp_First_Name VARCHAR(100),  
  emp_Last_Name VARCHAR(100),  
  emp_salary INT(100));
```



```
mysql> desc emp_information;  
+-----+-----+-----+-----+-----+-----+  
| Field          | Type          | Null | Key | Default | Extra |  
+-----+-----+-----+-----+-----+-----+  
| emp_ID         | int           | YES  |     | NULL    |       |  
| emp_First_Name | varchar(100)  | YES  |     | NULL    |       |  
| emp_Last_Name  | varchar(100)  | YES  |     | NULL    |       |  
| emp_Address    | varchar(200)  | YES  |     | NULL    |       |  
| emp_Role       | varchar(100)  | YES  |     | NULL    |       |  
+-----+-----+-----+-----+-----+-----+  
5 rows in set (0.01 sec)  
  
mysql> desc emp_salary;  
+-----+-----+-----+-----+-----+-----+  
| Field          | Type          | Null | Key | Default | Extra |  
+-----+-----+-----+-----+-----+-----+  
| emp_ID         | int           | YES  |     | NULL    |       |  
| emp_First_Name | varchar(100)  | YES  |     | NULL    |       |  
| emp_Last_Name  | varchar(100)  | YES  |     | NULL    |       |  
| emp_salary     | int           | YES  |     | NULL    |       |  
+-----+-----+-----+-----+-----+-----+  
4 rows in set (0.00 sec)  
  
mysql> 
```