Test Run Report

Test Run Overview

Started	17 Dec 2018, 21:45:24
Ended	17 Dec 2018, 21:46:19
Duration (mm:ss)	00:54.820

Test Results Summary

Passed	1
Failed	0
Skipped	0

1 Passed (100%)

0 Failed (0%)

0 Skipped (0%)

● Passed ● Failed ● Skipped

Test Case Summary

📂 ZAPI   ✅ successful

  🗂 Clone All Test Cycles.testcase   ✅ successful

Clone All Test Cycles.testcase

Summary

Started	17 Dec 2018, 21:45:24
Ended	17 Dec 2018, 21:46:19
Duration (mm:ss)	00:54.819
Outcome	✅ successful

Output

✅ Read Testdata to clone Test Cycles   ⓘ 21:45:24(00:00.020)

ⓘ Loading data from Parameter Value Source ...

ⓘ Loading Parameter Value Source row 1:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: a80d7758-a342-46f9-9449-3db46ceaa70b, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Classic Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18921, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 2:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: cf05148f-d300-40e5-896d-590e131fc34b, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Classic Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18921, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 3:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 0ec086f0-d94e-4de4-9d3b-13333b7bc7a8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Custom - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18921, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 4:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 5, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: f52142fa-3388-49bf-9f61-8fd3de62edea, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Custom Orgs - Smoke Test, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18921, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 5:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 5caf6287-5fe3-4583-be4d-284cead09064, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18921, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 6:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 7, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 171355ff-4e9c-48ff-b186-f37148010c09, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18921, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 7:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: f3ea6387-2997-4606-ae80-dcf6593b38d3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Customization - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18921, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 8:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 9, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 28c6e2ae-1077-47f6-a4c2-d20da2022255, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Quick Actions - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18921, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 8 rows from Parameter Value Source.

✅ For Each: {ExcelData}=>var   ⓘ 21:45:25(00:00.606)
   ⓘ Start of iteration 1 of 8.

✅ Sub Steps   ⓘ 21:45:25(00:00.617)

   ✅ Call Clone a Test Cycle   ⓘ 21:45:25(00:00.617)

      ✅ Clone a Test Cycle.testcase   ⓘ 21:45:25(00:00.618)

         ✅ Call Generate JWT Token   ⓘ 21:45:25(00:00.618)

            ✅ Generate JWT Token.testcase   ⓘ 21:45:25(00:00.618)

               ✅ JWTGenerator: ⇒ tes   ⓘ 21:45:25(00:00.618)
                ⓘ Generating JWT Token for the URL customapis.JWTGenerator

                ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY0N2Y0ZWMzYjBmYjM0NjU2YmU5YzE5ZjE2NjI... <mark>(truncated)</mark> soBxHMsJhE_O9XZrc

             ✅ Set Values: Token   ⓘ 21:45:25(00:00.765)
              ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY0N2Y0ZWMzYjBmYjM0NjU2YmU5YzE5ZjE2NjI... <mark>(truncated)</mark> soBxHMsJhE_O9XZrc

      ✅ Web Connect: WebServiceConnection   ⓘ 21:45:25(00:00.769)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ **Set Values: a**   ⓘ 21:45:25(00:00.784)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY0N2Y0ZWMzYjBmYjM0NjU2YmU5YzE5ZjE2NjMxMzU4C
soBxHMsJhE_O9XZrc
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

⚠️ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 21:45:25(00:00.786)

✅ **Web Request (HTTP/REST): #GetNewCycleDetails**   ⓘ 21:45:25(00:00.786)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=a80d7758-a342-46f9-9449-3db46ceaa70b

ⓘ Sending body. Length: 76

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠️ **Web Request (HTTP/REST): #RestResponse**   ⓘ 21:45:36(00:12.103)
ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ **Set Values: currentValue{UniqueId(2)}**   ⓘ 21:45:36(00:12.106)

ⓘ Setting value currentValueGI, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24, updatedUpdateSeq=25, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName: createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName: modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName: description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName: creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName: projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id: 100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName: versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78],[id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName: id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName: projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 2 of 8.

✅ **Sub Steps**   ⓘ 21:45:36(00:12.130)

✅ **Call Clone a Test Cycle**   ⓘ 21:45:36(00:12.130)

✅ **Clone a Test Cycle.testcase**   ⓘ 21:45:36(00:12.130)

✅ **Call Generate JWT Token**   ⓘ 21:45:36(00:12.130)

✅ **Generate JWT Token.testcase**   ⓘ 21:45:36(00:12.131)

✅ **JWTGenerator: ⇒ tes**   ⓘ 21:45:36(00:12.131)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6Il5YmZlODY4Yjg2ZjQ0NTQxNTgzNjZjZjMzk3YWE4
Tlzdtj_dNmaAOVqFXo

✅ **Set Values: Token**   ⓘ 21:45:36(00:12.136)

ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6Il5YmZlODY4Yjg2ZjQ0NTQxNTgzNjZjZjMzk3YWE4
Tlzdtj_dNmaAOVqFXo

✅ **Web Connect: WebServiceConnection**   ⓘ 21:45:36(00:12.139)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ **Set Values: a** ⓘ 21:45:36(00:12.144)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsImZaCI6Ij5YmZlODY4Yjg2ZjQ0NTQxNTgzNjZjMzk3YWE4NDDdjMDl
TIzdtj_dNmaAOVqFXo
zapiAccessKey:amIyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXlueWFkYXYgVVNFUl9ERUZBVUxUUX05BTUU

⚠️ **Web Request (HTTP/REST): #GetNewCycleDetails** ⓘ 21:45:36(00:12.148)

✅ **Web Request (HTTP/REST): #GetNewCycleDetails** ⓘ 21:45:36(00:12.148)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=cf05148f-d300-40e5-896d-590e131fc34b

ⓘ Sending body. Length: 78

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠️ **Web Request (HTTP/REST): #RestResponse** ⓘ 21:45:42(00:18.506)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ **Set Values: currentValue{UniqueId(2)}** ⓘ 21:45:42(00:18.508)

ⓘ Setting value currentValueE9, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24, updatedUpdateSeq=49, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName: createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName: modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName: description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName: creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName: projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id: 100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName: versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78],[id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName: id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName: projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 3 of 8.

✅ **Sub Steps** ⓘ 21:45:43(00:18.529)

✅ **Call Clone a Test Cycle** ⓘ 21:45:43(00:18.529)

✅ **Clone a Test Cycle.testcase** ⓘ 21:45:43(00:18.529)

✅ **Call Generate JWT Token** ⓘ 21:45:43(00:18.529)

✅ **Generate JWT Token.testcase** ⓘ 21:45:43(00:18.529)

✅ **JWTGenerator: ⇒ tes** ⓘ 21:45:43(00:18.529)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjNjA0ZDNjZWY4ZWVlZTYyNDFmMWRjNzUzN

✅ **Set Values: Token** ⓘ 21:45:43(00:18.534)

ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjNjA0ZDNjZWY4ZWVlZTYyNDFmMWRjNzUzN

✅ **Web Connect: WebServiceConnection** ⓘ 21:45:43(00:18.539)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ **Set Values: a** ⓘ 21:45:43(00:18.569)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjNjA0ZDNjZWY4ZWVlZTYyNDFmMWRjNzUzNTJlYmJi
zapiAccessKey:amIyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXlueWFkYXYgVVNFUl9ERUZBVUxUUX05BTUU

⚠️ **Web Request (HTTP/REST): #GetNewCycleDetails** ⓘ 21:45:43(00:18.574)

✅ Web Request (HTTP/REST): #GetNewCycleDetails ⓘ 21:45:43(00:18.574)

  ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

  ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=0ec086f0-d94e-4de4-9d3b-13333b7bc7a8

  ⓘ Sending body. Length: 69

  ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

  ⓘ Parsing JSON response.

  ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

  ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠️ Web Request (HTTP/REST): #RestResponse ⓘ 21:45:45(00:20.717)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)} ⓘ 21:45:45(00:20.725)

  ⓘ Setting value currentValue3U, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24, updatedUpdateSeq=73, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName: createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName: modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName: description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName: creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName: projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id: 100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName: versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78],[id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName: id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName: projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 4 of 8.

✅ Sub Steps ⓘ 21:45:45(00:20.740)

  ✅ Call Clone a Test Cycle ⓘ 21:45:45(00:20.741)

    ✅ Clone a Test Cycle.testcase ⓘ 21:45:45(00:20.741)

      ✅ Call Generate JWT Token ⓘ 21:45:45(00:20.741)

        ✅ Generate JWT Token.testcase ⓘ 21:45:45(00:20.741)

          ✅ JWTGenerator: ⇒ tes ⓘ 21:45:45(00:20.741)

            ⓘ Generating JWT Token for the URL customapis.JWTGenerator

            ⓘ JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY5Mjg4M2I2NmFiM2FiNDVjNWZhZThiMTMyYmE...

          ✅ Set Values: Token ⓘ 21:45:45(00:20.747)

            ⓘ Setting value Token, value: JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY5Mjg4M2I2NmFiM2FiNDVjNWZhZThiMTMyYmE...

  ✅ Web Connect: WebServiceConnection ⓘ 21:45:45(00:20.750)

    ⓘ Opening RestService connection Connection name: RestNew

    ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

    Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

    ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

  ✅ Set Values: a ⓘ 21:45:45(00:20.755)

    ⓘ Setting value a, value: Authorization:JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY5Mjg4M2I2NmFiM2FiNDVjNWZhZThiMTMyYmE1NjZlNT... zapiAccessKey:amIyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdkNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxxUX05BTUU...

  ⚠️ Web Request (HTTP/REST): #GetNewCycleDetails ⓘ 21:45:45(00:20.765)

  ✅ Web Request (HTTP/REST): #GetNewCycleDetails ⓘ 21:45:45(00:20.765)

    ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

    ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=f52142fa-3388-49bf-9f61-8fd3de62edea

    ⓘ Sending body. Length: 71

    ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠️ Web Request (HTTP/REST): #RestResponse   ⓘ 21:45:47(00:22.677)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓘ 21:45:47(00:22.679)

ⓘ Setting value currentValueM4, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24, updatedUpdateSeq=97, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName: createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName: modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName: description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName: creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName: projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id: 100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName: versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78], [id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName: id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName: projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 5 of 8.

✅ Sub Steps   ⓘ 21:45:47(00:22.689)

✅ Call Clone a Test Cycle   ⓘ 21:45:47(00:22.690)

✅ Clone a Test Cycle.testcase   ⓘ 21:45:47(00:22.690)

✅ Call Generate JWT Token   ⓘ 21:45:47(00:22.690)

✅ Generate JWT Token.testcase   ⓘ 21:45:47(00:22.690)

✅ JWTGenerator: ⇒ tes   ⓘ 21:45:47(00:22.690)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjY2E3N2RjZmI2NjA0NzFjMWY3ZDczYmYxZD...
RAhq1QKrUvqs

✅ Set Values: Token   ⓘ 21:45:47(00:22.693)

ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjY2E3N2RjZmI2NjA0NzFjMWY3ZDczYmYxZD...
RAhq1QKrUvqs

✅ Web Connect: WebServiceConnection   ⓘ 21:45:47(00:22.695)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ Set Values: a   ⓘ 21:45:47(00:22.699)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjY2E3N2RjZmI2NjA0NzFjMWY3ZDczYmYxZDI5NWZkO...
RAhq1QKrUvqs
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxxUX05BTUU...

⚠️ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 21:45:47(00:22.701)

✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 21:45:47(00:22.701)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=5caf6287-5fe3-4583-be4d-284cead09064

ⓘ Sending body. Length: 80

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠️ Web Request (HTTP/REST): #RestResponse   ⓘ 21:45:53(00:29.115)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}　　　　　　　　　　　　　　　　　　　　ⓘ 21:45:53(00:29.117)

　ⓘ Setting value currentValueKY, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24, updatedUpdateSeq=121, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName: createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName: modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName: description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName: creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName: projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id: 100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName: versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78], [id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName: id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName: projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 6 of 8.

✅ Sub Steps　　　　　　　　　　　　　　　　　　　　　　　　　　　　　　　　　　ⓘ 21:45:53(00:29.126)

　✅ Call Clone a Test Cycle　　　　　　　　　　　　　　　　　　　　　　　　　ⓘ 21:45:53(00:29.126)

　　✅ Clone a Test Cycle.testcase　　　　　　　　　　　　　　　　　　　　　　ⓘ 21:45:53(00:29.127)

　　　✅ Call Generate JWT Token　　　　　　　　　　　　　　　　　　　　　　ⓘ 21:45:53(00:29.127)

　　　　✅ Generate JWT Token.testcase　　　　　　　　　　　　　　　　　　ⓘ 21:45:53(00:29.127)

　　　　　✅ JWTGenerator: ⇒ tes　　　　　　　　　　　　　　　　　　　ⓘ 21:45:53(00:29.127)

　　　　　　ⓘ Generating JWT Token for the URL customapis.JWTGenerator

　　　　　　ⓘ JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjIyNTVlMDVmZTQ5ZWE2YWNmZTQxN2U3M2Nh

　　　　✅ Set Values: Token　　　　　　　　　　　　　　　　　　　　　　　ⓘ 21:45:53(00:29.130)

　　　　　ⓘ Setting value Token, value: JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjIyNTVlMDVmZTQ5ZWE2YWNmZTQxN2U3M2Nh

　　✅ Web Connect: WebServiceConnection　　　　　　　　　　　　　　　　ⓘ 21:45:53(00:29.133)

　　　ⓘ Opening RestService connection Connection name: RestNew

　　　ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

　　　Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

　　　ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/ connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

　　✅ Set Values: a　　　　　　　　　　　　　　　　　　　　　　　　　　　ⓘ 21:45:53(00:29.137)

　　　ⓘ Setting value a, value: Authorization:JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjIyNTVlMDVmZTQ5ZWE2YWNmZTQxN2U3M2NhMWZlYz zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

　　⚠ Web Request (HTTP/REST): #GetNewCycleDetails　　　　　　　　　　　ⓘ 21:45:53(00:29.139)

　　✅ Web Request (HTTP/REST): #GetNewCycleDetails　　　　　　　　　　　ⓘ 21:45:53(00:29.139)

　　　ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

　　　ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle? clonedCycleId=171355ff-4e9c-48ff-b186-f37148010c09

　　　ⓘ Sending body. Length: 78

　　　ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

　　　ⓘ Parsing JSON response.

　　　ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

　　　ⓘ Web Response Status stored successfully. Name: RestResponseStatus

　　⚠ Web Request (HTTP/REST): #RestResponse　　　　　　　　　　　　　　ⓘ 21:45:59(00:35.125)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}　　　　　　　　　　　　　　　　　　ⓘ 21:45:59(00:35.126)

　ⓘ Setting value currentValue7V, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24, updatedUpdateSeq=145, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName: createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName: modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName:

description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName: creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName: projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id: 100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName: versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78], [id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName: id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName: projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 7 of 8.

✅ Sub Steps — ⓘ 21:45:59(00:35.138)

✅ Call Clone a Test Cycle — ⓘ 21:45:59(00:35.138)

✅ Clone a Test Cycle.testcase — ⓘ 21:45:59(00:35.138)

✅ Call Generate JWT Token — ⓘ 21:45:59(00:35.138)

✅ Generate JWT Token.testcase — ⓘ 21:45:59(00:35.138)

✅ JWTGenerator: ⇒ tes — ⓘ 21:45:59(00:35.138)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXppbmRlci55YWRhdiIsInFzaCI6ImM4OGZjYmYyMDk2OTU1ODZlMDZjMTU3MzVl iOouvrv71RMlrrGNi8x49vbHR8g99c

✅ Set Values: Token — ⓘ 21:45:59(00:35.142)

ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXppbmRlci55YWRhdiIsInFzaCI6ImM4OGZjYmYyMDk2OTU1ODZlMDZjMTU3MzVl iOouvrv71RMlrrGNi8x49vbHR8g99c

✅ Web Connect: WebServiceConnection — ⓘ 21:45:59(00:35.145)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/ connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ Set Values: a — ⓘ 21:45:59(00:35.149)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXppbmRlci55YWRhdiIsInFzaCI6ImM4OGZjYmYyMDk2OTU1ODZlMDZjMTU3MzVkNjYxNDl iOouvrv71RMlrrGNi8x49vbHR8g99c
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

⚠️ Web Request (HTTP/REST): #GetNewCycleDetails — ⓘ 21:45:59(00:35.151)

✅ Web Request (HTTP/REST): #GetNewCycleDetails — ⓘ 21:45:59(00:35.151)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle? clonedCycleId=f3ea6387-2997-4606-ae80-dcf6593b38d3

ⓘ Sending body. Length: 78

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠️ Web Request (HTTP/REST): #RestResponse — ⓘ 21:46:13(00:48.998)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)} — ⓘ 21:46:13(00:49.001)

ⓘ Setting value currentValueXA, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24, updatedUpdateSeq=169, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName: createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName: modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName: description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName: creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName: projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id: 100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName: versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78], [id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName:

id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName: projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 8 of 8.

✅ Sub Steps   ⓞ 21:46:13(00:49.010)

✅ Call Clone a Test Cycle   ⓞ 21:46:13(00:49.010)

✅ Clone a Test Cycle.testcase   ⓞ 21:46:13(00:49.010)

✅ Call Generate JWT Token   ⓞ 21:46:13(00:49.010)

✅ Generate JWT Token.testcase   ⓞ 21:46:13(00:49.010)

✅ JWTGenerator: ⇒ tes   ⓞ 21:46:13(00:49.010)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM5YWYyZTExZWUxMmY1MzRlMjVmM2ZkMDI

✅ Set Values: Token   ⓞ 21:46:13(00:49.016)

ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM5YWYyZTExZWUxMmY1MzRlMjVmM2ZkMDI

✅ Web Connect: WebServiceConnection   ⓞ 21:46:13(00:49.018)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ Set Values: a   ⓞ 21:46:13(00:49.021)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM5YWYyZTExZWUxMmY1MzRlMjVmM2ZkMDE4YTEw0
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

⚠️ Web Request (HTTP/REST): #GetNewCycleDetails   ⓞ 21:46:13(00:49.023)

✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓞ 21:46:13(00:49.023)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=28c6e2ae-1077-47f6-a4c2-d20da2022255

ⓘ Sending body. Length: 68

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠️ Web Request (HTTP/REST): #RestResponse   ⓞ 21:46:19(00:54.796)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓞ 21:46:19(00:54.798)

ⓘ Setting value currentValueEC, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24, updatedUpdateSeq=193, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName: createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName: modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName: description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName: creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName: projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id: 100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName: versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78],[id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName: id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName: projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Reached the end of the List.