Test Run Report

Test Run Overview

Started	11 Dec 2018, 10:46:31
Ended	11 Dec 2018, 10:47:36
Duration (mm:ss)	01:05.465

Test Results Summary

Passed	1
Failed	0
Skipped	0

1 Passed (100%)
0 Failed (0%)
0 Skipped (0%)

● Passed ● Failed ○ Skipped

Test Case Summary

📂 ZAPI	✅ successful
🗔 Clone All Test Cycles.testcase	✅ successful

Clone All Test Cycles.testcase

Summary

Started	11 Dec 2018, 10:46:31
Ended	11 Dec 2018, 10:47:36
Duration (mm:ss)	01:05.463
Outcome	✅ successful

Output

✅ Read Testdata to clone Test Cycles   ⓘ 10:46:31(00:00.022)

ⓘ Loading data from Parameter Value Source ...

ⓘ Loading Parameter Value Source row 1:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: a80d7758-a342-46f9-9449-3db46ceaa70b, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Classic Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18680, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 2:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: cf05148f-d300-40e5-896d-590e131fc34b, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Classic Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18680, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 3:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 0ec086f0-d94e-4de4-9d3b-13333b7bc7a8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Custom - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18680, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 4:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 5, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: f52142fa-3388-49bf-9f61-8fd3de62edea, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Custom Orgs - Smoke Test, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18680, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 5:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 5caf6287-5fe3-4583-be4d-284cead09064, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18680, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 6:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 7, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 171355ff-4e9c-48ff-b186-f37148010c09, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18680, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 7:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: f3ea6387-2997-4606-ae80-dcf6593b38d3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Customization - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18680, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 8:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 9, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 28c6e2ae-1077-47f6-a4c2-d20da2022255, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Quick Actions - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18680, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 8 rows from Parameter Value Source.

🟢 For Each: {ExcelData}=>var   ⓘ 10:46:32(00:00.664)
   ⓘ Start of iteration 1 of 8.

   🟢 Sub Steps   ⓘ 10:46:32(00:00.677)

     🟢 Call Clone a Test Cycle   ⓘ 10:46:32(00:00.677)

      🟢 Clone a Test Cycle.testcase   ⓘ 10:46:32(00:00.678)

       🟢 Call Generate JWT Token   ⓘ 10:46:32(00:00.678)

        🟢 Generate JWT Token.testcase   ⓘ 10:46:32(00:00.678)

         🟢 JWTGenerator: ⇒ tes   ⓘ 10:46:32(00:00.678)
          ⓘ Generating JWT Token for the URL customapis.JWTGenerator

          ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY0N2Y0ZWMzYjBmYjM0NjU2YmU5YzE5ZjE2NjI...

         🟢 Set Values: Token   ⓘ 10:46:32(00:00.825)
          ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY0N2Y0ZWMzYjBmYjM0NjU2YmU5YzE5ZjE2NjI...

       🟢 Web Connect: WebServiceConnection   ⓘ 10:46:32(00:00.829)
        ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ **Set Values: a**　　　　　　　　　　　　　　　　　　　　　　　ⓘ 10:46:32(00:00.844)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY0N2Y0ZWMzYjBmYjM0NjU2YmU5YzE5ZjE2NjMxMzU4Q
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxxQ05BTUU

⚠️ **Web Request (HTTP/REST): #GetNewCycleDetails**　　　ⓘ 10:46:32(00:00.846)

✅ **Web Request (HTTP/REST): #GetNewCycleDetails**　　　ⓘ 10:46:32(00:00.847)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=a80d7758-a342-46f9-9449-3db46ceaa70b

ⓘ Sending body. Length: 76

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠️ **Web Request (HTTP/REST): #RestResponse**　　　　　ⓘ 10:46:44(00:12.713)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ **Set Values: currentValue{UniqueId(2)}**　　　　　　　ⓘ 10:46:44(00:12.715)

ⓘ Setting value currentValueYX, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=25, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 2 of 8.

✅ **Sub Steps**　　　　　　　　　　　　　　　　　　　　ⓘ 10:46:44(00:12.730)

　✅ **Call Clone a Test Cycle**　　　　　　　　　　　　ⓘ 10:46:44(00:12.730)

　　✅ **Clone a Test Cycle.testcase**　　　　　　　　ⓘ 10:46:44(00:12.730)

　　　✅ **Call Generate JWT Token**　　　　　　　　ⓘ 10:46:44(00:12.730)

　　　　✅ **Generate JWT Token.testcase**　　　　ⓘ 10:46:44(00:12.731)

　　　　　✅ **JWTGenerator: ⇒ tes**　　　　　ⓘ 10:46:44(00:12.731)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjI5YmZlODY4Yjg2ZjQ0NTQxNTgzNjZjZjMzk3YWE4
Ckp7hVTKfJGRNrh_F6z-3-ykLkZpLi8U

　　　　　✅ **Set Values: Token**　　　　　　　　ⓘ 10:46:44(00:12.735)

ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjI5YmZlODY4Yjg2ZjQ0NTQxNTgzNjZjZjMzk3YWE4
Ckp7hVTKfJGRNrh_F6z-3-ykLkZpLi8U

　✅ **Web Connect: WebServiceConnection**　　　　　ⓘ 10:46:44(00:12.738)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

　✅ **Set Values: a**　　　　　　　　　　　　　　　　ⓘ 10:46:44(00:12.741)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjI5YmZlODY4Yjg2ZjQ0NTQxNTgzNjZjZjMzk3YWE4NDdjMDI

Ckp7hVTKfJGRNrh_F6z-3-ykLkZpLi8U
zapiAccessKey:amIyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

⚠ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:46:44(00:12.745)

✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:46:44(00:12.745)

   ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

   ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=cf05148f-d300-40e5-896d-590e131fc34b

   ⓘ Sending body. Length: 78

   ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

   ⓘ Parsing JSON response.

   ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

   ⓘ Web Response Status stored successfully. Name: RestResponseStatus

  ⚠ Web Request (HTTP/REST): #RestResponse   ⓘ 10:46:50(00:19.389)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓘ 10:46:50(00:19.390)

   ⓘ Setting value currentValue4C, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=49, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null], [id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 3 of 8.

✅ Sub Steps   ⓘ 10:46:50(00:19.405)

  ✅ Call Clone a Test Cycle   ⓘ 10:46:50(00:19.405)

    ✅ Clone a Test Cycle.testcase   ⓘ 10:46:50(00:19.405)

      ✅ Call Generate JWT Token   ⓘ 10:46:50(00:19.405)

        ✅ Generate JWT Token.testcase   ⓘ 10:46:50(00:19.405)

          ✅ JWTGenerator: ⇒ tes   ⓘ 10:46:50(00:19.405)

          ⓘ Generating JWT Token for the URL customapis.JWTGenerator

          ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjNjA0ZDNjZWY4ZWVlZTYyNDFmMWRjNzUzM... Y

        ✅ Set Values: Token   ⓘ 10:46:50(00:19.409)

          ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjNjA0ZDNjZWY4ZWVlZTYyNDFmMWRjNzUzM... Y

    ✅ Web Connect: WebServiceConnection   ⓘ 10:46:50(00:19.412)

      ⓘ Opening RestService connection Connection name: RestNew

      ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

      Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

      ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

    ✅ Set Values: a   ⓘ 10:46:50(00:19.417)

      ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjNjA0ZDNjZWY4ZWVlZTYyNDFmMWRjNzUzNTJlYmJi... Y
zapiAccessKey:amIyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

    ⚠ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:46:50(00:19.420)

    ✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:46:50(00:19.420)

      ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=0ec086f0-d94e-4de4-9d3b-13333b7bc7a8

ⓘ Sending body. Length: 69

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠ Web Request (HTTP/REST): #RestResponse   ⓘ 10:46:53(00.22.114)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓘ 10:46:53(00.22.116)

ⓘ Setting value currentValue86, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=73, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null], [id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 4 of 8.

✅ Sub Steps   ⓘ 10:46:53(00.22.135)

✅ Call Clone a Test Cycle   ⓘ 10:46:53(00.22.135)

✅ Clone a Test Cycle.testcase   ⓘ 10:46:53(00.22.136)

✅ Call Generate JWT Token   ⓘ 10:46:53(00.22.136)

✅ Generate JWT Token.testcase   ⓘ 10:46:53(00.22.136)

✅ JWTGenerator: ⇒ tes   ⓘ 10:46:53(00.22.136)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY5Mjg4M2I2NmFiM2FiNDVjNWZhZThiMTMyYmE fFoukfvsV_0LSmUCE_tYYzdB2vBkG2e4VWbCqU

✅ Set Values: Token   ⓘ 10:46:53(00.22.144)

ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY5Mjg4M2I2NmFiM2FiNDVjNWZhZThiMTMyYmE fFoukfvsV_0LSmUCE_tYYzdB2vBkG2e4VWbCqU

✅ Web Connect: WebServiceConnection   ⓘ 10:46:53(00.22.148)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ Set Values: a   ⓘ 10:46:53(00.22.151)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY5Mjg4M2I2NmFiM2FiNDVjNWZhZThiMTMyYmE1NjZlNT fFoukfvsV_0LSmUCE_tYYzdB2vBkG2e4VWbCqU
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5DgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxxUX05BTUU

⚠ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:46:53(00.22.154)

✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:46:53(00.22.154)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=f52142fa-3388-49bf-9f61-8fd3de62edea

ⓘ Sending body. Length: 71

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠ **Web Request (HTTP/REST): #RestResponse**   ⓘ 10:46:58(00:26.686)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ **Set Values: currentValue{UniqueId(2)}**   ⓘ 10:46:58(00:26.688)

ⓘ Setting value currentValueR1, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=97, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null], [id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 5 of 8.

✅ **Sub Steps**   ⓘ 10:46:58(00:26.699)

　✅ **Call Clone a Test Cycle**   ⓘ 10:46:58(00:26.699)

　　✅ **Clone a Test Cycle.testcase**   ⓘ 10:46:58(00:26.699)

　　　✅ **Call Generate JWT Token**   ⓘ 10:46:58(00:26.699)

　　　　✅ **Generate JWT Token.testcase**   ⓘ 10:46:58(00:26.699)

　　　　　✅ **JWTGenerator: ⇒ tes**   ⓘ 10:46:58(00:26.699)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjY2E3N2RjZmI2NjA0NzFjMWY3ZDczYmYxZD ql1jn2PhS5-tcCHC3g

　　　　　✅ **Set Values: Token**   ⓘ 10:46:58(00:26.702)

ⓘ Setting value Token, value: JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjY2E3N2RjZmI2NjA0NzFjMWY3ZDczYmYxZD ql1jn2PhS5-tcCHC3g

　　✅ **Web Connect: WebServiceConnection**   ⓘ 10:46:58(00:26.704)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/ connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

　　✅ **Set Values: a**   ⓘ 10:46:58(00:26.706)

ⓘ Setting value a, value: Authorization:JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjY2E3N2RjZmI2NjA0NzFjMWY3ZDczYmYxZDI5NWZkO ql1jn2PhS5-tcCHC3g zapiAccessKey:amIyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxxUX05BTUU

　　⚠ **Web Request (HTTP/REST): #GetNewCycleDetails**   ⓘ 10:46:58(00:26.709)

　　✅ **Web Request (HTTP/REST): #GetNewCycleDetails**   ⓘ 10:46:58(00:26.709)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle? clonedCycleId=5caf6287-5fe3-4583-be4d-284cead09064

ⓘ Sending body. Length: 80

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

　　⚠ **Web Request (HTTP/REST): #RestResponse**   ⓘ 10:47:18(00:47.105)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   🕐 10:47:18(00:47.107)

ℹ️ Setting value currentValueI8, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=121, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null], [id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ℹ️ Start of iteration 6 of 8.

✅ Sub Steps   🕐 10:47:18(00:47.118)

✅ Call Clone a Test Cycle   🕐 10:47:18(00:47.118)

✅ Clone a Test Cycle.testcase   🕐 10:47:18(00:47.118)

✅ Call Generate JWT Token   🕐 10:47:18(00:47.118)

✅ Generate JWT Token.testcase   🕐 10:47:18(00:47.118)

✅ JWTGenerator: ⟹ tes   🕐 10:47:18(00:47.118)

ℹ️ Generating JWT Token for the URL customapis.JWTGenerator

ℹ️ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjIyNTVlMDVmZTQ5ZWE2YWNmZTQxN2U3M2NI

✅ Set Values: Token   🕐 10:47:18(00:47.121)

ℹ️ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjIyNTVlMDVmZTQ5ZWE2YWNmZTQxN2U3M2NI

✅ Web Connect: WebServiceConnection   🕐 10:47:18(00:47.124)

ℹ️ Opening RestService connection Connection name: RestNew

ℹ️ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ℹ️ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ Set Values: a   🕐 10:47:18(00:47.127)

ℹ️ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjIyNTVlMDVmZTQ5ZWE2YWNmZTQxN2U3M2NhMWZlYz
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxxUX05BTUU

⚠️ Web Request (HTTP/REST): #GetNewCycleDetails   🕐 10:47:18(00:47.129)

✅ Web Request (HTTP/REST): #GetNewCycleDetails   🕐 10:47:18(00:47.129)

ℹ️ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ℹ️ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=171355ff-4e9c-48ff-b186-f37148010c09

ℹ️ Sending body. Length: 78

ℹ️ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ℹ️ Parsing JSON response.

ℹ️ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ℹ️ Web Response Status stored successfully. Name: RestResponseStatus

⚠️ Web Request (HTTP/REST): #RestResponse   🕐 10:47:24(00:53.278)

ℹ️ Closing RestServiceConnection. Name: WebServiceConnection

ℹ️ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   🕐 10:47:24(00:53.280)

ℹ️ Setting value currentValue9P, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=145, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName:

createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null], [id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 7 of 8.

✅ **Sub Steps**   ⓘ 10:47:24(00:53.291)

  ✅ **Call Clone a Test Cycle**   ⓘ 10:47:24(00:53.291)

    ✅ **Clone a Test Cycle.testcase**   ⓘ 10:47:24(00:53.291)

      ✅ **Call Generate JWT Token**   ⓘ 10:47:24(00:53.291)

        ✅ **Generate JWT Token.testcase**   ⓘ 10:47:24(00:53.291)

          ✅ **JWTGenerator: ⇒ tes**   ⓘ 10:47:24(00:53.291)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM4OGZjYmYyMDk2OTU1ODZlMDZjMTU3MzVkl eqxRsKzpEAJfQkn8

          ✅ **Set Values: Token**   ⓘ 10:47:24(00:53.295)

ⓘ Setting value Token, value: JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM4OGZjYmYyMDk2OTU1ODZlMDZjMTU3MzVkl eqxRsKzpEAJfQkn8

      ✅ **Web Connect: WebServiceConnection**   ⓘ 10:47:24(00:53.298)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/ connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

      ✅ **Set Values: a**   ⓘ 10:47:24(00:53.301)

ⓘ Setting value a, value: Authorization:JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM4OGZjYmYyMDk2OTU1ODZlMDZjMTU3MzVkNjYxNDl eqxRsKzpEAJfQkn8 zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUI9ERUZBVUxUX05BTUU

      ⚠️ **Web Request (HTTP/REST): #GetNewCycleDetails**   ⓘ 10:47:24(00:53.303)

      ✅ **Web Request (HTTP/REST): #GetNewCycleDetails**   ⓘ 10:47:24(00:53.303)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle? clonedCycleId=f3ea6387-2997-4606-ae80-dcf6593b38d3

ⓘ Sending body. Length: 78

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

      ⚠️ **Web Request (HTTP/REST): #RestResponse**   ⓘ 10:47:29(00:58.118)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

  ✅ **Set Values: currentValue{UniqueId(2)}**   ⓘ 10:47:29(00:58.119)

ⓘ Setting value currentValue05, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=169, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null], [id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 8 of 8.

✅ **Sub Steps**   ⓘ 10:47:29(00:58.130)

  ✅ **Call Clone a Test Cycle**   ⓘ 10:47:29(00:58.130)

✅ Clone a Test Cycle.testcase   ⓘ 10:47:29(00:58.130)

  ✅ Call Generate JWT Token   ⓘ 10:47:29(00:58.130)

    ✅ Generate JWT Token.testcase   ⓘ 10:47:29(00:58.130)

      ✅ JWTGenerator: ⇒ tes   ⓘ 10:47:29(00:58.130)

        ⓘ Generating JWT Token for the URL customapis.JWTGenerator

        ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRyci55YWRhdiIsInFzaCI6ImM5YWYyZTExZWUxMmY1MzRlMjVmMM2ZkMDI...
hXmug

      ✅ Set Values: Token   ⓘ 10:47:29(00:58.134)

        ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRyci55YWRhdiIsInFzaCI6ImM5YWYyZTExZWUxMmY1MzRlMjVmMM2ZkMDI...
hXmug

  ✅ Web Connect: WebServiceConnection   ⓘ 10:47:29(00:58.137)

    ⓘ Opening RestService connection Connection name: RestNew

    ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

    Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

    ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

  ✅ Set Values: a   ⓘ 10:47:29(00:58.152)

    ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRyci55YWRhdiIsInFzaCI6ImM5YWYyZTExZWUxMmY1MzRlMjVmMM2ZkMDE4YTEw0...
hXmug
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU...

  ⚠️ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:47:29(00:58.155)

  ✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:47:29(00:58.155)

    ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

    ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=28c6e2ae-1077-47f6-a4c2-d20da2022255

    ⓘ Sending body. Length: 68

    ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

    ⓘ Parsing JSON response.

    ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

    ⓘ Web Response Status stored successfully. Name: RestResponseStatus

  ⚠️ Web Request (HTTP/REST): #RestResponse   ⓘ 10:47:36(01:05.446)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓘ 10:47:36(01:05.448)

ⓘ Setting value currentValueNP, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=193, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Reached the end of the List.