Test Run Report

Test Run Overview

Started	22 Nov 2018, 23:39:27
Ended	22 Nov 2018, 23:39:30
Duration (mm:ss)	00:03.235

Test Results Summary

Passed	0
Failed	1
Skipped	0

1 Failed (100%)
0 Skipped (0%)
0 Passed (0%)

● Passed ● Failed ● Skipped

Test Case Summary

📂 ZAPI   ❌ failed

   📄 Clone All Test Cycles.testcase   ❌ failed

❌ The REST response could not be read. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?
clonedCycleId=e2323071-5115-48d5-ab3a-bb80514f6852, Reason: Server returned HTTP response code: 400 for URL: https://
prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=e2323071-5115-48d5-ab3a-bb80514f6852, Error:
{"errorType":"ERROR","clientMessage":"versionId field value is null or 18,594 is not valid.","errorCode":131}

Clone All Test Cycles.testcase

Summary

Started	22 Nov 2018, 23:39:27
Ended	22 Nov 2018, 23:39:30
Duration (mm:ss)	00:03.234
Outcome	❌ failed

Output

✅ Read Testdata to clone Test Cycles   ⓘ 23:39:27(00:00.015)

   ⓘ Loading data from Parameter Value Source ...

   ⓘ Loading Parameter Value Source row 1:

   ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: e2323071-5115-48d5-ab3a-bb80514f6852, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Classic Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ Loading Parameter Value Source row 2:

   ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: cf05148f-d300-40e5-896d-590e131fc34b, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Classic Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ Loading Parameter Value Source row 3:

   ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 0ec086f0-d94e-4de4-9d3b-13333b7bc7a8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Custom - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ Loading Parameter Value Source row 4:

   ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 5, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: f52142fa-3388-49bf-9f61-8fd3de62edea, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Custom Orgs - Smoke Test, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

   ⓘ Loading Parameter Value Source row 5:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 5caf6287-5fe3-4583-be4d-284cead09064, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 6:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 7, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 171355ff-4e9c-48ff-b186-f37148010c09, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 7:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: f3ea6387-2997-4606-ae80-dcf6593b38d3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Customization - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 8:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 9, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 28c6e2ae-1077-47f6-a4c2-d20da2022255, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Quick Actions - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 8 rows from Parameter Value Source.

❌ For Each: {ExcelData}=>var   ⓘ 23:39:27(00:00.549)
   ⓘ Start of iteration 1 of 8.

  ❌ Sub Steps   ⓘ 23:39:27(00:00.561)

    ❌ Call Clone a Test Cycle   ⓘ 23:39:27(00:00.561)

      ❌ Clone a Test Cycle.testcase   ⓘ 23:39:27(00:00.562)

        ✅ Call Generate JWT Token   ⓘ 23:39:27(00:00.562)

          ✅ Generate JWT Token.testcase   ⓘ 23:39:27(00:00.562)

            ✅ JWTGenerator: ⇒ tes   ⓘ 23:39:27(00:00.562)
              ⓘ Generating JWT Token for the URL customapis.JWTGenerator

              ⓘ JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyXZpbmRlci55YWRhdiIsInFzaCI6ImIzNGIyNWZkZGRkYzVjMjg4YTRlMmVhVhZThhNT

            ✅ Set Values: Token   ⓘ 23:39:27(00:00.802)
              ⓘ Setting value Token, value: JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyXZpbmRlci55YWRhdiIsInFzaCI6ImIzNGIyNWZkZGRkYzVjMjg4YTRlMmVhVhZThhNT

        ✅ Web Connect: WebServiceConnection   ⓘ 23:39:27(00:00.805)
          ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/
connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ **Set Values: a**   ⓘ 23:39:27(00:00.814)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImIzNGIyNWZkZGRkYzVjVjMjg4YTRlMmVhZThhNTA1MzgzY
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

⚠️ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 23:39:27(00:00.816)

❌ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 23:39:27(00:00.816)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?
clonedCycleId=e2323071-5115-48d5-ab3a-bb80514f6852

ⓘ Sending body. Length: 76

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

❌ The REST response could not be read. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?
clonedCycleId=e2323071-5115-48d5-ab3a-bb80514f6852, Reason: Server returned HTTP response code: 400 for URL: https://
prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=e2323071-5115-48d5-ab3a-bb80514f6852, Error:
{"errorType":"ERROR","clientMessage":"versionId field value is null or 18,594 is not valid.","errorCode":131}

⚠️ Web Request (HTTP/REST): #RestResponse   ⓘ 23:39:30(00:03.223)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ **Set Values: currentValue{UniqueId(2)}**   ⓘ 23:39:30(00:03.225)

ⓘ Setting value currentValueS6, value: <null>

❌ Sub-Test Steps failed for iteration 0