Test Run Report




Test Run Overview

Started 04 Dec 2018, 10:49:05 Ended 04 Dec 2018, 10:49:08

Duration (mm:ss) 00:02.836

Test Results Summary

Passed 0 Failed 1 Skipped 0



Test Case Summary



Clone All Test Cycles.testcase

🔞 failed

failed

The REST response could not be read. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle? clonedCycleId=e2323071-5115-48d5-ab3a-bb80514f6852, Reason: Server returned HTTP response code: 400 for URL: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=e2323071-5115-48d5-ab3a-bb80514f6852, Error: {"errorType":"ERROR", "clientMessage": "versionId field value is null or 18,594 is not valid.", "errorCode":131}

🔲 Clone All Test Cycles.testcase

Summary

Started 04 Dec 2018, 10:49:05 04 Dec 2018, 10:49:08 Ended

Duration (mm:ss) 00:02.835 Outcome failed

updatedUpdateSeg=-1]

updatedUpdateSeq=-1]

1 Loading Parameter Value Source row 5:

Output

Read Testdata to clone Test Cycles 0 10:49:05(00:00.012) Loading data from Parameter Value Source ... 1 Loading Parameter Value Source row 1: ① ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] ① ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 🗓 ==Column=> CloneCycleID = PrimitiveValueImpl [value: e2323071-5115-48d5-ab3a-bb80514f6852, valueId=null, createdUpdateSeq=-1, updatedUpdateSeg=-11 ==Column=> NewCycleName = PrimitiveValueImpl [value: Classic Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 ==Column=> VersionId = PrimitiveValueImpl [value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 🗓 ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 Loading Parameter Value Source row 2: 🛈 ==Column=> RowNumber = PrimitiveValueImpl [value: 3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 🛈 ==Column=> CloneCycleID = PrimitiveValueImpl [value: cf05148f-d300-40e5-896d-590e131fc34b, valueId=null, createdUpdateSeq=-1, updatedUpdateSeg=-1] ==Column=> NewCycleName = PrimitiveValueImpl [value: Classic Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 ==Column=> VersionId = PrimitiveValueImpl [value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 🗓 ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] Loading Parameter Value Source row 3: ① ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] ① ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 🛈 ==Column=> CloneCycleID = PrimitiveValueImpl [value: 0ec086f0-d94e-4de4-9d3b-13333b7bc7a8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 🛈 ==Column=> NewCycleName = PrimitiveValueImpl [value: Custom - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 ==Column=> VersionId = PrimitiveValueImpl [value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 Loading Parameter Value Source row 4: ① ==Column=> RowNumber = PrimitiveValueImpl [value: 5, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> NewCycleName = PrimitiveValueImpl [value: Custom Orgs - Smoke Test, valueId=null, createdUpdateSeq=-1,

🛈 ==Column=> VersionId = PrimitiveValueImpl [value: 18594, valueId=nuII, createdUpdateSeq=-1, updatedUpdateSeq=-1] ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

🛈 ==Column=> CloneCycleID = PrimitiveValueImpl [value: f52142fa-3388-49bf-9f61-8fd3de62edea, valueId=null, createdUpdateSeq=-1,

```
① ==Column=> RowNumber = PrimitiveValueImpl [ value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   ① ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> CloneCycleID = PrimitiveValueImpl [ value: 5caf6287-5fe3-4583-be4d-284cead09064, valueId=null, createdUpdateSeq=-1,
   updatedUpdateSeq=-1]
   1- ==Column=> NewCycleName = PrimitiveValueImpl [ value: Lightning Console - Smoke Testing, valueId=null, createdUpdateSeg=-1,
   updatedUpdateSeg=-11
   🛈 ==Column=> VersionId = PrimitiveValueImpl [ value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   🗓 ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 Loading Parameter Value Source row 6:
   ① ==Column=> RowNumber = PrimitiveValueImpl [ value: 7, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   ① ==Column=> CloneCycleID = PrimitiveValueImpl [ value: 171355ff-4e9c-48ff-b186-f37148010c09, valueId=null, createdUpdateSeq=-1,
   updatedUpdateSeg=-1]
   ① ==Column=> NewCycleName = PrimitiveValueImpl [ value: Lightning Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1,
   updatedUpdateSeg=-11
   ① ==Column=> VersionId = PrimitiveValueImpI [ value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   ① ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   Loading Parameter Value Source row 7:
   🛈 ==Column=> RowNumber = PrimitiveValueImpl [ value: 8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   🗓 ==Column=> CloneCycleID = PrimitiveValueImpl [ value: f3ea6387-2997-4606-ae80-dcf6593b38d3, valueId=null, createdUpdateSeq=-1,
   updatedUpdateSeg=-1]
   ==Column=> NewCycleName = PrimitiveValueImpl [ value: Lightning Customization - Smoke, valueId=null, createdUpdateSeq=-1,
   updatedUpdateSeg=-11
   1 ==Column=> VersionId = PrimitiveValueImpl [ value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   ① ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    Loading Parameter Value Source row 8:

   1 ==Column=> RowNumber = PrimitiveValueImpl [ value: 9, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   🗓 ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   🗓 ==Column=> CloneCycleID = PrimitiveValueImpl [ value: 28c6e2ae-1077-47f6-a4c2-d20da2022255, valueId=null, createdUpdateSeq=-1,
   updatedUpdateSeg=-11
   ① ==Column=> NewCycleName = PrimitiveValueImpl [ value: Quick Actions - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> VersionId = PrimitiveValueImpl [ value: 18594, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   ① ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   Loaded 8 rows from Parameter Value Source.
                                                                                                                         0 10:49:05(00:00.529)
For Each: {ExcelData}=>var
   ① Start of iteration 1 of 8.
                                                                                                                         0 10:49:05(00:00.539)
    Sub Steps
                                                                                                                         0 10:49:05(00:00.539)
        Call Clone a Test Cycle
            Clone a Test Cycle.testcase
                                                                                                                         0 10:49:05(00:00.539)
                                                                                                                         0 10:49:05(00:00.540)
                Call Generate JWT Token
                    Generate JWT Token.testcase
                                                                                                                         0 10:49:05(00:00.540)
                        0 10:49:05(00:00.540)
                            (1) Generating JWT Token for the URL customapis.JWTGenerator
                            eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJzdWliOiJyYXZpbmRlci55YWRhdilsInFzaCl6ImIzNGIyNWZkZGRkYzVjMjg4YTRIMmVhZThhNT
                            QNLm3TGRJoQBbQWR378g7f1iSCAsKGD484J7cY
                        Set Values: Token
                                                                                                                         0 10:49:06(00:00.816)
                            i Setting value Token, value: JWT
                            eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWliOiJyYXZpbmRlci55YWRhdilsInFzaCl6ImlzNGlyNWZkZGRkYzVjMjg4YTRIMmVhZThhNT
                            QNLm3TGRJoQBbQWR378g7f1iSCAsKGD484J7cY
                Web Connect: WebServiceConnection
                                                                                                                         0 10:49:06(00:00.818)
```

- ① Opening RestService connection Connection name: RestNew
- ① Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

① Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

Set Values: a © 10:49:06(00:00.828)

① Setting value: Authorization:JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJzdWliOiJyYXZpbmRlci55YWRhdilsInFzaCl6ImIzNGIyNWZkZGRkYzVjMjg4YTRIMmVhZThhNTA1Mzgz*QNLm3TGRJoQBbQWR378g7f1iSCAsKGD484J7cY zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODqt0TdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXlueWFkYXYgVVNFUI9ERUZBVUxUX05BTUU

Web Request (HTTP/REST): #GetNewCycleDetails

0 10:49:06(00:00.829)

Web Request (HTTP/REST): #GetNewCycleDetails

- 0 10:49:06(00:00.829)
- ① Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON
- ① Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=e2323071-5115-48d5-ab3a-bb80514f6852
- (i) Sending body. Length: 76
- ① Reading response. Content Type: application/json;charset=utf-8, Encoding: null
- The REST response could not be read. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle? clonedCycleId=e2323071-5115-48d5-ab3a-bb80514f6852, Reason: Server returned HTTP response code: 400 for URL: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=e2323071-5115-48d5-ab3a-bb80514f6852, Error: {"errorType":"ERROR", "clientMessage": "versionId field value is null or 18,594 is not valid.", "errorCode":131}
- Web Request (HTTP/REST): #RestResponse

0 10:49:08(00:02.821)

0 10:49:08(00:02.823)

- ① Closing RestServiceConnection. Name: WebServiceConnection
- ① Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

- Set Values: currentValue{UniqueId(2)}
 - (1) Setting value currentValueIQ, value: <null>
- Sub-Test Steps failed for iteration 0