

# Test Run Report



## Test Run Overview


---

Started	22 Nov 2018, 23:25:49
Ended	22 Nov 2018, 23:26:56
Duration (mm:ss)	01:07.160

## Test Results Summary

---

Passed	1
Failed	0
Skipped	0



## Test Case Summary

---

ZAPI


Clone All Test Cycles.testcase

successful

successful

## Clone All Test Cycles.testcase

### Summary

Started 22 Nov 2018, 23:25:49  
Ended 22 Nov 2018, 23:26:56  
Duration (mm:ss) 01:07.159  
Outcome  successful

### Output

 Read Testdata to clone Test Cycles ⌚ 23:25:49(00:00.028)

❗ Loading data from Parameter Value Source ...

❗ Loading Parameter Value Source row 1:

❗ ==Column=> RowNumber = PrimitiveValueImpl [ value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> CloneCycleID = PrimitiveValueImpl [ value: e2323071-5115-48d5-ab3a-bb80514f6852, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> NewCycleName = PrimitiveValueImpl [ value: Classic Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> VersionId = PrimitiveValueImpl [ value: 18593, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ Loading Parameter Value Source row 2:

❗ ==Column=> RowNumber = PrimitiveValueImpl [ value: 3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> CloneCycleID = PrimitiveValueImpl [ value: cf05148f-d300-40e5-896d-590e131fc34b, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> NewCycleName = PrimitiveValueImpl [ value: Classic Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> VersionId = PrimitiveValueImpl [ value: 18593, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ Loading Parameter Value Source row 3:

❗ ==Column=> RowNumber = PrimitiveValueImpl [ value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> CloneCycleID = PrimitiveValueImpl [ value: 0ec086f0-d94e-4de4-9d3b-1333b7bc7a8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> NewCycleName = PrimitiveValueImpl [ value: Custom - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> VersionId = PrimitiveValueImpl [ value: 18593, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ Loading Parameter Value Source row 4:

❗ ==Column=> RowNumber = PrimitiveValueImpl [ value: 5, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> CloneCycleID = PrimitiveValueImpl [ value: f52142fa-3388-49bf-9f61-8fd3de62edea, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> NewCycleName = PrimitiveValueImpl [ value: Custom Orgs - Smoke Test, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> VersionId = PrimitiveValueImpl [ value: 18593, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ Loading Parameter Value Source row 5:

① ==Column=> RowNumber = PrimitiveValueImpl [ value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> CloneCycleID = PrimitiveValueImpl [ value: 5caf6287-5fe3-4583-be4d-284cead09064, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> NewCycleName = PrimitiveValueImpl [ value: Lightning Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> VersionId = PrimitiveValueImpl [ value: 18593, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① Loading Parameter Value Source row 6:

① ==Column=> RowNumber = PrimitiveValueImpl [ value: 7, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> CloneCycleID = PrimitiveValueImpl [ value: 171355ff-4e9c-48ff-b186-f37148010c09, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> NewCycleName = PrimitiveValueImpl [ value: Lightning Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> VersionId = PrimitiveValueImpl [ value: 18593, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① Loading Parameter Value Source row 7:

① ==Column=> RowNumber = PrimitiveValueImpl [ value: 8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> CloneCycleID = PrimitiveValueImpl [ value: f3ea6387-2997-4606-ae80-dcf6593b38d3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> NewCycleName = PrimitiveValueImpl [ value: Lightning Customization - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> VersionId = PrimitiveValueImpl [ value: 18593, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① Loading Parameter Value Source row 8:

① ==Column=> RowNumber = PrimitiveValueImpl [ value: 9, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> CloneCycleID = PrimitiveValueImpl [ value: 28c6e2ae-1077-47f6-a4c2-d20da2022255, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> NewCycleName = PrimitiveValueImpl [ value: Quick Actions - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> VersionId = PrimitiveValueImpl [ value: 18593, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 8 rows from Parameter Value Source.



For Each: {ExcelData}>=>var

① 23:25:50(00:00.649)

① Start of iteration 1 of 8.



Sub Steps

① 23:25:50(00:00.659)



Call Clone a Test Cycle

① 23:25:50(00:00.660)



Clone a Test Cycle.testcase

① 23:25:50(00:00.660)



Call Generate JWT Token

① 23:25:50(00:00.660)



Generate JWT Token.testcase

① 23:25:50(00:00.660)



JWTGenerator: => tes

① 23:25:50(00:00.660)



Generating JWT Token for the URL customapis.JWTGenerator



JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55WWRhdlsInFzaCI6ImZlZmVzZGRkYzVjMjg4YTRlImVhZThhNT

R75UXJa1ICbXzm5hY



Set Values: Token

① 23:25:50(00:00.961)



Setting value Token, value: JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55WWRhdlsInFzaCI6ImZlZmVzZGRkYzVjMjg4YTRlImVhZThhNT

R75UXJa1ICbXzm5hY



Web Connect: WebServiceConnection

① 23:25:50(00:00.964)

- ① Opening RestService connection Connection name: RestNew
- ① Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect
- Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test
- ① Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO\_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect
- ✔ Set Values: a 23:25:50(00:00.974)
  - ① Setting value a, value: Authorization:JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdlsInFzaCI6ImIzNGlyNWZkZGRkYzVjMjg4YTRIMmVhZThhNTA1MzgZlR75UXJa1lCbXzm5hY  
zapiAccessKey:amlyYT0xMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXlueWFKYXYgVVNFUI9ERUZBVUxUX05BTUU
- ⚠ Web Request (HTTP/REST): #GetNewCycleDetails 23:25:50(00:00.976)
- ✔ Web Request (HTTP/REST): #GetNewCycleDetails 23:25:50(00:00.976)
  - ① Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON
  - ① Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=e2323071-5115-48d5-ab3a-bb80514f6852
  - ① Sending body. Length: 76
  - ① Reading response. Content Type: application/json;charset=utf-8, Encoding: null
  - ① Parsing JSON response.
  - ① REST Response stored successfully. Name: GetNewCycleDetails, length: 0
  - ① Web Response Status stored successfully. Name: RestResponseStatus
- ⚠ Web Request (HTTP/REST): #RestResponse 23:26:00(00:11.197)
  - ① Closing RestServiceConnection. Name: WebServiceConnection
  - ① Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection
  - RestServiceConnection closed successfully. Name: WebServiceConnection
- ✔ Set Values: currentValue{Uniqueid(2)} 23:26:00(00:11.199)
  - ① Setting value currentValue17, value: NamedValueListValueImpl [ valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=25, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]
- ① Start of iteration 2 of 8.
- ✔ Sub Steps 23:26:00(00:11.213)
  - ✔ Call Clone a Test Cycle 23:26:00(00:11.213)
    - ✔ Clone a Test Cycle.testcase 23:26:00(00:11.214)
      - ✔ Call Generate JWT Token 23:26:00(00:11.214)
        - ✔ Generate JWT Token.testcase 23:26:00(00:11.214)
          - ✔ JWTGenerator: ➡ tes 23:26:00(00:11.214)
            - ① Generating JWT Token for the URL customapis.JWTGenerator
            - ① JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdlsInFzaCI6ImIzNGlyNWZkZGRkYzVjMjg4YTRIMmVhZThhNTA1MzgZlR75UXJa1lCbXzm5hY  
Z1aDW6wb0-tMp0nyME
          - ✔ Set Values: Token 23:26:00(00:11.217)
            - ① Setting value Token, value: JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdlsInFzaCI6ImIzNGlyNWZkZGRkYzVjMjg4YTRIMmVhZThhNTA1MzgZlR75UXJa1lCbXzm5hY  
Z1aDW6wb0-tMp0nyME
- ✔ Web Connect: WebServiceConnection 23:26:00(00:11.220)
  - ① Opening RestService connection Connection name: RestNew
  - ① Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect
  - Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test
  - ① Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO\_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

- ✔

Set Values: a

23:26:00(00:11.223)
- ⓘ

Setting value a, value: Authorization:JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilInFzaCI6IjI5YmZlODY4Yjg2ZjQ0NTQxNTgzNjZjMzk3YWE4NDdjMDUyZ1aDW6wb0-tMp0nyME  
zapiAccessToken:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXlueWFKYXYgVGVFNUI9ERUZBVUxUX05BTUU
- ⚠

Web Request (HTTP/REST): #GetNewCycleDetails

23:26:00(00:11.226)
- ✔

Web Request (HTTP/REST): #GetNewCycleDetails

23:26:00(00:11.226)
- ⓘ

Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON
- ⓘ

Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=cf05148f-d300-40e5-896d-590e131fc34b
- ⓘ

Sending body. Length: 78
- ⓘ

Reading response. Content Type: application/json;charset=utf-8, Encoding: null
- ⓘ

Parsing JSON response.
- ⓘ

REST Response stored successfully. Name: GetNewCycleDetails, length: 0
- ⓘ

Web Response Status stored successfully. Name: RestResponseStatus
- ⚠

Web Request (HTTP/REST): #RestResponse

23:26:19(00:29.780)
- ⓘ

Closing RestServiceConnection. Name: WebServiceConnection
- ⓘ

Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection
- RestServiceConnection closed successfully. Name: WebServiceConnection
- ✔

Set Values: currentValue{UniqueId(2)}

23:26:19(00:29.782)
- ⓘ

Setting value currentValueDB, value: NamedValueListValueImpl [ valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=49, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]
- ⓘ

Start of iteration 3 of 8.
- ✔

Sub Steps

23:26:19(00:29.800)
- ✔

Call Clone a Test Cycle

23:26:19(00:29.800)
- ✔

Clone a Test Cycle.testcase

23:26:19(00:29.800)
- ✔

Call Generate JWT Token

23:26:19(00:29.800)
- ✔

Generate JWT Token.testcase

23:26:19(00:29.800)
- ✔

JWTGenerator: ➞ tes

23:26:19(00:29.801)
- ⓘ

Generating JWT Token for the URL customapis.JWTGenerator
- ⓘ

JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilInFzaCI6ImRjNjA0ZDNjZWY4ZWVIZTYyNDZmMWRjNzUzZjI5YmZlODY4Yjg2ZjQ0NTQxNTgzNjZjMzk3YWE4NDdjMDUyZ1aDW6wb0-tMp0nyME
- ✔

Set Values: Token

23:26:19(00:29.803)
- ⓘ

Setting value Token, value: JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilInFzaCI6ImRjNjA0ZDNjZWY4ZWVIZTYyNDZmMWRjNzUzZjI5YmZlODY4Yjg2ZjQ0NTQxNTgzNjZjMzk3YWE4NDdjMDUyZ1aDW6wb0-tMp0nyME
- ✔

Web Connect: WebServiceConnection

23:26:19(00:29.806)
- ⓘ

Opening RestService connection Connection name: RestNew
- ⓘ

Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect
- Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test
- ⓘ

Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO\_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect
- ✔

Set Values: a

23:26:19(00:29.808)
- ⓘ

Setting value a, value: Authorization:JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilInFzaCI6ImRjNjA0ZDNjZWY4ZWVIZTYyNDZmMWRjNzUzZjI5YmZlODY4Yjg2ZjQ0NTQxNTgzNjZjMzk3YWE4NDdjMDUyZ1aDW6wb0-tMp0nyME  
zapiAccessToken:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXlueWFKYXYgVGVFNUI9ERUZBVUxUX05BTUU
- ⚠

Web Request (HTTP/REST): #GetNewCycleDetails

23:26:19(00:29.810)
- ✔

Web Request (HTTP/REST): #GetNewCycleDetails

23:26:19(00:29.810)
- ⓘ

Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

 Web Response Status stored successfully. Name: RestResponseStatus

RestServiceConnection closed successfully. Name: WebServiceConnection

❖ Parsing JSON response.

	<div> <div>REST Response stored successfully. Name: GetNewCycleDetails, length: 0</div> <div>Web Response Status stored successfully. Name: RestResponseStatus</div> </div>	
<div> <div>Web Request (HTTP/REST): #RestResponse</div> <div> <div>Closing RestServiceConnection. Name: WebServiceConnection</div> <div>Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection</div> <div>RestServiceConnection closed successfully. Name: WebServiceConnection</div> </div> </div>	<div> <div>23:26:25(00:36.237)</div> </div>	
<div> <div>Set Values: currentValue{UniqueId(2)}</div> <div> <div>Setting value currentValueCO, value: NamedValueListValueImpl [ valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=97, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]</div> </div> </div>	<div> <div>23:26:25(00:36.238)</div> </div>	
<div> <div>Start of iteration 5 of 8.</div> </div>		
<div> <div>Sub Steps</div> <div> <div>Call Clone a Test Cycle</div> <div> <div>Clone a Test Cycle.testcase</div> <div> <div>Call Generate JWT Token</div> <div> <div>Generate JWT Token.testcase</div> <div> <div>JWTGenerator: ⇒ tes</div> <div> <div>Generating JWT Token for the URL customapis.JWTGenerator</div> <div>JWT</div> <div>eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55WWRhdlsInFzaCI6ImRjY2E3N2RjZm12NjA0NzFjMWY3ZDczYmYxZD</div> </div> </div> </div> </div> </div> </div> </div>	<div> <div>23:26:25(00:36.248)</div> <div>23:26:25(00:36.248)</div> <div>23:26:25(00:36.248)</div> <div>23:26:25(00:36.248)</div> <div>23:26:25(00:36.248)</div> <div>23:26:25(00:36.248)</div> </div>	
<div> <div>Set Values: Token</div> <div> <div>Setting value Token, value: JWT</div> <div>eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55WWRhdlsInFzaCI6ImRjY2E3N2RjZm12NjA0NzFjMWY3ZDczYmYxZD</div> </div> </div>	<div> <div>23:26:25(00:36.251)</div> </div>	
<div> <div>Web Connect: WebServiceConnection</div> <div> <div>Opening RestService connection Connection name: RestNew</div> <div>Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect</div> <div>Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test</div> <div>Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect</div> </div> </div>	<div> <div>23:26:25(00:36.253)</div> </div>	
<div> <div>Set Values: a</div> <div> <div>Setting value a, value: Authorization:JWT</div> <div>eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55WWRhdlsInFzaCI6ImRjY2E3N2RjZm12NjA0NzFjMWY3ZDczYmYxZDI5NWZk</div> <div>zapiAccessKey:amlyYT0xMmZiZG4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFKYXYgVVNFUI9ERUZBVUxUX05BTUU</div> </div> </div>	<div> <div>23:26:25(00:36.255)</div> </div>	
<div> <div>Web Request (HTTP/REST): #GetNewCycleDetails</div> </div>	<div> <div>23:26:25(00:36.256)</div> </div>	
<div> <div>Web Request (HTTP/REST): #GetNewCycleDetails</div> <div> <div>Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&amp;bodyStyle=JSON</div> <div>Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=5caf6287-5fe3-4583-be4d-284cead09064</div> <div>Sending body. Length: 80</div> <div>Reading response. Content Type: application/json;charset=utf-8, Encoding: null</div> <div>Parsing JSON response.</div> <div>REST Response stored successfully. Name: GetNewCycleDetails, length: 0</div> <div>Web Response Status stored successfully. Name: RestResponseStatus</div> </div> </div>	<div> <div>23:26:25(00:36.257)</div> </div>	
<div> <div>Web Request (HTTP/REST): #RestResponse</div> <div> <div>Closing RestServiceConnection. Name: WebServiceConnection</div> <div>Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection</div> <div>RestServiceConnection closed successfully. Name: WebServiceConnection</div> </div> </div>	<div> <div>23:26:39(00:49.615)</div> </div>	



🕒 23:26:39(00:49.616)

① Setting value currentValueOA, value: NamedValueListValueImpl [ valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=121, values: [[id: 10000000000004,entryName: folders,entryId: 10000000000003],[id: 10000000000005,entryName: endDate,entryId: null],[id: 10000000000007,entryName: tenantKey,entryId: 10000000000006],[id: 10000000000008,entryName: description,entryId: null],[id: 1000000000000a,entryName: cycleIndex,entryId: 10000000000009],[id: 1000000000000c,entryName: creationDate,entryId: 1000000000000b],[id: 1000000000000e,entryName: ztId,entryId: 1000000000000d],[id: 10000000000010,entryName: projectCycleVersionIndex,entryId: 1000000000000f],[id: 10000000000017,entryName: createdByDisplayName,entryId: 10000000000016],[id: 10000000000018,entryName: sprintId,entryId: null],[id: 10000000000019,entryName: environment,entryId: null],[id: 1000000000001b,entryName: versionId,entryId: 1000000000001a],[id: 1000000000001c,entryName: build,entryId: null],[id: 1000000000001d,entryName: createdBy,entryId: 78],[id: 1000000000001e,entryName: name,entryId: 11],[id: 1000000000001f,entryName: modifiedBy,entryId: null],[id: 10000000000020,entryName: id,entryId: 10000000000009],[id: 10000000000022,entryName: class,entryId: 10000000000021],[id: 10000000000023,entryName: projectId,entryId: 15],[id: 10000000000024,entryName: startDate,entryId: null]]]

Start of iteration 6 of 8.

🕒 23:26:39(00:49.624)

🕒 23:26:39(00:49.625)

🕒 23:26:39(00:49.625)

🕒 23:26:39(00:49.625)

🕒 23:26:39(00:49.625)

🕒 23:26:39(00:49.625)

### Generating JWT Token for the URL customapis.JWTGenerator

 JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilScnFzaCI6IjlyNTVIMDVmZTQ5ZWE2YWNmZTQxN2U3M2NmZTQ6Ij09

🕒 23:26:39(00:49.628)

④ Setting value Token, value: JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdilsInFzaCI6IjlyNTVIMDVmZTQ5ZWE2YWNmZTQxN2U3M2Nm

🕒 23:26:39(00:49.631)

Opening RestService connection Connection name: RestNew

 Connecting to restservice. Address: <https://prod-api.zephyr4jiracloud.com/connect>

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

① Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO\_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

🕒 23:26:39(00:49.633)

④ Setting value a, value: Authorization:JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.ejZdWlloIyYXZpbmRlci55YWRhdiIsInFzaCl6IjlyNTVMMDVmZTQ5ZWZlZWYWNmZTQxN2U3M2NhMWZlZyZzapiAccessKey:amlyYT0xMmZiZTg4YS0yNjllLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXlueWFKYXYgVVNFUjU9ERUZBVUxUX05BTUU

🕒 23:26:39(00:49.636)

🕒 23:26:39(00:49.636)

① Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

① Connecting to website. Address: <https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=171355ff-4e9c-48ff-b186-f37148010c09>

① Sending body. Length: 78

Reading response. Content Type: application/json;charset=utf-8, Encoding: null

- ❖ Parsing JSON response.

REST Response stored successfully. Name: GetNewCycleDetails, length: 0

Web Response Status stored successfully. Name: RestResponseStatus

🕒 23:26:45(00:55.551)

❗ Closing RestServiceConnection. Name: WebServiceConnection

 Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

🕒 23:26:45(00:55.552)

① Setting value currentValue96, value: NamedValueCollectionImpl [ valueCount: 20, valueId=10000000000025, createdUpdateSeq=24, updatedUpdateSeq=145, values: [[id: 10000000000004,entryName: folders,entryId: 10000000000003],[id: 10000000000005,entryName: endDate,entryId: null],[id: 10000000000007,entryName: tenantKey,entryId: 10000000000006],[id: 10000000000008,entryName: description,entryId: null],[id: 1000000000000a,entryName: cycleIndex,entryId: 10000000000009],[id: 1000000000000c,entryName: creationDate,entryId: 1000000000000b],[id: 1000000000000e,entryName: ztld,entryId: 1000000000000d],[id: 10000000000010,entryName: projectCycleVersionIndex,entryId: 1000000000000f],[id: 10000000000017,entryName: createdByDisplayName,entryId: 10000000000016],[id: 10000000000018,entryName: sprintId,entryId: null],[id: 10000000000019,entryName: environment,entryId: null],[id: 1000000000001b,entryName: versionId,entryId: 1000000000001a],[id: 1000000000001c,entryName: build,entryId: null],[id: 1000000000001d,entryName: createdBv,entryId: 78],[id: 1000000000001e,entryName: name,entryId: 11],[id: 1000000000001f,entryName: modifiedBv,entryId: null],



[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

Start of iteration 7 of 8.

## Sub Steps

### Call Clone a Test Cycle

#### Clone a Test Cycle.testcase

#### Call Generate JWT Token

#### Generate JWT Token.testcase

#### JWTGenerator: ⇒ tes

Generating JWT Token for the URL customapis.JWTGenerator

JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilslmFzaCl6ImM4OGZjYmYyMDk2OTU1ODZIMDZjMTU3MzVlLnZlZjYhUj0wWjJiNjYkUnzlj2T8

#### Set Values: Token

Setting value Token, value: JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilslmFzaCl6ImM4OGZjYmYyMDk2OTU1ODZIMDZjMTU3MzVlLnZlZjYhUj0wWjJiNjYkUnzlj2T8

### Web Connect: WebServiceConnection

Opening RestService connection Connection name: RestNew

Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO\_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

### Set Values: a

Setting value a, value: Authorization:JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilslmFzaCl6ImM4OGZjYmYyMDk2OTU1ODZIMDZjMTU3MzVlLnZlZjYhUj0wWjJiNjYkUnzlj2T8

zapiAccessKey:amlyYT0xMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFKYXkYgVVNFUI9ERUZBVUxUX05BTUU

### Web Request (HTTP/REST): #GetNewCycleDetails

### Web Request (HTTP/REST): #GetNewCycleDetails

Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=f3ea6387-2997-4606-ae80-dcf6593b38d3

Sending body. Length: 78

Reading response. Content Type: application/json;charset=utf-8, Encoding: null

Parsing JSON response.

REST Response stored successfully. Name: GetNewCycleDetails, length: 0

Web Response Status stored successfully. Name: RestResponseStatus

### Web Request (HTTP/REST): #RestResponse

Closing RestServiceConnection. Name: WebServiceConnection

Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

### Set Values: currentValue{Uniqueld(2)}

Setting value currentValueAE, value: NamedValueListValueImpl [ valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=169, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

Start of iteration 8 of 8.

## Sub Steps

### Call Clone a Test Cycle

#### Clone a Test Cycle.testcase

Reached the end of the List.