

# Test Run Report



## Test Run Overview


---

Started	07 Dec 2018, 15:26:47
Ended	07 Dec 2018, 15:27:51
Duration (mm:ss)	01:04.179

## Test Results Summary

---

Passed	1
Failed	0
Skipped	0



## Test Case Summary

---

📁 ZAPI


- 📄 Clone All Test Cycles.testcase

✅ successful

✅ successful

## Clone All Test Cycles.testcase

### Summary

Started	07 Dec 2018, 15:26:47
Ended	07 Dec 2018, 15:27:51
Duration (mm:ss)	01:04.178
Outcome	 successful

### Output

 Read Testdata to clone Test Cycles ⌚ 15:26:47(00:00.016)

❗ Loading data from Parameter Value Source ...

❗ Loading Parameter Value Source row 1:

❗ ==Column=> RowNumber = PrimitiveValueImpl [ value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> CloneCycleID = PrimitiveValueImpl [ value: e2323071-5115-48d5-ab3a-bb80514f6852, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> NewCycleName = PrimitiveValueImpl [ value: Classic Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> VersionId = PrimitiveValueImpl [ value: 18679, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ Loading Parameter Value Source row 2:

❗ ==Column=> RowNumber = PrimitiveValueImpl [ value: 3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> CloneCycleID = PrimitiveValueImpl [ value: cf05148f-d300-40e5-896d-590e131fc34b, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> NewCycleName = PrimitiveValueImpl [ value: Classic Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> VersionId = PrimitiveValueImpl [ value: 18679, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ Loading Parameter Value Source row 3:

❗ ==Column=> RowNumber = PrimitiveValueImpl [ value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> CloneCycleID = PrimitiveValueImpl [ value: 0ec086f0-d94e-4de4-9d3b-13333b7bc7a8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> NewCycleName = PrimitiveValueImpl [ value: Custom - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> VersionId = PrimitiveValueImpl [ value: 18679, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ Loading Parameter Value Source row 4:

❗ ==Column=> RowNumber = PrimitiveValueImpl [ value: 5, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> CloneCycleID = PrimitiveValueImpl [ value: f52142fa-3388-49bf-9f61-8fd3de62edea, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> NewCycleName = PrimitiveValueImpl [ value: Custom Orgs - Smoke Test, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> VersionId = PrimitiveValueImpl [ value: 18679, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

❗ Loading Parameter Value Source row 5:

① ==Column=> RowNumber = PrimitiveValueImpl [ value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> CloneCycleID = PrimitiveValueImpl [ value: 5caf6287-5fe3-4583-be4d-284cead09064, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> NewCycleName = PrimitiveValueImpl [ value: Lightning Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> VersionId = PrimitiveValueImpl [ value: 18679, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① Loading Parameter Value Source row 6:

① ==Column=> RowNumber = PrimitiveValueImpl [ value: 7, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> CloneCycleID = PrimitiveValueImpl [ value: 171355ff-4e9c-48ff-b186-f37148010c09, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> NewCycleName = PrimitiveValueImpl [ value: Lightning Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> VersionId = PrimitiveValueImpl [ value: 18679, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① Loading Parameter Value Source row 7:

① ==Column=> RowNumber = PrimitiveValueImpl [ value: 8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> CloneCycleID = PrimitiveValueImpl [ value: f3ea6387-2997-4606-ae80-dcf6593b38d3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> NewCycleName = PrimitiveValueImpl [ value: Lightning Customization - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> VersionId = PrimitiveValueImpl [ value: 18679, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① Loading Parameter Value Source row 8:

① ==Column=> RowNumber = PrimitiveValueImpl [ value: 9, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectCode = PrimitiveValueImpl [ value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> CloneCycleID = PrimitiveValueImpl [ value: 28c6e2ae-1077-47f6-a4c2-d20da2022255, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> NewCycleName = PrimitiveValueImpl [ value: Quick Actions - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> VersionId = PrimitiveValueImpl [ value: 18679, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> ProjectId = PrimitiveValueImpl [ value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 8 rows from Parameter Value Source.



For Each: {ExcelData}>=>var

① 15:26:47(00:00.478)

① Start of iteration 1 of 8.



Sub Steps

① 15:26:47(00:00.488)



Call Clone a Test Cycle

① 15:26:47(00:00.489)



Clone a Test Cycle.testcase

① 15:26:47(00:00.489)



Call Generate JWT Token

① 15:26:47(00:00.489)



Generate JWT Token.testcase

① 15:26:47(00:00.489)



JWTGenerator: => tes

① 15:26:47(00:00.489)



Generating JWT Token for the URL customapis.JWTGenerator



JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilScFzaCl6ImZlNGlyNWZkZGRkYzVjMjg4YTRIMmVhZThhNTM\_wwjRBvAh97yyAaIrGOn6\_s-s5D2o69cIo



Set Values: Token

① 15:26:48(00:00.659)



Setting value Token, value: JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilScFzaCl6ImZlNGlyNWZkZGRkYzVjMjg4YTRIMmVhZThhNTM\_wwjRBvAh97yyAaIrGOn6\_s-s5D2o69cIo





Web Connect: WebServiceConnection


① 15:26:48(00:00.662)

- ① Opening RestService connection Connection name: RestNew
- ① Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect
- Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test
- ① Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO\_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect
- ✔ Set Values: a 15:26:48(00:00.677)
  - ① Setting value a, value: Authorization:JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilInFzaCI6ImIzNGlyNWZkZGRkYzVjMjg4YTRIMmVhZThhNTA1MzgzMl9wajRBVjAh97yyAaRlGON6\_s-s5D2o69clo  
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXlueWFKYXkgVVNFUI9ERUZBVUxUX05BTUU
- ⚠ Web Request (HTTP/REST): #GetNewCycleDetails 15:26:48(00:00.679)
- ✔ Web Request (HTTP/REST): #GetNewCycleDetails 15:26:48(00:00.679)
  - ① Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON
  - ① Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=e2323071-5115-48d5-ab3a-bb80514f6852
  - ① Sending body. Length: 76
  - ① Reading response. Content Type: application/json;charset=utf-8, Encoding: null
  - ① Parsing JSON response.
  - ① REST Response stored successfully. Name: GetNewCycleDetails, length: 0
  - ① Web Response Status stored successfully. Name: RestResponseStatus
- ⚠ Web Request (HTTP/REST): #RestResponse 15:26:58(00:10.959)
  - ① Closing RestServiceConnection. Name: WebServiceConnection
  - ① Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection
  - RestServiceConnection closed successfully. Name: WebServiceConnection
- ✔ Set Values: currentValue{Uniqueld(2)} 15:26:58(00:10.962)
  - ① Setting value currentValueAH, value: NamedValueListValueImpl [ valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=25, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]
- ① Start of iteration 2 of 8.
- ✔ Sub Steps 15:26:58(00:10.984)
  - ✔ Call Clone a Test Cycle 15:26:58(00:10.984)
    - ✔ Clone a Test Cycle.testcase 15:26:58(00:10.984)
      - ✔ Call Generate JWT Token 15:26:58(00:10.984)
        - ✔ Generate JWT Token.testcase 15:26:58(00:10.985)
          - ✔ JWTGenerator: ➞ tes 15:26:58(00:10.985)
            - ① Generating JWT Token for the URL customapis.JWTGenerator
            - ① JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilInFzaCI6ImIzNGlyNWZkZGRkYzVjMjg4YTRIMmVhZThhNTA1MzgzMl9wajRBVjAh97yyAaRlGON6\_s-s5D2o69clo
- ✔ Set Values: Token 15:26:58(00:10.990)
  - ① Setting value Token, value: JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilInFzaCI6ImIzNGlyNWZkZGRkYzVjMjg4YTRIMmVhZThhNTA1MzgzMl9wajRBVjAh97yyAaRlGON6\_s-s5D2o69clo
- ✔ Web Connect: WebServiceConnection 15:26:58(00:10.993)
  - ① Opening RestService connection Connection name: RestNew
  - ① Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect
  - Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test
  - ① Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO\_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect
- ✔ Set Values: a 15:26:58(00:10.997)

- Web Request (HTTP/REST): #GetNewCycleDetails 🕒 15:26:58(00:11.001)
- Web Request (HTTP/REST): #GetNewCycleDetails 🕒 15:26:58(00:11.001)
  - 🔍 Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON
  - 🔍 Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=cf05148f-d300-40e5-896d-590e131fc34b
  - 🔍 Sending body. Length: 78
  - 🔍 Reading response. Content Type: application/json;charset=utf-8, Encoding: null
  - 🔍 Parsing JSON response.
  - 🔍 REST Response stored successfully. Name: GetNewCycleDetails, length: 0
  - 🔍 Web Response Status stored successfully. Name: RestResponseStatus
- Web Request (HTTP/REST): #RestResponse 🕒 15:27:15(00:27.705)
  - 🔍 Closing RestServiceConnection. Name: WebServiceConnection
  - 🔍 Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection
  - RestServiceConnection closed successfully. Name: WebServiceConnection
- Set Values: currentValue{Uniqueld(2)} 🕒 15:27:15(00:27.706)
  - 🔍 Setting value currentValueJ, value: NamedValueListValueImpl [ valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=49, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztld,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]
  - 🔍 Start of iteration 3 of 8.
- Sub Steps 🕒 15:27:15(00:27.722)
  - Call Clone a Test Cycle 🕒 15:27:15(00:27.722)
    - Clone a Test Cycle.testcase 🕒 15:27:15(00:27.723)
      - Call Generate JWT Token 🕒 15:27:15(00:27.723)
        - Generate JWT Token.testcase 🕒 15:27:15(00:27.723)
          - JWTGenerator: ➡ tes 🕒 15:27:15(00:27.723)
            - 🔍 Generating JWT Token for the URL customapis.JWTGenerator
            - 🔍 JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdiInFzaCI6ImRlbnA0ZDNjZWY4ZWVIZTYyNnWtc2YE8dOZBY6zsNbBS6o
          - Set Values: Token 🕒 15:27:15(00:27.726)
            - 🔍 Setting value Token, value: JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdiInFzaCI6ImRlbnA0ZDNjZWY4ZWVIZTYyNnWtc2YE8dOZBY6zsNbBS6o
  - Web Connect: WebServiceConnection 🕒 15:27:15(00:27.729)
    - 🔍 Opening RestService connection Connection name: RestNew
    - 🔍 Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect
    - Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test
    - 🔍 Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO\_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect
  - Set Values: a 🕒 15:27:15(00:27.732)
    - 🔍 Setting value a, value: Authorization:JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdiInFzaCI6ImRlbnA0ZDNjZWY4ZWVIZTYyNDVmMWNWtc2YE8dOZBY6zsNbBS6ozapiAccessKey:amlyYTtoxMmZiTG4YS0YnJiILTSQODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXluWFkYXYgVVNFUI9ERUZB
  - Web Request (HTTP/REST): #GetNewCycleDetails 🕒 15:27:15(00:27.734)
  - Web Request (HTTP/REST): #GetNewCycleDetails 🕒 15:27:15(00:27.734)
    - 🔍 Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

- ① Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=0ec086f0-d94e-4de4-9d3b-1333b7bc7a8
- ① Sending body. Length: 69
- ① Reading response. Content Type: application/json;charset=utf-8, Encoding: null
- ① Parsing JSON response.
- ① REST Response stored successfully. Name: GetNewCycleDetails, length: 0
- ① Web Response Status stored successfully. Name: RestResponseStatus
- 🚨 Web Request (HTTP/REST): #RestResponse 15:27:17(00:30.171)
  - ① Closing RestServiceConnection. Name: WebServiceConnection
  - ① Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection
  - RestServiceConnection closed successfully. Name: WebServiceConnection
- ✅ Set Values: currentValue{UniqueId(2)} 15:27:17(00:30.173)
  - ① Setting value currentValue42, value: NamedValueListValueImpl [ valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=73, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]
- ① Start of iteration 4 of 8.
- ✅ Sub Steps 15:27:17(00:30.186)
  - ✅ Call Clone a Test Cycle 15:27:17(00:30.187)
    - ✅ Clone a Test Cycle.testcase 15:27:17(00:30.187)
      - ✅ Call Generate JWT Token 15:27:17(00:30.187)
        - ✅ Generate JWT Token.testcase 15:27:17(00:30.187)
          - ✅ JWTGenerator: ➞ tes 15:27:17(00:30.187)
            - ① Generating JWT Token for the URL customapis.JWTGenerator
            - ① JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdlsInFzaCI6IjY5Mjg4M2I2NmFmM2FiNDVjNWZhZThiMTMyYmE1NjZINTzapiAccessKey:amlyYT0xMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFKYXgVVNFUI9ERUZBVUxUX05BTUU
          - ✅ Set Values: Token 15:27:17(00:30.191)
            - ① Setting value Token, value: JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdlsInFzaCI6IjY5Mjg4M2I2NmFmM2FiNDVjNWZhZThiMTMyYmE1NjZINTzapiAccessKey:amlyYT0xMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFKYXgVVNFUI9ERUZBVUxUX05BTUU
        - ✅ Web Connect: WebServiceConnection 15:27:17(00:30.193)
          - ① Opening RestService connection Connection name: RestNew
          - ① Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect
          - Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test
          - ① Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO\_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect
        - ✅ Set Values: a 15:27:17(00:30.196)
          - ① Setting value a, value: Authorization:JWT  
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdlsInFzaCI6IjY5Mjg4M2I2NmFmM2FiNDVjNWZhZThiMTMyYmE1NjZINTzapiAccessKey:amlyYT0xMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFKYXgVVNFUI9ERUZBVUxUX05BTUU
        - 🚨 Web Request (HTTP/REST): #GetNewCycleDetails 15:27:17(00:30.199)
        - ✅ Web Request (HTTP/REST): #GetNewCycleDetails 15:27:17(00:30.199)
          - ① Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON
          - ① Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=f52142fa-3388-49bf-9f61-8fd3de62edea
          - ① Sending body. Length: 71
          - ① Reading response. Content Type: application/json;charset=utf-8, Encoding: null
          - ① Parsing JSON response.
          - ① REST Response stored successfully. Name: GetNewCycleDetails, length: 0

 **Web Request (HTTP/REST): #RestResponse**  15:27:21(00:34.471)

 Closing RestServiceConnection. Name: WebServiceConnection

 Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

```

① Setting value currentValueFH, value: NamedValueListValueImpl [ valueCount: 20, valueId=10000000000025, createdUpdateSeq=24,
updatedUpdateSeq=97, values: [[id: 1000000000000004,entryName: folders,entryId: 1000000000000003],[id: 1000000000000005,entryName:
endDate,entryId: null],[id: 1000000000000007,entryName: tenantKey,entryId: 1000000000000006],[id: 1000000000000008,entryName:
description,entryId: null],[id: 100000000000000a,entryName: cycleIndex,entryId: 100000000000009],[id: 10000000000000c,entryName:
creationDate,entryId: 10000000000000b],[id: 10000000000000e,entryName: ztld,entryId: 10000000000000d],[id: 100000000000010,entryName:
projectCycleVersionIndex,entryId: 10000000000000f],[id: 100000000000017,entryName: createdByDisplayName,entryId: 100000000000016],[id:
100000000000018,entryName: sprintId,entryId: null],[id: 100000000000019,entryName: environment,entryId: null],[id: 10000000000001b,entryName:
versionId,entryId: 10000000000001a],[id: 10000000000001c,entryName: build,entryId: null],[id: 10000000000001d,entryName:
createdBy,entryId: 78],[id: 10000000000001e,entryName: name,entryId: 11],[id: 10000000000001f,entryName: modifiedBy,entryId: null],
[id: 100000000000020,entryName: id,entryId: 100000000000009],[id: 100000000000022,entryName: class,entryId: 100000000000021],[id:
100000000000023,entryName: projectId,entryId: 15],[id: 100000000000024,entryName: startDate,entryId: null]]]

```

Set Values: currentValue{Uniqueld(2)}



ⓘ Setting value currentValueDS, value: NamedValueListValueImpl [ valueCount: 20, valueld=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=121, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztld,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 6 of 8.

## ✓ Sub Steps

### ✓ Call Clone a Test Cycle

#### ✓ Clone a Test Cycle.testcase

##### ✓ Call Generate JWT Token

##### ✓ Generate JWT Token.testcase

##### ✓ JWTGenerator: ⇒ tes

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilInFzaCI6IjlyNTVIMDVmZTQ5ZWE2YWNmZTQxN2U3M2MhMWZlYzIzIHR5bGUzIj09eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilInFzaCI6IjlyNTVIMDVmZTQ5ZWE2YWNmZTQxN2U3M2MhMWZlYzIzIHR5bGUzIj09

##### ✓ Set Values: Token

ⓘ Setting value Token, value: JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilInFzaCI6IjlyNTVIMDVmZTQ5ZWE2YWNmZTQxN2U3M2MhMWZlYzIzIHR5bGUzIj09

### ✓ Web Connect: WebServiceConnection

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO\_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

### ✓ Set Values: a

ⓘ Setting value a, value: Authorization:JWT

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilInFzaCI6IjlyNTVIMDVmZTQ5ZWE2YWNmZTQxN2U3M2MhMWZlYzIzIHR5bGUzIj09eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdilInFzaCI6IjlyNTVIMDVmZTQ5ZWE2YWNmZTQxN2U3M2MhMWZlYzIzIHR5bGUzIj09

### ⚠ Web Request (HTTP/REST): #GetNewCycleDetails

### ✓ Web Request (HTTP/REST): #GetNewCycleDetails

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=171355ff-4e9c-48ff-b186-f37148010c09

ⓘ Sending body. Length: 78

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

### ⚠ Web Request (HTTP/REST): #RestResponse

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

## ✓ Set Values: currentValue{Uniqueld(2)}

ⓘ Setting value currentValueNT, value: NamedValueListValueImpl [ valueCount: 20, valueld=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=145, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztld,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]



✔ Call Generate JWT Token 🕒 15:27:43(00:56.412)

✔	Generate JWT Token.testcase	15:27:43(00:56.412)
✔	JWTGenerator: ⇒ tes	15:27:43(00:56.412)
	① Generating JWT Token for the URL customapis.JWTGenerator	
	① JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdlsInFzaCI6ImM5YWYyZTEuZWUxMmY1MzRlMjZkMDIHBQNOVnslg	
✔	Set Values: Token	15:27:43(00:56.415)
	① Setting value Token, value: JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdlsInFzaCI6ImM5YWYyZTEuZWUxMmY1MzRlMjZkMDIHBQNOVnslg	
✔	Web Connect: WebServiceConnection	15:27:43(00:56.418)
	① Opening RestService connection Connection name: RestNew	
	① Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect	
	Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test	
	① Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect	
✔	Set Values: a	15:27:43(00:56.421)
	① Setting value a, value: Authorization:JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWUiOiJyYXZpbmRlci55YWRhdlsInFzaCI6ImM5YWYyZTEuZWUxMmY1MzRlMjZkMDE4YTEwOHBQNOVnslg zapiAccessToken:amlyYT0xMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXkyYyVFNUI9ERUZBVUxUX05BTUU	
⚠	Web Request (HTTP/REST): #GetNewCycleDetails	15:27:43(00:56.423)
✔	Web Request (HTTP/REST): #GetNewCycleDetails	15:27:43(00:56.423)
	① Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON	
	① Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=28c6e2ae-1077-47f6-a4c2-d20da2022255	
	① Sending body. Length: 68	
	① Reading response. Content Type: application/json;charset=utf-8, Encoding: null	
	① Parsing JSON response.	
	① REST Response stored successfully. Name: GetNewCycleDetails, length: 0	
	① Web Response Status stored successfully. Name: RestResponseStatus	
⚠	Web Request (HTTP/REST): #RestResponse	15:27:51(01:04.167)
①	Closing RestServiceConnection. Name: WebServiceConnection	
①	Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection	
	RestServiceConnection closed successfully. Name: WebServiceConnection	
✔	Set Values: currentValue{UniqueId(2)}	15:27:51(01:04.168)
	① Setting value currentValueCC, value: NamedValueListValueImpl [ valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=193, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]	
①	Reached the end of the List.	