Test Run Report

Test Run Overview

Started	17 Dec 2018, 21:29:40
Ended	17 Dec 2018, 21:31:08
Duration (mm:ss)	01:28.657

Test Results Summary

Passed	1
Failed	0
Skipped	0

1 Passed (100%)
0 Failed (0%)
0 Skipped (0%)

● Passed ● Failed ○ Skipped

Test Case Summary

📂 ZAPI	✅ successful
📄 Clone All Test Cycles.testcase	✅ successful

Clone All Test Cycles.testcase

Summary

Started	17 Dec 2018, 21:29:40
Ended	17 Dec 2018, 21:31:08
Duration (mm:ss)	01:28.655
Outcome	✅ successful

Output

✅ Read Testdata to clone Test Cycles   ⓘ 21:29:40(00:00.017)

ⓘ Loading data from Parameter Value Source ...

ⓘ Loading Parameter Value Source row 1:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: a80d7758-a342-46f9-9449-3db46ceaa70b, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Classic Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18918, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 2:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: cf05148f-d300-40e5-896d-590e131fc34b, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Classic Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18918, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 3:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 0ec086f0-d94e-4de4-9d3b-13333b7bc7a8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Custom - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18918, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 4:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 5, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: f52142fa-3388-49bf-9f61-8fd3de62edea, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Custom Orgs - Smoke Test, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18918, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 5:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 5caf6287-5fe3-4583-be4d-284cead09064, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18918, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 6:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 7, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 171355ff-4e9c-48ff-b186-f37148010c09, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18918, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 7:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: f3ea6387-2997-4606-ae80-dcf6593b38d3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Customization - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18918, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 8:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 9, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 28c6e2ae-1077-47f6-a4c2-d20da2022255, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Quick Actions - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18918, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 8 rows from Parameter Value Source.

🟢 For Each: {ExcelData}=>var   ⓘ 21:29:40(00:00.514)
   ⓘ Start of iteration 1 of 8.

   🟢 Sub Steps   ⓘ 21:29:40(00:00.527)

      🟢 Call Clone a Test Cycle   ⓘ 21:29:40(00:00.527)

         🟢 Clone a Test Cycle.testcase   ⓘ 21:29:40(00:00.528)

            🟢 Call Generate JWT Token   ⓘ 21:29:40(00:00.528)

               🟢 Generate JWT Token.testcase   ⓘ 21:29:40(00:00.528)

                  🟢 JWTGenerator: ⇒ tes   ⓘ 21:29:40(00:00.528)
                     ⓘ Generating JWT Token for the URL customapis.JWTGenerator

                     ⓘ JWT
                     eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY0N2Y0ZWMzYjBmYjM0NjU2YmU5YzE5ZjE2NjN

                  🟢 Set Values: Token   ⓘ 21:29:41(00:00.712)
                     ⓘ Setting value Token, value: JWT
                     eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY0N2Y0ZWMzYjBmYjM0NjU2YmU5YzE5ZjE2NjN

            🟢 Web Connect: WebServiceConnection   ⓘ 21:29:41(00:00.715)
               ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ Set Values: a
21:29:41(00:00.729)

ⓘ Setting value a, value: Authorization:JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY0N2Y0ZWMzYjBmYjM0NjU2YmU5YzE5ZjE2NjMxMzU4Q zapiAccessKey:amIyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxxUX05BTUU

⚠️ Web Request (HTTP/REST): #GetNewCycleDetails
21:29:41(00:00.732)

✅ Web Request (HTTP/REST): #GetNewCycleDetails
21:29:41(00:00.732)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=a80d7758-a342-46f9-9449-3db46ceaa70b

ⓘ Sending body. Length: 76

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠️ Web Request (HTTP/REST): #RestResponse
21:29:52(00:12.476)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}
21:29:52(00:12.477)

ⓘ Setting value currentValue7Z, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24, updatedUpdateSeq=25, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName: createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName: modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName: description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName: creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName: projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id: 100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName: versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78], [id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName: id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName: projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 2 of 8.

✅ Sub Steps
21:29:52(00:12.495)

✅ Call Clone a Test Cycle
21:29:52(00:12.496)

✅ Clone a Test Cycle.testcase
21:29:52(00:12.496)

✅ Call Generate JWT Token
21:29:52(00:12.496)

✅ Generate JWT Token.testcase
21:29:52(00:12.496)

✅ JWTGenerator: ⇒ tes
21:29:52(00:12.496)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjI5YmZlODY4Yjg2ZjQ0NTQxNTgzNjJjZjMzk3YWE4

✅ Set Values: Token
21:29:52(00:12.502)

ⓘ Setting value Token, value: JWT eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjI5YmZlODY4Yjg2ZjQ0NTQxNTgzNjJjZjMzk3YWE4

✅ Web Connect: WebServiceConnection
21:29:52(00:12.506)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ Set Values: a
21:29:52(00:12.511)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjI5YmZlODY4Yjg2ZjQ0NTQxNTgzNjZjZjMzk3YWE4NDdjMDI
zapiAccessKey:amIyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTddiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

⚠ **Web Request (HTTP/REST): #GetNewCycleDetails**   ⓘ 21:29:52(00:12.515)

✅ **Web Request (HTTP/REST): #GetNewCycleDetails**   ⓘ 21:29:52(00:12.515)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=cf05148f-d300-40e5-896d-590e131fc34b

ⓘ Sending body. Length: 78

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠ **Web Request (HTTP/REST): #RestResponse**   ⓘ 21:29:58(00:18.547)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ **Set Values: currentValue{UniqueId(2)}**   ⓘ 21:29:58(00:18.549)

ⓘ Setting value currentValueWM, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24, updatedUpdateSeq=49, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName: createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName: modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName: description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName: creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName: projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id: 100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName: versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78], [id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName: id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName: projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 3 of 8.

✅ **Sub Steps**   ⓘ 21:29:58(00:18.564)

✅ **Call Clone a Test Cycle**   ⓘ 21:29:58(00:18.564)

✅ **Clone a Test Cycle.testcase**   ⓘ 21:29:58(00:18.564)

✅ **Call Generate JWT Token**   ⓘ 21:29:58(00:18.564)

✅ **Generate JWT Token.testcase**   ⓘ 21:29:58(00:18.564)

✅ **JWTGenerator: ⇒ tes**   ⓘ 21:29:58(00:18.565)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjNjA0ZDNjZWY4ZWVlZTYyNDFmMWRjNzUzN

✅ **Set Values: Token**   ⓘ 21:29:58(00:18.569)

ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjNjA0ZDNjZWY4ZWVlZTYyNDFmMWRjNzUzN

✅ **Web Connect: WebServiceConnection**   ⓘ 21:29:58(00:18.574)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ **Set Values: a**   ⓘ 21:29:58(00:18.579)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjNjA0ZDNjZWY4ZWVlZTYyNDFmMWRjNzUzNTJlYmJi
zapiAccessKey:amIyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdkiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

⚠ **Web Request (HTTP/REST): #GetNewCycleDetails**   ⓘ 21:29:58(00:18.582)

✅ **Web Request (HTTP/REST): #GetNewCycleDetails**   ⓘ 21:29:58(00:18.582)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=0ec086f0-d94e-4de4-9d3b-13333b7bc7a8

ⓘ Sending body. Length: 69

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠ Web Request (HTTP/REST): #RestResponse   ⓘ 21:30:19(00:39.205)
ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓘ 21:30:19(00:39.206)
ⓘ Setting value currentValueUF, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24,
updatedUpdateSeq=73, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName:
createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName:
modifiedByAccountId,entryId: null],[id: 1000000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName:
description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName:
creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName:
projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id:
100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName:
versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78],
[id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName:
id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName:
projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]]

ⓘ Start of iteration 4 of 8.

✅ Sub Steps   ⓘ 21:30:19(00:39.219)
✅ Call Clone a Test Cycle   ⓘ 21:30:19(00:39.219)
✅ Clone a Test Cycle.testcase   ⓘ 21:30:19(00:39.219)
✅ Call Generate JWT Token   ⓘ 21:30:19(00:39.219)
✅ Generate JWT Token.testcase   ⓘ 21:30:19(00:39.219)
✅ JWTGenerator: ⇒ tes   ⓘ 21:30:19(00:39.219)
ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY5Mjg4M2I2NmFiM2FiNDVjNWZhZThiMTMyYmE

✅ Set Values: Token   ⓘ 21:30:19(00:39.223)
ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY5Mjg4M2I2NmFiM2FiNDVjNWZhZThiMTMyYmE

✅ Web Connect: WebServiceConnection   ⓘ 21:30:19(00:39.226)
ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/
connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ Set Values: a   ⓘ 21:30:19(00:39.229)
ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjY5Mjg4M2I2NmFiM2FiNDVjNWZhZThiMTMyYmE1NjZlNT
zapiAccessKey:amIyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUI9ERUZBVUxUX05BTUU

⚠ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 21:30:19(00:39.232)
✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 21:30:19(00:39.232)
ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?
clonedCycleId=f52142fa-3388-49bf-9f61-8fd3de62edea

ⓘ Sending body. Length: 71

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠ Web Request (HTTP/REST): #RestResponse   ⓘ 21:30:27(00:46.868)
ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓘ 21:30:27(00:46.870)
ⓘ Setting value currentValueRA, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24,
updatedUpdateSeq=97, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName:
createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName:
modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName:
description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName:
creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName:
projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id:
100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName:
versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78],
[id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName:
id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName:
projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 5 of 8.

✅ Sub Steps   ⓘ 21:30:27(00:46.883)
  ✅ Call Clone a Test Cycle   ⓘ 21:30:27(00:46.883)
    ✅ Clone a Test Cycle.testcase   ⓘ 21:30:27(00:46.883)
      ✅ Call Generate JWT Token   ⓘ 21:30:27(00:46.884)
        ✅ Generate JWT Token.testcase   ⓘ 21:30:27(00:46.884)
          ✅ JWTGenerator: ⇒ tes   ⓘ 21:30:27(00:46.884)
            ⓘ Generating JWT Token for the URL customapis.JWTGenerator

            ⓘ JWT
            eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjY2E3N2RjZmI2NjA0NzFjMWY3ZDczYmYxZD
            UzexQyALrNa-qy9-OThqdFP40ddcdE

          ✅ Set Values: Token   ⓘ 21:30:27(00:46.888)
            ⓘ Setting value Token, value: JWT
            eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjY2E3N2RjZmI2NjA0NzFjMWY3ZDczYmYxZD
            UzexQyALrNa-qy9-OThqdFP40ddcdE

      ✅ Web Connect: WebServiceConnection   ⓘ 21:30:27(00:46.891)
        ⓘ Opening RestService connection Connection name: RestNew

        ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

        Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

        ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/
        connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

      ✅ Set Values: a   ⓘ 21:30:27(00:46.902)
        ⓘ Setting value a, value: Authorization:JWT
        eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjY2E3N2RjZmI2NjA0NzFjMWY3ZDczYmYxZDI5NWZk
        UzexQyALrNa-qy9-OThqdFP40ddcdE
        zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

      ⚠ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 21:30:27(00:46.905)
      ✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 21:30:27(00:46.905)
        ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

        ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?
        clonedCycleId=5caf6287-5fe3-4583-be4d-284cead09064

        ⓘ Sending body. Length: 80

        ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

        ⓘ Parsing JSON response.

        ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

        ⓘ Web Response Status stored successfully. Name: RestResponseStatus

      ⚠ Web Request (HTTP/REST): #RestResponse   ⓘ 21:30:40(01:00.438)
ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓘ 21:30:40(01:00.440)

ⓘ Setting value currentValue88, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24,
updatedUpdateSeq=121, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName:
createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName:
modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName:
description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName:
creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName:
projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id:
100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName:
versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78],
[id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName:
id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName:
projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 6 of 8.

✅ Sub Steps   ⓘ 21:30:40(01:00.450)

  ✅ Call Clone a Test Cycle   ⓘ 21:30:40(01:00.450)

    ✅ Clone a Test Cycle.testcase   ⓘ 21:30:40(01:00.450)

      ✅ Call Generate JWT Token   ⓘ 21:30:40(01:00.450)

        ✅ Generate JWT Token.testcase   ⓘ 21:30:40(01:00.450)

          ✅ JWTGenerator: ⇒ tes   ⓘ 21:30:40(01:00.450)

            ⓘ Generating JWT Token for the URL customapis.JWTGenerator

            ⓘ JWT
            eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjIyNTVlMDVmZTQ5ZWE2YWNmZTQxN2U3M2Nh

          ✅ Set Values: Token   ⓘ 21:30:40(01:00.453)

            ⓘ Setting value Token, value: JWT
            eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjIyNTVlMDVmZTQ5ZWE2YWNmZTQxN2U3M2Nh

  ✅ Web Connect: WebServiceConnection   ⓘ 21:30:40(01:00.456)

    ⓘ Opening RestService connection Connection name: RestNew

    ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

    Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

    ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/
    connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

  ✅ Set Values: a   ⓘ 21:30:40(01:00.459)

    ⓘ Setting value a, value: Authorization:JWT
    eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjIyNTVlMDVmZTQ5ZWE2YWNmZTQxN2U3M2NhMWZlYz
    zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxxUX05BTUU

  ⚠️ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 21:30:40(01:00.461)

  ✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 21:30:40(01:00.461)

    ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

    ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?
    clonedCycleId=171355ff-4e9c-48ff-b186-f37148010c09

    ⓘ Sending body. Length: 78

    ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

    ⓘ Parsing JSON response.

    ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

    ⓘ Web Response Status stored successfully. Name: RestResponseStatus

  ⚠️ Web Request (HTTP/REST): #RestResponse   ⓘ 21:30:48(01:08.005)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓘ 21:30:48(01:08.007)

ⓘ Setting value currentValue2E, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24,
updatedUpdateSeq=145, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName:
createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName:
modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName:
description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName:
creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName:
projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id:

100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName: versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78], [id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName: id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName: projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 7 of 8.

✅ Sub Steps   ⓘ 21:30:48(01:08.017)

  ✅ Call Clone a Test Cycle   ⓘ 21:30:48(01:08.017)

    ✅ Clone a Test Cycle.testcase   ⓘ 21:30:48(01:08.017)

      ✅ Call Generate JWT Token   ⓘ 21:30:48(01:08.017)

        ✅ Generate JWT Token.testcase   ⓘ 21:30:48(01:08.018)

          ✅ JWTGenerator: ⇒ tes   ⓘ 21:30:48(01:08.018)
            ⓘ Generating JWT Token for the URL customapis.JWTGenerator

            ⓘ JWT
            eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM4OGZjYmYyMDk2OTU1ODZlMDZjMTU3MzVl
            SoJqCptNakVcTgH3EpEOaZLjQY9QYJXnL7HjiuI

          ✅ Set Values: Token   ⓘ 21:30:48(01:08.021)
            ⓘ Setting value Token, value: JWT
            eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM4OGZjYmYyMDk2OTU1ODZlMDZjMTU3MzVl
            SoJqCptNakVcTgH3EpEOaZLjQY9QYJXnL7HjiuI

      ✅ Web Connect: WebServiceConnection   ⓘ 21:30:48(01:08.024)
        ⓘ Opening RestService connection Connection name: RestNew

        ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

        Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

        ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/
        connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

      ✅ Set Values: a   ⓘ 21:30:48(01:08.027)
        ⓘ Setting value a, value: Authorization:JWT
        eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM4OGZjYmYyMDk2OTU1ODZlMDZjMTU3MzVkNjYxNDI
        SoJqCptNakVcTgH3EpEOaZLjQY9QYJXnL7HjiuI
        zapiAccessKey:amIyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdkNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

      ⚠ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 21:30:48(01:08.029)
      ✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 21:30:48(01:08.029)
        ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

        ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?
        clonedCycleId=f3ea6387-2997-4606-ae80-dcf6593b38d3

        ⓘ Sending body. Length: 78

        ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

        ⓘ Parsing JSON response.

        ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

        ⓘ Web Response Status stored successfully. Name: RestResponseStatus

      ⚠ Web Request (HTTP/REST): #RestResponse   ⓘ 21:30:53(01:13.167)
  ⓘ Closing RestServiceConnection. Name: WebServiceConnection

  ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

  RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓘ 21:30:53(01:13.169)
  ⓘ Setting value currentValue1T, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24,
  updatedUpdateSeq=169, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName:
  createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName:
  modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName:
  description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName:
  creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName:
  projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id:
  100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName:
  versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78],
  [id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName:
  id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName:
  projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 8 of 8.

✅ Sub Steps ⓘ 21:30:53(01:13.179)

  ✅ Call Clone a Test Cycle ⓘ 21:30:53(01:13.179)

   ✅ Clone a Test Cycle.testcase ⓘ 21:30:53(01:13.179)

    ✅ Call Generate JWT Token ⓘ 21:30:53(01:13.179)

     ✅ Generate JWT Token.testcase ⓘ 21:30:53(01:13.179)

      ✅ JWTGenerator: ⇒ tes ⓘ 21:30:53(01:13.179)

        ⓘ Generating JWT Token for the URL customapis.JWTGenerator

        ⓘ JWT
        eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM5YWYyZTExZWUxMmY1MzRlMjVmM2ZkMDE
        cSuxx-SqU9xXeZS-k74D74gyrg

      ✅ Set Values: Token ⓘ 21:30:53(01:13.182)

        ⓘ Setting value Token, value: JWT
        eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM5YWYyZTExZWUxMmY1MzRlMjVmM2ZkMDE
        cSuxx-SqU9xXeZS-k74D74gyrg

    ✅ Web Connect: WebServiceConnection ⓘ 21:30:53(01:13.186)

      ⓘ Opening RestService connection Connection name: RestNew

      ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

      Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

      ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/
      connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

    ✅ Set Values: a ⓘ 21:30:53(01:13.190)

      ⓘ Setting value a, value: Authorization:JWT
      eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM5YWYyZTExZWUxMmY1MzRlMjVmM2ZkMDE4YTEwTC
      cSuxx-SqU9xXeZS-k74D74gyrg
      zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

    ⚠ Web Request (HTTP/REST): #GetNewCycleDetails ⓘ 21:30:53(01:13.192)
    ✅ Web Request (HTTP/REST): #GetNewCycleDetails ⓘ 21:30:53(01:13.192)

      ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

      ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?
      clonedCycleId=28c6e2ae-1077-47f6-a4c2-d20da2022255

      ⓘ Sending body. Length: 68

      ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

      ⓘ Parsing JSON response.

      ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

      ⓘ Web Response Status stored successfully. Name: RestResponseStatus

    ⚠ Web Request (HTTP/REST): #RestResponse ⓘ 21:31:08(01:28.632)
  ⓘ Closing RestServiceConnection. Name: WebServiceConnection

  ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

  RestServiceConnection closed successfully. Name: WebServiceConnection

  ✅ Set Values: currentValue{UniqueId(2)} ⓘ 21:31:08(01:28.633)

    ⓘ Setting value currentValueZD, value: NamedValueListValueImpl [valueCount: 22, valueId=1000000000028, createdUpdateSeq=24,
    updatedUpdateSeq=193, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000006,entryName:
    createdByAccountId,entryId: 1000000000005],[id: 1000000000007,entryName: endDate,entryId: null],[id: 1000000000008,entryName:
    modifiedByAccountId,entryId: null],[id: 100000000000a,entryName: tenantKey,entryId: 1000000000009],[id: 100000000000b,entryName:
    description,entryId: null],[id: 100000000000d,entryName: cycleIndex,entryId: 100000000000c],[id: 100000000000f,entryName:
    creationDate,entryId: 100000000000e],[id: 1000000000011,entryName: ztId,entryId: 1000000000010],[id: 1000000000013,entryName:
    projectCycleVersionIndex,entryId: 1000000000012],[id: 100000000001a,entryName: createdByDisplayName,entryId: 1000000000019],[id:
    100000000001b,entryName: sprintId,entryId: null],[id: 100000000001c,entryName: environment,entryId: null],[id: 100000000001e,entryName:
    versionId,entryId: 100000000001d],[id: 100000000001f,entryName: build,entryId: null],[id: 1000000000020,entryName: createdBy,entryId: 78],
    [id: 1000000000021,entryName: name,entryId: 11],[id: 1000000000022,entryName: modifiedBy,entryId: null],[id: 1000000000023,entryName:
    id,entryId: 100000000000c],[id: 1000000000025,entryName: class,entryId: 1000000000024],[id: 1000000000026,entryName:
    projectId,entryId: 15],[id: 1000000000027,entryName: startDate,entryId: null]]]

ⓘ Reached the end of the List.