Test Run Report

Test Run Overview

Started	22 Nov 2018, 10:19:30
Ended	22 Nov 2018, 10:20:44
Duration (mm:ss)	01:14.289

Test Results Summary

Passed	1
Failed	0
Skipped	0

1 Passed (100%)
0 Failed (0%)
0 Skipped (0%)

● Passed ● Failed ○ Skipped

Test Case Summary

📂 ZAPI   ✅ successful
   📄 Clone All Test Cycles.testcase   ✅ successful

◨ Clone All Test Cycles.testcase

Summary

Started	22 Nov 2018, 10:19:30
Ended	22 Nov 2018, 10:20:44
Duration (mm:ss)	01:14.288
Outcome	✅ successful

Output

✅ Read Testdata to clone Test Cycles   ⓘ 10:19:30(00:00.016)

    ⓘ Loading data from Parameter Value Source ...

    ⓘ Loading Parameter Value Source row 1:

    ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 2, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: e2323071-5115-48d5-ab3a-bb80514f6852, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Classic Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18397, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ Loading Parameter Value Source row 2:

    ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: cf05148f-d300-40e5-896d-590e131fc34b, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Classic Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18397, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ Loading Parameter Value Source row 3:

    ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 4, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 0ec086f0-d94e-4de4-9d3b-13333b7bc7a8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Custom - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18397, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ Loading Parameter Value Source row 4:

    ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 5, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: f52142fa-3388-49bf-9f61-8fd3de62edea, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Custom Orgs - Smoke Test, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18397, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

    ⓘ Loading Parameter Value Source row 5:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 6, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 5caf6287-5fe3-4583-be4d-284cead09064, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Console - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18397, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 6:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 7, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 171355ff-4e9c-48ff-b186-f37148010c09, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Sales - Smoke Testing, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18397, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 7:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 8, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: f3ea6387-2997-4606-ae80-dcf6593b38d3, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Lightning Customization - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18397, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ Loading Parameter Value Source row 8:

ⓘ ==Column=> RowNumber = PrimitiveValueImpl [value: 9, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectCode = PrimitiveValueImpl [value: PROT, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> CloneCycleID = PrimitiveValueImpl [value: 28c6e2ae-1077-47f6-a4c2-d20da2022255, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> NewCycleName = PrimitiveValueImpl [value: Quick Actions - Smoke, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> VersionId = PrimitiveValueImpl [value: 18397, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

ⓘ ==Column=> ProjectId = PrimitiveValueImpl [value: 17705, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

Loaded 8 rows from Parameter Value Source.

✅ For Each: {ExcelData}=>var   ⓘ 10:19:30(00.00.623)
ⓘ Start of iteration 1 of 8.

✅ Sub Steps   ⓘ 10:19:30(00.00.635)

✅ Call Clone a Test Cycle   ⓘ 10:19:30(00.00.635)

✅ Clone a Test Cycle.testcase   ⓘ 10:19:30(00.00.635)

✅ Call Generate JWT Token   ⓘ 10:19:30(00.00.635)

✅ Generate JWT Token.testcase   ⓘ 10:19:30(00.00.636)

✅ JWTGenerator: ⇒ tes   ⓘ 10:19:30(00.00.636)
ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImIzNGIyNWZkZGRkYzVjMjg4YTRlMmVhZThhNT...

✅ Set Values: Token   ⓘ 10:19:31(00.00.950)
ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImIzNGIyNWZkZGRkYzVjMjg4YTRlMmVhZThhNT...

✅ Web Connect: WebServiceConnection   ⓘ 10:19:31(00.00.953)
ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/
connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ Set Values: a
ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRyLci55YWRhiIsInFzaCI6ImIzNGIyNWZkZGRkYzVjMjg4YTRlMmVhZThhNTA1MzgzY
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdkNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

⚠️ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:19:31(00:00.967)
✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:19:31(00:00.968)
ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?
clonedCycleId=e2323071-5115-48d5-ab3a-bb80514f6852

ⓘ Sending body. Length: 76

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠️ Web Request (HTTP/REST): #RestResponse   ⓘ 10:19:44(00:13.911)
ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓘ 10:19:44(00:13.912)
ⓘ Setting value currentValueFC, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24,
updatedUpdateSeq=25, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName:
endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName:
description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName:
creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName:
projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id:
1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName:
versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName:
createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],
[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id:
1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 2 of 8.

✅ Sub Steps   ⓘ 10:19:44(00:13.927)
✅ Call Clone a Test Cycle   ⓘ 10:19:44(00:13.928)
✅ Clone a Test Cycle.testcase   ⓘ 10:19:44(00:13.928)
✅ Call Generate JWT Token   ⓘ 10:19:44(00:13.928)
✅ Generate JWT Token.testcase   ⓘ 10:19:44(00:13.928)
✅ JWTGenerator: ⟹ tes   ⓘ 10:19:44(00:13.928)
ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhiIsInFzaCI6IjI5YmZlODY4Yjg2ZjQ0NTQxNTgzNjZjZjMzk3YWE4
H2c

✅ Set Values: Token   ⓘ 10:19:44(00:13.934)
ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhiIsInFzaCI6IjI5YmZlODY4Yjg2ZjQ0NTQxNTgzNjZjZjMzk3YWE4
H2c

✅ Web Connect: WebServiceConnection   ⓘ 10:19:44(00:13.937)
ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/
connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ Set Values: a   ⓘ 10:19:44(00:13.940)
ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhiIsInFzaCI6IjI5YmZlODY4Yjg2ZjQ0NTQxNTgzNjZjZjMzk3YWE4NDdjMDI

H2c
zapiAccessKey:amIyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxxUX05BTUU

⚠ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:19:44(00:13.944)

✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:19:44(00:13.944)

    ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

    ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=cf05148f-d300-40e5-896d-590e131fc34b

    ⓘ Sending body. Length: 78

    ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

    ⓘ Parsing JSON response.

    ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

    ⓘ Web Response Status stored successfully. Name: RestResponseStatus

    ⚠ Web Request (HTTP/REST): #RestResponse   ⓘ 10:19:52(00:22.085)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓘ 10:19:52(00:22.086)

    ⓘ Setting value currentValueQC, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=49, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null], [id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 3 of 8.

✅ Sub Steps   ⓘ 10:19:52(00:22.099)

    ✅ Call Clone a Test Cycle   ⓘ 10:19:52(00:22.100)

      ✅ Clone a Test Cycle.testcase   ⓘ 10:19:52(00:22.100)

        ✅ Call Generate JWT Token   ⓘ 10:19:52(00:22.100)

          ✅ Generate JWT Token.testcase   ⓘ 10:19:52(00:22.100)

            ✅ JWTGenerator: ⇒ tes   ⓘ 10:19:52(00:22.100)

             ⓘ Generating JWT Token for the URL customapis.JWTGenerator

             ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjNjA0ZDNjZWY4ZWVlZTYyNDFmMWRjNzUzN

           ✅ Set Values: Token   ⓘ 10:19:52(00:22.103)

            ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjNjA0ZDNjZWY4ZWVlZTYyNDFmMWRjNzUzN

        ✅ Web Connect: WebServiceConnection   ⓘ 10:19:52(00:22.106)

          ⓘ Opening RestService connection Connection name: RestNew

          ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

          Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

          ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

        ✅ Set Values: a   ⓘ 10:19:52(00:22.109)

          ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjNjA0ZDNjZWY4ZWVlZTYyNDFmMWRjNzUzNTJlYmJi
zapiAccessKey:amIyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxxUX05BTUU

        ⚠ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:19:52(00:22.112)

        ✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:19:52(00:22.112)

          ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

          ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=0ec086f0-d94e-4de4-9d3b-13333b7bc7a8

ⓘ Sending body. Length: 69

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠ **Web Request (HTTP/REST): #RestResponse**   ⓘ 10:19:54(00:24.255)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ **Set Values: currentValue{UniqueId(2)}**   ⓘ 10:19:54(00:24.257)

ⓘ Setting value currentValueEO, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=73, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null], [id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 4 of 8.

✅ **Sub Steps**   ⓘ 10:19:54(00:24.268)

  ✅ **Call Clone a Test Cycle**   ⓘ 10:19:54(00:24.268)

    ✅ **Clone a Test Cycle.testcase**   ⓘ 10:19:54(00:24.268)

      ✅ **Call Generate JWT Token**   ⓘ 10:19:54(00:24.268)

        ✅ **Generate JWT Token.testcase**   ⓘ 10:19:54(00:24.268)

          ✅ **JWTGenerator: ⇒ tes**   ⓘ 10:19:54(00:24.268)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyXZpbmRlci55YWRhdiIsInFzaCI6IjY5Mjg4M2I2NmFiM2FiNDVjNWZhZThiMTMyYmE...

          ✅ **Set Values: Token**   ⓘ 10:19:54(00:24.271)

ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyXZpbmRlci55YWRhdiIsInFzaCI6IjY5Mjg4M2I2NmFiM2FiNDVjNWZhZThiMTMyYmE...

  ✅ **Web Connect: WebServiceConnection**   ⓘ 10:19:54(00:24.274)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

  ✅ **Set Values: a**   ⓘ 10:19:54(00:24.276)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyXZpbmRlci55YWRhdiIsInFzaCI6IjY5Mjg4M2I2NmFiM2FiNDVjNWZhZThiMTMyYmE1NjZlNT...
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU...

  ⚠ **Web Request (HTTP/REST): #GetNewCycleDetails**   ⓘ 10:19:54(00:24.278)

  ✅ **Web Request (HTTP/REST): #GetNewCycleDetails**   ⓘ 10:19:54(00:24.278)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?clonedCycleId=f52142fa-3388-49bf-9f61-8fd3de62edea

ⓘ Sending body. Length: 71

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

  ⚠ **Web Request (HTTP/REST): #RestResponse**   ⓘ 10:19:58(00:28.331)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓘ 10:19:58(00:28.332)

ⓘ Setting value currentValueJU, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=97, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null], [id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 5 of 8.

✅ Sub Steps   ⓘ 10:19:58(00:28.342)

✅ Call Clone a Test Cycle   ⓘ 10:19:58(00:28.343)

✅ Clone a Test Cycle.testcase   ⓘ 10:19:58(00:28.343)

✅ Call Generate JWT Token   ⓘ 10:19:58(00:28.343)

✅ Generate JWT Token.testcase   ⓘ 10:19:58(00:28.343)

✅ JWTGenerator: ⇒ tes   ⓘ 10:19:58(00:28.343)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjY2E3N2RjZmI2NjA0NzFjMWY3ZDczYmYxZD r-toU2Hsi8KC96VxmWN_L7TqVSL7a7ls

✅ Set Values: Token   ⓘ 10:19:58(00:28.348)

ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjY2E3N2RjZmI2NjA0NzFjMWY3ZDczYmYxZD r-toU2Hsi8KC96VxmWN_L7TqVSL7a7ls

✅ Web Connect: WebServiceConnection   ⓘ 10:19:58(00:28.351)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/ connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ Set Values: a   ⓘ 10:19:58(00:28.359)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImRjY2E3N2RjZmI2NjA0NzFjMWY3ZDczYmYxZDI5NWZkC r-toU2Hsi8KC96VxmWN_L7TqVSL7a7ls
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxxUX05BTUU

⚠️ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:19:58(00:28.361)

✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:19:58(00:28.361)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle? clonedCycleId=5caf6287-5fe3-4583-be4d-284cead09064

ⓘ Sending body. Length: 80

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠️ Web Request (HTTP/REST): #RestResponse   ⓘ 10:20:18(00:48.618)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓘ 10:20:18(00:48.619)

ⓘ Setting value currentValue7D, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=121, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName:

endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null], [id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 6 of 8.

🟢 Sub Steps ⓘ 10:20:18(00:48.626)

🟢 Call Clone a Test Cycle ⓘ 10:20:18(00:48.626)

🟢 Clone a Test Cycle.testcase ⓘ 10:20:18(00:48.627)

🟢 Call Generate JWT Token ⓘ 10:20:18(00:48.627)

🟢 Generate JWT Token.testcase ⓘ 10:20:18(00:48.627)

🟢 JWTGenerator: ⇒ tes ⓘ 10:20:18(00:48.627)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjIyNTVlMDVmZTQ5ZWE2YWNmZTQxN2U3M2Nh

🟢 Set Values: Token ⓘ 10:20:18(00:48.630)

ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjIyNTVlMDVmZTQ5ZWE2YWNmZTQxN2U3M2Nh

🟢 Web Connect: WebServiceConnection ⓘ 10:20:18(00:48.632)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/ connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

🟢 Set Values: a ⓘ 10:20:18(00:48.635)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6IjIyNTVlMDVmZTQ5ZWE2YWNmZTQxN2U3M2NhMWZlYz
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

⚠️ Web Request (HTTP/REST): #GetNewCycleDetails ⓘ 10:20:18(00:48.637)

🟢 Web Request (HTTP/REST): #GetNewCycleDetails ⓘ 10:20:18(00:48.637)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle? clonedCycleId=171355ff-4e9c-48ff-b186-f37148010c09

ⓘ Sending body. Length: 78

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠️ Web Request (HTTP/REST): #RestResponse ⓘ 10:20:34(01:04.283)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

🟢 Set Values: currentValue{UniqueId(2)} ⓘ 10:20:34(01:04.284)

ⓘ Setting value currentValueAI, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24, updatedUpdateSeq=145, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName: endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName: description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName: creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName: projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id: 1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName: versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName: createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null], [id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id: 1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 7 of 8.

Sub Steps — 10:20:34(01.04.294)

Call Clone a Test Cycle — 10:20:34(01.04.294)
Clone a Test Cycle.testcase — 10:20:34(01.04.294)
Call Generate JWT Token — 10:20:34(01.04.294)
Generate JWT Token.testcase — 10:20:34(01.04.294)

JWTGenerator: ⇒ tes — 10:20:34(01.04.294)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM4OGZjYmYyMDk2OTU1ODZlMDZjMTU3MzVll
YTu_MMOxEMYco0iWTZABWWXQIRx-OTHfA87yHgKNeo

Set Values: Token — 10:20:34(01.04.298)

ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM4OGZjYmYyMDk2OTU1ODZlMDZjMTU3MzVll
YTu_MMOxEMYco0iWTZABWWXQIRx-OTHfA87yHgKNeo

Web Connect: WebServiceConnection — 10:20:34(01.04.299)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/
connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

Set Values: a — 10:20:34(01.04.301)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM4OGZjYmYyMDk2OTU1ODZlMDZjMTU3MzVkNjYxNDI
YTu_MMOxEMYco0iWTZABWWXQIRx-OTHfA87yHgKNeo
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

⚠ **Web Request (HTTP/REST): #GetNewCycleDetails** — 10:20:34(01.04.303)

Web Request (HTTP/REST): #GetNewCycleDetails — 10:20:34(01.04.303)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?
clonedCycleId=f3ea6387-2997-4606-ae80-dcf6593b38d3

ⓘ Sending body. Length: 78

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠ **Web Request (HTTP/REST): #RestResponse** — 10:20:38(01.08.237)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

Set Values: currentValue{UniqueId(2)} — 10:20:38(01.08.238)

ⓘ Setting value currentValueCB, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24,
updatedUpdateSeq=169, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName:
endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName:
description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName:
creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName:
projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id:
1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName:
versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName:
createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],
[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id:
1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Start of iteration 8 of 8.

Sub Steps — 10:20:38(01.08.244)

Call Clone a Test Cycle — 10:20:38(01.08.244)
Clone a Test Cycle.testcase — 10:20:38(01.08.245)
Call Generate JWT Token — 10:20:38(01.08.245)
Generate JWT Token.testcase — 10:20:38(01.08.245)

✅ JWTGenerator: ⇒ tes   ⓘ 10:20:38(01:08.245)

ⓘ Generating JWT Token for the URL customapis.JWTGenerator

ⓘ JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM5YWYyZTExZWUxMmY1MzRlMjVmM2ZkMDE
Th-XsZV2I

✅ Set Values: Token   ⓘ 10:20:38(01:08.247)

ⓘ Setting value Token, value: JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM5YWYyZTExZWUxMmY1MzRlMjVmM2ZkMDE
Th-XsZV2I

✅ Web Connect: WebServiceConnection   ⓘ 10:20:38(01:08.249)

ⓘ Opening RestService connection Connection name: RestNew

ⓘ Connecting to restservice. Address: https://prod-api.zephyr4jiracloud.com/connect

Connection name: RestNew, ResultName: WebServiceConnection, resultScope: Test

ⓘ Connection details. Connection name: RestNew, urlString: restservice:url=https://prod-api.zephyr4jiracloud.com/
connect;authenticationType=NO_AUTHENTICATION, url: https://prod-api.zephyr4jiracloud.com/connect

✅ Set Values: a   ⓘ 10:20:38(01:08.251)

ⓘ Setting value a, value: Authorization:JWT
eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJyYXZpbmRlci55YWRhdiIsInFzaCI6ImM5YWYyZTExZWUxMmY1MzRlMjVmM2ZkMDE4YTEw
Th-XsZV2I
zapiAccessKey:amlyYToxMmZiZTg4YS0yNjliLTQ5ODgtOTdiNi00OWExYjU1MTcwNDkgcmF2aW5kZXIueWFkYXYgVVNFUl9ERUZBVUxUX05BTUU

⚠️ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:20:38(01:08.253)

✅ Web Request (HTTP/REST): #GetNewCycleDetails   ⓘ 10:20:38(01:08.253)

ⓘ Calling a Web Service. Connection Name: WebServiceConnection, target: rest:untyped?method=POST&bodyStyle=JSON

ⓘ Connecting to website. Address: https://prod-api.zephyr4jiracloud.com/connect/public/rest/api/1.0/cycle?
clonedCycleId=28c6e2ae-1077-47f6-a4c2-d20da2022255

ⓘ Sending body. Length: 68

ⓘ Reading response. Content Type: application/json;charset=utf-8, Encoding: null

ⓘ Parsing JSON response.

ⓘ REST Response stored successfully. Name: GetNewCycleDetails, length: 0

ⓘ Web Response Status stored successfully. Name: RestResponseStatus

⚠️ Web Request (HTTP/REST): #RestResponse   ⓘ 10:20:44(01:14.278)

ⓘ Closing RestServiceConnection. Name: WebServiceConnection

ⓘ Closing RestServiceConnection because it is no longer being used. Name: WebServiceConnection

RestServiceConnection closed successfully. Name: WebServiceConnection

✅ Set Values: currentValue{UniqueId(2)}   ⓘ 10:20:44(01:14.279)

ⓘ Setting value currentValue04, value: NamedValueListValueImpl [valueCount: 20, valueId=1000000000025, createdUpdateSeq=24,
updatedUpdateSeq=193, values: [[id: 1000000000004,entryName: folders,entryId: 1000000000003],[id: 1000000000005,entryName:
endDate,entryId: null],[id: 1000000000007,entryName: tenantKey,entryId: 1000000000006],[id: 1000000000008,entryName:
description,entryId: null],[id: 100000000000a,entryName: cycleIndex,entryId: 1000000000009],[id: 100000000000c,entryName:
creationDate,entryId: 100000000000b],[id: 100000000000e,entryName: ztId,entryId: 100000000000d],[id: 1000000000010,entryName:
projectCycleVersionIndex,entryId: 100000000000f],[id: 1000000000017,entryName: createdByDisplayName,entryId: 1000000000016],[id:
1000000000018,entryName: sprintId,entryId: null],[id: 1000000000019,entryName: environment,entryId: null],[id: 100000000001b,entryName:
versionId,entryId: 100000000001a],[id: 100000000001c,entryName: build,entryId: null],[id: 100000000001d,entryName:
createdBy,entryId: 78],[id: 100000000001e,entryName: name,entryId: 11],[id: 100000000001f,entryName: modifiedBy,entryId: null],
[id: 1000000000020,entryName: id,entryId: 1000000000009],[id: 1000000000022,entryName: class,entryId: 1000000000021],[id:
1000000000023,entryName: projectId,entryId: 15],[id: 1000000000024,entryName: startDate,entryId: null]]]

ⓘ Reached the end of the List.