# **Test Run Report**




#### **Test Run Overview**

Started 29 Jan 2015, 11:39:07 Ended 29 Jan 2015, 12:25:34

Duration (mm:ss) 46:27.536

## Test Results Summary

Passed 86 Failed 7 Skipped 25



### Test Case Summary

- Provar\_Regression\_Suite
  - ContactsMapping.testcase
  - Extract\_UI\_ReadAssert.testcase
  - HandleUIAlert.testcase
- One or more Sub-Test Steps failed.
  - Manual Testing.testcase
  - MappingAccountPage.testcase
  - OpportunityMapping.testcase
  - UAT\_Console\_Tab.testcase
- One or more Sub-Test Steps failed.
  - UIRead\_Assert.testcase
  - Callable\_Case
    - O. Callable Tests
      - Define your own Variable Types.testcase
      - Input Variable Types.testcase
      - RG defining own variable.testcase
      - RG input variable types.testcase
      - Test Case for parametrization.testcase
    - - Assert Variable Types
        - 1.1 Calling Input Variable Types.testcase

- failed
- successful
- successful
- failed
- successful
- successful
- successful
- failed
- successful
- skipped
- skipped
- skipped
- skipped
- skipped skipped
- skipped
- skipped skipped
- skipped

1.2 Calling Define your own Variable Types.testcase	skipped
RG calling define your own variable Test Case 1.testcase	skipped
Callable	successful
Callable_Test_01.testcase	successful
Callable_Test_02.testcase	successful
Calling_Test_01.testcase	successful
Calling_Test_02.testcase	successful
Control	🔕 failed
Assertion	skipped
Assertion_Contains.testcase	successful
Assertion_DoesnotContains.testcase	successful
Assertion_DoesnotEndsWith.testcase	successful
Assertion_DoesnotMatches.testcase	successful
Assertion_DoesnotStartsWith.testcase	successful
Assertion_EndsWith.testcase	successful
Assertion_Equals.testcase	successful
Assertion_GreaterThan.testcase	successful
Assertion_GreaterThanOrEqualTo.testcase	successful
Assertion_IsEmpty.testcase	skipped
Assertion_KeepTrailingZeros.testcase	skipped
Assertion_LessThan.testcase	successful
Assertion_LessThanEqualTo.testcase	successful
Assertion_Matches.testcase	successful
Assertion_MatchMultiLine.testcase	skipped
Assertion_NotEqualTo.testcase	successful
Assertion_NullAreGreater.testcase	skipped
Assertion_Populated.testcase	skipped
Assertion_StartsWith.testcase	successful
Assert_CaseSensitive.testcase	successful
<i>E</i> Break	successful
Break Labeled.testcase	successful
Break_Unlabeled.testcase	successful
FailTest	🔕 failed
Failed_Assertion.testcase	successful
Failed_TestCase.testcase	🔕 failed
© Error Message is required	
➢ ForEach	successful
For each_UsingQuey.testcase	successful
Split_ForEach_IF_Else.testcase	successful
GroupTest	successful
☐ GroupTest.testcase	successful
☐ IF statement	successful
IF_ForEach Case.testcase	successful
☐ IF_SetValue.testcase	successful
E Set Value	successful
Parameterize_SetValue_String_ExcelData.testcase	successful
SetValue _Number.testcase	successful
SetValue_Date_AddDate.testcase	successful
	successful
Sleep_Test_Split.testcase	successful
Sleep_Test_UI.testcase	successful
<del>_</del>	

Switch Case	successful
SwitchTest_Split_Switch.testcase	successful
➢ WaitFor	successful
☐ WaitFor_UsingMessage.testcase	successful
➢ While	successful
While.testcase	successful
☐ While_Messages.testcase	successful
While_Split_ContinueOnFailure.testcase	successful
☐ While_UsingQuery.testcase	successful
Database API	
☐ Database.testcase	
DeleteAccount.testcase	
EditAccount.testcase	
InsertDB.testcase	
PostGres_Parametrization.testcase	
➢ Messaging API	successful
Email.testcase	successful
Email_BCC_TestCase.testcase	successful
InvalidTo_ Valid CC.testcase	successful
➢ NonSalesforceUI	failed
AMAZON.testcase	
One or more Sub-Test Steps failed.	V Tanoa
FacebookLogin.testcase	successful
FbLoginPage_UsingMultipleLocators.testcase	successful
LoginToFB.testcase	successful
SalesforceAPI	successful
☐ Create.testcase	successful
Delete.testcase	successful
Query.testcase	successful
☐ SalesforceAPI.testcase	successful
Update.testcase	successful
SalesforceUI	successful
☐ SalesforceUI.testcase	successful
salesforceUltest.testcase	successful
Salesforce_Account_Contact.testcase	successful
UI_Delete.testcase	successful
☐ UI_Edit.testcase	successful
☐ UI_Test.testcase	successful
☐ UI_withRow.testcase	successful
	6 failed
Account_Contact_Sales_SalesforceApplication.testcase	successful
Account_OpportunitiesSales_Salesforce.testcase	successful
BulkChangeOwnerStatus_UAT_consoletab.testcase	skipped
BulkChangeStatus_UAT_ConsoleTab.testcase	skipped
Editing_Contact_Sales_Salesforce.testcase	skipped
Example.testcase	skipped
Sales_Console.testcase	skipped
SingleDeleteCase_UAT_ConsoleTab.testcase	6 failed
The row locator did not match any rows.	
TestMapping.testcase	successful
UAT_Console_Test.testcase	6 failed

One or more Sub-Test Steps failed.
Continue.testcase
Inherit.testcase
Skip.testcase
E SetUp_Tests
Foreach_write_read.testcase
☐ If.testcase
Alphabetical_ORMatches.testcase
Array_AlphabeticalMatch.testcase
Array_NumericalMatches.testcase
EndofLine_Matches.testcase
Match.testcase
MultipleMatches.testcase
NegateMatch.testcase
Split_comma_textfile.testcase
Split_semi-colon_CSVformatfile.testcase
Split_SemiColon_TextFile.testcase
➢ VisualForcePage
CaseMapping_ConsoleTab.testcase
CasesMapping_Sales.testcase
UAT_ProductionSelector.testcase
E Web API
SOAP.testcase
➢ Write-Read
ParamterisationData_Write.testcase
Read_BinaryFile.testcase
Read_TextFile.testcase

skipped successful skipped successful skipped skipped pending failed successful successful

successful

successful

failed

Read\_Write\_Excel.testcase

Write\_TextFile.testcase

 $<sup>{\</sup>color{red} {\bf \Theta}}$  List of values are supplied instead of single value. Hence cannot update

#### Summary

Description undefined


Started 29 Jan 2015, 11:40:49 Ended 29 Jan 2015, 11:42:21

#### Output

- ▼ Salesforce Connect: Bank\_RetailDepartment (Test)
  - ① Opening Salesforce connection Connection name: Bank\_RetailDepartment
  - ① Connection details. Connection name: Bank\_RetailDepartment, urlString: sf:user=admin1@test1.provar.com;password={password};environment=PROD\_DEV, environment: <default>, userName: admin1@test1.provar.com, password: [supplied], securityToken: [empty]
  - ① Created Object ID log file. Path: C:\Users\admin\AppData\Local\Temp \ProvarTestArtifacts6223719654101169093584527404039443\Bank\_RetailDepartment-objectids.log

Salesforce connection opened successfully. Connection name: Bank RetailDepartment, ResultName: Bank RetailDepartment, resultScope: Test

#### On SF Case list screen



Error Screenshot

- ① Start of With Screen. Connection Name: Bank\_RetailDepartment, target: sf:ui:target? object=Case&action=List&listView=MyOpenCases&application=UAT\_Console\_App&tab=standard-Case
- ① Successfully opened Firefox WebDriver to https://login.salesforce.com/.
- ① Opening Salesforce Tab. Tab Name: standard-Case, Url: https://emea.salesforce.com/500/o
- (1) Opening Page context. Name: screen, data: null, frame: null
- ① Opening page. URL: https://login.salesforce.com/?un=admin1@test1.provar.com&pw=Provar01&startURL=%2Fconsole%3Ftsid%3D02u20000000Y7km
- ① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km
- ① Opening Salesforce Console Page. Page Name: https://emea.salesforce.com/500/o, Url: https://emea.salesforce.com/500/o
- © Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u2000000Y7km
- ① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B20000007Q1ll&isdtp=nv&nonce=520e6581e7e0fee1bbefbf19b04cb6b9b1adcffe4998b76b024c91ceec93f4a7&sfdclFrameOrigin=https%3A%2F%2Femea.salesforce.com
- Selected list view. Object: Case, List View: MyOpenCases

#### Report Click the Change Status button

- ① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=3&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3D3, wait: null
- (i) Browser window has been opened. Name: main
- ① Locator: ui:locator?name=3&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3D3
- (i) Interaction: uirinteraction?name=action
- ① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B20000007Q1ll&isdtp=nv&nonce=520e6581e7e0fee1bbefbf19b04cb6b9b1adcffe4998b76b024c91ceec93f4a7&sfdclFrameOrigin=https %3A%2F%2Femea.salesforce.com
- ① Scrolling into view: [[FirefoxDriver: firefox on WINDOWS (8e421b06-0f10-4fa8-a3c4-cf426fa9867c)] -> xpath: //input[@name='3' or @name='3']]

- (i) Clicking WebElement. WebElement [tag: input, text: Change Status]
- One or more Sub-Test Steps failed.
- Sending screenshot. Data length: 46733
- (i) Closing Page context. Name: screen, data: null
- (i) Main window reselected. Window: main

#### Handle UI Alerts

- Start of Handle Alert. Connection: Bank\_RetailDepartment
- i Start of Alert Wait. Timeout (seconds): 30
- ① Polling for Alert failed. Attempt: 1, cause: [NoAlertPresentException: No alert is present (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2.13 seconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'admin-THINK', ip: '10.1.1.61', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Session ID: 8e421b06-0f10-4fa8-a3c4-cf426fa9867c Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities [{platform=WINDOWS, acceptSslCerts=true, javascriptEnabled=true, cssSelectorsEnabled=true, databaseEnabled=true, browserName=firefox, handlesAlerts=true, nativeEvents=false, webStorageEnabled=true, rotatable=false, locationContextEnabled=true, applicationCacheEnabled=true, takesScreenshot=true, version=34.0}]
- Polling for Alert failed. Attempt: 2, cause: [NoAlertPresentException: No alert is present (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2.26 seconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'admin-THINK', ip: '10.1.1.61', os.name: "Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Session ID: 8e421b06-0f10-4fa8-a3c4-cf426fa9867c Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities [{platform=WINDOWS, acceptSslCerts=true, javascriptEnabled=true, cssSelectorsEnabled=true, databaseEnabled=true, browserName=firefox, handlesAlerts=true, nativeEvents=false, webStorageEnabled=true, rotatable=false, locationContextEnabled=true, applicationCacheEnabled=true, takesScreenshot=true, version=34.0}]]
- ① Polling for Alert failed. Attempt: 3, cause: [NoAlertPresentException: No alert is present (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2.15 seconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'admin-THINK', ip: '10.1.1.61', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Session ID: 8e421b06-0f10-4fa8-a3c4-cf426fa9867c Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities [{platform=WINDOWS, acceptSslCerts=true, javascriptEnabled=true, cssSelectorsEnabled=true, databaseEnabled=true, browserName=firefox, handlesAlerts=true, nativeEvents=false, webStorageEnabled=true, rotatable=false, locationContextEnabled=true, applicationCacheEnabled=true, takesScreenshot=true, version=34.0}]]
- ① Polling for Alert failed. Attempt: 4, cause: [NoAlertPresentException: No alert is present (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2.15 seconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'admin-THINK', ip: '10.1.1.61', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Session ID: 8e421b06-0f10-4fa8-a3c4-cf426fa9867c Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities [{platform=WINDOWS, acceptSslCerts=true, javascriptEnabled=true, cssSelectorsEnabled=true, databaseEnabled=true, browserName=firefox, handlesAlerts=true, nativeEvents=false, webStorageEnabled=true, takesScreenshot=true, version=34.0}]
- ① Polling for Alert failed. Attempt: 5, cause: [NoAlertPresentException: No alert is present (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2.14 seconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'admin-THINK', ip: '10.1.1.61', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Session ID: 8e421b06-0f10-4fa8-a3c4-cf426fa9867c Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities [{platform=WINDOWS, acceptSslCerts=true, javascriptEnabled=true, cssSelectorsEnabled=true, databaseEnabled=true, browserName=firefox, handlesAlerts=true, nativeEvents=false, webStorageEnabled=true, rotatable=false, locationContextEnabled=true, applicationCacheEnabled=true, takesScreenshot=true, version=34.0}]]
- ① Polling for Alert failed. Attempt: 6, cause: [NoAlertPresentException: No alert is present (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2.68 seconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'admin-THINK', ip: '10.1.1.61', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Session ID: 8e421b06-0f10-4fa8-a3c4-cf426fa9867c Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities [{platform=WINDOWS, acceptSslCerts=true, javascriptEnabled=true, cssSelectorsEnabled=true, databaseEnabled=true, browserName=firefox, handlesAlerts=true, nativeEvents=false, webStorageEnabled=true, rotatable=false, locationContextEnabled=true, applicationCacheEnabled=true, takesScreenshot=true, version=34.0}]]
- ① Polling for Alert failed. Attempt: 7, cause: [NoAlertPresentException: No alert is present (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2.20 seconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'admin-THINK', ip: '10.1.1.61', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Session ID: 8e421b06-0f10-4fa8-a3c4-cf426fa9867c Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities [{platform=WINDOWS, acceptSslCerts=true, javascriptEnabled=true, cssSelectorsEnabled=true, databaseEnabled=true, browserName=firefox, handlesAlerts=true, nativeEvents=false, webStorageEnabled=true, rotatable=false, locationContextEnabled=true, applicationCacheEnabled=true, takesScreenshot=true, version=34.0}]]
- ① Polling for Alert failed. Attempt: 8, cause: [NoAlertPresentException: No alert is present (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2.23 seconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'admin-THINK', ip: '10.1.1.61', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Session ID: 8e421b06-0f10-4fa8-a3c4-cf426fa9867c Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities [{platform=WINDOWS, acceptSsICerts=true, javascriptEnabled=true, cssSelectorsEnabled=true, databaseEnabled=true, browserName=firefox, handlesAlerts=true, nativeEvents=false, webStorageEnabled=true, rotatable=false, locationContextEnabled=true, applicationCacheEnabled=true, takesScreenshot=true, version=34.0}]]
- ① Polling for Alert failed. Attempt: 9, cause: [NoAlertPresentException: No alert is present (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2.16 seconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'admin-THINK', ip: '10.1.1.61', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Session ID: 8e421b06-0f10-4fa8-a3c4-cf426fa9867c Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities [{platform=WINDOWS, acceptSslCerts=true, javascriptEnabled=true, cssSelectorsEnabled=true, databaseEnabled=true, browserName=firefox, handlesAlerts=true, nativeEvents=false, webStorageEnabled=true, rotatable=false, locationContextEnabled=true, applicationCacheEnabled=true, takesScreenshot=true, version=34.0}]]
- ① Polling for Alert failed. Attempt: 10, cause: [NoAlertPresentException: No alert is present (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2.23 seconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'admin-THINK', ip: '10.1.1.61', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Session ID: 8e421b06-0f10-4fa8-a3c4-cf426fa9867c Driver info: org.openga.selenium.firefox.FirefoxDriver Capabilities [{platform=WINDOWS, acceptSslCerts=true, javascriptEnabled=true, cssSelectorsEnabled=true, databaseEnabled=true, browserName=firefox, handlesAlerts=true, nativeEvents=false, webStorageEnabled=true, rotatable=false, locationContextEnabled=true, applicationCacheEnabled=true, takesScreenshot=true, version=34.0}]]
- ① Polling for Alert failed. Attempt: 11, cause: [NoAlertPresentException: No alert is present (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2.16 seconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host:

'admin-THINK', ip: '10.1.1.61', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Session ID: 8e421b06-0f10-4fa8-a3c4-cf426fa9867c Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities [{platform=WINDOWS, acceptSslCerts=true, javascriptEnabled=true, cssSelectorsEnabled=true, databaseEnabled=true, browserName=firefox, handlesAlerts=true, nativeEvents=false, webStorageEnabled=true, rotatable=false, locationContextEnabled=true, applicationCacheEnabled=true, takesScreenshot=true, version=34.0}]]

- ① Polling for Alert failed. Attempt: 12, cause: [NoAlertPresentException: No alert is present (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2.14 seconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'admin-THINK', ip: '10.1.1.61', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Session ID: 8e421b06-0f10-4fa8-a3c4-cf426fa9867c Driver info: org.openga.selenium.firefox.FirefoxDriver Capabilities [{platform=WINDOWS, acceptSslCerts=true, javascriptEnabled=true, cssSelectorsEnabled=true, databaseEnabled=true, browserName=firefox, handlesAlerts=true, nativeEvents=false, webStorageEnabled=true, rotatable=false, locationContextEnabled=true, applicationCacheEnabled=true, takesScreenshot=true, version=34.0}]]
- ⚠ No Alert appeared in the timeout period. Timeout (seconds): 30
- (i) Switching to alert. ExpectedMessage: Please select at least one row
- [NoAlertPresentException: No alert is present (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 2.13 seconds Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'admin-THINK', ip: '10.1.1.61', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Session ID: 8e421b06-0f10-4fa8-a3c4-cf426fa9867c Driver info: org.openqa.selenium.firefox.FirefoxDriver Capabilities [{platform=WINDOWS}, acceptSsICerts=true, javascriptEnabled=true, cssSelectorsEnabled=true, databaseEnabled=true, browserName=firefox, handlesAlerts=true, nativeEvents=false, webStorageEnabled=true, rotatable=false, locationContextEnabled=true, applicationCacheEnabled=true, takesScreenshot=true, version=34.0}]
- ① Closing Salesforce Connection because it is no longer being used. Name: Bank\_RetailDepartment
- (i) Closing Web Connection.
- (i) Closing Selenium driver
- Shutting down Soap Connections. logFilePath: Bank\_RetailDepartment-objectids.log
- On SF Case list screen
  - With List/listView/listTable {CaseNumber = "00001009"}
    - R Click the Case Number link

# UAT\_Console\_Tab.testcase

#### Summary

Started 29 Jan 2015, 11:45:02 Ended 29 Jan 2015, 11:46:28

#### Output

- Salesforce Connect: Bank\_RetailDepartment (Test)
  - ① Opening Salesforce connection Connection name: Bank\_RetailDepartment
  - ① Connection details. Connection name: Bank\_RetailDepartment, urlString: sf:user=admin1@test1.provar.com;password={password};environment=PROD\_DEV, environment: <default>, userName: admin1@test1.provar.com, password: [supplied], securityToken: [empty]
  - ① Created Object ID log file. Path: C:\Users\admin\AppData\Local\Temp \ProvarTestArtifacts6223719654101169093584527404039443\Bank\_RetailDepartment-objectids.log

Salesforce connection opened successfully. Connection name: Bank\_RetailDepartment, ResultName: Bank\_RetailDepartment, resultScope: Test


- On SF Case list screen
  - ① Start of With Screen. Connection Name: Bank\_RetailDepartment, target: sf:ui:target? object=Case&application=UAT\_Console\_App&action=List&listView=MyOpenCases&tab=standard-Case
  - ① Successfully opened Firefox WebDriver to https://login.salesforce.com/.
  - ① Opening Salesforce Tab. Tab Name: standard-Case, Url: https://emea.salesforce.com/500/o
  - (i) Opening Page context. Name: screen, data: null, frame: null
  - ① Opening page. URL: https://login.salesforce.com/?un=admin1@test1.provar.com&pw=Provar01&startURL=%2Fconsole%3Ftsid%3D02u20000000Y7km
  - ① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km
  - ① Opening Salesforce Console Page. Page Name: https://emea.salesforce.com/500/o, Url: https://emea.salesforce.com/500/o
  - ① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km

- ① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B20000007Q1lk&isdtp=nv&nonce=497da8c6efdd9bff6831e2117f87677d6cb6f03089d75c23b9b4cc18e6d1ab51&sfdclFrameOrigin=https%3A%2F%2Femea.salesforce.com
- (1) Selected list view. Object: Case, List View: MyOpenCases

#### R Click the NewCase button

- ① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DNewCase, wait: null
- i Browser window has been opened. Name: main
- ① Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DNewCase
- i Interaction: ui:interaction?name=action
- ① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B20000007Q1lk&isdtp=nv&nonce=497da8c6efdd9bff6831e2117f87677d6cb6f03089d75c23b9b4cc18e6d1ab51&sfdclFrameOrigin=https %3A%2F%2Femea.salesforce.com
- ① Scrolling into view: [[FirefoxDriver: firefox on WINDOWS (49217521-fe7d-4b42-8528-21eb6c620be2)] -> xpath: //input[@name='newCase' or @name='newcase']]
- ① Clicking WebElement. WebElement [tag: input, text: New Case]
- All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null
- (i) Main window reselected. Window: main

#### On SF Case new screen



Error Screenshot

- ① Start of With Screen. Connection Name: Bank\_RetailDepartment, target: sf:ui:target?object=Case&action=New
- ① Opening Page context. Name: screen, data: null, frame: null
- ① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km
- ① Polling for field. attempt: 1, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- ① Polling for field. attempt: 2, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- ① Polling for field. attempt: 3, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- ① Polling for field. attempt: 4, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- 1 Polling for field. attempt: 5, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']
- ① Polling for field. attempt: 6, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- 🛈 Polling for field. attempt: 7, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- 🗓 Polling for field. attempt: 8, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- ① Polling for field. attempt: 9, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- 1 Polling for field. attempt: 10, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']
- ① Polling for field. attempt: 11, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- ⑤ Polling for field. attempt: 12, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- ① Polling for field. attempt: 13, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- 🗓 Polling for field. attempt: 14, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- ① Polling for field. attempt: 15, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- ① Polling for field. attempt: 16, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- ① Polling for field. attempt: 17, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- 1 Polling for field. attempt: 18, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']

- 1 Polling for field. attempt: 19, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case
- 🗓 Polling for field. attempt: 20, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- 1 Polling for field. attempt: 21, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']
- 1 Polling for field. attempt: 22, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- (i) Got primary tab id. primaryTabld: scc-pt-0
- (i) Selecting tab frame. targetlFrame: id: scc-pt-0]] -> css selector: div iframe

#### Represented the Send notification email to contact checkbox

- ① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=showEmailCheckbox&path=New%2FOptional %2FEmailLayoutRow%2FshowEmailCheckbox, wait: null
- 1 Locator: ui:locator?name=showEmailCheckbox&path=New%2FOptional%2FEmailLayoutRow%2FshowEmailCheckbox
- i Interaction: ui:interaction?name=check
- ① Switched focus to frame. Window: main, Selector: id: scc-pt-0]] -> css selector: div iframe, URL: https://emea.salesforce.com/500/e? isdtp=vw&isWsVw=true&nonce=497da8c6efdd9bff6831e2117f87677d6cb6f03089d75c23b9b4cc18e6d1ab51&sfdclFrameOrigin=https%3A%2F%2Femea.salesforce.com
- ① Getting webElement: By.xpath: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Optional']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr[2]//td[1]//input
- ① Got webElement. tagName: input, id: cas22, type: checkbox, selector: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Optional']//following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr[2]//td[1]//input
- (i) Closing Salesforce Connection because it is no longer being used. Name: Bank\_RetailDepartment
- (i) Closing Web Connection.
- (i) Closing Selenium driver
- Shutting down Soap Connections. logFilePath: Bank\_RetailDepartment-objectids.log

#### Record the Assign using active assignment rules checkbox

- ① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=showRunAssignmentRulesCheckbox&path=New%2FOptional %2FRulesLayoutRow%2FshowRunAssignmentRulesCheckbox, wait: null
- $\hbox{$\stackrel{\textcircled{1}}{\blacksquare}$ Locator: ui:locator?name=showRunAssignmentRulesCheckbox&path=New%2FOptional%2FRulesLayoutRow%2FshowRunAssignmentRulesCheckbox}\\$
- 1 Interaction: ui:interaction?name=check
- ① Switched focus to frame. Window: main, Selector: id: scc-pt-0]] -> css selector: div iframe, URL: https://emea.salesforce.com/500/e? isdtp=vw&isWsVw=true&nonce=497da8c6efdd9bff6831e2117f87677d6cb6f03089d75c23b9b4cc18e6d1ab51&sfdclFrameOrigin=https%3A%2F%2Femea.salesforce.com
- ① Getting webElement: By.xpath: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Optional']//following-sibling::div[contains(@class.'bbSubsection')][1]/table//tr[1]//td[1]//input
- (acas21, type: checkbox, selector: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Optional']//following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr[1]//td[1]//input

#### Set the Internal Comments textarea to sdfsdfsdf

- ① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=InternalComments&path=New%2FComments %2FInternalCommentsLayoutRow%2FInternalComments, wait: null
- 1 Locator: ui:locator?name=InternalComments&path=New%2FComments%2FInternalCommentsLayoutRow%2FInternalComments
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to frame. Window: main, Selector: id: scc-pt-0]] -> css selector: div iframe, URL: https://emea.salesforce.com/500/e? isdtp=vw&isWsVw=true&nonce=497da8c6efdd9bff6831e2117f87677d6cb6f03089d75c23b9b4cc18e6d1ab51&sfdclFrameOrigin=https%3A%2F%2Femea.salesforce.com
- ① Getting webElement: By.xpath: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Description Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (.//text() = 'Internal Comments')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]//textarea
- ① Got webElement. tagName: textarea, id: cas16, type: textarea, selector: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Description Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/
  td[contains(@class,'labelCol') and (.//text() = 'Internal Comments')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')]
  [1]/textarea
- ① Scrolling into view: [[FirefoxDriver: firefox on WINDOWS (49217521-fe7d-4b42-8528-21eb6c620be2)] -> xpath: // div[contains(@class, pbBody')]//div[contains(@class, pbSubheader') and h3/text()[not(ancestor::span)] = 'Description Information']/following-sibling::div[contains(@class, pbSubsection')][1]/table//tr/td[contains(@class, 'labelCol') and (.//text() = 'Internal Comments')]/following-sibling::td[contains(@class, 'dataCol') or contains(@class, 'data2Col')][1]//textarea]
- ① Typing value. tagName: textarea, type: textarea, value: sdfsdfsdf, blur: false, selector: //div[contains(@class,'pbBody')]// div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Description Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (.//text() = 'Internal Comments' )]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]//textarea

- One or more Sub-Test Steps failed.
- (i) Sending screenshot. Data length: 21896
- ① Start of waitForPageToLoad. Arg0: 60000
- i End of waitForPageToLoad. Duration(ms): 541
- Storing created Salesforce Object ID. Result Name: caseld, created ID: null, location: https://emea.salesforce.com/500/e
- ① Closing Page context. Name: screen, data: null
- i Main window reselected. Window: main
- Set the Description field to sdfsdfsdf



Error Screenshot

- ① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=Description&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DDescription, wait: null
- ① Locator: ui:locator?name=Description&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DDescription
- i Interaction: ui:interaction?name=set
- ① Switched focus to frame. Window: main, Selector: id: scc-pt-0]] -> css selector: div iframe, URL: https://emea.salesforce.com/500/e? isdtp=vw&isWsVw=true&nonce=497da8c6efdd9bff6831e2117f87677d6cb6f03089d75c23b9b4cc18e6d1ab51&sfdclFrameOrigin=https%3A%2F%2Femea.salesforce.com
- ① Getting webElement: By.xpath: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (text()[not(ancestor::script)] = 'Description' or span/text() = 'Description' or label/text() = 'Description' or span/label/text() = 'Description' or span/l
- The control was not found. Locator: By.xpath: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubsection')][1]/table//tr/
  td[contains(@class,'labelCol') and (text()[not(ancestor::script)] = 'Description' or span/text() = 'Description' or label/text() = 'Description' or span/text() = 'Description' or
- (i) Sending screenshot. Data length: 21896
- Set the Subject field to sdfsdfsdfsd
- Set the Priority picklist to Medium
- Set the Case Origin picklist to Phone
- Set the Status picklist to Escalated
- Set the Account Name reference to fgew
- Set the Contact Name reference to asd
- On UATMapping page
  - Set the Subject to Send Letter

# Failed\_TestCase.testcase

#### Summary

Started 29 Jan 2015, 11:51:37 Ended 29 Jan 2015, 11:51:40

#### Output

- ▼ Salesforce Connect: Bank\_RetailDepartment (Test)
  - ① Opening Salesforce connection Connection name: Bank\_RetailDepartment
  - ① Connection details. Connection name: Bank\_RetailDepartment, urlString: sf:user=admin1@test1.provar.com;password={password};environment=PROD\_DEV, environment: <default>, userName: admin1@test1.provar.com, password: [supplied], securityToken: [empty]

① Created Object ID log file. Path: C:\Users\admin\AppData\Local\Temp \ProvarTestArtifacts6223719654101169093584527404039443\Bank\_RetailDepartment-objectids.log

Salesforce connection opened successfully. Connection name: Bank\_RetailDepartment, ResultName: Bank\_RetailDepartment, resultScope: Test

#### SOQL Query: select Name from Account where AnnualRevenue = 700=>AccountRows

- ① Reading a Salesforce object. Connection Name: Bank\_RetailDepartment, Query: select Name from Account where AnnualRevenue = 700
- (i) Query successful. Row Count: 24.

#### Assert: 10 LessThan {AccountRows}

Assertion successful. (expected) 10 < [NamedValueListValueImpl [ valueCount: 2, valueId=600000000136b, createdUpdateSeq=2333,</p> updatedUpdateSeq=2333, values: [[id: 60000000136c,entryName: ld,entryId: null],[id: 60000000136d,entryName: Name,entryId: 60000000136e]]], NamedValueListValueImpl [valueCount: 2, valueId=60000000013f6, createdUpdateSeq=2333, updatedUpdateSeq=2333, values: [[id: 6000000001370,entryName: Id,entryId: null],[id: 6000000001371,entryName: Name,entryId: 600000001372]]], NamedValueListValueImpl [valueCount: 2, valueld=600000001373, createdUpdateSeq=2333, values: [[id: 6000000001374,entryName: Id,entryId: null],[id: 600000001375,entryName: Name,entryId: 6000000001375,entryName: Name,entryId: 6000000001376]]], NamedValueListValueImpl [ valueCount: 2, valueId=6000000001377, createdUpdateSeq=2333, updatedUpdateSeq=2333, values: [[id: 600000001378,entryName: Id,entryId: null],[id: 6000000001379,entryName: Name,entryId: null],[id: 6000000001379,entryName: Id,entryId: null],[id: 60000000001379,entryName: Id,entryId: null],[id: 6000000001379,entryName: Id,entryId: null],[id: 60000000001379,entryName: Id,entryId: null],[id: 600000000001379,entryName: Id,entryId: null],[id: 60000000000001379,entryName: Id,entryId: null],[id: 600000000001379,entryName: Id,entryId: null],[id: 60000000001379,entryName: Id,entryId: null],[id: 600000000001379,entryName: Id,entryId: null],[id: 600000000001379,entryName: Id,entryId: null],[id: 600000000001379,entryName: Id,entryId: nu Name,entryld: 600000000137a]]], NamedValueListValueImpl [ valueCount: 2, valueId=600000000137b, createdUpdateSeq=2333, values: [[id: 600000000137c,entryName: Id,entryld: null],[id: 60000000137d,entryName: Name,entryld: 60000000137e]]], NamedValueListValueImpl [valueCount: 2, valueId=600000000137f, createdUpdateSeq=2333, updatedUpdateSeq=2333, values: [[id: 600000001380,entryName: Id,entryId: null],[id: 600000001381,entryName: Name,entryId: 600000001382]]], NamedValueListValueImpl updatedUpdateSeq=2333, values: [[id: 60000000138c,entryName: ld,entryld: null],[id: 60000000138d,entryName: Name,entryld: 60000000138e]]], Name,entryld: 60000000139a]]], NamedValueListValueImpl [ valueCount: 2, valueId=60000000139b, createdUpdateSeq=2333, values: [[id: 600000000139c,entryName: Id,entryld: null],[id: 600000000139b, createdUpdateSeq=2333, values: [[id: 6000000000139c,entryName: Id,entryld: null],[id: 600000000139b, createdUpdateSeq=2333, values: [[id: 6000000000139c,entryName: Id,entryld: null],[id: 6000000000139b, createdUpdateSeq=2333, values: [[id: 6000000000139c,entryName: Id,entryld: null],[id: 6000000000139b, createdUpdateSeq=2333, valueSeq=2333, NamedValueListValueImpl [ valueCount: 2, valueId=600000000139f, createdUpdateSeq=2333, updatedUpdateSeq=2333, values: [lid: 6000000013a0,entryName: Id,entryId: null],[id: 6000000013a1,entryName: Name,entryId: 6000000013a2]]], NamedValueListValueImpl [valueCount: 2, valueId=60000000013a3, createdUpdateSeq=2333, updatedUpdateSeq=2333, values: [[id: 60000000013a4,entryName: Id,entryId: Name,entryld: 6000000013aa]]], NamedValueListValueImpl [ valueCount: 2, valueId=60000000013ab, createdUpdateSeq=2333. updatedUpdateSeq=2333, values: [[id: 60000000013ac,entryName: Id,entryId: null],[id: 60000000013ad,entryName: Name,entryId: 60000000013ae]]], NamedValueListValueImpl [ valueCount: 2, valueId=60000000013af, createdUpdateSeq=2333, updatedUpdateSeq=2333, values: [fid: 6000000013b0,entryName: Id,entryId: null],[id: 6000000013b1,entryName: Name,entryId: 6000000013b2]]], NamedValueListValueImpI [valueCount: 2, valueId=60000000013b3, createdUpdateSeq=2333, updatedUpdateSeq=2333, values: [[id: 60000000013b4,entryName: Id,entryId: Name,entryld: 60000000013ba]]], NamedValueListValueImpl [valueCount: 2, valueId=60000000013bb, createdUpdateSeq=2333, updatedUpdateSeq=2333, values: [[id: 60000000013bc,entryName: Id,entryld: null],[id: 60000000013bd,entryName: Name,entryld: 60000000013be]]], NamedValueListValueImpl [valueCount: 2, valueId=60000000013bf, createdUpdateSeq=2333, updatedUpdateSeq=2333, values: [[id: 6000000013c0,entryName: Id,entryId: null],[id: 6000000013c1,entryName: Name,entryId: 6000000013c2]]], NamedValueListValueImpI [valueCount: 2, valueId=60000000013c3, createdUpdateSeq=2333, updatedUpdateSeq=2333, values: [[id: 60000000013c4,entryName: Id,entryId: null],[id: 6000000013c5,entryName: Name,entryId: 6000000013c6]]], NamedValueListValueImpl [ valueCount: 2, valueId=60000000013c7, Name,entryld: 6000000013ca]]]] (actual)

- ① Closing Salesforce Connection because it is no longer being used. Name: Bank\_RetailDepartment
- ① Shutting down Soap Connections. logFilePath: Bank\_RetailDepartment-objectids.log

#### Second Property Pr

- (i) Failing test with message: Error Message is required
- Error Message is required

# AMAZON.testcase

#### Summary

Started 29 Jan 2015, 11:56:05 Ended 29 Jan 2015, 11:56:34

Duration (mm:ss) 00:28.287 Outcome ⊗ failed

#### Output

Ul Connect: Amazon

① Opening Selenium Connection. Connection Name: Amazon, Base URL: http://www.amazon.in/

- ① Successfully opened Firefox WebDriver to http://www.amazon.in/.
- (i) Selenium Connection opened successfully.

#### On amazonsearch page


- (1) Start of With Screen. Connection Name: Amazon, target: ui:pageobject:target?pageId=pageobjects.amazonsearch
- (i) Browser window has been opened. Name: main
- (i) Navigating to URL: http://www.amazon.in/
- ① Opening Page context. Name: screen, data: pageobjects.amazonsearch@6751b751, frame: null

#### Set the Search to saleforce

- ① Start of Interact. Connection: Amazon, Locator: ui:pageobject:field?field=search&pageId=pageobjects.amazonsearch, wait: null
- ① Locator: ui:pageobject:field?field=search&pageId=pageobjects.amazonsearch
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: http://www.amazon.in/
- ① Got webElement. tagName: input, id: twotabsearchtextbox, type: text, selector: null
- ① Scrolling into view: [[FirefoxDriver: firefox on WINDOWS (cc049356-1233-4f28-bed1-186899394e17)] -> xpath: //\*[@id = //label[normalize-space(text()) = 'Search']/@for]]
- ① Typing value. tagName: input, type: text, value: saleforce, blur: false, selector: null

#### R Click the Go

- 🛈 Start of Interact. Connection: Amazon, Locator: ui:pageobject:field?field=go&pageId=pageobjects.amazonsearch, wait: null
- 1 Locator: ui:pageobject:field?field=go&pageId=pageobjects.amazonsearch
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: http://www.amazon.in/
- ① Scrolling into view: [[FirefoxDriver: firefox on WINDOWS (cc049356-1233-4f28-bed1-186899394e17)] -> xpath: //input[(@type = 'button' or @type = 'submit' or @type = 'file') and @value = 'Go'] | //button[@value = 'Go' or normalize-space(.) = 'Go']]
- ① Clicking WebElement. WebElement [tag: input, text: Go]
- One or more Sub-Test Steps failed.
- (i) Closing Page context. Name: screen, data: null
- (i) Main window reselected. Window: main
- Hover the Apex Book
- □ Click the Add To Cart



#### Error Screenshot

- ① Start of Interact. Connection: Amazon, Locator: ui:pageobject:field?field=addToCart&pageId=pageobjects.amazonsearch, wait: null
- ① Locator: ui:pageobject:field?field=addToCart&pageId=pageobjects.amazonsearch
- 1 Interaction: ui:interaction?name=action

- ① Switched focus to main window. URL: http://www.amazon.in/s/ref=nb\_sb\_noss\_1/279-0368535-9372124?url=search-alias%3Daps&field-keywords=saleforce&sprefix=saleforce%2Caps
- ① Scrolling into view: Proxy element for: ProvarFindByElementLocator [by=public org.openqa.selenium.WebElement pageobjects.amazonsearch.addToCart]
- © Error doing interaction. Connection Name: Amazon, cause: [NoSuchElementException: No elements matched the field locator. Field name: addToCart For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'admin-THINK', ip: '10.1.1.61', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Driver info: driver.version: ProvarSeleniumDriver]
- org.openga.selenium.NoSuchElementException: No elements matched the field locator. Field name: addToCart
- For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html
- Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
- System info: host: 'admin-THINK', ip: '10.1.1.61', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71'
- Oriver info: driver.version: ProvarSeleniumDriver
- at com.provar.plugins.forcedotcom.core.ui.ProvarFindByElementLocator.findElement(ProvarFindByElementLocator.java:59)
- at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:37)
- at com.sun.proxy.\$Proxy77.getWrappedElement(Unknown Source)
- at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48)
- at com.google.common.collect.lterators\$8.transform(lterators.java:799)
- at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:48)
- at com.google.common.collect.lterators.addAll(Iterators.java:362)
- at com.google.common.collect.Lists.newArrayList(Lists.java:160)
- at com.google.common.collect.Lists.newArrayList(Lists.java:144)
- at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:506)
- at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:2463)
- at com.provar.core.testapi.ProvarSeleniumDriver.scrollIntoView(ProvarSeleniumDriver.java:2456)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performActionInteraction(SeleniumUiHandler.java:2158)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:1480)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:1401)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:254)
- ${\color{red} {\bf 9}} \ at \ com.provar.core.test execution.common.java.Test {\color{red} Execution Context Impl.} do {\color{red} Connection Operation (Test {\color{red} Execution Context Impl.} java:759)}$
- at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:157)
- at sun.reflect.GeneratedMethodAccessor51.invoke(Unknown Source)
- at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
- at java.lang.reflect.Method.invoke(Unknown Source)
- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:518)
- (i) at

com.provar.core.testexecution.container.java.Local Test Execution Container Runner.dolnvoke Test Api (Local Test Execution Container Runner.java: 479)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access\$6(LocalTestExecutionContainerRunner.java:429)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner \$MessageProcessor.run(LocalTestExecutionContainerRunner.java:857)
- Sending screenshot. Data length: 60093
- ① Closing Selenium Connection because it is no longer being used. Name: Amazon
- (i) Closing Selenium driver

# SingleDeleteCase\_UAT\_ConsoleTab.testcase

Summary

Ended Duration (mm:ss) Outcome 29 Jan 2015, 12:15:41

00:53.764


failed

#### Output

- Salesforce Connect: Bank\_RetailDepartment (Test)
  - ① Opening Salesforce connection Connection name: Bank\_RetailDepartment
  - ① Connection details. Connection name: Bank\_RetailDepartment, urlString: sf:user=admin1@test1.provar.com;password={password};environment=PROD\_DEV, environment: <default>, userName: admin1@test1.provar.com, password: [supplied], securityToken: [empty]
  - ① Created Object ID log file. Path: C:\Users\admin\AppData\Local\Temp \ProvarTestArtifacts6223719654101169093584527404039443\Bank\_RetailDepartment-objectids.log

Salesforce connection opened successfully. Connection name: Bank\_RetailDepartment, ResultName: Bank\_RetailDepartment, resultScope: Test

On SF Case list screen



Error Screenshot

- ① Start of With Screen. Connection Name: Bank\_RetailDepartment, target: sf:ui:target? object=Case&action=List&listView=MyOpenCases&application=UAT\_Console\_App&tab=standard-Case
- Successfully opened Firefox WebDriver to https://login.salesforce.com/.
- ① Opening Salesforce Tab. Tab Name: standard-Case, Url: https://emea.salesforce.com/500/o
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Opening page. URL: https://login.salesforce.com/?un=admin1@test1.provar.com&pw=Provar01&startURL=%2Fconsole%3Ftsid%3D02u20000000Y7km
- ① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km
- ① Opening Salesforce Console Page. Page Name: https://emea.salesforce.com/500/o, Url: https://emea.salesforce.com/500/o
- ① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km
- ① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B20000007Q1lk&isdtp=nv&nonce=0eaf2220590c00f389ae7f17670be6332c01ca05c7c14c4c029770252483bea1&sfdclFrameOrigin=https%3A%2F%2Femea.salesforce.com
- (i) Selected list view. Object: Case, List View: MyOpenCases
- ₩ith Case rows {CaseNumber = "00001013"}
  - ① Start of With Row. Connection Name: Bank\_RetailDepartment, target: sf:ui:locator:row?table=List%2FlistView%2FlistTable
  - (1) Browser window has been opened. Name: main
  - 1 Resolved table xpath: //div[contains(@id, '\_grid')]//div[contains(@class, 'x-grid') and contains(@class, '-body')]//tr
  - ① Start of Selenium Locator wait. Locator: //div[contains(@id, '\_grid')]//div[contains(@class, 'x-grid') and contains(@class, '-body')]//tr, frame: null, timeout(secs): 60
  - ① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B2000007Q1lk&isdtp=nv&nonce=0eaf2220590c00f389ae7f17670be6332c01ca05c7c14c4c029770252483bea1&sfdclFrameOrigin=https %3A%2F%2Femea.salesforce.com
  - (i) End of Selenium Condition wait.
  - ① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B20000007Q1lk&isdtp=nv&nonce=0eaf2220590c00f389ae7f17670be6332c01ca05c7c14c4c029770252483bea1&sfdclFrameOrigin=https %3A%2F%2Femea.salesforce.com
  - ① Applying row locator to rows. Row Count: 11, Row Locator: {CaseNumber = "00001013"}
  - The row locator did not match any rows.
  - Click the Delete button
  - Handle UI Alerts

- One or more Sub-Test Steps failed.
- (i) Sending screenshot. Data length: 51513
- ① Closing Page context. Name: screen, data: null
- Main window reselected. Window: main
- ① Closing Salesforce Connection because it is no longer being used. Name: Bank\_RetailDepartment
- (i) Closing Web Connection.
- (i) Closing Selenium driver
- Shutting down Soap Connections. logFilePath: Bank\_RetailDepartment-objectids.log

# UAT\_Console\_Test.testcase

#### Summary

Started 29 Jan 2015, 12:16:21 Ended 29 Jan 2015, 12:17:24

#### Output

- ▼ Salesforce Connect: Bank\_RetailDepartment (Test)
  - ① Opening Salesforce connection Connection name: Bank\_RetailDepartment
  - ① Connection details. Connection name: Bank\_RetailDepartment, urlString: sf:user=admin1@test1.provar.com;password={password};environment=PROD\_DEV, environment: <default>, userName: admin1@test1.provar.com, password: [supplied], securityToken: [empty]
  - ① Created Object ID log file. Path: C:\Users\admin\AppData\Local\Temp \ProvarTestArtifacts6223719654101169093584527404039443\Bank\_RetailDepartment-objectids.log

Salesforce connection opened successfully. Connection name: Bank\_RetailDepartment, ResultName: Bank\_RetailDepartment, resultScope: Test

#### On SF Case list screen

- ① Start of With Screen. Connection Name: Bank\_RetailDepartment, target: sf:ui:target? object=Case&action=List&application=UAT\_Console\_App&tab=standard-Case&listView=MyOpenCases&consoleTabType=HomeTab
- ① Successfully opened Firefox WebDriver to https://login.salesforce.com/.
- ① Opening Salesforce Tab. Tab Name: standard-Case, Url: https://emea.salesforce.com/500/o
- (1) Opening Page context. Name: screen, data: null, frame: null
- ① Opening page. URL: https://login.salesforce.com/?un=admin1@test1.provar.com&pw=Provar01&startURL=%2Fconsole%3Ftsid %3D02u20000000Y7km
- ① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km
- ① Opening Salesforce Console Page. Page Name: https://emea.salesforce.com/500/o, Url: https://emea.salesforce.com/500/o
- ① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km
- ① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B20000007Q1lk&isdtp=nv&nonce=5a7449276ca8ffd592a529a4a0b19708769c36ee81f628df5cf76ca1828e39ba&sfdclFrameOrigin=https%3A%2F%2Femea.salesforce.com
- (i) Selected list view. Object: Case, List View: MyOpenCases

#### Click the NewCase button

- ① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DNewCase, wait: null
- i Browser window has been opened. Name: main
- ① Locator: ui:locator?name=NewCase&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DNewCase
- 1 Interaction: ui:interaction?name=action
- ① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B20000007Q1lk&isdtp=nv&nonce=5a7449276ca8ffd592a529a4a0b19708769c36ee81f628df5cf76ca1828e39ba&sfdclFrameOrigin=https %3A%2F%2Femea.salesforce.com
- ① Scrolling into view: [[FirefoxDriver: firefox on WINDOWS (f028f3cc-6dd1-4ba3-a735-b4b31b91629a)] -> xpath: //input[@name='newCase' or @name='newcase']]

- ① Clicking WebElement. WebElement [tag: input, text: New Case]
- (i) All Sub-Test Steps were successful.
- (1) Closing Page context. Name: screen, data: null
- (i) Main window reselected. Window: main


#### On UATMapping page

- 1 Start of With Screen. Connection Name: Bank\_RetailDepartment, target: ui:pageobject:target?pageld=pageobjects.UATMapping
- (i) Opening Page context. Name: screen, data: null, frame: null
- ① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km
- 1 Polling for field. attempt: 1, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']
- 1 Polling for field. attempt: 2, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- 1 Polling for field. attempt: 3, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']
- 1 Polling for field. attempt: 4, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- (i) Got primary tab id. primaryTabld: scc-pt-0
- (i) Selecting tab frame. targetIFrame: id: scc-pt-0]] -> css selector: div iframe

#### Set the Case Reason to Complex functionality

- ① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:pageobject:field?field=caseReason&pageId=pageobjects.UATMapping, wait: null
- ① Locator: ui:pageobject:field?field=caseReason&pageId=pageobjects.UATMapping
- ① Interaction: ui:interaction?name=set
- ① Switched focus to frame. Window: main, Selector: id: scc-pt-0]] -> css selector: div iframe, URL: https://emea.salesforce.com/500/e? isdtp=vw&isWsVw=true&nonce=5a7449276ca8ffd592a529a4a0b19708769c36ee81f628df5cf76ca1828e39ba&sfdclFrameOrigin=https%3A%2F%2Femea.salesforce.com
- (i) Got webElement. tagName: select, id: cas6, type: select-one, selector: null
- ① Scrolling into view: [[FirefoxDriver: firefox on WINDOWS (f028f3cc-6dd1-4ba3-a735-b4b31b91629a)] -> xpath: //\*[@id = //label[normalize-space(text()) = 'Case Reason']/@for]]
- (1) All Sub-Test Steps were successful.
- ① Closing Page context. Name: screen, data: null
- 1 Main window reselected. Window: main

#### On SF Case new screen



Error Screenshot

- ① Start of With Screen. Connection Name: Bank\_RetailDepartment, target: sf:ui:target?object=Case&action=New
- ① Opening Page context. Name: screen, data: null, frame: null
- ① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km
- 1 Polling for field. attempt: 1, by: By.xpath: //li[starts-with(@id, 'navigatortab\_scc-pt-') and a//span[@class='tabText' and .='New Case']]
- (i) Got primary tab id. primaryTabld: scc-pt-0
- ① Selecting tab frame. targetIFrame: id: scc-pt-0]] -> css selector: div iframe

### R Check the Send notification email to contact checkbox

- ① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=showEmailCheckbox&path=New%2FOptional %2FEmailLayoutRow%2FshowEmailCheckbox, wait: null
- ① Locator: ui:locator?name=showEmailCheckbox&path=New%2FOptional%2FEmailLayoutRow%2FshowEmailCheckbox
- ① Interaction: ui:interaction?name=check


- ① Switched focus to frame. Window: main, Selector: id: scc-pt-0]] -> css selector: div iframe, URL: https://emea.salesforce.com/500/e? isdtp=vw&isWsVw=true&nonce=5a7449276ca8ffd592a529a4a0b19708769c36ee81f628df5cf76ca1828e39ba&sfdclFrameOrigin=https%3A%2F%2Femea.salesforce.com
- ① Getting webElement: By.xpath: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Optional']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr[2]//td[1]//input
- (aclass, 'pbSubheader') Got webElement. tagName: input, id: cas22, type: checkbox, selector: //div[contains(@class, 'pbBody')]//div[contains(@class, 'pbSubheader') and h3/text()[not(ancestor::span)] = 'Optional']//following-sibling::div[contains(@class, 'pbSubsection')][1]/table//tr[2]//td[1]//input
- Closing Salesforce Connection because it is no longer being used. Name: Bank RetailDepartment
- (i) Closing Web Connection.
- Closing Selenium driver
- (1) Shutting down Soap Connections. logFilePath: Bank\_RetailDepartment-objectids.log

#### Check the Assign using active assignment rules checkbox

- ① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=showRunAssignmentRulesCheckbox&path=New%2FOptional %2FRulesLayoutRow%2FshowRunAssignmentRulesCheckbox, wait: null
- ① Locator: ui:locator?name=showRunAssignmentRulesCheckbox&path=New%2FOptional%2FRulesLayoutRow %2FshowRunAssignmentRulesCheckbox
- 1 Interaction: ui:interaction?name=check
- ① Switched focus to frame. Window: main, Selector: id: scc-pt-0]] -> css selector: div iframe, URL: https://emea.salesforce.com/500/e? isdtp=vw&isWsVw=true&nonce=5a7449276ca8ffd592a529a4a0b19708769c36ee81f628df5cf76ca1828e39ba&sfdclFrameOrigin=https%3A%2F%2Femea.salesforce.com
- ① Getting webElement: By.xpath: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Optional']//following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr[1]//td[1]//input
- ① Got webElement. tagName: input, id: cas21, type: checkbox, selector: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Optional']//following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr[1]//td[1]//input

#### Set the Internal Comments textarea to sdfsdfsdfsdf

- ① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=InternalComments&path=New%2FComments %2FInternalCommentsLayoutRow%2FInternalComments, wait: null
- 1 Locator: ui:locator?name=InternalComments&path=New%2FComments%2FInternalCommentsLayoutRow%2FInternalComments
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to frame. Window: main, Selector: id: scc-pt-0]] -> css selector: div iframe, URL: https://emea.salesforce.com/500/e? isdtp=vw&isWsVw=true&nonce=5a7449276ca8ffd592a529a4a0b19708769c36ee81f628df5cf76ca1828e39ba&sfdclFrameOrigin=https%3A%2F%2Femea.salesforce.com
- ① Getting webElement: By.xpath: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Description Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (.//text() = 'Internal Comments')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]//textarea
- ① Got webElement. tagName: textarea, id: cas16, type: textarea, selector: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Description Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/
  td[contains(@class,'labelCol') and (.//text() = 'Internal Comments')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')]
  [1]/textarea
- ① Scrolling into view: [[FirefoxDriver: firefox on WINDOWS (f028f3cc-6dd1-4ba3-a735-b4b31b91629a)] -> xpath: // div[contains(@class, pbBody')]//div[contains(@class, 'pbSubheader') and h3/text()[not(ancestor::span)] = 'Description Information']/following-sibling::div[contains(@class, 'pbSubsection')][1]/table//tr/td[contains(@class, 'labelCol') and (.//text() = 'Internal Comments' )]/following-sibling::td[contains(@class, 'dataCol') or contains(@class, 'data2Col')][1]//textarea]
- ① Typing value. tagName: textarea, type: textarea, value: sdfsdfsdfsdf, blur: false, selector: //div[contains(@class,'pbBody')]// div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Description Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (.//text() = 'Internal Comments' )]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]//textarea
- One or more Sub-Test Steps failed.
- (1) Sending screenshot. Data length: 24127
- (i) Start of waitForPageToLoad. Arg0: 60000
- i End of waitForPageToLoad. Duration(ms): 528
- Storing created Salesforce Object ID. Result Name: caseId, created ID: null, location: https://emea.salesforce.com/500/e
- (1) Closing Page context. Name: screen, data: null
- Main window reselected. Window: main
- Set the Subject field to sldkfnsdnfsdf



Error Screenshot

- ① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=Subject&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DSubject, wait: null
- 1 Locator: ui:locator?name=Subject&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DSubject
- i Interaction: ui:interaction?name=set
- ① Switched focus to frame. Window: main, Selector: id: scc-pt-0]] -> css selector: div iframe, URL: https://emea.salesforce.com/500/e? isdtp=vw&isWsVw=true&nonce=5a7449276ca8ffd592a529a4a0b19708769c36ee81f628df5cf76ca1828e39ba&sfdclFrameOrigin=https%3A%2F%2Femea.salesforce.com
- ① Getting webElement: By.xpath: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (text()[not(ancestor::script)] = 'Subject' or span/text() = 'Subject' or label/text() = 'Subject' or span/label/text() = 'Subject' )]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]
- The control was not found. Locator: By.xpath: //div[contains(@class,'pbBody')]//div[contains(@class,'pbSubsection')][1]/table//tr/
  td[contains(@class,'labelCol') and (text()[not(ancestor::script)] = 'Subject' or span/text() = 'Subject' or label/text() = 'Subject' or span/label/text() = 'Subject'
- (i) Sending screenshot. Data length: 24127
- Set the Description field to sdfsdfsd

# Write\_TextFile.testcase

#### Summary

Started 29 Jan 2015, 12:25:34 Ended 29 Jan 2015, 12:25:34

Duration (mm:ss) 00:00.085
Outcome 8 failed

### Output

- Read: templates/Split\_CommaSperated..txt=>Contents
  - ① Reading from URL templates/Split\_CommaSperated..txt
  - ① Storing contents. Result Name: Contents, length: 213, value: Apache Hadoop is an open-source, software framework for distributed, storage and distributed proce ... [truncated to 100 characters]
- \* Split: {Contents}=>,=>Tokens
  - ① Splitting string. Separator: ,, Input: Apache Hadoop is an open-source, software framework for distributed, storage and distributed processing, of Big Data on clusters of commodity hardware, Its Hadoop Distributed File System (HDFS) splits files
  - 1 Found token. Number: 1, Token: Apache Hadoop is an open-source
  - (1) Found token. Number: 2, Token: software framework for distributed
  - (i) Found token. Number: 3, Token: storage and distributed processing
  - 1 Found token. Number: 4, Token: of Big Data on clusters of commodity hardware
  - ① Found token. Number: 5, Token: Its Hadoop Distributed File System (HDFS) splits files
  - ▲ Value already exists with different scope using existing scope. Expression: Tokens, supplied scope: Test, existing scope: Global
  - ① Stored tokens. Result name: Tokens, token count: 5
- Write: {Tokens}=>excel:templates/WriteWorkBook.xlsx?worksheet=Sheet1&sheetMode=update
  - ① Writing to URL excel:templates/WriteWorkBook.xlsx?worksheet=Sheet1&sheetMode=update
  - ① Start of Excel Write. WorkbookPath: templates/WriteWorkBook.xlsx, excludeCols: [none]
  - ① Workbook location: C:\Users\admin\Desktop\Project Provar Regression Suite\New folder\test\templates\WriteWorkBook.xlsx

■ List of values are supplied instead of single value. Hence cannot update