

# Test Run Report




## Test Run Overview

Started 16 Jan 2015, 11:56:34  
Ended 16 Jan 2015, 12:23:50  
Duration (mm:ss) 27:15.461

## Test Results Summary

Passed 82  
Failed 10  
Skipped 23



## Test Case Summary

Provar_Regression_Suite	failed
Manual Testing.testcase	successful
t1.testcase	failed
One or more Sub-Test Steps failed.	
t2.testcase	failed
The control was not found. Locator: By.xpath: //input[@name='3' or @name='3']	
t4.testcase	successful
t5.testcase	successful
Callable_Case	failed
0. Callable Tests	skipped
Define your own Variable Types.testcase	skipped
Input Variable Types.testcase	skipped
RG defining own variable.testcase	skipped
RG input variable types.testcase	skipped
Test Case for parametrization.testcase	skipped
1. calling tests	skipped
Assert Variable Types	skipped
1.1 Calling Input Variable Types.testcase	skipped
1.2 Calling Define your own Variable Types.testcase	skipped
RG calling define your own variable Test Case 1.testcase	skipped
Callable	failed

Callable_Test_01.testcase	✓ successful
Callable_Test_02.testcase	✓ successful
Callable_Test_03.testcase	✗ failed

✗ Malformed query fault. Message: [MalformedQueryFault [ApiQueryFault [ApiFault exceptionCode='MALFORMED\_QUERY' exceptionMessage='SQL statements cannot be empty or null' ] row='-1' column='-1' ] ]

Calling_Test_01.testcase	✓ successful
Calling_Test_02.testcase	✓ successful
Calling_Test_03.testcase	✓ successful

#### 📁 Control

##### 📁 Assertion

Assertion_Contains.testcase	✓ successful
Assertion_DoesnotContains.testcase	✓ successful
Assertion_DoesnotEndsWith.testcase	✓ successful
Assertion_DoesnotMatches.testcase	✓ successful
Assertion_DoesnotStartsWith.testcase	✓ successful
Assertion_EndsWith.testcase	✓ successful
Assertion_Equals.testcase	✓ successful
Assertion_GreaterThan.testcase	✓ successful
Assertion_GreaterThanOrEqualTo.testcase	✓ successful
Assertion_IsEmpty.testcase	⚠ skipped
Assertion_KeepTrailingZeros.testcase	⚠ skipped
Assertion_LessThan.testcase	✗ failed

✗ Malformed query fault. Message: [MalformedQueryFault [ApiQueryFault [ApiFault exceptionCode='MALFORMED\_QUERY' exceptionMessage='AnnualRevenue from Account Where Annual Revenue = '700' ^ ERROR at Row:1:Column:47 unexpected token: 'Revenue' ] row='1' column='47' ] ]

Assertion_LessThanEqualTo.testcase	✓ successful
Assertion_Matches.testcase	✓ successful
Assertion_MatchMultiLine.testcase	⚠ skipped
Assertion_NotEqualTo.testcase	✓ successful
Assertion_NullAreGreater.testcase	⚠ skipped
Assertion_Populated.testcase	⚠ skipped
Assertion_StartsWith.testcase	✓ successful
Assert_CaseSensitive.testcase	✓ successful

##### 📁 Break

Break Labeled.testcase	✓ successful
Break_Unlabeled.testcase	✓ successful

##### 📁 FailTest

Failed_Assertion.testcase	✓ successful
Failed_TestCase.testcase	✗ failed

✗ Error Message is required

##### 📁 ForEach

For each_UsingQuey.testcase	✓ successful
Split_ForEach_IF_Else.testcase	✓ successful

##### 📁 GroupTest

GroupTest.testcase	✓ successful
--------------------	--------------

##### 📁 IF statement




































































































IF_ForEach Case.testcase	✓ successful
IF_SetValue.testcase	✓ successful

##### 📁 Set Value

Parameterize_SetValue_String_ExcelData.testcase	✓ successful
SetValue_Number.testcase	✓ successful
SetValue_Date_AddDate.testcase	✓ successful

##### 📁 SleepTest

✓ successful
--------------

 Sleep_Test_Split.testcase	 successful
 Sleep_Test_UI.testcase	 successful
 Switch Case	 successful
 SwitchTest_Split_Switch.testcase	 successful
 WaitFor	 successful
 WaitFor_UsingMessage.testcase	 successful
 While	 successful
 While.testcase	 successful
 While_Messages.testcase	 successful
 While_Split_ContinueOnFailure.testcase	 successful
 While_UsingQuery.testcase	 successful
 Database API	 skipped
 Database.testcase	 skipped
 DeleteAccount.testcase	 skipped
 EditAccount.testcase	 skipped
 InsertDB.testcase	 skipped
 PostGRES_Parametrization.testcase	 skipped
 Messaging API	 successful
 Email.testcase	 successful
 Email_BCC_TestCase.testcase	 successful
 InvalidTo_Valid CC.testcase	 successful
 NonSalesforceUI	 failed
 AMAZON.testcase	 failed
 One or more Sub-Test Steps failed.	
 FacebookLogin.testcase	 successful
 LoginToFB.testcase	 successful
 SalesforceAPI	 successful
 Create.testcase	 successful
 Delete.testcase	 successful
 Query.testcase	 successful
 SalesforceAPI.testcase	 successful
 Update.testcase	 successful
 SalesforceUI	 successful
 SalesforceUI.testcase	 successful
 salesforceUITest.testcase	 successful
 Salesforce_Account_Contact.testcase	 successful
 UI_Delete.testcase	 successful
 UI_Edit.testcase	 successful
 UI_Test.testcase	 successful
 UI_withRow.testcase	 successful
 ServiceCloud_&_SalesCloud	 failed
 Account_Contact_Sales_SalesforceApplication.testcase	 successful
 Account_Opportunities__Sales_Salesforce.testcase	 successful
 BulkChangeOwnerStatus_UAT_consoleTab.testcase	 skipped
 BulkChangeStatus_UAT_ConsoleTab.testcase	 skipped
 Editing_Contact_Sales_Salesforce.testcase	 failed
 Field not found on the screen. Locator: ProvarFindByElementLocator [by=public org.openqa.selenium.WebElement pageobjects.ContactMapping.New]	
 Example.testcase	 failed
 Field not found on the screen. Locator: ProvarFindByElementLocator [by=public org.openqa.selenium.WebElement pageobjects.edit_cases.Status]	
 Sales_Console.testcase	 skipped
 SingleDeleteCase_UAT_ConsoleTab.testcase	 failed

⚠ The Screen Context Stack is out-of-sync. Expected type: Row, expected name: screen, expected instance: null, actual type: Page, actual name: screen, actual instance: null

TestMapping.testcase	✓ successful
UAT_Console_Test.testcase	⚠ skipped
Setting	✗ failed
Continue.testcase	✓ successful
Inherit.testcase	✗ failed

❌ Assertion failed. (expected) askdhfsoidhf = ABCED (actual)

Skip.testcase	✓ successful
SetUp_Tests	✓ successful
SetUp_Test_01	✓ successful
Foreach_write_read.testcase	✓ successful
If.testcase	✓ successful
String API	✓ successful
Alphabetical_ORMatches.testcase	✓ successful
Array_AlphabeticalMatch.testcase	✓ successful
Array_NumericalMatches.testcase	✓ successful
EndofLine_Matches.testcase	✓ successful
Match.testcase	✓ successful
MultipleMatches.testcase	✓ successful
NegateMatch.testcase	✓ successful
Split_comma_textfile.testcase	✓ successful
Split_semi-colon_CSVformatfile.testcase	✓ successful
Split_SemiColon_TextFile.testcase	✓ successful
VisualForcePage	✓ successful
UAT_ProductionSelector.testcase	✓ successful
Web API	⚠ skipped
SOAP.testcase	⚠ skipped
WSDL	⚠ pending
Write-Read	✓ successful
ExcelWrite.testcase	✓ successful
Read_BinaryFile.testcase	✓ successful
Read_TextFile.testcase	✓ successful
write_functionality_query.testcase	✓ successful
Write_Parameter_Excel.testcase	✓ successful
Write_TextFile.testcase	✓ successful

## Summary

Description undefined  
 Started 16 Jan 2015, 11:57:22  
 Ended 16 Jan 2015, 11:58:06  
 Duration (mm:ss) 00:43.694  
 Outcome ✖ failed

## Output

### ✖ Salesforce Connect: Bank\_RetailDepartment (Test)


① Opening Salesforce connection Connection name: Bank\_RetailDepartment

① Connection details. Connection name: Bank\_RetailDepartment, urlString: sf:user=admin1@test1.provar.com;password={password};environment=PROD\_DEV, environment: <default>, userName: admin1@test1.provar.com, password: [supplied], securityToken: [empty]

① Created Object ID log file. Path: C:\Users\admin\AppData\Local\Temp\ProvarTestArtifacts385921672420178847271914169610266\Bank\_RetailDepartment-objectids.log

Salesforce connection opened successfully. Connection name: Bank\_RetailDepartment, ResultName: Bank\_RetailDepartment, resultScope: Test

### 🖨 On SF Account new screen



Error Screenshot

① Start of With Screen. Connection Name: Bank\_RetailDepartment, target: sf:ui:target?object=Account&action=New

① Successfully opened Chrome WebDriver to https://login.salesforce.com/.

① Opening Page context. Name: screen, data: null, frame: null

① Opening Salesforce page. Object: Account, RelatedList: null, Action: New, Page URL: https://emea.salesforce.com/001/e, Current URL: data:,

① Opening page. URL: https://login.salesforce.com/?un=admin1@test1.provar.com&pw=Provar01&startURL=%2Fhome%2Fhome.jsp%3Ftsid%3D02u20000010r3r

① Opening page. URL: https://emea.salesforce.com/001/e

### 🖨 Set the Billing Street field to 1232123

① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=BillingZip&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DBillingAddress, wait: null

① Browser window has been opened. Name: main

① Locator: ui:locator?name=BillingZip&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DBillingAddress

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://emea.salesforce.com/001/e

① Getting webElement. By.xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader')] and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table/tr/td[contains(@class,'labelCol')] and (./text() = 'Billing Zip/Postal Code')/following-sibling::td[contains(@class,'dataCol')] or contains(@class,'data2Col')][1]/input

① Got webElement. tagName: input, id: acc17zip, type: text, selector: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader')] and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table/tr/td[contains(@class,'labelCol')] and (./text() = 'Billing Zip/Postal Code')/following-sibling::td[contains(@class,'dataCol')] or contains(@class,'data2Col')][1]/input

① Scrolling into view: [[ChromeDriver: chrome on XP (e5b92d4dd854addb02a9196c0b38d4e3)] -> xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Billing Zip/Postal Code')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input]

① Typing value. tagName: input, type: text, value: 1232123, blur: false, selector: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Billing Zip/Postal Code')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

#### Set the Shipping Street field to 1234212

① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=ShippingZip&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DShippingAddress, wait: null

① Locator: ui:locator?name=ShippingZip&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DShippingAddress

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://emea.salesforce.com/001/e

① Getting webElement: By.xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Shipping Zip/Postal Code')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

① Got webElement. tagName: input, id: acc18zip, type: text, selector: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Shipping Zip/Postal Code')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

① Scrolling into view: [[ChromeDriver: chrome on XP (e5b92d4dd854addb02a9196c0b38d4e3)] -> xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Shipping Zip/Postal Code')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input]

① Typing value. tagName: input, type: text, value: 1234212, blur: false, selector: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Shipping Zip/Postal Code')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

#### Set the Shipping Street field to brisbain

① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=ShippingCity&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DShippingAddress, wait: null

① Locator: ui:locator?name=ShippingCity&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DShippingAddress

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://emea.salesforce.com/001/e

① Getting webElement: By.xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Shipping City')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

① Got webElement. tagName: input, id: acc18city, type: text, selector: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Shipping City')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

① Scrolling into view: [[ChromeDriver: chrome on XP (e5b92d4dd854addb02a9196c0b38d4e3)] -> xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Shipping City')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input]

① Typing value. tagName: input, type: text, value: brisbain, blur: false, selector: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Shipping City')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

#### Set the Billing Street field to billing state

① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=BillingState&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DBillingAddress, wait: null

① Locator: ui:locator?name=BillingState&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DBillingAddress

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://emea.salesforce.com/001/e

① Getting webElement: By.xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Billing State/Province')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

① Got webElement. tagName: input, id: acc17state, type: text, selector: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Billing State/Province')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input



① Scrolling into view: [[ChromeDriver: chrome on XP (e5b92d4dd854addb02a9196c0b38d4e3)] -> xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table/tr/td[contains(@class,'labelCol') and (./text() = 'Billing State/Province')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input]

① Typing value. tagName: input, type: text, value: billing state, blur: false, selector: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table/tr/td[contains(@class,'labelCol') and (./text() = 'Billing State/Province')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

#### Set the Shipping Street field to Australia

① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=ShippingCity&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DShippingAddress, wait: null

① Locator: ui:locator?name=ShippingCity&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DShippingAddress

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://emea.salesforce.com/001/e

① Getting webElement. By.xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table/tr/td[contains(@class,'labelCol') and (./text() = 'Shipping City')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

① Got webElement. tagName: input, id: acc18city, type: text, selector: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table/tr/td[contains(@class,'labelCol') and (./text() = 'Shipping City')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

① Scrolling into view: [[ChromeDriver: chrome on XP (e5b92d4dd854addb02a9196c0b38d4e3)] -> xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table/tr/td[contains(@class,'labelCol') and (./text() = 'Shipping City')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input]

① Typing value. tagName: input, type: text, value: Australia, blur: false, selector: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table/tr/td[contains(@class,'labelCol') and (./text() = 'Shipping City')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

#### Set the Billing Street field to london

① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=BillingCity&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DBillingAddress, wait: null

① Locator: ui:locator?name=BillingCity&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DBillingAddress

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://emea.salesforce.com/001/e

① Getting webElement. By.xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table/tr/td[contains(@class,'labelCol') and (./text() = 'Billing City')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

① Got webElement. tagName: input, id: acc17city, type: text, selector: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table/tr/td[contains(@class,'labelCol') and (./text() = 'Billing City')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

① Scrolling into view: [[ChromeDriver: chrome on XP (e5b92d4dd854addb02a9196c0b38d4e3)] -> xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table/tr/td[contains(@class,'labelCol') and (./text() = 'Billing City')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input]

① Typing value. tagName: input, type: text, value: london, blur: false, selector: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table/tr/td[contains(@class,'labelCol') and (./text() = 'Billing City')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]/input

#### Set the Industry picklist to Electronics

① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=Industry&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DIndustry, wait: null

① Locator: ui:locator?name=Industry&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DIndustry

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://emea.salesforce.com/001/e

① Getting webElement. By.xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table/tr/td[contains(@class,'labelCol') and (./text() = 'Industry')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]

① Got webElement. tagName: td, id: , type: null, selector: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table/tr/td[contains(@class,'labelCol') and (./text() = 'Industry')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]

① Scrolling into view: [[ChromeDriver: chrome on XP (e5b92d4dd854addb02a9196c0b38d4e3)] -> xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']

following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Industry')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]]

❌ Closing Salesforce Connection because it is no longer being used. Name: Bank\_RetailDepartment

❌ Closing Web Connection.

❌ Closing Selenium driver

❌ Shutting down Soap Connections. logFilePath: Bank\_RetailDepartment-objectids.log

#### 🔧 Set the Type picklist to Customer

❌ Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=Type&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DType, wait: null

❌ Locator: ui:locator?name=Type&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DType

❌ Interaction: ui:interaction?name=set

❌ Switched focus to main window. URL: https://emea.salesforce.com/001/e

❌ Getting webElement: By.xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Type')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]

❌ Got webElement. tagName: td, id: , type: null, selector: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Type')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]

❌ Scrolling into view: [[ChromeDriver: chrome on XP (e5b92d4dd854addb02a9196c0b38d4e3)] -> xpath: //div[contains(@class,'pbBody')]/div[contains(@class,'pbSubheader') and h3/text()[not(ancestor::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (./text() = 'Type')]/following-sibling::td[contains(@class,'dataCol') or contains(@class,'data2Col')][1]]

#### 🔧 Click the Save button

❌ Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave, wait: null

❌ Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave

❌ Interaction: ui:interaction?name=action

❌ Switched focus to main window. URL: https://emea.salesforce.com/001/e

❌ Clicking WebElement. WebElement [tag: input, text: Save ]

❌ One or more Sub-Test Steps failed.

❌ Sending screenshot. Data length: 82707

❌ Start of waitForPageToLoad. Arg0: 60000

❌ End of waitForPageToLoad. Duration(ms): 2046

📄 Storing created Salesforce Object ID. Result Name: accountId, created ID: null, location: https://emea.salesforce.com/001/e

❌ Closing Page context. Name: screen, data: null

❌ Main window reselected. Window: main

#### 🔧 UI Read/Assert

❌ Start of UiRead. Connection: Bank\_RetailDepartment

❌ Switched focus to main window. URL: https://emea.salesforce.com/001/e

❌ Switched focus to main window. URL: https://emea.salesforce.com/001/e

❌ Error. Label: Account\_Name, message: Error: You must enter a value

❌ Object read successfully. Result Name: Values

❌ Result assertion 'Check Name value' failed: <empty> = 'You must enter a value'

❌ Result Assertion failed (result is not a supported type). Assertion: Check Name error, result type: null

#### 🔧 Set the Website field to www.google.com

#### 🔧 Set the Phone field to 12003134

#### 🔧 Set the Description field to this is verify if mapping being done properly

#### 🔧 Handle UI Alerts

#### 🔧 UI Read/Assert

#### 🔧 Set the Employees field to 100

#### 🔧 Set the Annual Revenue field to 203994123

#### 🔧 Set the Shipping Street field to Australia

#### 🔧 Set the Billing Street field to UK



- Set the Billing Street field to billing street
- Set the Shipping Street field to shipping street
- Set the Account Name field to ADS

## t2.testcase

### Summary

Description	undefined
Started	16 Jan 2015, 11:58:08
Ended	16 Jan 2015, 11:59:04
Duration (mm:ss)	00:56.009
Outcome	<span style="color: red;">✖</span> failed

### Output

#### ✖ Salesforce Connect: Bank\_RetailDepartment (Test)


Opening Salesforce connection Connection name: Bank\_RetailDepartment

Connection details. Connection name: Bank\_RetailDepartment, urlString: sf:user=admin1@test1.provar.com;password={password};environment=PROD\_DEV, environment: <default>, userName: admin1@test1.provar.com, password: [supplied], securityToken: [empty]

Created Object ID log file. Path: C:\Users\admin\AppData\Local\Temp\ProvarTestArtifacts385921672420178847271914169610266\Bank\_RetailDepartment-objectids.log

Salesforce connection opened successfully. Connection name: Bank\_RetailDepartment, ResultName: Bank\_RetailDepartment, resultScope: Test

#### On SF Case list screen



Error Screenshot

Start of With Screen. Connection Name: Bank\_RetailDepartment, target: sf:ui:target?object=Case&action=List&listView=MyOpenCases&application=UAT\_Console\_App&tab=standard-Case

Successfully opened Chrome WebDriver to https://login.salesforce.com/.

Opening Salesforce Tab. Tab Name: standard-Case, Url: https://emea.salesforce.com/500/o

Opening Page context. Name: screen, data: null, frame: null

Opening page. URL: https://login.salesforce.com/?un=admin1@test1.provar.com&pw=Provar01&startURL=%2Fconsole%3Ftsid%3D02u20000000Y7km

Page wait timed out. Attempting readyState workaround.

Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km


Opening Salesforce Console Page. Page Name: https://emea.salesforce.com/500/o, Url: https://emea.salesforce.com/500/o

Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km

Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500/?fcd=00B200000007Q1lk&isdtp=nv&nonce=06db8b09c1dc757f653ac22ad9caee93d9af9125ae1b0c295555dd983ca51e95&sfdcIframeOrigin=https%3A%2F%2Femea.salesforce.com

Selected list view. Object: Case, List View: MyOpenCases

#### Click the Change Status button



Error Screenshot

① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=3&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26action%3D3, wait: null

① Browser window has been opened. Name: main

① Browser window has been opened. Name: chrome-search://local-ntp/local-ntp.html

① Locator: ui:locator?name=3&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DCase%26action%3D3

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: chrome-search://local-ntp/local-ntp.html

❌ The control was not found. Locator: By.xpath: //input[@name='3' or @name='3']

① Sending screenshot. Data length: 53560

❌ One or more Sub-Test Steps failed.

① Sending screenshot. Data length: 53560

① Closing Page context. Name: screen, data: null

① Main window reselected. Window: main

#### 📄 Handle UI Alerts

① Closing Salesforce Connection because it is no longer being used. Name: Bank\_RetailDepartment

① Closing Web Connection.

① Closing Selenium driver

① Shutting down Soap Connections. logFilePath: Bank\_RetailDepartment-objectids.log

#### 📄 On SF Case list screen

📄 With List/listView/listTable {CaseNumber = "00001009"}

📄 Click the Case Number link

## 📄 Callable\_Test\_03.testcase

### Summary

Description	this test parameterizing both input and output variables. Accepting input parameter and returning processed output value.
Started	16 Jan 2015, 12:00:23
Ended	16 Jan 2015, 12:00:24
Duration (mm:ss)	00:01.600
Outcome	❌ failed

### Output

#### ❌ Salesforce Connect: Bank\_RetailDepartment (Test)

① Opening Salesforce connection Connection name: Bank\_RetailDepartment

① Connection details. Connection name: Bank\_RetailDepartment, urlString: sf:user=admin1@test1.provar.com;password={password};environment=PROD\_DEV, environment: <default>, userName: admin1@test1.provar.com, password: [supplied], securityToken: [empty]

① Created Object ID log file. Path: C:\Users\admin\AppData\Local\Temp\ProvarTestArtifacts385921672420178847271914169610266\Bank\_RetailDepartment-objectids.log

Salesforce connection opened successfully. Connection name: Bank\_RetailDepartment, ResultName: Bank\_RetailDepartment, resultScope: Test

❗ Closing Salesforce Connection because it is no longer being used. Name: Bank\_RetailDepartment

❗ Shutting down Soap Connections. logFilePath: Bank\_RetailDepartment-objectids.log

❗ Loading test case. File: C:\Users\admin\Desktop\Project Provar Regression Suite\New folder\test\tests\Provar\_Regression\_Suite\Callable\_Case\Callable\Callable\_Test\_01.testcase

#### ❗ SOQL Query: {soqlQuery}>=>Rows

❗ Reading a Salesforce object. Connection Name: Bank\_RetailDepartment, Query: null

❗ Malformed query fault. Message: [MalformedQueryFault [ApiQueryFault [ApiFault exceptionCode='MALFORMED\_QUERY' exceptionMessage='SOQL statements cannot be empty or null' ] row='-1' column='-1' ] ]

❗ Jan 16, 2015 12:00:24 PM com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler reportConnectionException

❗ SEVERE: null

❗ [MalformedQueryFault [ApiQueryFault [ApiFault exceptionCode='MALFORMED\_QUERY'

❗ exceptionMessage='SOQL statements cannot be empty or null'

❗ ]

❗ row='-1'

❗ column='-1'

❗ ]

❗ ]

❗

❗ at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

❗ at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)

❗ at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)

❗ at java.lang.reflect.Constructor.newInstance(Unknown Source)

❗ at java.lang.Class.newInstance(Unknown Source)

❗ at com.sforce.ws.bind.TypeMapper.readSingle(TypeMapper.java:628)

❗ at com.sforce.ws.bind.TypeMapper.readObject(TypeMapper.java:505)

❗ at com.sforce.ws.transport.SoapConnection.parseDetail(SoapConnection.java:230)

❗ at com.sforce.ws.transport.SoapConnection.createException(SoapConnection.java:204)

❗ at com.sforce.ws.transport.SoapConnection.receive(SoapConnection.java:150)

❗ at com.sforce.ws.transport.SoapConnection.send(SoapConnection.java:99)

❗ at com.sforce.soap.partner.PartnerConnection.query(PartnerConnection.java:1)

❗ at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.performSoqlQuery(SfConnectionHandler.java:728)

❗ at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:273)

❗ at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:767)

❗ at com.provar.plugins.forcedotcom.core.testapis.ApexSoqlQuery.execute(ApexSoqlQuery.java:85)

❗ at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

❗ at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)

❗ at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)

❗ at java.lang.reflect.Method.invoke(Unknown Source)

❗ at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:518)

❗ at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:478)


❗ at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access\$6(LocalTestExecutionContainerRunner.java:428)

❗ at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner  
\$MessageProcessor.run(LocalTestExecutionContainerRunner.java:856)

❗


## Assertion\_LessThan.testcase


### Summary


Started 16 Jan 2015, 12:02:52  
Ended 16 Jan 2015, 12:02:55  
Duration (mm:ss) 00:02.620  
Outcome  failed

### Output

#### Salesforce Connect: Bank\_RetailDepartment (Test)


 Opening Salesforce connection Connection name: Bank\_RetailDepartment

 Connection details. Connection name: Bank\_RetailDepartment, urlString:  
sf:user=admin1@test1.provar.com;password={password};environment=PROD\_DEV, environment: <default>, userName: admin1@test1.provar.com,  
password: [supplied], securityToken: [empty]


 Created Object ID log file. Path: C:\Users\admin\AppData\Local\Temp  
\\ProvarTestArtifacts385921672420178847271914169610266\Bank\_RetailDepartment-objectids.log

Salesforce connection opened successfully. Connection name: Bank\_RetailDepartment, ResultName: Bank\_RetailDepartment, resultScope: Test


#### Create Object: Account=>AccountId

 Creating a new Salesforce object. Connection Name: Bank\_RetailDepartment, Name: Account, field count: 2


 Setting fields:

 =Field=> Name = ABC

 =Field=> AnnualRevenue = 700


 Account created successfully. Object Id: 0012000001JXwHyAAL, Result Name: AccountId

 Logging Salesforce Object Id for clean up. Object Name: Account, id: 0012000001JXwHyAAL

 Closing Salesforce Connection because it is no longer being used. Name: Bank\_RetailDepartment

 Shutting down Soap Connections. logFilePath: Bank\_RetailDepartment-objectids.log

#### SOQL Query: select AnnualRevenue from Account Where Annual Revenue = '700'=>AccountRows

 Reading a Salesforce object. Connection Name: Bank\_RetailDepartment, Query: select AnnualRevenue from Account Where Annual Revenue = '700'

 Malformed query fault. Message: [MalformedQueryFault [ApiQueryFault [ApiFault exceptionCode='MALFORMED\_QUERY' exceptionMessage='AnnualRevenue from Account Where Annual Revenue = '700' ^ ERROR at Row:1:Column:47 unexpected token: 'Revenue' ] row='1' column='47' ] ]

 Jan 16, 2015 12:02:55 PM com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler reportConnectionException

 SEVERE: null

 [MalformedQueryFault [ApiQueryFault [ApiFault exceptionCode='MALFORMED\_QUERY'

 exceptionMessage='

 AnnualRevenue from Account Where Annual Revenue = '700'

 ^

 ERROR at Row:1:Column:47

 unexpected token: 'Revenue'

 ]

 row='1'

 column='47'

 ]

 ]

 ^

 at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)

 at sun.reflect.NativeConstructorAccessorImpl.newInstance(Unknown Source)

```


    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(Unknown Source)
    at java.lang.reflect.Constructor.newInstance(Unknown Source)
    at java.lang.Class.newInstance(Unknown Source)
    at com.sforce.ws.bind.TypeMapper.readSingle(TypeMapper.java:628)
    at com.sforce.ws.bind.TypeMapper.readObject(TypeMapper.java:505)
    at com.sforce.ws.transport.SoapConnection.parseDetail(SoapConnection.java:230)
    at com.sforce.ws.transport.SoapConnection.createException(SoapConnection.java:204)
    at com.sforce.ws.transport.SoapConnection.receive(SoapConnection.java:150)
    at com.sforce.ws.transport.SoapConnection.send(SoapConnection.java:99)
    at com.sforce.soap.partner.PartnerConnection.query(PartnerConnection.java:1)
    at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.performSoqlQuery(SfConnectionHandler.java:728)
    at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:273)
    at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:767)
    at com.provar.plugins.forcedotcom.core.testapis.ApexSoqlQuery.execute(ApexSoqlQuery.java:85)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)
    at java.lang.reflect.Method.invoke(Unknown Source)
    at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:518)
    at
com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:478)
    at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access$6(LocalTestExecutionContainerRunner.java:428)
    at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner
$MessageProcessor.run(LocalTestExecutionContainerRunner.java:856)
    at

```

- ✔ Assert: {AccountRows.AnnualRevenue} LessThan 1000
- ✔ Assert: {AccountRows.AnnualRevenue} LessThan 1

## Failed\_TestCase.testcase


### Summary


Started	16 Jan 2015, 12:04:00
Ended	16 Jan 2015, 12:04:02
Duration (mm:ss)	00:02.490
Outcome	 failed

### Output

#### Salesforce Connect: Bank\_RetailDepartment (Test)


 Opening Salesforce connection Connection name: Bank\_RetailDepartment

 Connection details. Connection name: Bank\_RetailDepartment, urlString: sf:user=admin1@test1.provar.com;password={password};environment=PROD\_DEV, environment: <default>, userName: admin1@test1.provar.com, password: [supplied], securityToken: [empty]

 Created Object ID log file. Path: C:\Users\admin\AppData\Local\Temp\IProvarTestArtifacts385921672420178847271914169610266\Bank\_RetailDepartment-objectids.log

Salesforce connection opened successfully. Connection name: Bank\_RetailDepartment, ResultName: Bank\_RetailDepartment, resultScope: Test

#### SOQL Query: select Name from Account where AnnualRevenue = 700=>AccountRows

 Reading a Salesforce object. Connection Name: Bank\_RetailDepartment, Query: select Name from Account where AnnualRevenue = 700

 Query successful. Row Count: 21.

- ✔ Assert: 10 NotEqualTo {AccountRows}

✔ Assertion successful. (expected) 10 not = [NamedValueListValueImpl [ valueCount: 2, valueId=150000000011dc, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 150000000011dd,entryName: Id,entryId: null],[id: 150000000011de,entryName: Name,entryId: 150000000011df]]], NamedValueListValueImpl [ valueCount: 2, valueId=150000000011e0, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 150000000011e1,entryName: Id,entryId: null],[id: 150000000011e2,entryName: Name,entryId: 150000000011e3]]], NamedValueListValueImpl [ valueCount: 2, valueId=150000000011e4, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 150000000011e5,entryName: Id,entryId: null],[id: 150000000011e6,entryName: Name,entryId: 150000000011e7]]], NamedValueListValueImpl [ valueCount: 2, valueId=150000000011e8, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 150000000011e9,entryName: Id,entryId: null],[id: 150000000011ea,entryName: Name,entryId: 150000000011eb]]], NamedValueListValueImpl [ valueCount: 2, valueId=150000000011ec, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 150000000011ed,entryName: Id,entryId: null],[id: 150000000011ee,entryName: Name,entryId: 150000000011ef]]], NamedValueListValueImpl [ valueCount: 2, valueId=150000000011f0, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 150000000011f1,entryName: Id,entryId: null],[id: 150000000011f2,entryName: Name,entryId: 150000000011f3]]], NamedValueListValueImpl [ valueCount: 2, valueId=150000000011f4, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 150000000011f5,entryName: Id,entryId: null],[id: 150000000011f6,entryName: Name,entryId: 150000000011f7]]], NamedValueListValueImpl [ valueCount: 2, valueId=150000000011f8, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 150000000011f9,entryName: Id,entryId: null],[id: 150000000011fa,entryName: Name,entryId: 150000000011fb]]], NamedValueListValueImpl [ valueCount: 2, valueId=150000000011fc, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 150000000011fd,entryName: Id,entryId: null],[id: 150000000011fe,entryName: Name,entryId: 150000000011ff]]], NamedValueListValueImpl [ valueCount: 2, valueId=15000000001200, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 15000000001201,entryName: Id,entryId: null],[id: 15000000001202,entryName: Name,entryId: 15000000001203]]], NamedValueListValueImpl [ valueCount: 2, valueId=15000000001204, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 15000000001205,entryName: Id,entryId: null],[id: 15000000001206,entryName: Name,entryId: 15000000001207]]], NamedValueListValueImpl [ valueCount: 2, valueId=15000000001208, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 15000000001209,entryName: Id,entryId: null],[id: 1500000000120a,entryName: Name,entryId: 1500000000120b]]], NamedValueListValueImpl [ valueCount: 2, valueId=1500000000120c, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 1500000000120d,entryName: Id,entryId: null],[id: 1500000000120e,entryName: Name,entryId: 1500000000120f]]], NamedValueListValueImpl [ valueCount: 2, valueId=15000000001210, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 15000000001211,entryName: Id,entryId: null],[id: 15000000001212,entryName: Name,entryId: 15000000001213]]], NamedValueListValueImpl [ valueCount: 2, valueId=15000000001214, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 15000000001215,entryName: Id,entryId: null],[id: 15000000001216,entryName: Name,entryId: 15000000001217]]], NamedValueListValueImpl [ valueCount: 2, valueId=15000000001218, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 15000000001219,entryName: Id,entryId: null],[id: 1500000000121a,entryName: Name,entryId: 1500000000121b]]], NamedValueListValueImpl [ valueCount: 2, valueId=1500000000121c, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 1500000000121d,entryName: Id,entryId: null],[id: 1500000000121e,entryName: Name,entryId: 1500000000121f]]], NamedValueListValueImpl [ valueCount: 2, valueId=15000000001220, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 15000000001221,entryName: Id,entryId: null],[id: 15000000001222,entryName: Name,entryId: 15000000001223]]], NamedValueListValueImpl [ valueCount: 2, valueId=15000000001224, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 15000000001225,entryName: Id,entryId: null],[id: 15000000001226,entryName: Name,entryId: 15000000001227]]], NamedValueListValueImpl [ valueCount: 2, valueId=15000000001228, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 15000000001229,entryName: Id,entryId: null],[id: 1500000000122a,entryName: Name,entryId: 1500000000122b]]], NamedValueListValueImpl [ valueCount: 2, valueId=1500000000122c, createdUpdateSeq=1880, updatedUpdateSeq=1880, values: [[id: 1500000000122d,entryName: Id,entryId: null],[id: 1500000000122e,entryName: Name,entryId: 1500000000122f]]] (actual)

❗ Closing Salesforce Connection because it is no longer being used. Name: Bank\_RetailDepartment

❗ Shutting down Soap Connections. logFilePath: Bank\_RetailDepartment-objectids.log

#### ✖ Fail Test: Error Message is required

❗ Failing test with message: Error Message is required

✖ Error Message is required

## 📄 AMAZON.testcase

### Summary

Started	16 Jan 2015, 12:07:31
Ended	16 Jan 2015, 12:07:52
Duration (mm:ss)	00:21.267
Outcome	✖ failed

### Output

#### 📄 UI Connect: Amazon

❗ Opening Selenium Connection. Connection Name: Amazon, Base URL: http://www.amazon.in/

❗ Successfully opened Chrome WebDriver to http://www.amazon.in/.

❗ Selenium Connection opened successfully.

#### 📄 On amazonsearch page

❗ Start of With Screen. Connection Name: Amazon, target: ui:pageobject:target?pagelId=pageobjects.amazonsearch

❗ Browser window has been opened. Name: main

❗ Navigating to URL: http://www.amazon.in/

❗ Opening Page context. Name: screen, data: pageobjects.amazonsearch@7f78be49, frame: null

#### 📄 Set the Search to salesforce

❗ Start of Interact. Connection: Amazon, Locator: ui:pageobject:field?field=search&pagelId=pageobjects.amazonsearch, wait: null




- ① Locator: ui:pageobject:field?field=search&pagelId=pageobjects.amazonsearch
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: http://www.amazon.in/
- ① Got webElement. tagName: input, id: twotabsearchtextbox, type: text, selector: null
- ① Scrolling into view: [[ChromeDriver: chrome on XP (2096657372ee6f1b2c006141584325c1)] -> xpath: //\*[@id = //label[normalize-space(text()) = 'Search']/@for]]
- ① Typing value. tagName: input, type: text, value: salesforce, blur: false, selector: null

#### Click the Go

- ① Start of Interact. Connection: Amazon, Locator: ui:pageobject:field?field=go&pagelId=pageobjects.amazonsearch, wait: null
- ① Locator: ui:pageobject:field?field=go&pagelId=pageobjects.amazonsearch
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: http://www.amazon.in/
- ① Clicking WebElement. WebElement [tag: input, text: Go]
- ❌ One or more Sub-Test Steps failed.
- ① Closing Page context. Name: screen, data: null
- ① Main window reselected. Window: main

#### Click the Apex Book



Error Screenshot

- ① Start of Interact. Connection: Amazon, Locator: ui:pageobject:field?field=ApexBook&pagelId=pageobjects.amazonsearch, wait: null
- ① Locator: ui:pageobject:field?field=ApexBook&pagelId=pageobjects.amazonsearch
- ① Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: http://www.amazon.in/s/ref=nb\_sb\_noss/277-3096367-0978510?url=search-alias%3Daps&field-keywords=salesforce
- ❌ Error doing interaction. Connection Name: Amazon, cause: [NoSuchElementException: No elements matched the field locator. Field name: ApexBook For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'admin-THINK', ip: '10.1.1.48', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71' Driver info: driver.version: unknown]
- ❌ org.openqa.selenium.NoSuchElementException: No elements matched the field locator. Field name: ApexBook
- ❌ For documentation on this error, please visit: http://seleniumhq.org/exceptions/no\_such\_element.html
- ❌ Build info: version: 'unknown', revision: 'unknown', time: 'unknown'
- ❌ System info: host: 'admin-THINK', ip: '10.1.1.48', os.name: 'Windows 7', os.arch: 'amd64', os.version: '6.1', java.version: '1.7.0\_71'
- ❌ Driver info: driver.version: unknown
- ❌ at com.provar.plugins.forcedotcom.core.ui.ProvarFindByElementLocator.findElement(ProvarFindByElementLocator.java:59)
- ❌ at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:37)
- ❌ at com.sun.proxy.\$Proxy76.getTag(Unknown Source)
- ❌ at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performActionInteraction(SeleniumUiHandler.java:2160)
- ❌ at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:1480)
- ❌ at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:1401)
- ❌ at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:254)

✖ at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:767)  
✖ at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:157)  
✖ at sun.reflect.GeneratedMethodAccessor46.invoke(Unknown Source)  
✖ at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source)  
✖ at java.lang.reflect.Method.invoke(Unknown Source)  
✖ at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:518)  
✖ at  
com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:478)  
✖ at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access\$6(LocalTestExecutionContainerRunner.java:428)  
✖ at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner  
\$MessageProcessor.run(LocalTestExecutionContainerRunner.java:856)  
① Sending screenshot. Data length: 138788  
① Closing Selenium Connection because it is no longer being used. Name: Amazon  
① Closing Selenium driver  
🖱️ Click the Add To Cart

## 📄 Editing\_Contact\_Sales\_Salesforce.testcase

### Summary

Started	16 Jan 2015, 12:17:00
Ended	16 Jan 2015, 12:17:08
Duration (mm:ss)	00:07.563
Outcome	✖ failed

### Output

#### ✖ Salesforce Connect: Bank\_RetailDepartment (Test)

① Opening Salesforce connection Connection name: Bank\_RetailDepartment

① Connection details. Connection name: Bank\_RetailDepartment, urlString:

sf:user=admin1@test1.provar.com;password={password};environment=PROD\_DEV, environment: <default>, userName: admin1@test1.provar.com, password: [supplied], securityToken: [empty]

① Created Object ID log file. Path: C:\Users\admin\AppData\Local\Temp

\ProvarTestArtifacts385921672420178847271914169610266\Bank\_RetailDepartment-objectids.log

Salesforce connection opened successfully. Connection name: Bank\_RetailDepartment, ResultName: Bank\_RetailDepartment, resultScope: Test

#### 🖱️ On ContactMapping page

#### Error Screenshot

① Start of With Screen. Connection Name: Bank\_RetailDepartment, target: ui:pageobject:target?pageId=pageobjects.ContactMapping

① Successfully opened Chrome WebDriver to https://login.salesforce.com/.

① Opening Page context. Name: screen, data: null, frame: null

🖱️ Set the New to Recently Created

#### Error Screenshot

- ① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:pageobject:field?field=New&pageId=pageobjects.ContactMapping, wait: null
- ① Browser window has been opened. Name: main
- ① Locator: ui:pageobject:field?field=New&pageId=pageobjects.ContactMapping
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: data:,
- ❌ Field not found on the screen. Locator: ProvarFindByElementLocator [by=public org.openqa.selenium.WebElement pageobjects.ContactMapping.New]
- ① Sending screenshot. Data length: 3029

❌ One or more Sub-Test Steps failed.

- ① Sending screenshot. Data length: 3029
- ① Closing Page context. Name: screen, data: null
- ① Main window reselected. Window: main
- 🖱️ Click the Lname
- ① Closing Salesforce Connection because it is no longer being used. Name: Bank\_RetailDepartment
- ① Closing Web Connection.
- ① Closing Selenium driver
- ① Shutting down Soap Connections. logFilePath: Bank\_RetailDepartment-objectids.log

- 🖥️ On SF Contact view screen
  - 🖱️ Click the Edit button
- 🖥️ On SF Contact edit screen
  - 🖱️ Set the Description field to This is to verify that contact has been edited
  - 🖱️ Click the Save button

## 📄 Example.testcase

---

### Summary

Started	16 Jan 2015, 12:17:11
Ended	16 Jan 2015, 12:18:15
Duration (mm:ss)	01:04.064
Outcome	❌ failed

### Output

#### ❌ Salesforce Connect: Bank\_RetailDepartment (Test)

- ① Opening Salesforce connection Connection name: Bank\_RetailDepartment
- ① Connection details. Connection name: Bank\_RetailDepartment, urlString: sf:user=admin1@test1.provar.com;password={password};environment=PROD\_DEV, environment: <default>, userName: admin1@test1.provar.com, password: [supplied], securityToken: [empty]
- ① Created Object ID log file. Path: C:\Users\admin\AppData\Local\Temp\ProvarTestArtifacts385921672420178847271914169610266\Bank\_RetailDepartment-objectids.log

Salesforce connection opened successfully. Connection name: Bank\_RetailDepartment, ResultName: Bank\_RetailDepartment, resultScope: Test

## SOQL Query: select CaseNumber from Case where Origin = 'Email'=>CaseRows

① Reading a Salesforce object. Connection Name: Bank\_RetailDepartment, Query: select CaseNumber from Case where Origin = 'Email'

① Query successful. Row Count: 4.

## On SF Case list screen

① Start of With Screen. Connection Name: Bank\_RetailDepartment, target: sf:ui:target?object=Case&action=List&application=UAT\_Console\_App&listView=MyOpenCases&tab=standard-Case

① Successfully opened Chrome WebDriver to https://login.salesforce.com/.

① Opening Salesforce Tab. Tab Name: standard-Case, Url: https://emea.salesforce.com/500/o

① Opening Page context. Name: screen, data: null, frame: null

① Opening page. URL: https://login.salesforce.com/?un=admin1@test1.provar.com&pw=Provar01&startURL=%2Fconsole%3Ftsid%3D02u20000000Y7km

① Page wait timed out. Attempting readyState workaround.

① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km

① Opening Salesforce Console Page. Page Name: https://emea.salesforce.com/500/o, Url: https://emea.salesforce.com/500/o


① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km

① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500?fcf=00B20000007Q1k&isdtp=nv&nonce=1d994d683691478bf578f9343176140798f70e8c1e55e4f79f1e21c90ab5f695&sfdcIframeOrigin=https%3A%2F%2Femea.salesforce.com

① Selected list view. Object: Case, List View: MyOpenCases

 While: {CaseRows.CaseNumber > 0}

 Hover the Case UiScreenMappingImpl

 For Each: {CaseRows}>=>cases

① Start of iteration 1 of 4.

### ✦ Sub Steps

#### With Case rows {CaseNumber = \$cases.CaseNumber}

① Start of With Row. Connection Name: Bank\_RetailDepartment, target: sf:ui:locator:row?table=List%2FlistView%2FlistTable

① Browser window has been opened. Name: main

① Resolved table xpath: //div[contains(@id, '\_grid')]/div[contains(@class, 'x-grid') and contains(@class, '-body')]/tr

① Start of Selenium Locator wait. Locator: //div[contains(@id, '\_grid')]/div[contains(@class, 'x-grid') and contains(@class, '-body')]/tr, frame: null, timeout(secs): 60

① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500?fcf=00B20000007Q1k&isdtp=nv&nonce=1d994d683691478bf578f9343176140798f70e8c1e55e4f79f1e21c90ab5f695&sfdcIframeOrigin=https%3A%2F%2Femea.salesforce.com

① End of Selenium Condition wait.

① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500?fcf=00B20000007Q1k&isdtp=nv&nonce=1d994d683691478bf578f9343176140798f70e8c1e55e4f79f1e21c90ab5f695&sfdcIframeOrigin=https%3A%2F%2Femea.salesforce.com

① Applying row locator to rows. Row Count: 12, Row Locator: {CaseNumber = \$cases.CaseNumber}

The row locator matched 1 row.

#### Check the Select Row checkbox

① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=SelectRow, wait: null

① Locator: ui:locator?name=SelectRow

① Interaction: ui:interaction?name=check

① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500?fcf=00B20000007Q1k&isdtp=nv&nonce=1d994d683691478bf578f9343176140798f70e8c1e55e4f79f1e21c90ab5f695&sfdcIframeOrigin=https%3A%2F%2Femea.salesforce.com

① Got webElement. tagName: input, id: 5002000000hCFi7, type: checkbox, selector: null

① All Sub-Test Steps were successful.

① Start of iteration 2 of 4.

### ✦ Sub Steps

#### With Case rows {CaseNumber = \$cases.CaseNumber}

① Start of With Row. Connection Name: Bank\_RetailDepartment, target: sf:ui:locator:row?table=List%2FlistView%2FlistTable

- Resolved table xpath: //div[contains(@id, '\_grid')]/div[contains(@class, 'x-grid') and contains(@class, '-body')]/tr
  - Start of Selenium Locator wait. Locator: //div[contains(@id, '\_grid')]/div[contains(@class, 'x-grid') and contains(@class, '-body')]/tr, frame: null, timeout(secs): 60
  - Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B20000007Q1lk&isdtp=nv&nonce=1d994d683691478bf578f9343176140798f70e8c1e55e4f79f1e21c90ab5f695&sfdcclFrameOrigin=https %3A%2F%2Femea.salesforce.com
  - End of Selenium Condition wait.
  - Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B20000007Q1lk&isdtp=nv&nonce=1d994d683691478bf578f9343176140798f70e8c1e55e4f79f1e21c90ab5f695&sfdcclFrameOrigin=https %3A%2F%2Femea.salesforce.com
  - Applying row locator to rows. Row Count: 12, Row Locator: {CaseNumber = \$cases.CaseNumber}
- The row locator matched 1 row.

#### Check the Select Row checkbox

- Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=SelectRow, wait: null
- Locator: ui:locator?name=SelectRow
- Interaction: ui:interaction?name=check
- Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B20000007Q1lk&isdtp=nv&nonce=1d994d683691478bf578f9343176140798f70e8c1e55e4f79f1e21c90ab5f695&sfdcclFrameOrigin=https %3A%2F%2Femea.salesforce.com
- Got webElement. tagName: input, id: 5002000000gg2LJ, type: checkbox, selector: null
- All Sub-Test Steps were successful.
- Start of iteration 3 of 4.

#### ✦ Sub Steps

##### With Case rows {CaseNumber = \$cases.CaseNumber}

- Start of With Row. Connection Name: Bank\_RetailDepartment, target: sf:ui:locator:row?table=List%2FlistView%2FlistTable
  - Resolved table xpath: //div[contains(@id, '\_grid')]/div[contains(@class, 'x-grid') and contains(@class, '-body')]/tr
  - Start of Selenium Locator wait. Locator: //div[contains(@id, '\_grid')]/div[contains(@class, 'x-grid') and contains(@class, '-body')]/tr, frame: null, timeout(secs): 60
  - Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B20000007Q1lk&isdtp=nv&nonce=1d994d683691478bf578f9343176140798f70e8c1e55e4f79f1e21c90ab5f695&sfdcclFrameOrigin=https %3A%2F%2Femea.salesforce.com
  - End of Selenium Condition wait.
  - Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B20000007Q1lk&isdtp=nv&nonce=1d994d683691478bf578f9343176140798f70e8c1e55e4f79f1e21c90ab5f695&sfdcclFrameOrigin=https %3A%2F%2Femea.salesforce.com
  - Applying row locator to rows. Row Count: 12, Row Locator: {CaseNumber = \$cases.CaseNumber}
- The row locator matched 1 row.

#### Check the Select Row checkbox

- Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=SelectRow, wait: null
- Locator: ui:locator?name=SelectRow
- Interaction: ui:interaction?name=check
- Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500? fcf=00B20000007Q1lk&isdtp=nv&nonce=1d994d683691478bf578f9343176140798f70e8c1e55e4f79f1e21c90ab5f695&sfdcclFrameOrigin=https %3A%2F%2Femea.salesforce.com
- Got webElement. tagName: input, id: 5002000000gf0EC, type: checkbox, selector: null
- All Sub-Test Steps were successful.
- Start of iteration 4 of 4.

#### ✦ Sub Steps

##### With Case rows {CaseNumber = \$cases.CaseNumber}

- Start of With Row. Connection Name: Bank\_RetailDepartment, target: sf:ui:locator:row?table=List%2FlistView%2FlistTable
- Resolved table xpath: //div[contains(@id, '\_grid')]/div[contains(@class, 'x-grid') and contains(@class, '-body')]/tr
- Start of Selenium Locator wait. Locator: //div[contains(@id, '\_grid')]/div[contains(@class, 'x-grid') and contains(@class, '-body')]/tr, frame: null, timeout(secs): 60

Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500?fcf=00B20000007Q1lk&isdt=nv&nonce=1d994d683691478bf578f9343176140798f70e8c1e55e4f79f1e21c90ab5f695&sfdcIframeOrigin=https%3A%2F%2Femea.salesforce.com

End of Selenium Condition wait.

Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500?fcf=00B20000007Q1lk&isdt=nv&nonce=1d994d683691478bf578f9343176140798f70e8c1e55e4f79f1e21c90ab5f695&sfdcIframeOrigin=https%3A%2F%2Femea.salesforce.com

Applying row locator to rows. Row Count: 12, Row Locator: {CaseNumber = \$cases.CaseNumber}

The row locator matched 1 row.

#### Check the Select Row checkbox

Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=SelectRow, wait: null

Locator: ui:locator?name=SelectRow

Interaction: ui:interaction?name=check

Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500?fcf=00B20000007Q1lk&isdt=nv&nonce=1d994d683691478bf578f9343176140798f70e8c1e55e4f79f1e21c90ab5f695&sfdcIframeOrigin=https%3A%2F%2Femea.salesforce.com

Got webElement. tagName: input, id: 5002000000gf33W, type: checkbox, selector: null

All Sub-Test Steps were successful.

Reached the end of the List.

All Sub-Test Steps were successful.

Closing Page context. Name: screen, data: null

Main window reselected. Window: main

#### On edit\_cases page

Action	Case Number	Contact Name	Subject	Status	Priority	Date/Time Opened	Case Owner Alias
✓ Edit   Del	00001007	...	...	On Hold	Medium	15/12/2014 12:00	admin1
✓ Edit   Del	00001008	...	...	New	Medium	15/12/2014 12:01	admin1
✓ Edit   Del	00001009	test	test	On Hold	Medium	15/12/2014 13:02	admin1
✓ Edit   Del	00001010	testSub	testSub	New	Medium	15/12/2014 13:07	admin1
✓ Edit   Del	00001011	India_E	testSub	New	Medium	15/12/2014 13:09	admin1
✓ Edit   Del	00001012	Y_R	test	On Hold	Medium	17/12/2014 09:41	admin1
✓ Edit   Del	00001014	...	Test1	On Hold	Medium	23/12/2014 11:02	admin1
✓ Edit   Del	00001015	...	Test2	Escalated	Medium	23/12/2014 11:03	admin1
✓ Edit   Del	00001016	...	Test3	Escalated	Medium	23/12/2014 11:03	admin1
✓ Edit   Del	00001017	...	Test4	New	Medium	23/12/2014 11:06	admin1
✓ Edit   Del	00001018	...	...	On Hold	Medium	24/12/2014 06:56	admin1
✓ Edit   Del	00001019	testConsole	testConsole	On Hold	Medium	24/12/2014 07:09	admin1

Error Screenshot

Start of With Screen. Connection Name: Bank\_RetailDepartment, target: ui:pageobject:target?pageId=pageobjects.edit\_cases

Opening Page context. Name: screen, data: null, frame: null

Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km

Set the New Status to 2

Set the New Status 1 to New

Set the Status to 1

Action	Case Number	Contact Name	Subject	Status	Priority	Date/Time Opened	Case Owner Alias
✓ Edit   Del	00001007	...	...	On Hold	Medium	15/12/2014 12:00	admin1
✓ Edit   Del	00001008	...	...	New	Medium	15/12/2014 12:01	admin1
✓ Edit   Del	00001009	test	test	On Hold	Medium	15/12/2014 13:02	admin1
✓ Edit   Del	00001010	testSub	testSub	New	Medium	15/12/2014 13:07	admin1
✓ Edit   Del	00001011	India_E	testSub	New	Medium	15/12/2014 13:09	admin1
✓ Edit   Del	00001012	Y_R	test	On Hold	Medium	17/12/2014 09:41	admin1
✓ Edit   Del	00001014	...	Test1	On Hold	Medium	23/12/2014 11:02	admin1
✓ Edit   Del	00001015	...	Test2	Escalated	Medium	23/12/2014 11:03	admin1
✓ Edit   Del	00001016	...	Test3	Escalated	Medium	23/12/2014 11:03	admin1
✓ Edit   Del	00001017	...	Test4	New	Medium	23/12/2014 11:06	admin1
✓ Edit   Del	00001018	...	...	On Hold	Medium	24/12/2014 06:56	admin1
✓ Edit   Del	00001019	testConsole	testConsole	On Hold	Medium	24/12/2014 07:09	admin1

Error Screenshot

Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:pageobject:field?field=Status&pageId=pageobjects.edit\_cases, wait: null



- ① Locator: ui:pageobject:field?field=Status&pageId=pageobjects.edit\_cases
- ① Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km
- ❌ Field not found on the screen. Locator: ProvarFindByElementLocator [by=public org.openqa.selenium.WebElement pageobjects.edit\_cases.Status]
- ① Sending screenshot. Data length: 77853

❌ One or more Sub-Test Steps failed.

- ① Sending screenshot. Data length: 77853
- ① Closing Page context. Name: screen, data: null
- ① Main window reselected. Window: main

#### Click the Save

- ① Closing Salesforce Connection because it is no longer being used. Name: Bank\_RetailDepartment
- ① Closing Web Connection.
- ① Closing Selenium driver
- ① Shutting down Soap Connections. logFilePath: Bank\_RetailDepartment-objectids.log

#### On SF Case list screen

- Click the ChangeStatus button

#### On edit\_cases\_2 page

- Set the Status to New
- Click the Save

## SingleDeleteCase\_UAT\_ConsoleTab.testcase

### Summary


Started	16 Jan 2015, 12:18:17
Ended	16 Jan 2015, 12:19:03
Duration (mm:ss)	00:46.165
Outcome	❌ failed

### Output

#### ❌ Salesforce Connect: Bank\_RetailDepartment (Test)

- ① Opening Salesforce connection Connection name: Bank\_RetailDepartment
- ① Connection details. Connection name: Bank\_RetailDepartment, urlString: sf:user=admin1@test1.provar.com;password={password};environment=PROD\_DEV, environment: <default>, userName: admin1@test1.provar.com, password: [supplied], securityToken: [empty]
- ① Created Object ID log file. Path: C:\Users\admin\AppData\Local\Temp\ProvarTestArtifacts385921672420178847271914169610266\Bank\_RetailDepartment-objectids.log
- Salesforce connection opened successfully. Connection name: Bank\_RetailDepartment, ResultName: Bank\_RetailDepartment, resultScope: Test

#### On SF Case list screen



Error Screenshot

- ① Start of With Screen. Connection Name: Bank\_RetailDepartment, target: sf:ui:target?object=Case&action=List&listView=MyOpenCases&application=UAT\_Console\_App&tab=standard-Case
- ① Successfully opened Chrome WebDriver to https://login.salesforce.com/.
- ① Opening Salesforce Tab. Tab Name: standard-Case, Url: https://emea.salesforce.com/500/o
- ① Opening Page context. Name: screen, data: null, frame: null
- ① Opening page. URL: https://login.salesforce.com/?un=admin1@test1.provar.com&pw=Provar01&startURL=%2Fconsole%3Ftsid%3D02u20000000Y7km
- ① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km
- ① Opening Salesforce Console Page. Page Name: https://emea.salesforce.com/500/o, Url: https://emea.salesforce.com/500/o
- ① Switched focus to main window. URL: https://emea.salesforce.com/console?tsid=02u20000000Y7km
- ① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500?fcf=00B20000007Q1lk&isdtp=nv&nonce=5393cda6a4f4868ea6d6e648c367cb2b7bd22759870c09932a8c4d0463a4d4ed&sfdcIFrameOrigin=https%3A%2F%2Femea.salesforce.com
- ① Selected list view. Object: Case, List View: MyOpenCases

#### With Case rows {CaseNumber = "00001012"}

- ① Start of With Row. Connection Name: Bank\_RetailDepartment, target: sf:ui:locator:row?table=List%2FlistView%2FlistTable
- ① Browser window has been opened. Name: main
- ① Resolved table xpath: //div[contains(@id, '\_grid')]/div[contains(@class, 'x-grid') and contains(@class, '-body')]/tr
- ① Start of Selenium Locator wait. Locator: //div[contains(@id, '\_grid')]/div[contains(@class, 'x-grid') and contains(@class, '-body')]/tr, frame: null, timeout(secs): 60
- ① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500?fcf=00B20000007Q1lk&isdtp=nv&nonce=5393cda6a4f4868ea6d6e648c367cb2b7bd22759870c09932a8c4d0463a4d4ed&sfdcIFrameOrigin=https%3A%2F%2Femea.salesforce.com
- ① End of Selenium Condition wait.
- ① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500?fcf=00B20000007Q1lk&isdtp=nv&nonce=5393cda6a4f4868ea6d6e648c367cb2b7bd22759870c09932a8c4d0463a4d4ed&sfdcIFrameOrigin=https%3A%2F%2Femea.salesforce.com
- ① Applying row locator to rows. Row Count: 12, Row Locator: {CaseNumber = "00001012"}

✖ The row locator did not match any rows.

#### Click the Delete button

- ① Start of Interact. Connection: Bank\_RetailDepartment, Locator: ui:locator?name=Delete, wait: null
- ① Locator: ui:locator?name=Delete
- ① Interaction: ui:interaction?name=action
- ① Switched focus to frame. Window: main, Selector: css selector: iframe, URL: https://emea.salesforce.com/500?fcf=00B20000007Q1lk&isdtp=nv&nonce=5393cda6a4f4868ea6d6e648c367cb2b7bd22759870c09932a8c4d0463a4d4ed&sfdcIFrameOrigin=https%3A%2F%2Femea.salesforce.com
- ① Clicking WebElement. WebElement [tag: a, text: Del, href: javascript:srcSelf(%27%2Fsetup%2Ffown%2Fdeleteredirect.jsp%3Ffcf%3D00B20000007Q1lk%26nonce%3D5393cda6a4f4868ea6d6e648c367cb2b7bd22759870c09932a8c4d0463a4d4ed%26sfdcIFrameOrigin%3Dhttps%253A%252F%252Femea.salesforce.com%26isdtp%3Dnv%26delID%3D5002000000gf0EC%26\_CONFIRMATIONTOKEN%3DuBtxlZp3H8frjRqrDU2rhO61aX.Psipew0P5POJ5eCAIphwdsElyunECBgkpQJEVHJrZGG7Un5IIW8Y1bZUQeUDTBX4BTuk.KkdAuyLZ2m42rstdXDyaggD.%253D%26retURL%3D%252F500%253Ffcf%253D00B20000007Q1lk%2526rolodexIndex%253D-1%2526page%253D1%2526isdtp%253Dnv%27);]
- ① All Sub-Test Steps were successful.

✖ The Screen Context Stack is out-of-sync. Expected type: Row, expected name: screen, expected instance: null, actual type: Page, actual name: screen, actual instance: null

✖ One or more Sub-Test Steps failed.

- ① Sending screenshot. Data length: 18595

- ① Closing Page context. Name: screen, data: null

✖ Error opening Salesforce UI Connection. Connection Name: Bank\_RetailDepartment, cause: [EmptyStackException Stack Trace: java.util.EmptyStackException at java.util.Stack.peek(Unknown Source) at java.util.Stack.pop(Unknown Source) at com.provar.core.testapi.ProvarSeleniumDriver.closePageContext(ProvarSeleniumDriver.java:2594) at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performScreenClose(SfUiHandler.java:1551) at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:234) at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:312) at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:297) at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:767) at com.provar.plugins.forcedotcom.core.ui.UiWithScreen.execute(UiWithScreen.java:252) at sun.reflect.GeneratedMethodAccessor52.invoke(Unknown Source) at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source) at java.lang.reflect.Method.invoke(Unknown Source) at

```
com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:518) at
com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:478)
at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access
$6(LocalTestExecutionContainerRunner.java:428) at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner
$MessageProcessor.run(LocalTestExecutionContainerRunner.java:856) ]
```

- ❗ Closing Salesforce Connection because it is no longer being used. Name: Bank\_RetailDepartment
- ❗ Closing Web Connection.
- ❗ Closing Selenium driver
- ❗ Shutting down Soap Connections. logFilePath: Bank\_RetailDepartment-objects.log

## Inherit.testcase

---

### Summary

Description	undefined
Started	16 Jan 2015, 12:19:53
Ended	16 Jan 2015, 12:19:53
Duration (mm:ss)	00:00.030
Outcome	❌ failed

### Output

- 📁 Set Values: Title
  - ❗ Setting value Title, value: ABCED
- 📁 Set Values: Name
  - ❗ Setting value Name, value: ZXYUV
- ✅ Assert: askdhfsoidhf EqualTo {Title}
  - ❌ Assertion failed. (expected) askdhfsoidhf = ABCED (actual)