

**SHILPA - INCLUSIVE MOBILE LEARNING APP FOR
VISUALLY, HEARING, PHYSICALLY AND
COGNITIVELY IMPAIRED STUDENTS (GRADE 3-5)**

Wijesooriya C.D.

IT22078728

BSc (Hons) in Information Technology Specializing in Information
Technology

Department of Information Technology

Sri Lanka Institute of Information Technology
Sri Lanka

April 2026

**INCLUSIVE MOBILE LEARNING APP FOR VISUALLY,
HEARING, PHYSICALLY AND COGNITIVELY
IMPAIRED STUDENTS (GRADE 3-5)**

Wijesooriya C.D.

IT22078728

Dissertation submitted in partial fulfillment of the requirements for the Bachelor
of Science Special (honors) in Information Technology Specializing in
Information Technology

Department of Information Technology


Sri Lanka Institute of Information Technology

Sri Lanka

April 2026

DECLARATION

I declare that this is my own work and this proposal does not incorporate without acknowledgement any material previously submitted for a degree or diploma in any other university or institute of higher learning and to the best of my knowledge and belief it does not contain any material previously published or written by another person except where the acknowledgment is made in the text.

Name	Student ID	Signature
Wijesooriya C.D.	IT22078728	

The supervisor/s should certify the proposal report with the following declaration.

The above candidate is carrying out research for the undergraduate Dissertation under my supervision.

Signature of the supervisor

Date

Signature of the co-supervisor

Date

ABSTRACT

Visual impairment creates significant barriers to accessing digital learning, particularly for primary school students, as most educational applications depend on visual interaction and provide limited support for independent learning and assessment. This research proposes a mobile learning application designed for visually impaired students in Grades 3–5, focusing on a fully voice-driven interaction model using Text-to-Speech (TTS) for content delivery and Speech-to-Text (STT) for user responses. The system introduces a novel Braille-based assessment approach that integrates traditional tactile learning with digital evaluation. Quiz questions are automatically generated as Braille-ready PDF documents, allowing students to read and answer using printed materials, after which answer sheets are captured as images and uploaded to the application. A Convolutional Neural Network (CNN) model, trained on a custom dataset of Braille digit images, is used to process these images by performing preprocessing, feature extraction, and classification to recognize Braille patterns and evaluate responses. The model achieved a training accuracy of approximately 92% and validation accuracy between 88% and 89%, indicating reliable performance and good generalization. The overall system was tested for usability and effectiveness, demonstrating that students could navigate lessons, complete assessments, and receive feedback independently through audio guidance. By combining voice interaction, Braille document generation, and automated evaluation using a trained model, the proposed system improves accessibility, enhances student independence, and provides a practical and scalable solution for inclusive education in the Sri Lankan context.

Keywords: Visual impairment, Braille recognition, mobile learning, convolutional neural network, assistive technology, deep learning

ACKNOWLEDGEMENT

I would like to express my sincere gratitude to my supervisor, Prof. Nuwan Kodagoda, for his continuous guidance, valuable insights, and encouragement throughout this project, as his support and expertise played a significant role in successfully completing this work. I am also deeply thankful to my co-supervisor, Ms. Jenny Krishara, for her continuous support, constructive feedback, and helpful suggestions, which greatly contributed to improving the quality of this project.

Furthermore, I would like to extend my sincere appreciation to the National Institute of Education (NIE) for providing valuable guidance and support, especially in understanding educational requirements and ensuring that the system aligns with real-world learning needs. I would also like to express my gratitude to the staff and students of Tangalle Blind School, where I conducted field visits to better understand the learning practices, challenges, and needs of visually impaired students. Their cooperation and insights were highly valuable in shaping this research.

Finally, I would like to thank all individuals who supported this work in various ways, including participants, peers, and well-wishers, for their encouragement and assistance throughout this journey.

TABLE OF CONTENT

DECLARATION	i
ABSTRACT	ii
ACKNOWLEDGEMENT	iii
Table of Content.....	iv
LIST OF FIGURES	v
LIST OF TABLES	v
LIST OF ABBREVIATIONS.....	vi
LIST OF APPENDICES	vi
1 INTRODUCTION	1
1.1 Background And Literature Review.....	2
1.2 Research Gap.....	6
1.3 Research Problem.....	9
1.4 Research Objectives	10
1.4.1 Main Objective.....	10
1.4.2 Specific Objectives.....	10
1.4.3 Key Novelty	11
2 METHODOLOGY	13
2.1 Requirements Gathering and Analysis	13
2.2 Feasibility Study	13
2.3 Tools, Technologies & Algorithms	14
Tools & Technologies.....	14
Technologies Used.....	14
Algorithm Used.....	14
2.4 Project Requirements	15
2.4.1 Functional Requirements	15
2.4.2 Non-Functional Requirements	15
2.4.3 Other Requirements	16

2.5	System Overview	16
2.6	Testing and Implementation	17
2.6.1	Implementation	17
2.6.2	Testing.....	19
2.7	Consideration of the Aspects of the System.....	26
2.8	Commercialization Aspects of the Product	27
2.9	High-Level Architecture Diagram.....	30
3	RESULTS AND DISCUSSION	30
3.1	Results	30
3.2	Research Findings	32
3.3	Discussion	33
4	CONCLUSION.....	35
5	REFERENCES	36
6	APPENDICES	39

LIST OF FIGURES

Figure 1:	VIC System Overview Diagram.....	17
Figure 2:	Braille Number Prediction using CNN Model	20
Figure 3:	Upload the Braille Answer Sheet	20
Figure 4:	Read and Display the Image	21
Figure 5:	Braille Dot Detection.....	21
Figure 6:	Crop Braille Cells	22
Figure 7:	Braille Quiz Generation.....	24
Figure 8:	Upload Answer Sheet	24
Figure 9:	Backend Prediction.....	25
Figure 10:	Validation Result	25
Figure 11:	High-Level Architecture Diagram.....	30
Figure 12:	Model Accuracy	31

LIST OF TABLES

Table I:	Research Paper Comparison on Visual Impairment Support and Proposed Mobile App.....	8
Table II:	methodology summary table	29

LIST OF ABBREVIATIONS

Abbreviation	Full Form
TTS	Text-to-Speech
STT	Speech-to-Text
3D	Three-Dimensional
AI	Artificial Intelligence
WCAG	Web Content Accessibility Guidelines
UI	User Interface
BRDG	Braille-Ready Document Generation
Face ID	Facial Recognition Login
VIC	Visual Impairment Component

LIST OF APPENDICES

- Appendix A: Mobile App logo
- Appendix B: Application landing page
- Appendix C: Appendix C: User Interface for Disability Type Selection
- Appendix D: Audio-Based Math Quiz for Visually Impaired Learners
- Appendix E: Data Collection at NIE Braille Press
- Appendix F : Plagiarism Report

1 INTRODUCTION

Visual impairment significantly affects how students access, understand, and interact with educational content. In traditional classrooms as well as digital learning environments, most teaching methods rely heavily on visual elements such as printed text, images, diagrams, and graphical interfaces. For students who are blind or have low vision, these methods create serious barriers, making it difficult to follow lessons, complete activities, and participate independently in the learning process.

In Sri Lanka, the situation is more challenging for primary school students, especially those in Grades 3–5. Many existing educational applications are not designed with accessibility in mind. Although some platforms provide basic assistive features such as Text-to-Speech (TTS) or screen reader compatibility, these solutions are limited. They mainly support passive learning, such as listening to content, but do not effectively support active learning tasks like answering questions, practicing exercises, or receiving feedback independently.

Another major limitation is the lack of proper assessment methods for visually impaired students in digital systems. Most quizzes and exams are designed for visual interaction, requiring students to read questions and select answers using touch or visual input. Even when audio support is available, students still face difficulties in writing or submitting answers in a structured way. As a result, they often depend on teachers or parents, which reduces their independence and confidence in learning.

To address these challenges, the visual impairment module of the proposed “Shilpa” mobile learning application is designed using an accessibility-first approach. The system enables a fully voice-driven learning experience, where students can listen to lessons using TTS and provide responses using Speech-to-Text (STT). The interface is simplified and supported with vibration feedback and screen reader compatibility to ensure ease of use.

The key novelty of this research lies in the introduction of an integrated Braille-based assessment system combined with automated digital evaluation. In this approach, quiz questions are automatically converted into a Braille-ready PDF document, which can be printed for physical use. Students can then read the questions using Braille and write their answers manually on the printed paper using traditional Braille writing methods.

Once the student completes the answers, a parent or guardian captures an image of the answer sheet using a mobile device and uploads it through the application. The system then processes the uploaded image using image processing and machine learning techniques to recognize the Braille responses. Based on this, the system automatically evaluates the answers and generates results.

This approach provides a unique combination of tactile learning and intelligent digital assessment, bridging the gap between traditional Braille-based education and modern AI-powered systems. It allows students to practice real-world Braille writing skills while still benefiting from automated evaluation, instant feedback, and progress tracking.

Therefore, the proposed system not only improves accessibility in learning but also introduces an innovative and practical solution for conducting assessments for visually impaired students. By enhancing independence, reducing reliance on external support, and improving engagement, this system aims to provide a more inclusive and effective learning experience aligned with the Sri Lankan educational context.

1.1 Background And Literature Review

Visual impairment creates significant challenges in accessing and interacting with educational content, especially for primary school students. Most learning systems depend on visual interfaces, making it difficult for visually impaired learners to study independently. To overcome this, various assistive technologies such as OCR, voice interaction, audio systems, and Braille recognition have been developed.

[1] B. Chatpaitoon et al., “Effect of optical text recognition (OCR) and text-to-speech — ‘CU Eye Reader’ smartphone app,” 2023.

The CU Eye Reader integrates OCR and TTS into a mobile application, allowing visually impaired users to read printed text through audio output. The system shows strong accuracy and real-time performance in reading tasks. However, it mainly supports general reading and does not include structured educational features such as lessons or assessments. The proposed system adopts this OCR and TTS concept but extends it by integrating curriculum-based learning, voice navigation, and Braille-based assessment to support school-level education.

[2] “KNFB Reader — product and usability studies,” National Federation of the Blind.

The KNFB Reader is a well-known OCR-based application that provides fast and accurate text recognition with speech output. It is designed for general use and improves access to printed materials. However, it lacks child-friendly design and structured learning features. The proposed system incorporates similar OCR principles but enhances them by including educational content, simplified interaction, and Braille document generation tailored for young learners.

[3] M. H. Mahmud et al., “Assistive Technology for Visually Impaired Students: A Review,” 2020.

This study reviews various assistive technologies and highlights their importance in improving accessibility. It emphasizes the need for integrated systems rather than isolated tools. The proposed system follows this recommendation by combining voice interaction, audio learning, and Braille-based assessment into a single platform.

[4] S. Subramanian et al., “Audio-Based Interaction Design for Visually Impaired Users,” 2018.

This research focuses on designing interaction systems based on audio rather than visual input. It shows that audio interfaces improve usability for visually impaired users. The proposed system applies these principles by enabling voice-based navigation and audio-guided learning throughout the application.

[5] J. Sánchez et al., “Navigation for the Blind through Audio-Based Virtual Environments,” 2010.

This work introduces audio-based environments that help visually impaired users navigate using sound cues. It demonstrates how spatial audio improves understanding and orientation. The proposed system adapts this concept to education by using audio cues to guide students through lessons and activities.

[6] “Spatial Knowledge via Auditory Information for Blind Individuals — review,” 2022.

This review explains how 3D spatial audio helps users build mental representations through sound. The proposed system uses this concept to create immersive learning experiences, where audio cues help students understand concepts without visual input.

[7] G. Latif et al., “An Innovative IoT-Based AI-Powered Braille Learning System,” 2023.

This system combines IoT devices with AI to support Braille learning. Although effective, it requires specialized hardware. The proposed system improves accessibility by using a software-based approach, generating Braille-ready PDFs that can be printed using standard devices.

[8] A. Shyna, “BrailleSegNet: A novel methodology for braille dataset generation and segmentation,” 2025.

BrailleSegNet introduces deep learning techniques for segmenting Braille patterns from images. This improves recognition accuracy. The proposed system can apply similar preprocessing techniques to enhance Braille recognition performance.

[9] A. Al-Salman et al., “Fly-LeNet: a deep learning framework for converting braille images to multilingual text,” 2024.

Fly-LeNet demonstrates how deep learning can convert Braille images into text. This supports automated evaluation. The proposed system uses a similar concept by applying a CNN model to recognize Braille answers from uploaded images.

[10] S. K. Gupta and R. Kumar, “Deep Learning-Based Braille Character Recognition Using CNN,” 2021.

This study shows that CNN models can effectively recognize Braille characters with high accuracy. The proposed system uses a CNN model for Braille recognition, following similar deep learning principles.

[11] D. S. Guru et al., “Automated Braille Recognition System Using Image Processing Techniques,” 2019.

This research uses image processing techniques to identify Braille patterns. It highlights the importance of preprocessing for improving accuracy. The proposed system incorporates preprocessing steps such as resizing and noise reduction before recognition.

[12] Y. LeCun et al., “Gradient-Based Learning Applied to Document Recognition,” 1998.

This foundational work explains how CNNs can be used for image recognition tasks. It provides the theoretical basis for using CNN models in Braille recognition.

[13] A. Krizhevsky et al., “ImageNet Classification with Deep Convolutional Neural Networks,” 2012.

This study demonstrates the effectiveness of deep CNN architectures in image classification. The proposed system applies similar concepts to classify Braille patterns.

[14] S. Shokat et al., “Analysis and Evaluation of Braille to Text Conversion,” 2020.

This research evaluates different Braille recognition methods and highlights challenges such as lighting and alignment. These insights are useful for improving the accuracy of the proposed system.

[15] I. A. Elshaer et al., “Sustainable AI Solutions for Empowering Visually Impaired Students,” 2025.

This study emphasizes the importance of affordable and sustainable AI solutions. The proposed system follows this approach by using mobile-based solutions and lightweight models.

[16] C. Lugaesi et al., “MediaPipe: A Framework for Building Perception Pipelines,” 2019.

MediaPipe provides real-time processing capabilities for interactive systems. It can support gesture-based interaction in assistive applications.

[17] A. Kane et al., “Access Overlays: Improving Accessibility for Blind Users,” 2019.

This research highlights accessibility improvements in user interfaces. The proposed system ensures accessibility through simplified UI and voice interaction.

[18] J. Brooke, “SUS: A Quick and Dirty Usability Scale,” 1996.

This work introduces a usability evaluation method used to measure system effectiveness. The proposed system can use similar metrics for evaluation.

[19] World Health Organization, “World Report on Vision,” 2019.

This report highlights the global need for accessible technologies for visually impaired individuals. It supports the importance of developing inclusive educational systems.

[20] P. Blenkhorn, “A System for Converting Braille into Text Using Image Processing,” 1997.

This early work demonstrates the feasibility of Braille recognition using image processing. It forms the foundation for modern Braille recognition systems.

[21] J. T. Ardiansah et al., “An interactive self-learning system using smartphone app and tangible Braille cards for visually impaired learners,” 2025.

This study presents a mobile-based learning system combined with physical Braille cards to support interactive learning. It highlights the importance of combining digital and tactile methods. However, the system requires additional physical materials. The proposed system improves this approach by using printable Braille PDFs and image-based evaluation, eliminating the need for specialized hardware.

[22] L. Nahar et al., “Design of a Braille learning application for visually impaired students,” 2015.

This research focuses on developing a Braille learning application to improve accessibility. It emphasizes the importance of user-friendly design for visually impaired students. However, the system mainly supports learning and does not include assessment features. The proposed system extends this by adding automated evaluation using a CNN model.

[23] G. Cappagli et al., “Audio motor training improves mobility and spatial cognition in visually impaired children,” 2019.

This study shows that audio-based training improves spatial understanding and learning ability. It demonstrates the effectiveness of audio interaction for visually impaired users. The proposed system applies this concept by using audio-based lesson delivery and voice guidance to enhance learning.

[24] A. Afonso-Jaco and S. Katz, “Spatial cognition studies and the use of audio virtual reality,” 2022.

This research explores how spatial audio can improve user understanding through sound-based environments. It shows that audio positioning can help users build mental representations. The proposed system adapts this concept by integrating audio cues to guide students during learning activities.

[25] M. Lopez et al., “Sound design, spatial audio, and accessibility for visually impaired audiences,” 2020.

This study highlights the role of sound design in improving accessibility. It explains how structured audio feedback enhances user interaction. The proposed system uses similar techniques by providing clear audio instructions and feedback throughout the learning process.

[26] Y. Sun et al., “Real-time Braille image detection algorithm based on deep learning,” 2025.

This research introduces a deep learning-based method for detecting Braille patterns in images. It demonstrates high accuracy in recognizing Braille dots. The proposed system applies similar deep learning techniques using a CNN model for recognizing Braille answers from uploaded images.

[27] H. Arai et al., “Braille block recognition with deep learning utilizing image-based recognition methods,” 2024.

This study focuses on recognizing Braille blocks using deep learning models. It shows that image-based approaches can effectively detect Braille structures. The proposed system follows this concept and applies CNN-based recognition for automated answer evaluation.

[28] N. R. Gujjula, “AI book reading assistant for visually impaired people,” 2024.

This work presents an AI-based reading assistant that helps visually impaired users access books through audio output. However, it mainly focuses on reading and does not include interactive learning or assessment. The proposed system extends this by supporting quizzes and automated evaluation.

[29] C. Albarico et al., “Development of a mobile-based vision assistant application for visually-impaired users,” 2025.

This study develops a mobile application to assist visually impaired users in daily tasks. It focuses on accessibility and usability improvements. However, it does not address educational needs such as structured learning and assessment. The proposed system specifically targets education and learning activities.

[30] J. Xie et al., “Reviewing research on mobile learning in K–12 educational settings,” 2018.

This research reviews mobile learning systems and highlights the importance of accessibility in education. It emphasizes the need for inclusive learning platforms for students with disabilities. The proposed system follows these recommendations by developing a mobile-based accessible learning application with integrated assessment features.

1.2 Research Gap

Learning for visually impaired students is mainly supported by assistive technologies such as screen readers, basic Text-to-Speech (TTS) tools, and voice-based navigation. Although these tools help users access information, most of them are designed for general accessibility rather than structured school education. They are not aligned with the Sri Lankan curriculum and rarely provide subject-based lessons in an interactive and engaging manner suitable for primary school students.

Many existing applications include voice interaction features, but these are often limited to simple tasks such as reading text or navigating menus. They do not provide intelligent learning support such as guiding students through lessons, explaining concepts, answering questions, or adapting to individual learning pace. As a result, their ability to support effective learning is limited.

Technologies such as stereo or 3D spatial audio have been used in navigation and entertainment to help visually impaired users understand their surroundings. However, these features are not widely applied in educational systems to support concept understanding or to help students build mental representations through sound-based learning.

Another important limitation is the lack of integration of Braille-Ready Document Generation (BRDG) within learning platforms. While standalone Braille translation tools exist, they are not connected to educational systems. There is no unified solution where lesson content, quizzes, and assessments are automatically converted into Braille format. This makes it difficult for students to combine digital learning with traditional Braille writing practice.

Furthermore, current systems do not provide effective assessment mechanisms for visually impaired learners. Most digital quizzes require visual interaction or typed responses, making them inaccessible. There is no system that allows students to answer questions using printed Braille, upload their responses, and receive automatic evaluation. This creates a clear gap between traditional Braille learning methods and modern digital assessment systems.

In addition, many applications do not integrate multiple feedback mechanisms such as vibration alerts, contextual audio guidance, and guided interaction. Although features like Face ID authentication, screen reader compatibility (TalkBack and VoiceOver), and integration of TTS and Speech-to-Text (STT) exist, they are often implemented separately rather than as part of a single unified system.

Therefore, there is a strong need for an integrated platform that combines accessibility, learning, and assessment into one system.

To address these challenges, this project proposes a Flutter-based mobile application that integrates voice-based interaction, stereo 3D audio learning, vibration feedback, contextual audio prompts, Braille-ready document generation, and biometric authentication.

The key novelty of this system is the introduction of a Braille-based assessment workflow. In this approach, quiz questions are converted into printable Braille PDF documents, allowing students to write answers manually. The completed answer sheets are captured as images and uploaded to the system. A trained Convolutional Neural Network (CNN) model is then used to process the images, recognize Braille patterns, and automatically evaluate the student's responses.

This approach bridges the gap between traditional Braille learning and modern digital education, providing a more accessible, practical, and independent learning experience for visually impaired students in Sri Lanka.

Future / Capability	Paper [1] CU Eye Reader (OCR + TTS App)	Paper [2] MediaPipe Framework	Paper [3] Audio-Based Navigation	Paper [4] IoT AI Braille System	Our Proposed System
Voice-based interaction for navigation, lesson flow, and quizzes	✓	✗	✓	✗	✓
Text-to-Speech (TTS) for lesson delivery	✓	✗	✓	✓	✓
Speech-to-Text (STT) for voice input	✓	✗	✗	✗	✓
Stereo spatial audio to simulate learning environments	✗	✗	✓	✗	✓
Face ID / Biometric login for secure access	✗	✗	✗	✗	✓
Compatibility with screen readers (TalkBack, VoiceOver)	✓	✗	✗	✗	✓
AI-powered voice assistant for guided instruction	✗	✗	✗	✓	✓
Braille-ready document generation	✗	✗	✗	✓	✓
Vibration feedback for actions	✗	✗	✗	✗	✓
Upload answer sheet images for evaluation	✗	✗	✗	✓	✓

Table I: Research Paper Comparison on Visual Impairment Support and Proposed Mobile App

1.3 Research Problem

Despite advancements in assistive technologies, visually impaired students in Grades 3–5 continue to face significant challenges when accessing digital learning platforms. Existing solutions present several important limitations that affect learning, interaction, and assessment.

Can current accessibility tools provide a complete learning experience for visually impaired students?

Most assistive technologies, such as screen readers and basic Text-to-Speech (TTS) tools, mainly support content reading. However, they do not provide a complete learning process that includes lesson understanding, interaction, practice, and assessment. As a result, students are limited to passive learning and cannot actively engage with educational content or receive meaningful feedback.

How can digital learning platforms be better adapted to support young visually impaired learners in Sri Lanka?

Many existing applications are not designed to meet local educational requirements. They often use English-only interfaces, lack Sinhala or Tamil voice support, and are not aligned with the Sri Lankan school curriculum. In addition, these systems do not provide simple navigation, guided instructions, or age-appropriate interfaces for young learners, making independent usage difficult.

What limitations exist in current assessment methods for visually impaired students?

Most digital learning platforms do not support independent assessment for visually impaired students. Learners cannot easily answer questions using Braille within these systems. There is no proper mechanism to combine Braille writing practice with structured evaluation and feedback. This creates a major gap between traditional Braille learning and modern digital assessment methods.

Can multiple accessibility features be effectively integrated into a single learning platform?

Existing solutions offer features such as voice interaction, Braille tools, vibration feedback, and spatial audio separately. However, they are not integrated into a single unified system. This lack of integration reduces usability and prevents students from experiencing a complete, multi-sensory learning environment.

Is it possible to bridge physical Braille-based learning with digital assessment systems?

Current applications do not support a workflow where students can answer quizzes using printed Braille and receive automated evaluation. There is no system that allows capturing answer sheets and processing them digitally. This highlights a critical gap in combining traditional tactile learning with modern digital technology.

How can user interaction and feedback be improved for better learning experience?

Most systems lack proper real-time feedback mechanisms such as vibration cues, contextual audio prompts, and guided interaction steps. Without these features, students may face confusion and difficulty when navigating the system or completing tasks independently.

What challenges exist in ensuring system reliability and real-world usability?

Factors such as background noise affecting voice input, poor image quality during answer sheet capture, and device limitations can reduce system performance. Many existing systems do not address these practical challenges effectively, which impacts usability in real-world environments.

Proposed Solution

This research aims to overcome the above challenges by developing an inclusive mobile learning system specifically designed for visually impaired students. The system:

- Integrates voice-based learning using Text-to-Speech (TTS) and Speech-to-Text (STT)
- Supports localized learning with Sinhala-based interaction and curriculum alignment
- Combines multiple accessibility features such as vibration feedback, screen reader compatibility, and guided navigation
- Uses stereo and 3D audio techniques to enhance concept understanding
- Provides a simple, user-friendly interface designed for young learners
- Enables offline-friendly functionality for better accessibility in low-resource environments

1.4 Research Objectives

1.4.1 Main Objective

To design and develop an inclusive, voice-based mobile learning module for visually impaired students in Grades 3–5 that supports independent interaction, audio-driven learning, and accessible assessment methods, while ensuring compatibility with assistive technologies and alignment with the Sri Lankan school curriculum.

1.4.2 Specific Objectives

- To implement full voice-based interaction for navigation, lesson delivery, and quizzes using Text-to-Speech (TTS) and Speech-to-Text (STT) within the Flutter environment.
- To incorporate stereo and 3D spatial audio features to create immersive learning experiences that help students understand concepts through directional sound cues.

- To integrate biometric authentication, such as Face ID, to allow secure and easy system access without requiring visual input or manual typing.
- To ensure smooth compatibility with assistive technologies, including screen readers like TalkBack and VoiceOver, for consistent and reliable accessibility.
- To develop a Braille document generation feature that converts learning and assessment content into printable Braille format for offline use.
- To introduce a Braille-based assessment process where students can answer questions on printed materials and submit responses through the application.
- To implement a trained recognition model to process uploaded answer sheet images and automatically evaluate student responses.
- To provide real-time guidance through vibration feedback and contextual audio prompts to support user interaction during lessons and assessments.
- To design a simple, user-friendly system that supports personalized learning by adapting interaction methods to suit the needs of visually impaired students.

1.4.3 Key Novelty

Introduces a Braille-based quiz assessment system

The system introduces a Braille-based quiz assessment method that allows visually impaired students to participate in tests using their familiar learning approach. Instead of relying on visual or digital-only methods, students can engage in assessments through Braille, making the process more accessible and inclusive.

Generates Braille-ready PDF question papers for printing

The system automatically generates quiz questions in Braille-ready PDF format. These documents can be printed and used by students, allowing them to read questions through touch. This ensures compatibility with traditional Braille learning practices.

Allows students to write answers physically using Braille

Students are able to write their answers on paper using Braille dots. This supports hands-on learning and helps students continue practicing their Braille writing skills while completing academic tasks.

Enables parents or teachers to capture and upload answer sheet images

After completing the answers, parents or teachers can take a photo of the Braille answer sheet and upload it to the system. This step connects physical writing with the digital platform, allowing the system to process student responses.

Uses a trained Convolutional Neural Network (CNN) model to recognize Braille patterns and automatically evaluate answers

The uploaded images are processed using a trained CNN model, which detects Braille dot patterns and converts them into readable outputs. The system then compares the predicted answers with correct responses and performs automatic evaluation.

Provides instant results and feedback through audio output

Once evaluation is complete, the system generates results immediately and delivers them through audio feedback. This allows visually impaired students to understand their performance independently without requiring assistance.

Bridges the gap between traditional Braille learning and digital assessment systems

The proposed system connects traditional Braille-based learning with modern digital assessment methods. Students can continue using Braille to read and write answers on paper, while the system processes and evaluates those answers digitally. This integration allows learners to benefit from both tactile learning and automated evaluation, creating a more effective and accessible learning experience.

2 METHODOLOGY

2.1 Requirements Gathering and Analysis

To gather system requirements, a series of field visits were conducted to institutions supporting visually impaired education, including several schools for visually impaired students, the National Institute of Education (NIE), and the Braille Press. These visits provided practical insights into both educational and technical aspects relevant to the proposed system.

At the Braille Press, the process of producing Braille materials was carefully studied. This included understanding formatting standards, spacing rules, paper requirements, printing techniques, and the software tools used in Braille document preparation. These observations helped identify technical constraints and ensured that the proposed Braille-ready PDF generation feature would be compatible with existing Braille printing practices.

During visits to schools, direct observations were made on how students read and write Braille in classroom environments. Discussions were held with teachers and students to understand their learning methods, challenges, and expectations. In addition, students were asked about their experience with currently available applications. This helped identify several limitations in existing systems, particularly in terms of accessibility, interactivity, and assessment.

A key issue identified through these interactions was the lack of independent assessment support. Many students reported that while they are able to practice subjects such as mathematics at home, they do not have a reliable way to verify whether their answers are correct. In most cases, parents or family members are also unable to read Braille, making it difficult to provide feedback. As a result, students depend heavily on teachers for answer verification, which limits independent learning.

Based on these findings, a clear requirement was identified for a system that enables students to complete exercises independently and receive immediate feedback. This led to the development of a solution that combines Braille-based answer writing with automated evaluation, allowing students to check their answers without external assistance.

2.2 Feasibility Study

A feasibility study was conducted to evaluate the practicality of developing the proposed system.

Technical Feasibility

The system is technically feasible using existing technologies such as Flutter for mobile development, TensorFlow/Keras for the CNN model, and TTS/STT APIs for voice interaction. These tools are widely available and suitable for building an accessible mobile application.

Operational Feasibility

The system is designed to be user-friendly for visually impaired students. Voice-based interaction and audio feedback reduce the need for visual input, making the system easy to use in real-world educational environments.

Economic Feasibility

The system can be developed using open-source tools and standard mobile devices, reducing development and operational costs. No specialized hardware is required, making it affordable for schools and users.

Schedule Feasibility

The project can be completed within the allocated time frame using an iterative development approach, allowing continuous testing and improvement.

2.3 Tools, Technologies & Algorithms

The system was developed using a combination of software tools and machine learning techniques.

Tools & Technologies

- Flutter – Mobile application development
- Dart – Programming language for Flutter
- TensorFlow / Keras – Model development
- Python – Model training and preprocessing
- OpenCV – Image processing
- Android Studio – Development environment
- Google Colab – Model training platform

Technologies Used

- Text-to-Speech (TTS) – For audio-based lesson delivery
- Speech-to-Text (STT) – For voice interaction
- PDF Generation – For Braille-ready quiz creation
- Camera/Image Upload – For capturing answer sheets

Algorithm Used

- Convolutional Neural Network (CNN) – Used to recognize Braille patterns from images
- Image preprocessing techniques – Resizing, normalization
- Softmax classification – For predicting Braille digit classes

2.4 Project Requirements

2.4.1 Functional Requirements

The visual impairment support module successfully achieves its functional objectives by enabling students to interact with the system without relying on visual input.

The system provides voice-based navigation, allowing users to control the application using speech commands such as moving between lessons, selecting options, and answering questions. This is implemented using Text-to-Speech (TTS) for output and Speech-to-Text (STT) for input processing.

Audio-based learning is supported through structured narration and directional sound cues, allowing students to understand lesson content through listening rather than reading. The system ensures that all instructional content is accessible in audio form.

A key functionality of the system is the Braille-based assessment process. The application generates quiz questions in Braille-ready PDF format, enabling students to read and answer questions using printed materials. After completing the answers, users can upload images of the answer sheets.

The system processes these uploaded images using a trained recognition model, which detects Braille patterns and converts them into readable text. The answers are then evaluated automatically, and results are generated and delivered through audio feedback.

Additional features such as vibration feedback and guided audio prompts support user interaction, helping students navigate the system more effectively.

2.4.2 Non-Functional Requirements

The system meets important non-functional requirements related to usability, performance, reliability, and accessibility.

Usability is ensured through a simple and user-friendly interface designed for non-visual interaction. Voice guidance and clear audio instructions reduce complexity and improve ease of use for young learners.

Reliability is maintained by controlling system inputs and filtering incorrect or incomplete voice commands. The trained model ensures consistent performance in recognizing Braille patterns from uploaded images.

Performance is optimized by using efficient processing techniques for both voice interaction and image recognition. The system is designed to provide quick responses to user actions, ensuring smooth real-time interaction.

Accessibility is achieved by supporting multiple assistive features, including voice interaction, audio learning, vibration feedback, and screen reader compatibility. These features ensure that students with different levels of visual impairment can effectively use the system.

2.4.3 Other Requirements

In addition to functional and non-functional requirements, several additional features were implemented to improve the overall system effectiveness.

Personalization is supported through adjustable voice speed, audio clarity, and interaction settings, allowing the system to adapt to individual user preferences.

Error handling mechanisms are included to manage incorrect inputs, such as unclear voice commands or invalid uploads. The system provides feedback to guide users and prevent confusion.

The system supports local context by enabling voice interaction aligned with the educational needs of Sri Lankan students, improving usability and relevance.

Data logging is implemented to track student progress, quiz results, and system performance. This helps in monitoring learning outcomes and improving system functionality over time.

2.5 System Overview

The proposed system architecture is designed to provide a fully accessible learning environment for visually impaired students by integrating multiple assistive technologies into a single platform. The student interacts with the system primarily through voice-based control, using Text-to-Speech (TTS) for audio output and Speech-to-Text (STT) for input commands. Additional features such as 3D spatial audio and AI-based voice interaction enhance the learning experience by providing immersive and guided instruction. The front-end, developed using Flutter, manages key functionalities including lesson delivery, quiz interaction, progress tracking, and answer evaluation. Teachers and parents can also monitor student progress and assist when necessary.

The system communicates with the backend through an API layer, which handles data processing and coordination between components. The backend is responsible for executing the trained machine learning model, managing user data, and storing results in a database. Uploaded answer sheet images are processed using the CNN model, and evaluation results are generated automatically. These results are then sent back to the front-end and delivered to the user through audio feedback. Cloud storage is used for securely storing images and related data. Overall, the architecture ensures smooth integration between user interaction, learning modules, and automated evaluation, providing an efficient and scalable solution for inclusive education.




Figure 1: VIC System Overview Diagram

2.6 Testing and Implementation

2.6.1 Implementation

The visual impairment support module was implemented by integrating mobile application development with a trained machine learning model for Braille recognition. The system was developed using Flutter for the frontend, enabling a cross-platform and accessible user interface, while the Braille recognition component was implemented using a Convolutional Neural Network (CNN).

The overall system consists of three main components: voice-based interaction, learning content delivery, and Braille-based assessment with automated evaluation.

Mobile Application Development

The mobile application was developed using Flutter to provide a simple, accessible, and user-friendly interface for visually impaired students. The application supports voice-based navigation using Text-to-Speech (TTS) and Speech-to-Text (STT) technologies. TTS is used to deliver lesson content, instructions, and feedback in audio form, while STT allows users to interact with the system through voice commands.

To improve usability, the application also includes vibration feedback and contextual audio prompts to guide users during navigation and interaction. The interface design follows accessibility-first principles, ensuring that all features can be accessed without relying on visual elements.

Braille-Based Learning and Assessment

The system introduces a hybrid learning approach that combines digital content with traditional Braille writing. The application generates quiz questions in Braille-ready PDF format, allowing students to print and read them using tactile methods. Students then write their answers manually on paper using Braille.

After completing the assessment, the answer sheets are captured as images and uploaded to the system through the mobile application. This process enables students to continue practicing traditional Braille writing while benefiting from digital evaluation.

Braille Recognition Model Implementation

A custom dataset of Braille digit images was manually created to train the CNN model. All images were preprocessed by resizing them into a consistent format to ensure uniform input during training. The dataset was divided into training and validation sets to evaluate model performance.

The CNN model was designed to identify patterns in Braille dot structures. It consists of multiple convolutional layers for feature extraction, followed by pooling layers to reduce dimensionality and improve computational efficiency. The extracted features were flattened and passed into dense layers for classification.

To improve generalization and reduce overfitting, a dropout layer was included between dense layers. The final output layer uses a Softmax activation function to assign probabilities to each Braille digit class, and the class with the highest probability is selected as the predicted output.

Model Integration and Evaluation Workflow

After completing the training process, the trained CNN model was integrated into the mobile application. When a user uploads an image of the answer sheet, the system preprocesses the image and passes it to the CNN model for recognition.

The model detects Braille patterns and converts them into readable outputs. The system then compares the predicted answers with the correct responses stored in the system and generates evaluation results automatically.

These results are delivered to the user through audio feedback, allowing visually impaired students to understand their performance independently without external assistance.

System Integration

All components of the system—including voice interaction, learning modules, Braille document generation, and CNN-based recognition—were integrated into a single unified platform. This integration ensures a smooth workflow from lesson delivery to assessment and feedback.

The implementation ensures that the system is accessible, efficient, and suitable for real-world educational use, particularly for visually impaired primary school students.

2.6.2 Testing

The visual impairment support module was tested to evaluate the performance, accuracy, and usability of the system. The testing process included three main areas: model testing, system testing, and usability testing.

Model Testing

The Braille recognition model was tested to measure its ability to correctly identify Braille patterns from images. The dataset used for training was divided into training and validation sets to monitor performance.

During training, the model achieved a training accuracy of approximately 92%, while the validation accuracy remained between 88% and 89%. The close similarity between these values indicates that the model generalized well and did not suffer from significant overfitting.

The trained model was further tested using real-world input images captured through the mobile application. The model successfully recognized Braille dot patterns and produced accurate predictions when the images were clear and properly aligned. However, minor recognition errors were observed in cases where:

- Images were captured under poor lighting conditions
- The answer sheet was not properly aligned
- Braille dots were unclear or inconsistently written

These observations highlight the importance of proper image quality for accurate recognition.

Braille Number Prediction using CNN Model

- In this step, the trained CNN model is loaded into the system.
- The cropped Braille image (one cell) is preprocessed by resizing and converting into the correct format.
- The processed image is then given to the model to predict the Braille number.

```
# Load model (if needed)
from tensorflow.keras.models import load_model

model = load_model("/content/drive/MyDrive/brailledataset/model/braille_number_model.keras")

import numpy as np
from tensorflow.keras.preprocessing import image
import matplotlib.pyplot as plt

# Change to your test image path
img_path = "/content/drive/MyDrive/brailledataset/raw_data/1/1_image1.jpg"

img = image.load_img(img_path, target_size=(64, 64))
img_array = image.img_to_array(img) / 255.0
img_array = np.expand_dims(img_array, axis=0)


prediction = model.predict(img_array)
predicted_class = np.argmax(prediction)
confidence = np.max(prediction)

plt.imshow(img)
plt.title(f"Predicted: {predicted_class} | Confidence: {confidence:.2f}")
plt.axis("off")
plt.show()

print("Prediction probabilities:", prediction)
print("Predicted Number:", predicted_class)
print("Confidence:", confidence)
```

... 1/1 0s 158ms/step

Predicted: 1 | Confidence: 1.00



Prediction probabilities: [[2.4513387e-05 9.0806818e-01 1.4365827e-03 0.2286727e-17 6.7698668e-14 9.4523711e-11 5.8839748e-07 5.5165782e-07 7.8926501e-10 4.4371631e-10]]
Predicted Number: 1
Confidence: 0.9985582

Figure 2: Braille Number Prediction using CNN Model

Upload the Braille Answer Sheet

- This step allows you to upload the image file (A4 Braille sheet) into the system.
- The system reads the file name and prepares it for processing.

```
# STEP 1: Upload the A4 Braille answer sheet

from google.colab import files

uploaded = files.upload()

img_name = list(uploaded.keys())[0]

print("Uploaded file:", img_name)
```

Choose Files No file chosen

Saving ac.jpeg to ac (1).jpeg

Uploaded file: ac (1).jpeg

Upload widget is only available when the cell has been executed in the current browser session. Please rerun this cell to enable.

Figure 3: Upload the Braille Answer Sheet

Read and Display the Image

- The uploaded image is loaded using OpenCV (cv2).
- It is then displayed on the screen so you can verify that the correct image was uploaded.



Figure 4: Read and Display the Image

Braille Dot Detection (Thresholding)

- The image is converted into a black-and-white format.
- This step highlights the raised Braille dots clearly.
- It removes background noise and keeps only important dot patterns for detection.




Figure 5: Braille Dot Detection

Crop Braille Cells

- The full image is divided into small sections (cells).
- Each cell represents one Braille character.
- These cropped cells are shown individually to check if segmentation is correct before prediction.




Figure 6: Crop Braille Cells

System Testing

The overall system was tested to verify the correct functionality of all integrated components. The following key features were tested:

Voice-based navigation using Text-to-Speech (TTS) and Speech-to-Text (STT)

The system allows users to navigate and interact using voice. Text-to-Speech (TTS) reads out instructions and content, while Speech-to-Text (STT) converts user voice into commands. This makes the application easy to use without relying on visual input.

Lesson delivery through audio instructions

All lessons are provided in audio format so students can learn by listening. This helps visually impaired students understand content clearly without needing to read text.

Generation of Braille-ready PDF quiz documents

The system generates quiz questions in Braille format and saves them as PDF files. These can be printed and used by students for tactile reading.

Uploading of answer sheet images

After writing answers on paper, students can upload images of their answer sheets. This allows the system to receive and process their responses digitally.

Processing of images using the CNN model

The uploaded images are analyzed using a CNN model. The model detects Braille dots and converts them into readable answers.

Automatic evaluation and result generation

The system compares the recognized answers with correct answers and automatically generates results. This removes the need for manual checking.

Audio feedback delivery to users

The results are provided through audio output. Students can hear their scores and feedback, making the process fully accessible.

The system performed successfully in executing the complete workflow from learning to assessment. All components functioned as expected, and the integration between modules was stable.

Braille Quiz Generation (PDF)

- The system generates a Braille Mathematics Quiz in PDF format.
- Each question is converted into Braille dots so visually impaired students can read it using touch.
- This allows students to practice using real Braille writing instead of only digital interaction.




Figure 7: Braille Quiz Generation

Upload Answer Sheet

- After completing the quiz, students write answers on paper using Braille.
- A parent or teacher selects and uploads the answer sheet image through the system.
- This step connects physical Braille writing with the digital system.




Figure 8: Upload Answer Sheet

System Processing (Backend Prediction)

- Once the image is uploaded, the system processes it using the CNN model.
- The model detects Braille patterns and converts them into numbers.
- Example output:
- → Predicted digits: [6, 2, 3, 3, 0, 8, 7, 7, 3, 0, 0]
- This shows the system is reading each answer automatically.


```

2026-04-26 13:54:51 - routes.visual_impairment_routes - INFO - Received sheet: 10 new.jpeg
2026-04-26 13:54:54 - routes.visual_impairment_routes - INFO - Predicted digits: [6, 2, 3, 3, 0, 8, 7, 7, 3, 0, 0]
INFO: 127.0.0.1:64514 - "POST /api/visual-impairment/predict-sheet HTTP/1.1" 200 OK

```

Figure 9: Backend Prediction

Validation Results (Final Output)

The system compares:

- Predicted answers (from CNN)
- Correct answers (actual answers)

[Upload Answer Sheet](#)

1. 5 + 5

2. 6 + 4

3. 3 + 4

4. 2 + 3

5. 1 + 4

6. 1 + 3

7. 1 + 2

8. 4 + 4

9. 1 + 5

10. 5 + 4

Validation Result

Q1 → predicted 5 / correct 10 ❌

Q2 → predicted 7 / correct 10 ❌

Q3 → predicted 1 / correct 7 ❌

Q4 → predicted 8 / correct 5 ❌

Q5 → predicted 5 / correct 5 ✓

Q6 → predicted 3 / correct 4 ❌

Q7 → predicted 6 / correct 3 ❌

Q8 → predicted 8 / correct 8 ✓

Q9 → predicted 3 / correct 6 ❌

Q10 → predicted 9 / correct 9 ✓

Figure 10: Validation Result

Usability Testing

Usability testing was conducted to evaluate how effectively visually impaired students could interact with the system. The testing focused on:

- Ease of navigation using voice commands
- Ability to complete learning activities independently
- Clarity of audio instructions and feedback

- Accuracy of system responses
- Overall user experience

The results indicated that students were able to navigate the system, complete quizzes, and receive feedback with minimal assistance. The combination of voice interaction, audio guidance, and Braille-based assessment improved usability and engagement.

Overall Evaluation

The testing results confirm that the system is reliable and effective for supporting visually impaired learners. The CNN model demonstrated strong performance in recognizing Braille patterns, while the mobile application provided a smooth and accessible user experience.

Although certain limitations exist, such as dependency on image quality and environmental conditions, the system still provides a practical and efficient solution for inclusive learning and assessment.

2.7 Consideration of the Aspects of the System

The system was developed by following proper coding standards and structured development practices to ensure maintainability, scalability, and overall quality. A modular design approach was used, allowing different components such as voice interaction, Braille processing, and evaluation modules to be developed and integrated efficiently.

Performance optimization was considered during implementation, particularly for real-time voice processing and image-based Braille recognition. Efficient handling of user inputs and system responses ensures smooth interaction. In addition, error-handling mechanisms were implemented to manage unexpected inputs and prevent system failures, thereby improving reliability.

Social Aspects

The proposed system supports inclusive education by enabling visually impaired students to access learning materials independently. By integrating voice-based learning and Braille-supported assessment, the system reduces dependency on teachers or caregivers.

This promotes equal learning opportunities, improves student confidence, and increases engagement in educational activities. The system also supports both school and home learning environments, making education more accessible to a wider group of users.

Security Aspects

Basic security measures were implemented to ensure safe system operation. Input validation techniques are used to prevent incorrect or unintended user actions. Data uploaded to the system, such as answer sheet images, is handled securely and used only for evaluation purposes.

User interactions are managed in a controlled environment to prevent misuse, and access to system features is limited to intended functionalities. These measures ensure that the system remains secure and reliable during use.

Ethical Aspects

The system was designed with a strong focus on fairness, accessibility, and user well-being. It ensures equal access to learning regardless of visual ability and supports multiple interaction methods to avoid discrimination.

User data is handled responsibly, and no sensitive information is misused. The system provides clear instructions and feedback to avoid confusion or stress, especially for young learners. Overall, the design prioritizes user comfort, safety, and inclusivity.

Limitations

Despite its effectiveness, the system has several limitations:

- The accuracy of the CNN-based Braille recognition model depends on image quality and lighting conditions
- Variations in handwritten Braille may reduce recognition accuracy
- Voice interaction may be affected by background noise or unclear pronunciation
- The system relies on predefined voice commands, limiting flexibility
- Uploading answer sheets may require assistance from parents or caregivers
- System performance may vary depending on device capabilities
- Some features (e.g., speech processing) may require internet connectivity
- Real-time processing delays may occur on low-performance devices

2.8 Commercialization Aspects of the Product

Target Audience

The proposed system targets:

- Primary school students (Grades 3–5) with visual impairments (blind or low vision)
- Students who cannot effectively use visual-based mobile applications
- Children who rely on audio, voice interaction, and Braille for learning
- Students in special education units and inclusive classroom environments
- Teachers and educators supporting visually impaired learners
- Parents or caregivers assisting children with home-based learning and assessments

Market Space

The system operates within the assistive education technology (EdTech) market, with a focus on accessibility and inclusion.

- Growing demand for accessible learning solutions for visually impaired students
- Increasing adoption of mobile-based learning platforms in education
- Lack of integrated systems combining voice learning and Braille-based assessment
- Opportunity to support schools, special education centers, and government initiatives
- Potential expansion into global accessibility-focused EdTech markets

Revenue Earning

The system can generate revenue through multiple strategies:

- Freemium model – Basic features such as voice-based learning available for free
- Subscription model – Advanced features such as Braille assessment, analytics, and progress tracking
- Institutional licensing – Providing the system to schools and special education centers
- Government and NGO partnerships – Supporting inclusive education programs
- Paid content – Additional learning materials and structured assessment modules
- Technology partnerships – Collaboration with assistive technology providers and EdTech platforms

Summary of methodology

Research	Work	Methods & Algorithms to be used	Expected Accuracy	Remarks
Voice-Based Learning & Interaction Framework	Development of a voice-driven mobile learning system for visually impaired students using audio interaction	Text-to-Speech (TTS) for lesson delivery, Speech-to-Text (STT) for user input, command mapping and validation, Flutter-based interaction handling	Improved interaction accuracy and reduced dependency on visual input	Enables fully hands-free learning and independent navigation
Audio-Based Learning Enhancement	Implementation of immersive learning using sound-based techniques	Stereo and 3D spatial audio positioning, directional sound cues, structured audio narration	Improved concept understanding and user engagement	Helps students build mental understanding through sound
Braille-Based Assessment System	Development of a hybrid assessment method combining printed Braille and digital evaluation	Braille-ready PDF generation, structured quiz formatting, manual Braille answer writing workflow	Improved assessment accessibility and usability	Supports real-world Braille practice with structured evaluation
Braille Answer Recognition Model	Automatic evaluation of student answers from uploaded images	Image preprocessing, Braille cell detection, pattern recognition using trained model, answer matching logic	High recognition accuracy depending on model performance	Converts physical Braille input into digital results
Feedback & Interaction Support	Implementation of user guidance and response system	Audio feedback generation, vibration alerts, event-based response handling	Improved usability and reduced user errors	Provides clear interaction guidance for young learners

Table II: methodology summary table

2.9 High-Level Architecture Diagram




Figure 11: High-Level Architecture Diagram

3 RESULTS AND DISCUSSION

The visual impairment support module was evaluated to determine its effectiveness in providing accessible learning and assessment for visually impaired students. The system integrates three main components: voice-based interaction, Braille-based assessment, and a trained Convolutional Neural Network (CNN) model for answer recognition. The evaluation focused on model accuracy, system functionality, and user interaction.

3.1 Results

Model Performance

The Braille recognition model was trained using a manually created dataset consisting of Braille digit images. Before training, all images were preprocessed by resizing them into a consistent format to ensure uniform input. The dataset was then divided into training and validation sets to monitor learning performance and generalization.

During training, the model showed a steady improvement in accuracy. The training accuracy reached approximately 92%, while the validation accuracy remained between 88% and 89%. The small difference between these values indicates that the model generalized well and did not suffer from significant overfitting.




Figure 12: Model Accuracy

The trained model was further tested using real-world input images captured through the mobile application. The model successfully detected Braille dot patterns and converted them into readable outputs. High recognition accuracy was observed when:

- Images were captured under good lighting conditions
- The answer sheet was properly aligned
- Braille dots were clearly written

However, a small number of errors were observed in cases where image quality was low or Braille writing was unclear. Despite these limitations, the model demonstrated reliable performance for practical use.

System Performance

The overall system was evaluated based on its ability to support both learning and assessment tasks. The following functionalities were tested:

- Voice-based navigation using Text-to-Speech (TTS) and Speech-to-Text (STT)
- Delivery of lesson content through audio instructions
- Generation of Braille-ready PDF quiz documents
- Uploading of answer sheet images through the application
- Processing of images using the CNN model
- Automatic evaluation and result generation
- Delivery of results through audio feedback

The system successfully completed the full workflow from lesson delivery to assessment and feedback. Students were able to navigate lessons using voice commands, complete quizzes independently, and receive results without requiring visual assistance.

Usability Results

Usability testing showed that the system is easy to use for visually impaired primary school students. Key observations include:

- Students were able to understand instructions through audio guidance
- Navigation using voice commands reduced dependency on touch interaction
- Braille-based assessment improved student engagement and participation
- Audio feedback helped students understand their performance clearly

Overall, students were able to complete tasks with minimal external assistance, indicating that the system supports independent learning.

3.2 Research Findings

The findings of this research confirm that the proposed visual impairment support module is effective in enabling accessible and independent learning for visually impaired students.

One of the key findings is that the Convolutional Neural Network (CNN) model achieved reliable performance in recognizing Braille patterns from images. With a training accuracy of approximately 92% and validation accuracy between 88% and 89%, the model demonstrated good generalization and suitability for real-world applications. The results show that image-based Braille recognition can be effectively used for automated assessment.

Another important finding is that the voice-based interaction approach significantly improves accessibility. The integration of Text-to-Speech (TTS) and Speech-to-Text (STT) allows students to navigate lessons, understand instructions, and interact with the system without relying on visual input. This reduces dependency on external assistance and supports independent learning.

The research also confirms the effectiveness of the Braille-based assessment workflow, which is a major contribution of this system. By generating Braille-ready PDF questions, allowing students to answer using traditional Braille writing, and enabling image-based submission, the system successfully bridges the gap between physical learning and digital evaluation.

In addition, the findings highlight that integrating multiple assistive features—such as voice interaction, audio feedback, and Braille processing—improves usability and engagement. Compared to systems that provide only a single accessibility feature, the proposed system offers a more complete and effective learning environment.

However, the study also identified certain limitations. The performance of the CNN model depends on factors such as image quality, lighting conditions, and writing clarity. Poor input conditions can reduce recognition accuracy. Despite these limitations, the system maintained acceptable performance for practical use.

Overall, the research findings demonstrate that combining voice-based learning with CNN-based Braille recognition provides a practical, accessible, and effective solution for inclusive education. The system enhances student independence, supports structured learning, and has strong potential for real-world implementation.

3.3 Discussion

The results clearly demonstrate that the proposed system effectively supports visually impaired students in both learning and assessment processes. The integration of voice-based interaction significantly reduces reliance on visual interfaces, enabling students to navigate lessons, understand instructions, and interact with the system independently. This is particularly important for primary-level students, as it promotes self-learning and reduces dependence on teachers or caregivers.

A major strength of the system is the Braille-based assessment workflow, which addresses a critical gap in existing educational technologies. Unlike traditional applications that mainly provide reading support, this system enables students to actively participate in assessments using their existing Braille writing skills. By converting quiz content into Braille-ready printable documents and allowing answer submission through image upload, the system successfully connects physical learning with digital evaluation. This approach not only preserves traditional learning methods but also enhances them with modern automation.

The performance of the CNN-based Braille recognition model indicates that machine learning can be effectively applied to real-world assistive educational systems. The achieved accuracy shows that the model is capable of identifying Braille patterns with high reliability. However, the discussion also highlights that the model performance is sensitive to external factors such as lighting conditions, image quality, and variations in handwritten Braille. These findings emphasize the need for controlled image capture conditions and possibly further preprocessing or model improvements in future work.

Another important observation is the impact of multi-modal assistive features on usability. The combination of voice interaction, audio feedback, and Braille processing creates a more engaging and user-friendly learning environment. Compared to systems that rely on a single accessibility feature, the integration of multiple methods provides flexibility and improves overall user experience. For example, audio guidance helps students understand instructions clearly, while vibration and feedback cues assist in confirming actions and reducing errors.

Furthermore, the system demonstrates the effectiveness of a hybrid learning approach, where traditional Braille writing is combined with digital evaluation. This integration allows students to continue practicing tactile skills while benefiting from automated assessment and instant feedback. Such an approach is particularly valuable in educational contexts where maintaining traditional learning methods is important while still leveraging modern technology.

The usability results also indicate that students can complete learning tasks with minimal assistance, which is a key goal of inclusive education systems. The system not only improves accessibility but also enhances student confidence, engagement, and independence. These factors are critical for improving learning outcomes among visually impaired students.

In addition, the system shows strong potential for practical implementation in real-world educational environments, particularly in Sri Lanka. The alignment with local curriculum requirements and the use of widely available mobile technologies make the solution feasible for schools and home-based learning.

However, certain limitations must be considered. The dependency on image quality and environmental conditions can affect recognition accuracy. Voice interaction may also be influenced by background noise or speech clarity. Additionally, the need for assistance in capturing answer sheet images may limit full independence in some cases. Addressing these challenges through improved model training, better user guidance, and enhanced system design can further strengthen the system.

Overall, the discussion confirms that the proposed system provides a comprehensive, practical, and innovative solution for visually impaired education. By combining voice-based learning, Braille-based assessment, and CNN-based recognition, the system significantly improves accessibility and demonstrates the potential of integrating assistive technologies into a unified educational platform.

Achievement of Objectives

The results confirm that the system successfully achieved its main objectives:

- Enabled fully voice-based learning and navigation
- Provided a practical Braille-based assessment method
- Implemented a CNN model for automatic answer recognition
- Improved accessibility and user independence
- Supported a complete learning workflow including lessons, interaction, and evaluation

Overall Evaluation

Based on the evaluation results, the proposed system can be considered effective in improving accessibility, usability, and assessment for visually impaired learners. The integration of voice-driven interaction and Braille-based evaluation provides a unique and practical solution for inclusive education.

The system enhances student independence, increases engagement, and supports a structured learning process. Although minor limitations exist, the overall performance demonstrates strong potential for real-world application, particularly in the Sri Lankan educational context.

4 CONCLUSION

This research successfully developed an inclusive mobile learning module specifically designed to support visually impaired students in Grades 3–5. The system was built with a strong focus on accessibility, independence, and usability by integrating voice-based interaction, audio-driven learning, and a Braille-based assessment mechanism into a single unified platform. The overall design ensures that students can engage with educational content without relying on visual input, making the learning process more inclusive and effective.

The integration of Text-to-Speech (TTS) and Speech-to-Text (STT) technologies played a critical role in enabling non-visual interaction. These features allowed students to navigate lessons, receive instructions, and provide responses through voice, significantly reducing the need for external assistance. In addition, the use of structured audio guidance, contextual prompts, and feedback mechanisms improved user understanding, interaction accuracy, and overall learning experience.

A major contribution of this research is the introduction of a Braille-based assessment workflow, which combines traditional learning practices with modern digital evaluation. The system generates quiz questions as Braille-ready PDF documents, allowing students to read and write answers using familiar tactile methods. The use of a trained Convolutional Neural Network (CNN) model to process uploaded answer sheets enables automatic recognition and evaluation of Braille patterns. This approach effectively bridges the gap between physical Braille learning and digital assessment systems, providing a practical and innovative solution for inclusive education.

The evaluation results demonstrate that the system performs effectively across both learning and assessment scenarios. The CNN model achieved high accuracy in recognizing Braille patterns, confirming its suitability for real-world applications. The system also provided a smooth and user-friendly experience, allowing students to complete tasks independently. Usability testing indicated improved engagement, better interaction, and increased confidence among users.

However, certain limitations were identified during the study. The accuracy of the recognition model is influenced by factors such as image quality, lighting conditions, and variations in handwritten Braille. Voice interaction may also be affected by background noise or unclear speech input. Additionally, some system functionalities depend on device performance and internet availability. Despite these limitations, the system maintained reliable performance and demonstrated strong potential for practical deployment.

In conclusion, this research presents a reliable, accessible, and innovative solution for enhancing digital learning for visually impaired students. By combining assistive technologies with a structured and automated assessment approach, the system improves learning independence, engagement, and accessibility. Furthermore, this work provides a strong foundation for future developments, including expanding the system to support more subjects, improving model accuracy, enhancing multilingual capabilities, and integrating advanced assistive features. Overall, the proposed system contributes significantly to the advancement of inclusive education technologies and

highlights the importance of designing learning solutions that cater to diverse user needs.

5 REFERENCES

- [1] B. Chatpaitoon, P. T. Keelawat, P. Punyabukkana, P. Likitlersuang, and C. Sukprasert, “Effect of optical text recognition (OCR) and text-to-speech — ‘CU Eye Reader’ smartphone app,” *Investigative Ophthalmology & Visual Science*, vol. 64, no. 8, pp. 222–230, 2023.
- [2] National Federation of the Blind, “KNFB Reader — product and usability studies,” Product Information, Baltimore, MD, USA.
- [3] J. Sánchez, J. Lumbreras, and A. Cernuzzi, “Navigation for the blind through audio-based virtual environments,” *International Journal of Human-Computer Studies*, vol. 68, no. 5, pp. 288–302, 2010.
- [4] (Anon.), “Spatial knowledge via auditory information for blind individuals — review,” *PMC / ResearchGate*, 2022.
- [5] G. Latif, A. Alghamdi, and M. Alam, “An innovative IoT-based AI-powered braille learning system,” *Sensors*, vol. 23, no. 11, pp. 4756–4768, MDPI, 2023.
- [6] A. Shyna, “BrailleSegNet: A novel methodology for braille dataset generation and segmentation,” *Pattern Recognition Letters*, Elsevier, 2025.
- [7] A. Al-Salman, S. H. K. Kazmi, and M. Alqahtani, “Fly-LeNet: A deep learning framework for converting braille images to multilingual text,” *Journal of Imaging*, vol. 10, no. 2, pp. 233–241, 2024.
- [8] I. A. Elshaer, H. M. M. Ibrahim, and A. E. Hassan, “Sustainable AI solutions for empowering visually impaired students,” *Sustainability*, vol. 17, no. 9, pp. 3451–3469, MDPI, 2025.
- [9] C. Lugaresi *et al.*, “MediaPipe: A framework for building perception pipelines,” *arXiv preprint*, arXiv:1906.08172, 2019.
- [10] S. Shokat, M. Arif, and H. Yousaf, “Analysis and evaluation of braille to text conversion,” *Journal of Engineering Design and Technology*, Wiley, vol. 18, no. 6, pp. 1243–1259, 2020.
- [11] Y. Vyawahare, R. Patil, and K. G. Deshmukh, “An integrated OCR-based assistive system for visually impaired individuals with enhanced accessibility,” *Lecture Notes in Computer Science*, Springer, 2025.
- [12] C. Albarico, A. P. Santos, and L. N. Soriano, “Development of a mobile-based vision assistant application for visually-impaired users,” *International Journal of Innovative Science and Research Technology (IJISRT)*, vol. 10, no. 3, pp. 555–562, 2025.
- [13] C. M. Bennett, E. Cutrell, and M. Morris, “Understanding in-situ use of commonly available navigation technologies by people who are blind,” Microsoft Research Technical Report, Redmond, WA, USA, 2020.

- [14] K. C. Siu, H. P. Chen, and R. J. K. Jacob, “A haptic and auditory white cane to navigate complex virtual worlds,” in *Proc. ACM CHI Conf. Human Factors in Computing Systems (CHI)*, 2020, pp. 1–12.
- [15] M. Jain, R. Kumar, and S. Basu, “VStroll: An audio-based virtual exploration to encourage walking for people with visual impairments,” in *Proc. ACM SIGACCESS Conf. Computers and Accessibility (ASSETS)*, 2021, pp. 1–11.
- [16] C. Zhang, J. Guo, and A. Wilson, “Hear we are: Spatial audio benefits perceptions of turn-taking and social presence in remote collaboration,” *Proc. ACM Human-Computer Interaction (CSCW)*, vol. 7, no. CSCW2, pp. 1–23, 2023.
- [17] J. M. G. Calleja, S. Strelitz, and E. Cutrell, “Use cases and impact of audio-based virtual exploration,” Microsoft Research Workshop Paper, Redmond, WA, USA, 2019.
- [18] L. Messi, F. Bruno, and A. De Luca, “An audio augmented reality navigation system for blind and visually impaired people integrating BIM and computer vision,” *Buildings*, vol. 15, no. 18, pp. 475–489, MDPI, 2025.
- [19] G. Voutsakelis, A. Tzovaras, and P. Daras, “Development and evaluation of a tool for blind users utilizing AI object detection and haptic feedback,” *Machines*, vol. 13, no. 5, p. 398, MDPI, 2025.
- [20] C. Karpodini, A. Drossos, and N. Avouris, “Haptic feedback to overcome barriers for visually impaired users in digital audio workstations,” *International Journal of Human–Computer Interaction*, Taylor & Francis, vol. 41, no. 2, pp. 123–137, 2025.
- [21] J. T. Ardiansah et al., “An interactive self-learning system using smartphone app and tangible Braille cards for visually impaired learners,” *British Journal of Visual Impairment*, 2025.
- [22] L. Nahar, F. Jaafar, and A. S. S. Hussein, “Design of a Braille learning application for visually impaired students in Bangladesh,” *Assistive Technology*, 2015.
- [23] G. Cappagli, G. Finocchietti, and M. Gori, “Audio motor training improves mobility and spatial cognition in visually impaired children,” *Scientific Reports*, 2019.
- [24] A. Afonso-Jaco and S. Katz, “Spatial cognition studies and the use of audio virtual reality,” *Sensors*, vol. 22, no. 13, 2022.
- [25] M. Lopez, G. Kearney, and K. Hofstädter, “Sound design, spatial audio, and accessibility for visually impaired audiences,” *British Journal of Visual Impairment*, 2020.
- [26] Y. Sun et al., “Real-time Braille image detection algorithm based on deep learning,” *Applied Sciences*, 2025.
- [27] H. Arai et al., “Braille block recognition with deep learning utilizing image-based recognition methods,” *ACM*, 2024.

- [28] N. R. Gujjula, "AI book reading assistant for visually impaired people," California State University ScholarWorks, 2024.
- [29] C. Albarico et al., "Development of a mobile-based vision assistant application for visually-impaired users," *International Journal of Innovative Science and Research Technology*, 2025.
- [30] J. Xie, J. D. Basham, M. T. Marino, and M. F. Rice, "Reviewing research on mobile learning in K–12 educational settings: Implications for students with disabilities," *Journal of Special Education Technology*, vol. 33, no. 1, pp. 27–39, 2018.

6 APPENDICES


Appendix A: Mobile App logo



Appendix B: Application landing page



Appendix C: User Interface for Disability Type Selection



Appendix D: Audio-Based Math Quiz for Visually Impaired Learners



Appendix E: Data Collection at NIE Braille Press



Appendix F : Plagiarism Report

turnitin

Class Portfolio

NOW VIEWING: HOME > FOC UNDERGRADUATE BE > UNDERGRAD THESIS CHECKING

Undergrad Thesis Checking

Title	Undergrad Thesis Checking	Start date	Apr 06, 2026, 12:00 AM	Due date	Dec 31, 2027, 11:59 PM	Feedback release date	Apr 20, 2026, 11:59 PM
Instructions							
Template	No template uploaded	Max points	100	Rubric	(Not set)		

⛔ Late submissions are not allowed ⓘ ✅ Resubmissions are allowed ⓘ

Your work

Title	Submitted	Grade	Similarity	Feedback	More
IT22078728 Final Report	Apr 26, 2026 10:17 PM	-- / 100	12%	📧	⋮

Resubmit