

```
sudo apt install zsh
```

```
r@DESKTOP-NUUPDLJ: ~  
r@DESKTOP-NUUPDLJ:~$ ls  
r@DESKTOP-NUUPDLJ:~$ mkdir ravita  
r@DESKTOP-NUUPDLJ:~$ ls  
ravita  
r@DESKTOP-NUUPDLJ:~$ sudo apt install zsh  
[sudo] password for r:  
Reading package lists... Done  
Building dependency tree... Done  
Reading state information... Done  
zsh is already the newest version (5.8.1-1).  
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
```

```
sudo apt-get install powerline fonts-powerline
```

```
r@DESKTOP-NUUPDLJ:~$ sudo apt-get install powerline fonts-powerline  
Reading package lists... Done  
Building dependency tree... Done  
Reading state information... Done  
fonts-powerline is already the newest version (2.8.2-1).  
powerline is already the newest version (2.8.2-1).  
0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.  
r@DESKTOP-NUUPDLJ:~$
```


```
git clone https://github.com/robbyrussell/oh-my-zsh.git ~/.oh-my-zsh
```

```
r@DESKTOP-NUUPDLJ:~$ git clone https://github.com/robbyrussell/oh-my-zsh.git ~/.oh-my-zsh  
Cloning into '/home/r/.oh-my-zsh'...  
remote: Enumerating objects: 30584, done.  
remote: Counting objects: 100% (32/32), done.  
remote: Compressing objects: 100% (25/25), done.  
Receiving objects: 13% (3976/30584), 652.01 KiB | 1.25 MiB/s
```

```
cp ~/.oh-my-zsh/templates/zshrc.zsh-template ~/.zshrc
```

```
r@DESKTOP-NUUPDLJ:~$ cp ~/.oh-my-zsh/templates/zshrc.zsh-template ~/.zshrc  
r@DESKTOP-NUUPDLJ:~$
```

nano .zshrc



```
GNU nano 6.2 .zshrc *
# If you come from bash you might have to change your $PATH.
# export PATH=$HOME/bin:/usr/local/bin:$PATH

# Path to your oh-my-zsh installation.
export ZSH=$HOME/.oh-my-zsh

# Set name of the theme to load --- if set to "random", it will
# load a random theme each time oh-my-zsh is loaded, in which case,
# to know which specific one was loaded, run: echo $RANDOM_THEME
# See https://github.com/ohmyzsh/ohmyzsh/wiki/Themes
ZSH_THEME="agnoster"


# Set list of themes to pick from when loading at random
# Setting this variable when ZSH_THEME=random will cause zsh to load
# a theme from this variable instead of looking in $ZSH/themes/
# If set to an empty array, this variable will have no effect.
# ZSH_THEME_RANDOM_CANDIDATES=( "robbyrussell" "agnoster" )

# Uncomment the following line to use case-sensitive completion.
# CASE_SENSITIVE="true"

# Uncomment the following line to use hyphen-insensitive completion.
# Case-sensitive completion must be off. _ and - will be interchangeable.
# HYPHEN_INSENSITIVE="true"


# Uncomment one of the following lines to change the auto-update behavior
```

chsh -s /bin/zsh



```
r@DESKTOP-NUUPDLJ:~$ IS
ravita
r@DESKTOP-NUUPDLJ:~$ nano .zshrc
r@DESKTOP-NUUPDLJ:~$ chsh -s /bin/zsh
Password:
r@DESKTOP-NUUPDLJ:~$ oh-my-zsh
```

git clone https://github.com/zsh-users/zsh-syntax-highlighting.git "\$HOME/.zsh-syntax-highlighting" --depth 1




```
r@DESKTOP-NUUPDLJ:~$ git clone https://github.com/zsh-users/zsh-syntax-highlighting.git "$HOME/.zsh-syntax-highlighting"
--depth 1
Cloning into '/home/r/.zsh-syntax-highlighting'...
remote: Enumerating objects: 368, done.
remote: Counting objects: 100% (368/368), done.
remote: Compressing objects: 100% (300/300), done.
remote: Total 368 (delta 299), reused 104 (delta 54), pack-reused 0
Receiving objects: 100% (368/368), 180.60 KiB | 359.00 KiB/s, done.
Resolving deltas: 100% (299/299), done.
r@DESKTOP-NUUPDLJ:~$
```

echo "source \$HOME/.zsh-syntax-highlighting/zsh-syntax-highlighting.zsh" >> "\$HOME/.zshrc"

```
r@DESKTOP-NUUPDLJ:~$ echo "source $HOME/.zsh-syntax-highlighting/zsh-syntax-highlighting.zsh" >> "$HOME/.zshrc"
r@DESKTOP-NUUPDLJ:~$
```

exec zsh



```
r@DESKTOP-NUUPDLJ:~$ chsh -s /bin/zsh
Password:
r@DESKTOP-NUUPDLJ:~$ exec zsh
r@DESKTOP-NUUPDLJ ~ Patra ~ 24 Mei 19
```

Just a footnote, for this command to be effective: