
01 · CONTENTS

Open with the decision this edition helps a team make. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Give the reader a map of the edition and its evidence burden. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.



Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.


Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

03 · METHODOLOGY

Define terms, boundaries, and what this edition does not claim. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.



Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.


Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

04 · ANALYSIS

Establish the first system relationship the reader must inspect. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.



Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.


Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

05 · COUNTERPOINTS-AND-LIMITATIONS

Show the operating context that changes the decision. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.



Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.


Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

06 · RECOMMENDATIONS-OR-DECISION-TOOLS

Trace the data, identity, or authority flow. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.



Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.


Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

07 · DATA-APPENDIX

Name the first failure mode and its observable signal. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.



Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.


Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

08 · CITATIONS

Compare two architecture choices with the same decision lens. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.



Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.


Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

09 · GLOSSARY

Translate a standard into an engineering question. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Translate an engineering question into a review artifact. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Show how evidence changes across the lifecycle. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Make uncertainty visible and useful. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Describe the operator or maintainer perspective. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Describe the security and privacy boundary. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Describe the acquisition or sustainment implication. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.



Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.


Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

16 · RECOMMENDATIONS-OR-DECISION-TOOLS

Offer a bounded test or experiment. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Show what can be measured now. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Show what cannot yet be concluded. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Present the strongest supporting case. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Present a credible counterpoint. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

State what evidence would change the conclusion. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Connect the issue to a neighboring system. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Connect the issue to a neighboring desk. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Name the owner who can move the decision. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

List the dependencies that could invalidate the plan. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Describe a graceful degradation path. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Describe recovery and learning after failure. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Turn the analysis into a decision sequence. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Turn the sequence into a review agenda. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Turn the agenda into an evidence request. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Turn the evidence request into a next action. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Summarize limitations and unresolved questions. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Collect source and method notes. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Provide the data and visual appendix path. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Close with the decision and the route forward. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Record ownership, corrections, and the next review cadence. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.



Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

Source trail: Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

Related decision path: Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.