


Open with the decision this edition helps a team make. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Give the reader a map of the edition and its evidence burden. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Define terms, boundaries, and what this edition does not claim. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Establish the first system relationship the reader must inspect. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Show the operating context that changes the decision. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Trace the data, identity, or authority flow. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Name the first failure mode and its observable signal. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

## Compare two architecture choices with the same decision lens. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.



Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.


**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.



# Translate a standard into an engineering question. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Translate an engineering question into a review artifact. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

## Show how evidence changes across the lifecycle. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

## Make uncertainty visible and useful. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

## Describe the operator or maintainer perspective. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Describe the security and privacy boundary. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Describe the acquisition or sustainment implication. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

## Offer a bounded test or experiment. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.



Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.


**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.



Show what can be measured now. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Show what cannot yet be concluded. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

## Present the strongest supporting case. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

## Present a credible counterpoint. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

State what evidence would change the conclusion. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Connect the issue to a neighboring system. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Connect the issue to a neighboring desk. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Name the owner who can move the decision. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.



Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.


**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.



List the dependencies that could invalidate the plan. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Describe a graceful degradation path. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Describe recovery and learning after failure. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Turn the analysis into a decision sequence. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Turn the sequence into a review agenda. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Turn the agenda into an evidence request. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

Turn the evidence request into a next action. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Summarize limitations and unresolved questions. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.



Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.


**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.



## Collect source and method notes. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Provide the data and visual appendix path. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

# Close with the decision and the route forward. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.




Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.

## Record ownership, corrections, and the next review cadence. Edition focus: Responsible Autonomy and Human Authority.

This page advances the edition thesis by isolating one inspectable relationship. It keeps the reader decision visible, names the evidence boundary, and records what a reviewer should challenge before treating the analysis as operational guidance.



Semantic heading, ordered reading sequence, visible text equivalent, and print page label. Visual source set: SRC-NIST-AIRM, SRC-NIST-AIRCP, SRC-NIST-160, SRC-NIST-61.

**Source trail:** Artificial Intelligence Risk Management Framework 1.0 · NIST AI RMF Playbook · SP 800-160 Systems Security Engineering

**Related decision path:** Where should a program place authority, intervention, and recovery in an autonomous workflow? The HTML edition remains the accessible representative; the PDF is a print-oriented companion.