ProjectTitle

Medical Diagnosis Center by Service Portal(ServiceNow)

Name : Ravulakollu Latha sri

College : Chalapathi Institute of Technology

Email : 23ht1a05d4@city.ac.in

Project overview - The **Medical Diagnosis Center by Service Portal (ServiceNow)** project focuses on developing a digital healthcare service portal to manage patient services, appointments, diagnostic requests, and medical records efficiently. The solution enables patients to submit service requests, track appointment status, access diagnostic information, and communicate with healthcare teams through a user-friendly ServiceNow Service Portal interface. It improves healthcare service delivery by automating workflows, managing requests, and providing better coordination between patients, doctors, and support staff.

Table of Contents

1. Introduction

2. Project Objectives

3. Key Features

4. ServiceNow Developer Setup

5. Project Implementation in ServiceNow

6. Screenshots of Output

7. Conclusion

Introduction

Modern healthcare organizations rely heavily on efficient and well-organized systems to manage patient information and diagnostic services. As the number of patients and diagnostic requests increases, managing test requests, patient details, and diagnostic records manually can lead to delays, errors, and limited visibility.

To address these challenges, the **Medical Diagnosis Center by Service Portal (ServiceNow)** project introduces a streamlined solution that leverages ServiceNow's **Service Portal, Service Catalog, Flow Designer, tables, and automation features**. By enabling users to submit diagnostic test requests through a self-service portal and automating record creation, request processing, notifications, and status updates, the system provides a more structured and transparent approach to managing diagnostic services.

This solution helps reduce repetitive manual tasks and improves the overall efficiency of diagnostic request management. It also provides healthcare staff with better visibility into submitted requests and their processing status, while giving users a simple and accessible platform for requesting medical diagnostic services.

Project Objective

Thisproject aimsto design andimplement a streamlined and automated solution for managing **medical diagnostic test requests** within ServiceNow. It enables users to submit requests for diagnostic services through a user-friendly **Service Portal**.

The system leverages ServiceNow's **Service Catalog, Flow Designer, tables, and automation features** to ensure that diagnostic requests are properly captured, validated, and processed. Upon submission, the system automatically creates the required diagnostic records, updates request information, assigns tasks where required, and sends notifications to keep users and medical staff informed about the request status.

The objective is to reduce manual effort, minimize errors, improve request tracking, and provide a centralized and transparent platform for efficiently managing the **medical diagnostic request lifecycle** from submission to completion.

Key Features

Custom Service Catalog for submitting medical diagnostic test requests.

● **User-friendly Service Portal forms** to capture patient and diagnostic test details.

● **Automated request processing** using Flow Designer to create and update diagnostic records.

● **Dynamic request handling** based on the selected diagnostic test and submitted information.

● **Automated notifications** to keep users and medical staff informed about request status and updates.

● **Centralized diagnostic records** for maintaining and tracking submitted medical test requests.

● **Real-time status updates** to provide visibility into the progress of diagnostic requests.

● **Dashboard and reporting** to monitor diagnostic requests, request status, and overall service activity.

ServiceNow Developer Setup:

Create a Developer Account

1. Go to the **ServiceNow Developer Portal**.
2. Sign up for a free ServiceNow Developer account and provide the required details.
3. After registration, a verification email will be sent to the registered email address. Complete the verification process to access the ServiceNow Developer Portal.
4. From the Developer Portal, select **Start Building** to access the available development tools and request a **Personal Developer Instance (PDI)**.
5. Once the Personal Developer Instance is available, access the ServiceNow development environment and begin configuring the application.

Project Implementation in ServiceNow:

After theServiceNow instanceisready, the project can bedevelopedusing **ServiceNow Studio and App Engine Studio**. These development environments provide toolsfor creating custom applications, tables, forms, service catalog items, and automatedworkflows.

For the **Medical Diagnosis Center**, the application is configured tomanage diagnostic test requests. Custom tables are created to store patient and diagnostic information, while a **Service Catalog item** allows users to submit diagnostic test requests through the ServicePortal.

The submitted information is processed using **Flow Designer**, whereactions such as retrieving catalog variables, creating records, updating records, sending notifications, and managing the request lifecycle are configured. This creates a structured and automated process for handling medical diagnostic requests from submission through completion.



1.Configuration of scoped application

Navigate to Application navigator

a.Login to your ServiceNow developerinstance.

a. Navigate to **All → System Applications → Studio**.
b. Click **Create Application**.
c. Enter the following details:
d. Application Name: Medical Diagnosis Center
e. Scope Name: x_ 1959076_medica_0 (auto-generated)

f. Description: Application to manage diagnostic test booking, reports, payments, and workflow automation.

g. Click Create.

h. Wait until Studio loads the new scoped application.

i. Default Roles will be created automatically

j. Update the Application



Click on New



Create the application



2. Tables Configuration

Creation of Tables

a. **Navigate to**: System Definition > **Tables**.
b. Click **New** to create a new table.
c. Fill **in Table Information**:
d. **Label**: APPOINTMENT TABLE
e. Name: x_1959076_medica_0_appointment_table
f. **Application**: Medical Diagnostic Center(Check the application before save)
g. Click **Submit** to create the table.







iii. **Creation of fields**

In ServiceNow, fields arecreated at the table level. To create a field, you first need to identify the table where the field will reside.

In the Application Navigator (left-side panel), type Tables in the search bar.

Under System Definition, click Tables. This will take you to a list of all tables in the system.

From the list of tables, search for and select the table you want to add a field to. For example, if you want to add a field to the Appointment Table table.

We have 3 methods to create a field in the table. I.e Form Builder, Form Design, Form Layout. We can follow any method as per your requirement.

Create the below mentioned fields to complete the requirement.

Fields Details:

Field Label	Field Name	Field Type	Reference Table	Choices
Appointment Number	appointment_number	String	—	—
Patient	patient	Reference	Patient Table	—
Status	status	Choice	—	Scheduled,Confirmed, Completed,InProgress, Cancelled
Approval Status	approval_status	Choice	—	Pending,Approved, Completed, Cancelled, Rejected
Email	email	Email	—	—
Approval Date	approval_date	Date/Time	—	—
Test	test	Reference	Diagnostic Test Table	—
Slot Time	slot_time	String	—	Configurable Time Slots
Total Amount	total_amount	Currency	—	—
Rejection Reason	rejection_reason	String (Multi-line Text)	—	—

Confirmation Sent	confirmation_sent	Boolean (True/False)	—	True, False
Created By	created_by	Reference	sys_user	—
Approved By	approved_by	Reference	sys_user	—
Notes	notes	String (Multi-line Text)	—	—
Payment Status	payment_status	Choice	—	Pending, Paid, Failed, Refunded
Scheduled Date	scheduled_date	Date/Time	—	—
Refund Amount	refund_amount	Currency		



Task 2: Diagnostic Test Table

Activity 1: Creation of Table

- **Navigate to:** System Definition > Tables
- **Click:** New to create a new table.
- **Fill in Table Information:**
    - **Label:** DIAGNOSTIC TEST
    - **Name:** x_1959076_medica_0_diagnostic_test
    - **Application:** Medical Diagnostic Center *(Verify application scope before saving)*
- **Click:** Submit to create the table.



Activity 2: Creation of Fields

1. In the Application Navigator (left-side panel), type **Tables** in the search bar.

2. Under **System Definition**, click **Tables**.

3. From the list of tables, search for and select **DIAGNOSTIC TEST**.

4. Open the form configuration tool (Form Builder, Form Design, or Form Layout).

5. Create the following fields:

Field Label	Field Name	Field Type	Reference Table	Choices (If Applicable)
Test Name	test_name	String	—	—

Field Label	Field Name	Field Type	Reference Table	Choices (If Applicable)
Test Code	test_code	String	—	—
Category	category	Choice	—	BloodTest, Radiology, Cardiology, Pathology, Ultrasound, MRI, CT Scan, Other
Test Duration	test_duration	Integer / String	—	Duration in Minutes (e.g., 15, 30, 60)
Price	price	Currency	—	—
Active	active	Boolean (True/False)	—	True, False
Description	description	String (Multi-line)	—	—



Creation of Tables

Navigate to: System Definition > **Tables**.

Click **New** to create a new table.

Fill **in Table Information**:

Label: Patient

Name: x_1959076_medica_0_patient

Application: Medical Diagnostic Center(Check the application before save)

Click **Submit** to create the table.



ii. Creation of fields

- In ServiceNow,fieldsarecreated at the **table** level. To create a field, you first need to identify the table wherethe field will reside.
- In the **Application Navigator** (left-side panel), type **Tables** in the search bar.
- Under **System Definition**,click **Tables**. This will take you to a list of all tables in the system.

- From the list of tables, search for and select the **table** you want to add a field to. For example, if you want to add a field to the **Patient Table** table.
- We have 3 methods to create a field in the table. I.e Form Builder, Form Design, Form Layout. We can follow any method as per your requirement.
- Create the below mentioned fields to complete the requirement.

Fields Details:

Field Label	Field Name	Field Type	Reference Table	Choices (If Applicable)
Patient ID	patient_id	String	—	
First Name	first_name	String	—	—
Last Name	last_name	String	—	—
Phone Number	phone_number	String	—	—
Email	email	Email	—	—
Gender	gender	Choice	—	Male, Female, Other
DateOf Birth	date_of_birth	Date	—	—
Address	address	String(Multi-line)	—	—
User	user	Reference	sys_user	—



Creation of tables:

- **Navigate to**: System Definition > **Tables**.
- Click **New** to create a new table.
- Fill **in Table Information**:
- **Label**: REPORT TABLE
- Name: x_1959076_medica_0_report_table
- **Application**: Medical Diagnostic Center(Check the application before save)
- Click **Submit** to create the table.



Creation of fields :

- In ServiceNow, fields are created at the **table** level. To create a field, you first need to identify the table where the field will reside.

- In the **Application Navigator** (left-side panel), type **Tables** in the search bar.
- Under **System Definition**, click **Tables**. This will take you to a list of all tables in the system.
- From the list of tables, search for and select the **table** you want to add a field to. For example, if you want to add a field to the **Report Table** table.
- We have 3 methods to create a field in the table. I.e Form Builder, Form Design, Form Layout. We can follow any method as per your requirement.
- Create the below mentioned fields to complete the requirement.





d. **Fields Details:**

Field Label	Field Name	Field Type	Reference Table	Notes
Patient	patient	Reference	Patient Table	Links report to patient
Appointment	appointment	Reference	Appointment Table	Links report to appointment
Report File	report_file	Attachment	—	Stores uploaded PDF report
Report Number	report_number	String / Auto Number	—	Unique report ID
Report Date	report_date	Date/Time	—	Date report generated
Verified By	verified_by	Reference	sys_user	Lab doctor / technician
Findings	findings	HTML / Rich Text	—	Stores detailed test findings

Implemented Business Rules logics to store the 10% cancellation charges and revert the balance amount in the refund amount field

Navigation of Business Rules

- Navigate to All Menu
- Just type Business rules

- System definition >> Business Rules
- Click on New Button to Create a New Business Rules
- Name: Auto Populate Refund Amount on Cancellation
- Table: x_1959076_medica_0_appointment
- Advance: True
- Application: Medical Diagnosis Center
- When to Run: Before Insert & Update
- Copy the below script in the script executor
- Save the Business Rules







iii**Script:**

```
(function executeRule(current, previous /*null when async*/ ) {
   //Only process if status is 'cancelled' and total_amount exists
   if(current.status == 'cancelled') {
    var totalAmount = parseFloat(current.total_amount.toString()) || 0;
      // Calculate refund amount with 10% deduction
      // 10% deduction means customer gets 90% back
      var deductionAmount = totalAmount * 0.10;
      var refundAmount = totalAmount - deductionAmount;
      // Set the refund amount
      current.refund_amount = refundAmount.toFixed(2);
   }
})(current, previous);
```

2. ImplementedBusinessRuleslogicstogeneratereportsautomatically when the particular conditions were met.

Activity 1. Navigation of Business Rules

Navigate toAllMenu

Just type Business rules

System definition >> Business Rules

Click on New Button to Create a **New** Business Rules

Name: Auto Create Report on Appointment Complete

Table: x__medica_0_appointment

Advance: True

Application: Medical Diagnosis Center

When to Run: After Update

Copy the below script in the script executor

Save the Business Rules






Advanced
Condition
Script
Turn on ECMAScript 2021 (ES12) mode
(function executeRule(current, previous /*null when async*/) {
// Only process if status is 'cancelled' and total_amount exists
if (current.status == 'cancelled') {
var totalAmount = parseFloat(current.total_amount.toString()) || 0;
// Calculate refund amount with 10% deduction
// 10% deduction means customer gets 90% back
var deductionAmount = totalAmount * 0.10;
var refundAmount = totalAmount - deductionAmount;
// Set the refund amount
current.refund_amount = refundAmount.toFixed(2);
}
})(current, previous);

3. **Script:**


Advanced
When to run
Actions
Advanced
Specify whether the business rule should run on Insert or Update. Use Filter Conditions to specify under which conditions the business rule should run.
When
before
Order
100
Insert
Update
Delete
Query
Filter Conditions
Add Filter Condition
Add OR Clause
-- choose field --
-- oper --
-- value --
Role conditions

```
(function executeRule(current, previous /*null when async*/) {
 try {
  // Only run when status just changed to 'completed'
  if (current.status != 'completed' || previous.status == 'completed') {
   return;
  }
  // Check if report already exists for this appointment
  var existingReport = new GlideRecord('x_1883080_medica_0_report_table');
  existingReport.addQuery('appointment', current.getUniqueValue());
  existingReport.setLimit(1);
  existingReport.query();
  if (existingReport.next()) {
   gs.info('Report already exists for appointment ' + current.appointment_number);
   return;
  }
  // Generate report number
  var reportNum = 'RPT-' + new Date().getFullYear() + '-' + current.appointment_number.replace('APPT-',
'');
  // Get test details var
  testName  =  '';  var
  testCategory = ''; var
  testCode = '';
  if (current.test) {
   var testRef = current.test.getRefRecord();
   if (testRef) {
    testName = testRef.getValue('test_name') || '';
    testCategory = testRef.getValue('category') || '';
    testCode = testRef.getValue('test_code') || '';
   }
  }
  // GENERATE REALISTIC TEST RESULTS BASED ON TEST TYPE
  var findings = generateRealisticFindings(testName, testCategory, testCode);
  // Create report record
  var reportGr = new GlideRecord('x_1883080_medica_0_report_table');
  reportGr.initialize();
  reportGr.setValue('report_number', reportNum);
  reportGr.setValue('appointment', current.getUniqueValue());
  reportGr.setValue('patient',     current.getValue('patient'));
  reportGr.setValue('report_date', new GlideDateTime());
  reportGr.setValue('verified_by', gs.getUserID());
  try { reportGr.setValue('status', 'ready'); } catch(e) {}
```

```
   reportGr.setValue('findings', findings);
   var newReportId = reportGr.insert();
   if (newReportId) {
     gs.info('AUTO-CREATED: Report ' + reportNum + ' for appointment ' + current.appointment_number);
 }
} catch(e) {
gs.error('Auto Report Creation Error: ' + e.message);
}
  // HELPER FUNCTION: Generate realistic findings based on test type
  function generateRealisticFindings(testName, category, code) {
   var testLower = (testName || '').toLowerCase();
   var catLower = (category || '').toLowerCase();
   // BLOOD TESTS
   if (testLower.indexOf('blood') !== -1 || testLower.indexOf('cbc') !== -1 ||
       testLower.indexOf('complete blood count') !== -1 || catLower.indexOf('blood') !== -1) {
     return '<div style="font-family:Arial,sans-serif;">' +
       '<h3 style="color:#1f2937;border-bottom:2px solid #10b981;padding-bottom:8px;">Complete Blood
Count (CBC) Report</h3>' +
       '<table style="width:100%;border-collapse:collapse;margin:16px 0;">' +
       '<tr style="background:#f9fafb;"><th style="padding:10px;text-align:left;border:1px solid
#e5e7eb;">Parameter</th><th style="padding:10px;text-align:left;border:1px solid
#e5e7eb;">Result</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Normal
Range</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Status</th></tr>' +
       '<tr><td style="padding:10px;border:1px solid #e5e7eb;">Hemoglobin</td><td
style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">14.2 g/dL</td><td
style="padding:10px;border:1px solid #e5e7eb;">13.5-17.5 g/dL</td><td
style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
'<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">WBC
Count</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">7,800 /µL</td><td
style="padding:10px;border:1px solid #e5e7eb;">4,000-11,000 /µL</td><td
style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
       '<tr><td style="padding:10px;border:1px solid #e5e7eb;">RBC Count</td><td
style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">4.8 M/µL</td><td
style="padding:10px;border:1px solid #e5e7eb;">4.5-5.5 M/µL</td><td style="padding:10px;border:1px
solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
       '<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">Platelet
Count</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">245,000 /µL</td><td
style="padding:10px;border:1px solid #e5e7eb;">150,000-400,000 /µL</td><td
style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
       '<tr><td style="padding:10px;border:1px solid #e5e7eb;">Hematocrit</td><td
style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">42.5%</td><td
style="padding:10px;border:1px solid #e5e7eb;">38.0-50.0%</td><td style="padding:10px;border:1px
solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
```

```
      '</table>' +
      '<p style="color:#374151;line-height:1.6;"><strong>Interpretation:</strong> All blood parameters are within normal reference ranges. No abnormalities detected. Patient shows healthy hematological profile.</p>' +
      '<p style="color:#6b7280;font-size:13px;margin-top:16px;"><em>Report generated on ' + new GlideDateTime().getDisplayValue() + '</em></p>' +
      '</div>';
   }
   // URINE TESTS
   else if (testLower.indexOf('urine') !== -1 || testLower.indexOf('urinalysis') !== -1 || catLower.indexOf('urine') !== -1) {
     return '<div style="font-family:Arial,sans-serif;">' +
      '<h3 style="color:#1f2937;border-bottom:2px solid #10b981;padding-bottom:8px;">Urinalysis Report</h3>' +
      '<table style="width:100%;border-collapse:collapse;margin:16px 0;">' +
      '<tr style="background:#f9fafb;"><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Parameter</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Result</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Normal Range</th></tr>' +
      '<tr><td style="padding:10px;border:1px solid #e5e7eb;">Color</td><td style="padding:10px;border:1px  solid  #e5e7eb;font-weight:600;">Yellow</td><td style="padding:10px;border:1px solid #e5e7eb;">Pale to dark yellow</td></tr>' +
      '<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">Appearance</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">Clear</td><td style="padding:10px;border:1px solid #e5e7eb;">Clear</td></tr>' +
      '<tr><td style="padding:10px;border:1px solid #e5e7eb;">pH</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">6.2</td><td style="padding:10px;border:1px solid #e5e7eb;">4.5-8.0</td></tr>' +
      '<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">Specific Gravity</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">1.020</td><td style="padding:10px;border:1px solid #e5e7eb;">1.005-1.030</td></tr>' +
      '<tr><td style="padding:10px;border:1px solid #e5e7eb;">Protein</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">Negative</td><td style="padding:10px;border:1px solid #e5e7eb;">Negative</td></tr>' +
      '<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">Glucose</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">Negative</td><td style="padding:10px;border:1px solid #e5e7eb;">Negative</td></tr>' +
      '<tr><td style="padding:10px;border:1px solid #e5e7eb;">Ketones</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">Negative</td><td style="padding:10px;border:1px solid #e5e7eb;">Negative</td></tr>' +
      '<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">WBC</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">0-2 /HPF</td><td style="padding:10px;border:1px solid #e5e7eb;">0-5 /HPF</td></tr>' +
      '</table>' +
```

```
      '<p style="color:#374151;line-height:1.6;"><strong>Interpretation:</strong> Urinalysis results are within normal limits. No signs of infection, diabetes, or kidney dysfunction detected.</p>' +
      '<p style="color:#6b7280;font-size:13px;margin-top:16px;"><em>Report generated on ' + new GlideDateTime().getDisplayValue() + '</em></p>' +
      '</div>';
   }
   // X-RAY / IMAGING TESTS
   else if (testLower.indexOf('x-ray') !== -1 || testLower.indexOf('xray') !== -1 ||
            testLower.indexOf('chest') !== -1 || catLower.indexOf('imaging') !== -1 || catLower.indexOf('radiology') !== -1) {
     return '<div style="font-family:Arial,sans-serif;">' +
      '<h3 style="color:#1f2937;border-bottom:2px solid #10b981;padding-bottom:8px;">Chest X-Ray Report</h3>' +
      '<div style="background:#f9fafb;padding:16px;border-radius:8px;margin:16px 0;">' +
      '<p style="margin:8px 0;"><strong>Examination:</strong> Chest X-Ray (PA & Lateral View)</p>' +
      '<p style="margin:8px 0;"><strong>Technique:</strong> Digital radiography</p>' +
      '<p style="margin:8px 0;"><strong>Date Performed:</strong> ' + new GlideDateTime().getDisplayValue() + '</p>' +
      '</div>' +
      '<h4 style="color:#1f2937;margin-top:20px;">Findings:</h4>' +
      '<ul style="color:#374151;line-height:1.8;">' +
      '<li><strong>Heart:</strong> Normal in size and configuration. Cardiothoracic ratio within normal limits.</li>' +
      '<li><strong>Lungs:</strong> Both lung fields are clear. No evidence of infiltrates, consolidation, or pleural effusion.</li>' +
      '<li><strong>Mediastinum:</strong> Normal in width. No mediastinal mass or lymphadenopathy detected.</li>' +
      '<li><strong>Bones:</strong> No acute bony abnormality. Thoracic spine alignment is normal.</li>' +
      '<li><strong>Soft Tissues:</strong> Unremarkable.</li>' +
      '</ul>' +
      '<div style="background:#dcfce7;padding:16px;border-left:4px solid #10b981;margin:20px 0;">' +
      '<p style="margin:0;color:#065f46;font-weight:600;">✓ IMPRESSION: Normal chest radiograph. No acute cardiopulmonary disease.</p>' +
      '</div>' +
      '<p style="color:#6b7280;font-size:13px;margin-top:16px;"><em>Report generated on ' + new GlideDateTime().getDisplayValue() + '</em></p>' +
      '</div>';
   }
   // COVID-19 / PCR TESTS
   else if (testLower.indexOf('covid') !== -1 || testLower.indexOf('pcr') !== -1 || testLower.indexOf('sars') !== -1) {
```

```
    return '<div style="font-family:Arial,sans-serif;">' +
      '<h3 style="color:#1f2937;border-bottom:2px solid #10b981;padding-bottom:8px;">COVID-19 RT-PCR Test Report</h3>' +
      '<div style="background:#f9fafb;padding:16px;border-radius:8px;margin:16px 0;">' +
      '<p style="margin:8px 0;"><strong>Test Method:</strong> Real-Time Reverse Transcription Polymerase Chain Reaction (RT-PCR)</p>' +
      '<p style="margin:8px 0;"><strong>Sample Type:</strong> Nasopharyngeal Swab</p>' +
      '<p style="margin:8px 0;"><strong>Date Collected:</strong> ' + new GlideDateTime().getDisplayValue() + '</p>' +
      '</div>' +
      '<table style="width:100%;border-collapse:collapse;margin:16px 0;">' +
      '<tr style="background:#f9fafb;"><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Target Gene</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Result</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">CT Value</th></tr>' +
      '<tr><td style="padding:10px;border:1px solid #e5e7eb;">SARS-CoV-2 E Gene</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;color:#10b981;">Not Detected</td><td style="padding:10px;border:1px solid #e5e7eb;">--</td></tr>' +
      '<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">SARS-CoV-2 N Gene</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;color:#10b981;">Not Detected</td><td style="padding:10px;border:1px solid #e5e7eb;">--</td></tr>' +
      '<tr><td style="padding:10px;border:1px solid #e5e7eb;">SARS-CoV-2 RdRp Gene</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;color:#10b981;">Not Detected</td><td style="padding:10px;border:1px solid #e5e7eb;">--</td></tr>' +
      '<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">Internal Control</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;color:#10b981;">Positive</td><td style="padding:10px;border:1px solid #e5e7eb;">28.5</td></tr>' +
      '</table>' +
      '<div style="background:#dcfce7;padding:20px;border-left:4px solid #10b981;margin:20px 0;border-radius:4px;">' +
      '<p style="margin:0 0 8px 0;font-size:18px;font-weight:700;color:#065f46;">✓ RESULT: NEGATIVE</p>' +
      '<p style="margin:0;color:#065f46;">SARS-CoV-2 RNA not detected. No evidence of current COVID-19 infection.</p>' +
      '</div>' +
      '<p style="color:#6b7280;font-size:12px;line-height:1.6;"><strong>Note:</strong> A negative result does not entirely rule out COVID-19. Results should be considered in the context of clinical symptoms and exposure history. If symptoms persist, consider retesting or consult a healthcare provider.</p>' +
      '<p style="color:#6b7280;font-size:13px;margin-top:16px;"><em>Report generated on ' + new GlideDateTime().getDisplayValue() + '</em></p>' +
      '</div>';
  }
```

```
  // THYROID TESTS
  else if (testLower.indexOf('thyroid') !== -1 || testLower.indexOf('tsh') !== -1 || testLower.indexOf('t3') !== -1 || testLower.indexOf('t4') !== -1) {
    return '<div style="font-family:Arial,sans-serif;">' +
      '<h3 style="color:#1f2937;border-bottom:2px solid #10b981;padding-bottom:8px;">Thyroid Function Test Report</h3>' +
      '<table style="width:100%;border-collapse:collapse;margin:16px 0;">' +
      '<tr style="background:#f9fafb;"><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Parameter</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Result</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Normal Range</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Status</th></tr>' +
      '<tr><td style="padding:10px;border:1px solid #e5e7eb;">TSH</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">2.5 µIU/mL</td><td style="padding:10px;border:1px solid #e5e7eb;">0.4-4.0 µIU/mL</td><td style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
      '<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">Free T3</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">3.2 pg/mL</td><td style="padding:10px;border:1px solid #e5e7eb;">2.3-4.2 pg/mL</td><td style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
      '<tr><td style="padding:10px;border:1px solid #e5e7eb;">Free T4</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">1.3 ng/dL</td><td style="padding:10px;border:1px solid #e5e7eb;">0.8-1.8 ng/dL</td><td style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
    '</table>' +
    '<p style="color:#374151;line-height:1.6;"><strong>Interpretation:</strong> Thyroid function tests are within normal reference ranges. TSH, T3, and T4 levels indicate normal thyroid activity. No evidence of hypothyroidism or hyperthyroidism.</p>' +
      '<p style="color:#6b7280;font-size:13px;margin-top:16px;"><em>Report generated on ' + new GlideDateTime().getDisplayValue() + '</em></p>' +
      '</div>';
  }
  // DEFAULT / GENERIC TEST
  else {
    return '<div style="font-family:Arial,sans-serif;">' +
      '<h3 style="color:#1f2937;border-bottom:2px solid #10b981;padding-bottom:8px;">' + testName + ' - Test Report</h3>' +
      '<div style="background:#f9fafb;padding:16px;border-radius:8px;margin:16px 0;">' +
      '<p style="margin:8px 0;"><strong>Test Performed:</strong> ' + testName + '</p>' +
      '<p style="margin:8px 0;"><strong>Test Code:</strong> ' + code + '</p>' +
      '<p style="margin:8px 0;"><strong>Report Date:</strong> ' + new GlideDateTime().getDisplayValue() + '</p>' +
      '</div>' +
      '<h4 style="color:#1f2937;margin-top:20px;">Test Results:</h4>' +
```

```
    '<table style="width:100%;border-collapse:collapse;margin:16px 0;">' +
    '<tr style="background:#f9fafb;"><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Parameter</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Result</th><th style="padding:10px;text-align:left;border:1px solid #e5e7eb;">Status</th></tr>' +
    '<tr><td style="padding:10px;border:1px solid #e5e7eb;">Primary Analysis</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">Within Normal Range</td><td style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ Normal</td></tr>' +
    '<tr style="background:#f9fafb;"><td style="padding:10px;border:1px solid #e5e7eb;">Quality Check</td><td style="padding:10px;border:1px solid #e5e7eb;font-weight:600;">Passed</td><td style="padding:10px;border:1px solid #e5e7eb;color:#10b981;">✓ OK</td></tr>' +
    '</table>' +
    '<div style="background:#dcfce7;padding:16px;border-left:4px solid #10b981;margin:20px 0;">' +
    '<p style="margin:0;color:#065f46;"><strong>Summary:</strong> Test completed successfully. All measured parameters are within acceptable clinical ranges. No abnormalities detected.</p>' +
    '</div>' +
    '<p style="color:#374151;line-height:1.6;"><strong>Recommendation:</strong> Results indicate normal findings. For detailed interpretation or if you have any concerns, please consult with your healthcare provider.</p>' +
    '<p style="color:#6b7280;font-size:13px;margin-top:16px;"><em>Report generated on ' + new GlideDateTime().getDisplayValue() + '</em></p>' +
    '</div>';
  }
 }
})(current, previous);
```

3.Implemented Business Rules logics to populate rejection details when the admin rejected the slots

Activity 1. Navigation of Business Rules

Navigate to All Menu

Just type Business rules

System definition >> Business Rules

Click on New Button to Create a **New** Business Rules

Name: rejectionDetailsUpdation

Table: x_1959076_medica_0_appointment

Advance: True

Application: Medical Diagnosis Center

When to Run: Before Update

Copy the below script in the script executor

Save the Business Rules







4. **Script:**

```
(functionexecuteRule(current, previous /*null when async*/ ) {
   if (current.approval_status == "rejected") {
      current.rejection_reason = "Cancelled/Rejected by the user";
      current.notes = " ";
      current.setValue("approved_by", null);
   }
   if (current.approval_status == "approved") {
      current.notes = "Approved by the System Admin";
      current.approved_by = gs.getUserID();
      current.rejection_reason = " ";
   }
})(current, previous);
```

Implemented Background Scripts to create Test details by using script automatically

Activity 1. Navigation of Background Scripts

Navigate to All Menu

Search for Background Scripts

System definition >> Background Scripts

Open the Background Scripts page, Paste the below script

Click on Run Script

Test records will be created in the test table those will be displayed in the portal pages





5.

Script:

```
var tests = [
 {
   test_name:    'Complete Blood Count (CBC)',
   test_code:    'CBC-001',
   category:     'Blood Test',
   description: 'Measures different components of blood including red cells, white cells, and platelets. Used to detect infections, anemia, and other blood disorders.',
   price:        45.00,
   test_duration: '30 minutes',
   active:       true
 },
 {
   test_name:    'Lipid Profile',
   test_code:    'LIP-002',
   category:     'Blood Test',
   description: 'Measures cholesterol levels (total, LDL, HDL) and triglycerides. Essential for cardiovascular risk assessment.',
```

```
  price:         60.00,
  test_duration: '30 minutes',
  active:        true
 },
 {
  test_name:     'HbA1c (Diabetes)',
  test_code:     'HBA-003',
  category:      'Blood Test',
  description: 'Measures average blood sugar levels over the past 2-3 months. Primary test for diabetes diagnosis and monitoring.',
  price:         70.00,
  test_duration: '30 minutes',
  active:        true
 },
 {
  test_name:     'Thyroid Function Test (TFT)',
  test_code:     'THY-004',
  category:      'Blood Test',
  description: 'Evaluates thyroid gland function by measuring TSH, T3, and T4 hormone levels. Detects hypothyroidism and hyperthyroidism.',
  price:         95.00,
  test_duration: '30 minutes',
  active:        true
 },
 {
  test_name:     'Liver Function Test (LFT)',
  test_code:     'LFT-005',
  category:      'Blood Test',
  description: 'Assesses liver health by measuring enzymes, proteins, and bilirubin. Detects liver disease, hepatitis, and cirrhosis.',
  price:         75.00,
  test_duration: '30 minutes',
  active:        true
```

```
 },
 {
   test_name:    'Kidney Function Test (KFT)',
   test_code:    'KFT-006',
   category:     'Blood Test',
   description: 'Evaluates kidney health through creatinine, urea, and eGFR
levels. Detects chronic kidney disease and renal failure.',
   price:        65.00,
   test_duration: '30 minutes',
   active:       true
 },
 {
   test_name:    'Urine Routine & Microscopy',
   test_code:    'UR-007',
   category:     'Blood Test',
   description: 'Analyzes urine for infections, kidney disease, and metabolic
conditions. Includes physical, chemical, and microscopic examination.',
   price:        25.00,
   test_duration: '20 minutes',
   active:       true
 },
 {
   test_name:    'Chest X-Ray',
   test_code:    'XRY-008',
   category:     'Blood Test',
   description: 'Imaging of the chest to evaluate lungs, heart, and chest wall.
Used for pneumonia, TB, heart enlargement, and fractures.',
   price:        80.00,
   test_duration: '15 minutes',
   active:       true
 },
 {
   test_name:    'ECG (Electrocardiogram)',
```

```
  test_code:    'ECG-009',
  category:     'Blood Test',
  description: 'Records electrical activity of the heart. Detects arrhythmias, heart attacks, and other cardiac conditions.',
  price:        55.00,
  test_duration: '20 minutes',
  active:       true
 },
 {
  test_name:    'COVID-19 PCR Test',
  test_code:    'COV-010',
  category:     'Blood Test',
  description: 'Highly accurate molecular test for active COVID-19 infection. Results available within 24 hours.',
  price:        120.00,
  test_duration: '45 minutes',
  active:       true
 },
 {
  test_name:    'Vitamin D Test',
  test_code:    'VIT-011',
  category:     'Blood Test',
  description: 'Measures Vitamin D levels (25-hydroxyvitamin D) in blood. Deficiency linked to bone disease, immune issues, and fatigue.',
  price:        55.00,
  test_duration: '30 minutes',
  active:       true
 },
 {
  test_name:    'Iron Studies',
  test_code:    'IRN-012',
  category:     'Blood Test',
```

```
    description: 'Evaluates iron levels including serum iron, ferritin, and TIBC.
Diagnoses iron deficiency anemia and iron overload.',
    price:        50.00,
    test_duration: '30 minutes',
    active:       true
  }
];



varcreated = 0;
varskipped = 0;
varerrors = 0;



for(var i = 0; i < tests.length; i++) {
  vart= tests[i];
  try{
    //Skip duplicates by test_code
    varexisting = new GlideRecord('x_1883080_medica_0_diagnostic_test');
    existing.addQuery('test_code', t.test_code);
    existing.setLimit(1);
    existing.query();



    if(existing.next()) {
      gs.info('MediCare SKIP: ' + t.test_name + ' already exists');
      skipped++;
      continue;
    }



    vargr = new GlideRecord('x_1883080_medica_0_diagnostic_test');
    gr.initialize();
```

```
    gr.setValue('test_name',    t.test_name);
    gr.setValue('test_code',    t.test_code);
    gr.setValue('category',     t.category);
    gr.setValue('description', t.description);
    gr.setValue('price',        t.price);
    gr.setValue('test_duration', t.test_duration);
    gr.setValue('active',       t.active);


    var sysId = gr.insert();


    if(sysId) {
      gs.info('MediCare CREATED: ' + t.test_name + ' (' + t.test_code + ')');
      created++;
    }else {
      gs.info('MediCare FAILED: ' + t.test_name);
      errors++;
    }
  }catch(e) {
    gs.info('MediCare ERROR on ' + t.test_name + ': ' + e.message);
    errors++;
  }
}


gs.info('MediCare Done — Created: ' + created + ' | Skipped: ' + skipped + ' |
Errors: ' + errors);
```

Note:Need tocheckfieldnames properly before executingthescriptandtheresultswillbe displayed in the Diagnostic Test table and Portal.

Table Results:

DIAGNOSTIC TESTs | Active | Search | Actions on selected rows... | New

All

Active	Category	Description	Price	Test Code	Test Duration	Test Name
Search	Search	Search	Search	Search	Search	Search
true	Blood Test	Assesses liver health by measuring enzym...	$75.00	LFT-005	30	Liver Function Test (LFT)
true	Blood Test	Records electrical activity of the heart...	$55.00	ECG-009	20	ECG (Electrocardiogram)
true	Blood Test	Measures cholesterol levels (total, LDL,...	$60.00	LIP-002	30	Lipid Profile
true	Blood Test	Evaluates kidney health through creatini...	$65.00	KFT-006	30	Kidney Function Test (KFT)
true	Blood Test	Highly accurate molecular test for activ...	$120.00	COV-010	45	COVID-19 PCR Test
true	Blood Test	Measures different components of blood i...	$45.00	CBC-001	30	Complete Blood Count (CBC)
true	Blood Test	Measures average blood sugar levels over...	$70.00	HBA-003	30	HbA1c (Diabetes)
true	Blood Test	Measures Vitamin D levels (25-hydroxyvit...	$55.00	VIT-011	30	Vitamin D Test

1 to 12 of 12

Portal Results:



6. **Interface Design** focuses on creating a user-friendly ServiceNow Service Portal interface for patients and healthcare staff. It includes designing portal pages, navigation, forms, and layouts to ensure easy access to medical services, appointment requests, anddiagnostic information.

Creation of service portal:

Navigate to the **ApplicationNavigator**

Click on **All**

Search for **Service Portal**

Under **Service Portal**, select **Portals**

Click on **New**

Fill in the portal details:

Title: **Medical Diagnostic Center**

URL Suffix: **mdc**

Home Page: Create a new homepage(Will create it in next steps)

Theme: Default theme → Stock(default)

Click on **Submit** or **Save**







Description

In the Same Portal page we have CSS Variables section , Use the below CSS script to Design Home Page logo.

CSS Script:

```
/* — Animations — */

@keyframes shimmer {
  0% { background-position: -300% center; }
  100% { background-position: 300% center; }
}

@keyframes pulse {
  0%, 100% { box-shadow: 0 0 8px rgba(0,180,216,0.4), 0 0 20px rgba(0,180,216,0.15); }
  50%      { box-shadow: 0 0 18px rgba(0,180,216,0.8), 0 0 40px rgba(0,180,216,0.3); }
```

```
}
@keyframes heartbeat {
  0%,100% { transform: scaleX(1); }
  10%     { transform: scaleX(1.06); }
  20%     { transform: scaleX(1); }
  30%     { transform: scaleX(1.04); }
  40%     { transform: scaleX(1); }
}
@keyframes taglineSlide {
  from { opacity: 0; letter-spacing: 6px; }
  to { opacity: 1; letter-spacing: 3px; }
}
@keyframes ecgMove {
  0% { background-position: 0% 0%; }
  100% { background-position: 200% 0%; }
}
 .navbar-brand,
.sp-nav .navbar-brand {
  position: relative !important;
  display: inline-flex !important;
  align-items: center !important;
  gap: 0 !important;
  padding: 7px 18px 7px 14px !important;
  border-radius: 12px !important;
  border: 1px solid rgba(0, 180, 216, 0.35) !important;
  background: linear-gradient(135deg,
    rgba(10, 36, 99, 0.6) 0%,
    rgba(0, 60, 100, 0.4) 100%
  ) !important;
  backdrop-filter: blur(8px) !important;
  animation: pulse 3s ease-in-out infinite !important;
```

```
 text-decoration: none !important;
  transition: all 0.3s ease !important;
  /* ECG / heartbeat line as bottom border */
  border-bottom: 2px solid transparent !important;
  background-clip: padding-box !important;
}
/* — Glowing ECG line at the bottom of the brand box — */
.navbar-brand::after,
.sp-nav .navbar-brand::after {
  content: '' !important;
  position: absolute !important;
  bottom: -2px !important;
  left: 0 !important;
  width: 100% !important;
  height: 2px !important;
  background: linear-gradient(
    90deg,
    transparent 0%,
    #e63946    15%,
    #e63946    20%,
    transparent 25%,
    #e63946    30%,
    transparent 32%,
    #e63946    36%,
    transparent 40%,
    #00b4d8    55%,
    #7dd3fc    70%,
    transparent 100%
  ) !important;
  background-size: 200% 100% !important;
  animation: ecgMove 2.5s linear infinite !important;
```

```
 border-radius: 2px !important;
}
/* — MDC badge before the text — */
.navbar-brand::before,
.sp-nav .navbar-brand::before {
  content: 'MDC' !important;
  font-family: 'Segoe UI', 'Trebuchet MS', sans-serif !important;
  font-size: 13px !important;
  font-weight: 900 !important;
  letter-spacing: 1px !important;
  padding: 3px 8px !important;
  border-radius: 6px !important;
  margin-right: 10px !important;
  background: linear-gradient(135deg, #e63946 0%, #c1121f 100%) !important;
  color: #ffffff !important;
  -webkit-text-fill-color: #ffffff !important;
  box-shadow: 0 2px 8px rgba(230, 57, 70, 0.5) !important;
  flex-shrink: 0 !important;
  animation: heartbeat 2s ease-in-out infinite !important;
}
.navbar-brand,
.navbar-brand span,
.sp-nav .navbar-brand {
  font-family: 'Segoe UI', 'Trebuchet MS', sans-serif !important;
  font-size: 16px !important;
  font-weight: 900 !important;
  letter-spacing: 1.5px !important;
  text-transform: uppercase !important;
  /* Animated shimmer gradient — white → cyan → white */
  background: linear-gradient(
    90deg,
```

```
 #ffffff 0%,
  #bfefff 20%,
  #00b4d8 35%,
  #ffffff 50%,
  #7dd3fc 65%,
  #00b4d8 80%,
  #ffffff 100%
  ) !important;
  background-size: 300% auto !important;
  -webkit-background-clip: text !important;
  -webkit-text-fill-color: transparent !important;
  background-clip: text !important;
  animation: shimmer 4s linear infinite, pulse 3s ease-in-out infinite !important;
  text-shadow: none !important;
  text-decoration: none !important;
}
/* — Hover — shimmer speeds up, glow intensifies — */
.navbar-brand:hover,
.sp-nav .navbar-brand:hover {
  border-color: rgba(0, 180, 216, 0.7) !important;
  background: linear-gradient(135deg,
    rgba(10, 36, 99, 0.8) 0%,
    rgba(0, 80, 130, 0.6) 100%
  ) !important;
  animation: shimmer 1.5s linear infinite, pulse 1s ease-in-out infinite !important;
  text-decoration: none !important;
  transform: translateY(-1px) !important;
}
/* — Responsive — */
@media (max-width: 768px) {
  .navbar-brand,
```

```
 .navbar-brand span,
  .sp-nav .navbar-brand {
    font-size: 12px !important;
    letter-spacing: 0.8px !important;
    padding: 5px 10px 5px 8px !important;
  }
  .navbar-brand::before,
  .sp-nav .navbar-brand::before {
    font-size: 10px !important;
    padding: 2px 6px !important;
    margin-right: 7px !important;
  }
}
```

Create Widgets :

Navigate to theApplication Navigator

Click on All

Search for Service Portal

Under Service Portal, select Widgets

Click on New

Fill in the widget details:

Name: Medical Test Catalog

ID: medical_test_catalog

Make Widget as Public to easily accessible to every user

Description: Widget to display and manage functionalities

Click on Submit or Save









HTML CODE

```
<div class="med-catalog">
<!-- HERO -->
<div class="hero-banner">
 <div class="hero-content">
  <div class="hero-badge"><span class="pulse-dot"></span>Trusted Diagnostics</div>
  <h1 class="hero-title">Medical Diagnostic<br><span class="accent-text">Test Center</span></h1>
  <p class="hero-sub">Advanced lab tests. Fast results. Transparent pricing.</p>
  <div class="search-wrap">
   <i class="fa fa-search search-icon"></i>
   <input class="search-input" type="text" placeholder="Search tests, categories..."
    ng-model="c.searchQuery" ng-change="c.filterTests()" />
   <button class="search-clear" ng-if="c.searchQuery" ng-click="c.clearSearch()">
    <i class="fa fa-times"></i>
   </button>
  </div>
 </div>
 <div class="hero-visual">
  <div class="dna-icon">🧬</div>
  <div class="float-stat stat-1">
   <span class="stat-num">{{c.data.totalTests}}</span>
   <span class="stat-lbl">Tests Available</span>
  </div>
```

```
    <div class="float-stat stat-2">
      <span class="stat-num">24h</span>
      <span class="stat-lbl">Avg Report Time</span>
    </div>
  </div>
</div>

<!-- QUICK ACTION CARDS -->
<div class="quick-actions-bar">
  <div class="quick-action-card" ng-click="c.goToMyBookings()">
    <div class="qa-icon">📋</div>
    <div class="qa-info">
      <span class="qa-title">My Bookings</span>
      <span class="qa-sub">View your appointment history</span>
    </div>
    <i class="fa fa-chevron-right qa-arrow"></i>
  </div>
  <div class="quick-action-card" ng-click="c.goToMyReports()">
    <div class="qa-icon">📄</div>
    <div class="qa-info">
      <span class="qa-title">My Reports</span>
      <span class="qa-sub">Access your lab test results</span>
    </div>
    <i class="fa fa-chevron-right qa-arrow"></i>
  </div>
</div>

<!-- CATEGORY TABS -->
```

```
<div class="category-bar">
  <button class="cat-tab" ng-class="{'active': c.activeCategory === 'all'}" ng-
click="c.setCategory('all')">
    <i class="fa fa-th"></i> All Tests
  </button>
  <button class="cat-tab" ng-repeat="cat in c.data.categories"
    ng-class="{'active': c.activeCategory === cat}" ng-click="c.setCategory(cat)">
    {{cat}}
  </button>
</div>

<!-- RESULTS BAR -->
<div class="results-bar">
  <span class="results-count">
    Showing <strong>{{c.filteredTests.length}}</strong> test{{c.filteredTests.length !== 1 ? 's' : ''}}
    <span ng-if="c.searchQuery"> for "<em>{{c.searchQuery}}</em>"</span>
    <span ng-if="c.activeCategory !== 'all'"> in <em>{{c.activeCategory}}</em></span>
  </span>
  <div class="sort-wrap">
    <label>Sort by:</label>
    <select ng-model="c.sortBy" ng-change="c.sortTests()" class="sort-select">
      <option value="name">Name</option>
      <option value="price_asc">Price: Low to High</option>
      <option value="price_desc">Price: High to Low</option>
      <option value="duration">Duration</option>
    </select>
  </div>
</div>
```

```
<!-- EMPTY STATE -->
<div class="empty-state" ng-if="c.filteredTests.length === 0">
  <div class="empty-icon">🔬</div>
  <h3 ng-if="(c.data.tests || []).length === 0">No diagnostic tests found in the database.</h3>
  <h3 ng-if="(c.data.tests || []).length > 0">No tests match your search.</h3>
  <p ng-if="(c.data.tests || []).length === 0">
    Add records to <strong>x_1883080_medica_0_diagnostic_test</strong> and set <strong>Active = true</strong>.
  </p>
  <button class="btn-reset" ng-if="(c.data.tests || []).length > 0" ng-click="c.resetFilters()">
    Clear Filters
  </button>
</div>

<!-- TEST CARDS -->
<div class="tests-grid" ng-if="c.filteredTests.length > 0">
  <div class="test-card" ng-repeat="test in c.filteredTests">
    <div class="card-header">
      <div class="test-icon-wrap">
        <span class="test-icon">{{c.getCategoryIcon(test.category)}}</span>
      </div>
      <div class="card-badges">
        <span class="badge badge-cat">{{test.category || 'General'}}</span>
        <span class="badge badge-active" ng-if="test.active">Available</span>
        <span class="badge badge-inactive" ng-if="!test.active">Unavailable</span>
      </div>
    </div>
```

```
    <divclass="card-body">
      <h3class="test-name">{{test.test_name}}</h3>
      <pclass="test-code">Code: <strong>{{test.test_code}}</strong></p>
      <pclass="test-desc">{{c.truncate(test.description, 100)}}</p>
      <divclass="test-meta">
        <divclass="meta-item" ng-if="test.test_duration">
          <iclass="fa fa-clock-o"></i><span>{{test.test_duration}}</span>
        </div>
        <divclass="meta-item">
          <iclass="fa fa-flask"></i><span>{{test.category || 'General'}}</span>
        </div>
      </div>
    </div>
    <divclass="card-footer">
      <divclass="price-block">
        <spanclass="price-label">Price</span>
        <spanclass="price-value">${{test.price | number:2}}</span>
      </div>
      <buttonclass="btn-book" ng-if="test.active" ng-click="c.bookTest(test)">
        <iclass="fa fa-calendar-plus-o"></i> Book Now
      </button>
      <buttonclass="btn-book btn-disabled" ng-if="!test.active" disabled>
        NotAvailable
      </button>
    </div>
  </div>
</div>
```

CSS CODE:

```
.med-catalog {
  --primary: #0a2463;
  --primary-light: #1e3a8a;
  --accent: #00b4d8;
  --accent-dark: #0096c7;
  --success: #10b981;
  --danger: #ef4444;
  --gray-50: #f8fafc;
  --gray-100: #f1f5f9;
  --gray-200: #e2e8f0;
  --gray-400: #94a3b8;
  --gray-600: #475569;
  --gray-800: #1e293b;
  --white: #ffffff;
  --shadow-sm: 0 1px 3px rgba(0,0,0,0.08); --
  shadow-md: 0 4px 16px rgba(0,0,0,0.10); --
  shadow-lg: 0 8px 32px rgba(0,0,0,0.14); --
  radius: 16px;
  font-family: 'Segoe UI', system-ui, sans-serif;
  background: var(--gray-50);
  min-height: 100vh;
  padding-bottom: 60px;
}

/*HERO */
.hero-banner {
```

```
  background: linear-gradient(135deg, #0a2463 0%, #1e3a8a 60%, #0369a1 100%);
  padding: 60px 40px 70px;
  display: flex;
  align-items: center;
  justify-content: space-between;
  position: relative;
  overflow: hidden;
  border-radius: 0 0 40px 40px;
}
.hero-banner::before {
  content: '';
  position: absolute;
  top: -60px; right: -60px;
  width: 340px; height: 340px;
  background: rgba(255,255,255,0.04);
  border-radius: 50%;
}
.hero-content { flex: 1; position: relative; z-index: 1; }
.hero-badge {
  display: inline-flex;
  align-items: center;
  gap: 8px;
  background: rgba(255,255,255,0.12);
  border: 1px solid rgba(255,255,255,0.20);
  color: #bfdbfe;
  font-size: 12px;
  font-weight: 600;
  letter-spacing: 0.5px;
```

```
  text-transform: uppercase;
  padding: 6px 14px;
  border-radius: 20px;
  margin-bottom: 20px;
}
.pulse-dot {
  width: 8px; height: 8px;
  background: #10b981;
  border-radius: 50%;
  display: inline-block;
  animation: pulse 2s infinite;
}
@keyframes pulse {
  0%,100% { opacity: 1; transform: scale(1); }
  50%     { opacity: 0.5; transform: scale(1.4); }
}
.hero-title {
  font-size: 46px;
  font-weight: 800;
  color: #ffffff;
  line-height: 1.1;
  margin: 0 0 16px;
  letter-spacing: -1px;
}
.accent-text { color: #00b4d8; }
.hero-sub { color: #bfdbfe; font-size: 16px; margin: 0 0 32px; }

/* SEARCH */
```

```
.search-wrap { position: relative; max-width: 520px; }
.search-icon {
  position: absolute; left: 16px; top: 50%;
  transform: translateY(-50%);
  color: #94a3b8; font-size: 16px;
}
.search-input {
  width: 100%;
  padding: 16px 48px 16px 46px;
  border: 2px solid transparent;
  border-radius: 14px;
  font-size: 15px;
  background: rgba(255,255,255,0.95);
  color: #1e293b;
  outline: none;
  transition: all 0.2s;
  box-sizing: border-box;
  box-shadow: 0 4px 20px rgba(0,0,0,0.15);
}
.search-input:focus { border-color: #00b4d8; box-shadow: 0 4px 20px rgba(0,180,216,0.25); }
.search-clear {
  position: absolute; right: 14px; top: 50%;
  transform: translateY(-50%);
  background: none; border: none; color: #94a3b8; cursor: pointer; font-size: 15px;
}

/*HERO VISUAL */
.hero-visual { position: relative; z-index: 1; margin-left: 60px; }
```

```
.dna-icon {
  font-size: 100px;
  animation: float 4s ease-in-out infinite;
  filter: drop-shadow(0 8px 24px rgba(0,180,216,0.3));
}
@keyframes float {
  0%,100% { transform: translateY(0); }
  50%     { transform: translateY(-12px); }
}
.float-stat {
  position: absolute;
  background:          rgba(255,255,255,0.12);
  backdrop-filter: blur(12px);
  border:  1px  solid  rgba(255,255,255,0.20);
  border-radius: 12px;
  padding: 10px 16px;
  display: flex;
  flex-direction: column;
  align-items: center;
}
.stat-1 { top: -10px; right: -40px; }
.stat-2 { bottom: -10px; right: -20px; }
.stat-num { font-size: 22px; font-weight: 800; color: #ffffff; line-height: 1; }
.stat-lbl { font-size: 11px; color: #bfdbfe; margin-top: 2px; white-space: nowrap; }

/* CATEGORY BAR */
.category-bar {
display: flex;
```

```
  align-items: center;
  gap: 10px;
  padding: 28px 40px 0;
  flex-wrap: wrap;
}
.cat-tab {
  padding: 9px 20px;
  border-radius: 24px;
  border: 2px solid #e2e8f0;
  background: #ffffff;
  color: #475569;
  font-size: 14px;
  font-weight: 600;
  cursor: pointer;
  transition: all 0.2s;
  white-space: nowrap;
}
.cat-tab:hover { border-color: #00b4d8; color: #0096c7; }
.cat-tab.active {
  background: #0a2463;
  border-color: #0a2463;
  color: #ffffff;
  box-shadow: 0 4px 12px rgba(10,36,99,0.25);
}

/*RESULTS BAR */
.results-bar {
  display: flex;
```

```
  align-items: center;
  justify-content: space-between;
  padding: 20px 40px 12px;
  flex-wrap: wrap;
  gap: 12px;
}
.results-count { color: #475569; font-size: 14px; }
.results-count strong { color: #0a2463; }
.results-count em { font-style: italic; color: #0096c7; }
.sort-wrap { display: flex; align-items: center; gap: 8px; font-size: 14px; color: #475569; }
.sort-select {
  padding: 6px 12px;
  border: 2px solid #e2e8f0;
  border-radius: 8px;
  font-size: 14px;
  background: #ffffff;
  color: #1e293b;
  cursor: pointer;
  outline: none;
}
.sort-select:focus { border-color: #00b4d8; }

/* EMPTY STATE */
.empty-state { text-align: center; padding: 80px 40px; }
.empty-icon { font-size: 64px; margin-bottom: 16px; }
.empty-state h3 { font-size: 22px; color: #1e293b; margin: 0 0 8px; }
.empty-state p { color: #475569; margin: 0 0 24px; }
.btn-reset {
```

```
  padding: 10px 24px;
  background: #0a2463;
  color: #ffffff;
  border: none;
  border-radius: 8px;
  cursor: pointer;
  font-weight: 600;
  transition: background 0.2s;
}
.btn-reset:hover { background: #1e3a8a; }

/* GRID */
.tests-grid {
  display: grid;
  grid-template-columns: repeat(auto-fill, minmax(300px, 1fr));
  gap: 24px;
  padding: 24px 40px;
}

/*CARD */
.test-card {
  background: #ffffff;
  border-radius: 16px;
  border: 1px solid #e2e8f0;
  overflow: hidden;
  display: flex;
  flex-direction: column;
  transition: transform 0.25s, box-shadow 0.25s, border-color 0.25s;
```

```
  box-shadow: 0 1px 3px rgba(0,0,0,0.08);
}
.test-card:hover {
  transform: translateY(-5px);
  box-shadow: 0 8px 32px rgba(0,0,0,0.14);
  border-color: #00b4d8;
}

/*CARD HEADER */
.card-header {
  background: linear-gradient(135deg, #f0f9ff 0%, #e0f2fe 100%);
  padding: 20px 20px 16px;
  display: flex;
  align-items: flex-start;
  justify-content: space-between;
  border-bottom: 1px solid #f1f5f9;
}
.test-icon-wrap {
  width: 52px; height: 52px;
  background: #ffffff;
  border-radius: 14px;
  display: flex;
  align-items: center;
  justify-content: center;
  font-size: 26px;
  box-shadow: 0 1px 3px rgba(0,0,0,0.08);
  flex-shrink: 0;
}
```

```
.card-badges { display: flex; flex-direction: column; gap: 6px; align-items: flex-end; }
.badge { padding: 3px 10px; border-radius: 20px; font-size: 11px; font-weight: 700; letter-spacing: 0.3px; text-transform: uppercase; }
.badge-cat    { background: #dbeafe; color: #1d4ed8; }
.badge-active { background: #dcfce7; color: #15803d; }
.badge-inactive { background: #fee2e2; color: #b91c1c; }

/* CARD BODY */
.card-body { padding: 20px; flex: 1; }
.test-name { font-size: 17px; font-weight: 700; color: #1e293b; margin: 0 0 6px; line-height: 1.3; }
.test-code { font-size: 12px; color: #94a3b8; margin: 0 0 10px; font-family: 'Courier New', monospace;
}
.test-code strong { color: #0a2463; }
.test-desc { font-size: 13px; color: #475569; line-height: 1.6; margin: 0 0 16px; }
.test-meta { display: flex; gap: 16px; }
.meta-item { display: flex; align-items: center; gap: 6px; font-size: 12px; color: #475569; }
.meta-item .fa { color: #00b4d8; font-size: 13px; }

/* CARD FOOTER */
.card-footer {
  padding: 16px 20px;
  border-top: 1px solid #f1f5f9;
  display: flex;
  align-items: center;
  justify-content: space-between;
  background: #f8fafc;
}
.price-block { display: flex; flex-direction: column; }
```

```
.price-label { font-size: 11px; color: #94a3b8; text-transform: uppercase; letter-spacing: 0.5px; }
.price-value { font-size: 24px; font-weight: 800; color: #0a2463; line-height: 1.1; }
.btn-book {
  display: flex;
  align-items: center;
  gap: 8px;
  padding: 11px 22px;
  background: linear-gradient(135deg, #00b4d8 0%, #0096c7 100%);
  color: #ffffff;
  border: none;
  border-radius: 10px;
  font-size: 14px;
  font-weight: 700;
  cursor: pointer;
  transition: all 0.2s;
  box-shadow: 0 4px 12px rgba(0,150,199,0.30);
}
.btn-book:hover { transform: translateY(-1px); box-shadow: 0 6px 18px rgba(0,150,199,0.40); }
.btn-book.btn-disabled {
background: #e2e8f0;
color: #94a3b8;
cursor: not-allowed;
box-shadow: none;
}

/*RESPONSIVE */
@media (max-width: 768px) {
  .hero-banner { flex-direction: column; padding: 40px 24px 50px; }
```

```
  .hero-visual { display: none; }
  .hero-title { font-size: 32px; }
  .tests-grid { grid-template-columns: 1fr; padding: 16px 20px; }
  .category-bar { padding: 20px 20px 0; }
  .results-bar { padding: 16px 20px 8px; }
}

/*QUICK ACTION CARDS */
.quick-actions-bar {
  display: flex;
  gap: 16px;
  padding: 28px 40px 0;
  flex-wrap: wrap;
}

.quick-action-card {
  flex: 1;
  min-width: 240px;
  display: flex;
  align-items: center;
  gap: 16px;
  background: #ffffff;
  border: 2px solid #e2e8f0; border-radius:
  16px;
  padding: 18px 20px;
  cursor: pointer;
  transition: all 0.25s;
  box-shadow: 0 1px 3px rgba(0,0,0,0.08);
```

```
}

.quick-action-card:hover {
border-color: #00b4d8;
box-shadow: 0 8px 24px rgba(0,180,216,0.15);
transform: translateY(-3px);
}

.qa-icon {
  font-size: 36px;
  flex-shrink: 0;
}

.qa-info {
flex: 1;
display: flex;
flex-direction: column;
gap: 3px;
}

.qa-title {
  font-size: 16px;
  font-weight: 700;
  color: #0a2463;
}

.qa-sub {
  font-size: 12px;
```

```
  color: #94a3b8;
}

.qa-arrow {
  color: #00b4d8;
  font-size: 14px;
}

@media (max-width: 768px) {
  .quick-actions-bar {
    padding: 20px 20px 0;
    flex-direction: column;
  }
}
```

CLIENT CODE:

```
function() {
  var c = this;
  c.searchQuery = '';
  c.activeCategory = 'all';
  c.sortBy = 'name';
  c.filteredTests = [];
  var ICONS = {
    'blood': '🩸', 'blood test': '🩸', 'urine': '🧪',
    'imaging': '🩻', 'radiology': '🩻', 'cardiology': '❤️',
      'neurology': '🧠', 'pathology': '🔬', 'microbiology':'🦠',
 'biochemistry': '⚗️', 'genetics': '🧬', 'allergy': '  🌿  ',
    'covid': '😷', 'diabetes': '💉', 'thyroid': '🦋',
```

```
  'liver':' 🫁 ','kidney':' 🫘 ','vitamin': '💊',
  'iron':' 🔩 ','ecg':' ❤️ ','x-ray': '🩻', 'xray': '🩻'
};
c.getCategoryIcon=function(category) {
  if (!category)return ' 🔬
  varkey=category.toLowerCase();
  for (var k in ICONS) {
    if(key.indexOf(k)!==-1)return ICONS[k];
  }
  return' 🔬
};
c.truncate=function(text,length) {
  if(!text)return'Nodescription available.';
  returntext.length>length? text.substring(0, length) + '...' : text;
};
c.filterTests = function() {
  var all = c.data.tests || [];
  varq=(c.searchQuery||'').toLowerCase().trim();
  var cat = c.activeCategory;
  c.filteredTests=all.filter(function(t) {
    var matchSearch = !q ||
      (t.test_name&&t.test_name.toLowerCase().indexOf(q) !== -1) ||
      (t.description&&t.description.toLowerCase().indexOf(q) !== -1) ||
      (t.test_code&&t.test_code.toLowerCase().indexOf(q) !== -1) ||
      (t.category&&t.category.toLowerCase().indexOf(q) !== -1);
    varmatchCat=(cat==='all') || (t.category === cat);
    returnmatchSearch&&matchCat;
```

```
  });
  c.sortTests();
};
c.sortTests=function() {
  vart=c.filteredTests;
  if(c.sortBy==='name') {
    t.sort(function(a,b) { return (a.test_name || '').localeCompare(b.test_name || ''); });
  }elseif(c.sortBy=== 'price_asc') {
    t.sort(function(a,b) { return (a.price || 0) - (b.price || 0); });
  }elseif(c.sortBy=== 'price_desc') {
    t.sort(function(a,b) { return (b.price || 0) - (a.price || 0); });
  }elseif(c.sortBy=== 'duration') {
    t.sort(function(a,b) { return (a.test_duration || '').localeCompare(b.test_duration || ''); });
  }
};
c.setCategory=function(cat) {
  c.activeCategory=cat;
  c.filterTests();
};
c.clearSearch=function() {
  c.searchQuery = '';
  c.filterTests();
};
c.resetFilters=function() {
  c.searchQuery = '';
  c.activeCategory='all';
  c.sortBy = 'name';
  c.filterTests();
```

```
  };
  var _getPortal = function() {
    return window.location.pathname.split('/')[1] || 'sp';
  };
  c.bookTest = function(test) {
    sessionStorage.setItem('selected_test_sys_id', test.sys_id);
    sessionStorage.setItem('selected_test_name', test.test_name || '');
    sessionStorage.setItem('selected_test_price', test.price || 0);
    sessionStorage.setItem('selected_test_code', test.test_code || '');
    sessionStorage.setItem('selected_test_category', test.category || '');
    sessionStorage.setItem('selected_test_duration', test.test_duration || '');
    window.location.href = '/' + _getPortal() + '?id=appointment_booking';
  };
  c.goToMyBookings = function() {
    window.location.href = '/' + _getPortal() + '?id=my_appointments';
  };
  c.goToMyReports = function() {
    window.location.href = '/' + _getPortal() + '?id=lab_reports';
  };
  //INIT
  c.filteredTests = angular.copy(c.data.tests || []);
  c.data.totalTests = c.filteredTests.length;
  c.sortTests();
}
```

SERVER CODE:

```
(function() {
  data.tests = [];
  data.categories = [];
```

```
 data.totalTests = 0;
 try{
  vartestGr = new GlideRecord('x_1883080_medica_0_diagnostic_test');
  testGr.orderBy('test_name');
  testGr.query();
  varcategorySet = {};
  varcategoryList = [];
  while(testGr.next()) {
   varcategoryDisplay = testGr.getDisplayValue('category') || testGr.getValue('category') ||
'General';
   var activeVal = testGr.getValue('active');
   var isActive = (activeVal === '1' || activeVal === 'true' || activeVal === true);
   data.tests.push({
    sys_id:       testGr.getUniqueValue(),
    test_name:    testGr.getValue('test_name')    || '',
    test_code:    testGr.getValue('test_code')    || '',
    category:     categoryDisplay,
    description: testGr.getValue('description') || '',
    price:        parseFloat(testGr.getValue('price')) || 0,
    test_duration: testGr.getValue('test_duration') || '',
    active:       isActive
   });
   if (categoryDisplay && !categorySet[categoryDisplay]) {
    categorySet[categoryDisplay] = true;
    categoryList.push(categoryDisplay);
   }
  }
  categoryList.sort();
```

```
    data.categories = categoryList;
    data.totalTests = data.tests.length;
  }catch(e) {
    data.error = e.message;
    gs.error('MediCare Catalog Error: ' + e.message);
  }
})();
```

Note: **you need to modify the script as per your requirements to get appropriate results**

Creation of widgets(My appointments):

Navigate to the Application Navigator

Click on All

Search for Service Portal

Under Service Portal, select Widgets

Click on New

Fill in the widget details:

Name: My Appointments

ID: my_appointments

Make Widget as Public to easily accessible to every user

Description: Widget to display and manage functionalities

Click on Submit or Save





HTML CODE:

```
<div class="my-appts">

<!-- HEADER -->

  <div class="appts-header">

   <div class="header-left">

    <h1 class="header-title">📋 My Appointments</h1>

    <p class="header-sub">Track all your booked diagnostic tests in one place.</p>

   </div>

   <div class="header-right">

    <button class="btn-book-new" ng-click="c.bookNew()">
```

```
    <iclass="fafa-plus"></i> Book New Test
   </button>
  </div>
</div>

<!--STATSBAR-->
<divclass="stats-bar">
  <divclass="stat-card" ng-repeat="stat in c.stats">
    <spanclass="stat-icon">{{stat.icon}}</span>
    <divclass="stat-info">
      <spanclass="stat-val">{{stat.count}}</span>
      <spanclass="stat-name">{{stat.label}}</span>
    </div>
  </div>
</div>

<!--FILTERTABS-->
<divclass="filter-tabs">
  <button
    class="filter-tab"
    ng-repeat="tab in c.tabs"
    ng-class="{'active': c.activeTab === tab.key}"
    ng-click="c.setTab(tab.key)"
  >
    {{tab.label}}
    <spanclass="tab-count" ng-if="tab.count > 0">{{tab.count}}</span>
  </button>
</div>

<!--SEARCH+SORT -->
<divclass="list-controls">
```

```
 <divclass="search-mini-wrap">
  <iclass="fa fa-search"></i>
  <input
   type="text"
   placeholder="Search appointments..."
   ng-model="c.searchQuery"
   ng-change="c.filterAppointments()"
   class="search-mini"
  />
 </div>
 <selectng-model="c.sortBy" ng-change="c.sortAppointments()" class="sort-mini">
  <optionvalue="date_desc">Newest First</option>
  <optionvalue="date_asc">Oldest First</option>
  <optionvalue="status">By Status</option>
 </select>
</div>

<!--LOADING -->
<divclass="loading-center" ng-if="c.loading">
 <divclass="spinner-ring"></div>
 <p>Loading your appointments...</p>
</div>

<!--EMPTYSTATE -->
<divclass="empty-appts" ng-if="!c.loading && c.filteredAppointments.length === 0">
 <divclass="empty-emoji">📪</div>
 <h3>Noappointments found</h3>
 <png-if="c.activeTab !== 'all'">No {{c.activeTab}} appointments yet.</p>
 <png-if="c.activeTab === 'all'">You haven't booked any tests yet.</p>
 <buttonclass="btn-book-first" ng-click="c.bookNew()">Book Your First Test</button>
</div>
```

```
<!--APPOINTMENTS LIST -->
<divclass="appts-list" ng-if="!c.loading && c.filteredAppointments.length > 0">
 <div
  class="appt-card"
  ng-repeat="appt in c.filteredAppointments"
  ng-class="'appt-' + appt.status"
 >

  <!--LEFT ACCENT BAR -->
  <divclass="appt-accent-bar" ng-style="{'background': c.getStatusColor(appt.status)}"></div>

  <!--CARD CONTENT -->
  <divclass="appt-content">

   <!--TOP ROW -->
   <divclass="appt-top">
    <divclass="appt-title-group">
     <span class="appt-icon">{{c.getCategoryIcon(appt.test_category)}}</span>
     <div>
      <h3 class="appt-test-name">{{appt.test_name}}</h3>
      <span class="appt-number">{{appt.appointment_number}}</span>
     </div>
    </div>
    <divclass="appt-status-wrap">
     <span
      class="status-pill"
      ng-style="{'background': c.getStatusBg(appt.status), 'color': c.getStatusColor(appt.status)}"
     >
      {{c.getStatusIcon(appt.status)}} {{c.getStatusLabel(appt.status)}}
     </span>
```

```
    <span
      class="approval-pill"
      ng-if="appt.approval_status"
      ng-class="'approval-' + appt.approval_status"
    >
      {{c.getApprovalLabel(appt.approval_status)}}
    </span>
  </div>
</div>

<!--META ROW -->
<divclass="appt-meta">
  <divclass="meta-chip">
    <iclass="fa fa-calendar"></i>
    <span>{{appt.scheduled_date_display}}</span>
  </div>
  <divclass="meta-chip">
    <iclass="fa fa-clock-o"></i>
    <span>{{appt.slot_time || 'N/A'}}</span>
  </div>
  <divclass="meta-chip">
    <iclass="fa fa-tag"></i>
    <span>{{appt.test_category || 'General'}}</span>
  </div>
  <divclass="meta-chip" ng-if="appt.total_amount">
    <iclass="fa fa-dollar"></i>
    <span>${{appt.total_amount | number:2}}</span>
  </div>
</div>

<!--PAYMENT + APPROVAL STATUS -->
```

```
<divclass="appt-info-row">
 <divclass="info-badge" ng-class="'pay-' + appt.payment_status">
  <iclass="fa fa-credit-card"></i>
  Payment: <strong>{{c.getPaymentLabel(appt.payment_status)}}</strong>
 </div>
 <divclass="info-badge approval-info" ng-if="appt.approved_by_name">
  <iclass="fa fa-user-check"></i>
  Approved by: <strong>{{appt.approved_by_name}}</strong>
 </div>
 <divclass="info-badge conf-badge" ng-if="appt.confirmation_sent">
  <iclass="fa fa-envelope-o"></i> Confirmation Sent
 </div>
</div>

<!--NOTES -->
<divclass="appt-notes" ng-if="appt.notes">
 <iclass="fa fa-sticky-note-o"></i> <em>{{appt.notes}}</em>
</div>

<!--REJECTION REASON -->
<divclass="rejection-banner" ng-if="appt.rejection_reason">
 <iclass="fa fa-exclamation-circle"></i>
 <div>
  <strong>Rejection Reason:</strong>
  <span>{{appt.rejection_reason}}</span>
 </div>
</div>

<!--ACTIONS -->
<divclass="appt-actions">
 <button
```

```
          class="appt-action-btn btn-view"
          ng-click="c.viewDetails(appt)"
        >
          <iclass="fa fa-eye"></i> View Details
        </button>
        <button
          class="appt-action-btn btn-cancel"
          ng-if="c.canCancel(appt)"
          ng-click="c.cancelAppointment(appt)"
        >
          <iclass="fa fa-times"></i> Cancel
        </button>
        <button
          class="appt-action-btn btn-report"
          ng-if="appt.has_report"
          ng-click="c.viewReport(appt)"
        >
          <iclass="fa fa-file-text"></i> View Report
        </button>
        <spanclass="date-chip">
          Booked: {{appt.created_on_display}}
        </span>
      </div>

    </div>
  </div>
</div>

<!--DETAILMODAL -->
<divclass="modal-overlay" ng-if="c.showModal" ng-click="c.closeModal()">
  <divclass="modal-box" ng-click="$event.stopPropagation()">
```

```
    <div class="modal-header">
      <h3>Appointment Details</h3>
      <button class="modal-close" ng-click="c.closeModal()">X</button>
    </div>
    <div class="modal-body" ng-if="c.selectedAppt">
      <div class="detail-grid">
        <div class="detail-item">
          <span class="detail-key">Appointment #</span>
          <span class="detail-val mono">{{c.selectedAppt.appointment_number}}</span>
        </div>
        <div class="detail-item">
          <span class="detail-key">Status</span>
          <span class="detail-val">
            <span class="status-pill" ng-style="{'background': c.getStatusBg(c.selectedAppt.status), 'color':
c.getStatusColor(c.selectedAppt.status)}">
              {{c.getStatusLabel(c.selectedAppt.status)}}
            </span>
          </span>
        </div>
        <div class="detail-item">
          <span class="detail-key">Test</span>
          <span class="detail-val">{{c.selectedAppt.test_name}}</span>
        </div>
        <div class="detail-item">
          <span class="detail-key">Category</span>
          <span class="detail-val">{{c.selectedAppt.test_category}}</span>
        </div>
        <div class="detail-item">
          <span class="detail-key">Scheduled Date</span>
          <span class="detail-val">{{c.selectedAppt.scheduled_date_display}}</span>
        </div>
        <div class="detail-item">
```

```
          <span class="detail-key">Time Slot</span>
          <span class="detail-val">{{c.selectedAppt.slot_time}}</span>
        </div>
        <div class="detail-item">
          <span class="detail-key">Total Amount</span>
          <span class="detail-val paid-green">${{c.selectedAppt.total_amount | number:2}}</span>
        </div>
        <div class="detail-item">
          <span class="detail-key">Payment Status</span>
          <span class="detail-val">{{c.getPaymentLabel(c.selectedAppt.payment_status)}}</span>
        </div>
        <div class="detail-item">
          <span class="detail-key">Approval Status</span>
          <span class="detail-val">{{c.getApprovalLabel(c.selectedAppt.approval_status)}}</span>
        </div>
        <div class="detail-item full">
          <span class="detail-key">Notes</span>
          <span class="detail-val">{{c.selectedAppt.notes || 'None'}}</span>
        </div>
      </div>
    </div>
    <div class="modal-footer">
      <button class="btn-close-modal" ng-click="c.closeModal()">Close</button>
    </div>
   </div>
  </div>
</div>
```

CSS Code:

```
.my-appts {
  --primary: #0a2463;
  --accent: #00b4d8;
```

```
  --success: #10b981;
  --warning: #f59e0b;
  --danger: #ef4444;
  --info: #3b82f6;
  --gray-50: #f8fafc;
  --gray-100: #f1f5f9;
  --gray-200: #e2e8f0;
  --gray-400: #94a3b8;
  --gray-600: #475569;
  --gray-800: #1e293b;
  --white: #ffffff;
  --shadow-sm: 0 1px 4px rgba(0,0,0,0.07); --
  shadow-md: 0 4px 14px rgba(0,0,0,0.09); --
  radius: 14px;
  font-family: 'Segoe UI', system-ui, sans-serif;
  background: var(--gray-50);
  min-height: 100vh;
  padding: 0 0 60px;
}

/*---------- HEADER ---------- */
.appts-header {
  background: linear-gradient(135deg, var(--primary) 0%, #1e3a8a 100%);
  padding: 40px 40px 50px;
  display: flex;
  align-items: flex-start;
  justify-content: space-between;
  border-radius: 0 0 32px 32px;
  flex-wrap: wrap;
  gap: 20px;
}
```

```
.header-title {
  font-size: 32px;
  font-weight: 800;
  color: var(--white);
  margin: 0 0 8px;
}

.header-sub { color: #bfdbfe; margin: 0; font-size: 15px; }

.btn-book-new {
  display: inline-flex;
  align-items: center;
  gap: 8px;
  padding: 12px 24px;
  background: var(--accent);
  color: var(--white);
  border: none;
  border-radius: 10px;
  font-size: 15px;
  font-weight: 700;
  cursor: pointer;
  transition: all 0.2s;
  box-shadow: 0 4px 14px rgba(0,180,216,0.35);
  white-space: nowrap;
}

.btn-book-new:hover { transform: translateY(-2px); box-shadow: 0 6px 20px rgba(0,180,216,0.45); }

/* ---------- STATS BAR ---------- */
.stats-bar {
```

```
  display: flex;
  gap: 16px;
  padding: 24px 40px 0;
  flex-wrap: wrap;
}

.stat-card {
  flex: 1;
  min-width: 120px;
  background: var(--white);
  border-radius: var(--radius);
  border: 1px solid var(--gray-200);
  padding: 16px 20px;
  display: flex;
  align-items: center;
  gap: 14px;
  box-shadow: var(--shadow-sm);
  transition: box-shadow 0.2s;
}

.stat-card:hover { box-shadow: var(--shadow-md); }

.stat-icon { font-size: 28px; }
.stat-info { display: flex; flex-direction: column; }
.stat-val { font-size: 22px; font-weight: 800; color: var(--primary); line-height: 1; }
.stat-name { font-size: 12px; color: var(--gray-600); font-weight: 500; margin-top: 2px; }

/* ---------- FILTER TABS ---------- */
.filter-tabs {
  display: flex;
  gap: 8px;
```

```
  padding: 24px 40px 0;
  flex-wrap: wrap;
}

.filter-tab {
  display: inline-flex;
  align-items: center;
  gap: 6px;
  padding: 8px 18px;
  border-radius: 24px;
  border: 2px solid var(--gray-200);
  background: var(--white);
  color: var(--gray-600);
  font-size: 14px;
  font-weight: 600;
  cursor: pointer;
  transition: all 0.2s;
}

.filter-tab:hover { border-color: var(--accent); color: var(--accent); }

.filter-tab.active {
  background: var(--primary);
  border-color: var(--primary);
  color: var(--white);
  box-shadow: 0 4px 12px rgba(10,36,99,0.25);
}

.tab-count {
  background: rgba(255,255,255,0.25);
  border-radius: 12px;
```

```
  padding: 1px 7px;
  font-size: 11px;
  font-weight: 700;
}

.filter-tab:not(.active) .tab-count {
  background: var(--gray-100);
  color: var(--gray-600);
}

/*---------- LIST CONTROLS ---------- */
.list-controls {
display: flex;
align-items: center;
gap: 12px;
padding: 16px 40px;
flex-wrap: wrap;
}

.search-mini-wrap {
position: relative;
flex: 1;
max-width: 320px;
}

.search-mini-wrap .fa {
  position: absolute;
  left: 12px;
  top: 50%;
  transform: translateY(-50%);
  color: var(--gray-400);
```

```
}

.search-mini {
  padding: 9px 14px 9px 36px;
  border: 2px solid var(--gray-200);
  border-radius: 8px;
  font-size: 14px;
  width: 100%;
  outline: none;
  transition: border-color 0.2s;
  box-sizing: border-box;
}

.search-mini:focus { border-color: var(--accent); }

.sort-mini {
  padding: 9px 14px;
  border: 2px solid var(--gray-200);
  border-radius: 8px;
  font-size: 14px;
  background: var(--white);
  cursor: pointer;
  outline: none;
}

.sort-mini:focus { border-color: var(--accent); }

/* ---------- LOADING ---------- */
.loading-center { text-align: center; padding: 60px; color: var(--gray-600); }
.spinner-ring {
  display: inline-block;
```

```
 width: 44px; height: 44px;
  border: 4px solid var(--gray-200);
  border-top-color: var(--accent);
  border-radius: 50%;
  animation: spin 0.8s linear infinite;
  margin-bottom: 14px;
}
@keyframes spin { to { transform: rotate(360deg); } }

/* ---------- EMPTY STATE ---------- */
.empty-appts { text-align: center; padding: 60px 40px; }
.empty-emoji { font-size: 56px; margin-bottom: 16px; }
.empty-appts h3 { font-size: 20px; color: var(--gray-800); margin: 0 0 8px; }
.empty-appts p { color: var(--gray-600); margin: 0 0 20px; }

.btn-book-first {
  padding: 12px 28px;
  background: var(--primary);
  color: var(--white);
  border: none;
  border-radius: 10px;
  font-size: 15px;
  font-weight: 700;
  cursor: pointer;
  transition: background 0.2s;
}

.btn-book-first:hover { background: #1e3a8a; }

/* ---------- APPOINTMENTS LIST ---------- */
.appts-list {
```

```
  padding: 8px 40px;
  display: flex;
  flex-direction: column;
  gap: 16px;
}

/*---------- APPOINTMENT CARD ---------- */
.appt-card {
  background: var(--white);
  border-radius: var(--radius);
  border: 1px solid var(--gray-200);
  display: flex;
  overflow: hidden;
  box-shadow: var(--shadow-sm);
  transition: box-shadow 0.2s, transform 0.2s;
}

.appt-card:hover {
  box-shadow: var(--shadow-md);
  transform: translateY(-2px);
}

.appt-accent-bar { width: 5px; flex-shrink: 0; }

.appt-content { flex: 1; padding: 20px 24px; }

/* TOP ROW */
.appt-top {
  display: flex;
  align-items: flex-start;
  justify-content: space-between;
```

```
  margin-bottom: 14px;
  gap: 12px;
  flex-wrap: wrap;
}

.appt-title-group { display: flex; align-items: center; gap: 14px; }
.appt-icon { font-size: 32px; }

.appt-test-name {
font-size: 17px;
font-weight: 700;
color: var(--gray-800);
margin: 0 0 4px;
}

.appt-number { font-size: 12px; color: var(--gray-400); font-family: 'Courier New', monospace; }

.appt-status-wrap { display: flex; flex-wrap: wrap; gap: 8px; align-items: center; }

/* STATUS PILLS */
.status-pill {
  display: inline-flex;
  align-items: center;
  gap: 5px;
  padding: 5px 14px;
  border-radius: 20px;
  font-size: 12px;
  font-weight: 700;
  text-transform: capitalize;
}
```

```
.approval-pill {
  padding: 4px 12px;
  border-radius: 20px;
  font-size: 11px;
  font-weight: 700;
  text-transform: capitalize;
}

.approval-requested { background: #fef3c7; color: #92400e; }
.approval-approved { background: #dcfce7; color: #166534; }
.approval-rejected { background: #fee2e2; color: #991b1b; }

/* META ROW */
.appt-meta {
  display: flex;
  flex-wrap: wrap;
  gap: 10px;
  margin-bottom: 12px;
}

.meta-chip {
  display: inline-flex; align-
  items: center;
  gap: 5px;
  font-size: 13px;
  color: var(--gray-600);
  background: var(--gray-100);
  padding: 4px 10px; border-
  radius: 6px;
}
```

```
.meta-chip .fa { color: var(--accent); font-size: 12px; }

/* INFO ROW */
.appt-info-row {
  display: flex;
  flex-wrap: wrap;
  gap: 8px;
  margin-bottom: 10px;
}

.info-badge {
  display:    inline-flex;
  align-items:   center;
  gap: 5px;
  font-size:         12px;
  padding:  4px  10px;
  border-radius:   6px;
  font-weight: 500;
}

.pay-paid { background: #dcfce7; color: #166534; }
.pay-pending { background: #fef3c7; color: #92400e; }
.pay-unpaid { background: #fee2e2; color: #991b1b; }
.approval-info { background: #dbeafe; color: #1d4ed8; }
.conf-badge { background: #f0fdf4; color: #166534; }

/* NOTES */
.appt-notes {
  font-size: 13px;
  color: var(--gray-600);
  background: var(--gray-50);
```

```
  border-left: 3px solid var(--gray-200);
  padding: 6px 12px;
  margin-bottom: 12px;
  border-radius: 0 6px 6px 0;
  font-style: italic;
}

/*REJECTION BANNER */
.rejection-banner {
  display: flex;
  align-items: flex-start;
  gap: 10px;
  background: #fef2f2;
  border: 1px solid #fecaca;
  border-radius: 8px;
  padding: 10px 14px;
  margin-bottom: 12px;
  font-size: 13px;
  color: #991b1b;
}

/*ACTIONS */
.appt-actions {
display: flex;
align-items: center;
gap: 10px;
flex-wrap: wrap;
}

.appt-action-btn {
  display: inline-flex;
```

```
  align-items:   center;
  gap: 6px;
  padding:  7px  16px;
  border-radius:   8px;
  font-size:         13px;
  font-weight:      600;
  cursor:         pointer;
  border:           none;
  transition: all 0.2s;
}

.btn-view { background: #dbeafe; color: #1d4ed8; }
.btn-view:hover { background: #bfdbfe; }

.btn-cancel { background: #fee2e2; color: #b91c1c; }
.btn-cancel:hover { background: #fecaca; }

.btn-report { background: #dcfce7; color: #166534; }
.btn-report:hover { background: #bbf7d0; }

.date-chip {
  margin-left:         auto;
  font-size: 11px;
  color:   var(--gray-400);
  white-space: nowrap;
}

/*---------- MODAL ---------- */
.modal-overlay {
  position: fixed;
  inset: 0;
```

```
  background: rgba(0,0,0,0.5);
  z-index: 9999;
  display: flex;
  align-items: center;
  justify-content: center;
  padding: 20px;
}

.modal-box {
  background: var(--white);
  border-radius: 20px;
  max-width: 560px;
  width: 100%;
  overflow: hidden;
  box-shadow: 0 20px 60px rgba(0,0,0,0.25);
  animation: slideUp 0.3s ease;
}

@keyframes slideUp {
  from { opacity: 0; transform: translateY(20px); }
  to { opacity: 1; transform: translateY(0); }
}

.modal-header {
  display: flex;
  align-items: center;
  justify-content: space-between;
  padding: 20px 24px;
  background: var(--primary);
  color: var(--white);
}
```

```
.modal-header h3 { margin: 0; font-size: 18px; }

.modal-close {
  background: none;
  border: none;
  color: var(--white);
  font-size: 20px;
  cursor: pointer;
  line-height: 1;
  opacity: 0.8;
  transition: opacity 0.2s;
}

.modal-close:hover { opacity: 1; }

.modal-body { padding: 24px; }

.detail-grid {
  display: grid;
  grid-template-columns: 1fr 1fr;
  gap: 14px;
}

.detail-item {
  display: flex;
  flex-direction: column;
  gap: 4px;
}

.detail-item.full { grid-column: 1 / -1; }
```

```
.detail-key { font-size: 11px; font-weight: 700; text-transform: uppercase; color: var(--gray-400); letter-spacing: 0.4px; }
.detail-val { font-size: 14px; font-weight: 600; color: var(--gray-800); }
.detail-val.mono { font-family: 'Courier New', monospace; color: var(--primary); }
.detail-val.paid-green { color: var(--success); font-size: 16px; }

.modal-footer {
  padding: 16px 24px;
  border-top: 1px solid var(--gray-100);
  display: flex;
  justify-content: flex-end;
}

.btn-close-modal {
  padding: 10px 24px;
  background: var(--primary);
  color: var(--white);
  border: none;
  border-radius: 8px;
  font-weight: 700;
  cursor: pointer;
  transition: background 0.2s;
}

.btn-close-modal:hover { background: #1e3a8a; }

/* ---------- RESPONSIVE ---------- */
@media (max-width: 768px) {
  .appts-header, .stats-bar, .filter-tabs, .list-controls, .appts-list {
    padding-left: 16px; padding-right: 16px;
  }
```

```
 .stats-bar { gap: 10px; }
  .stat-card { min-width: 100px; }
  .appt-top { flex-direction: column; }
  .date-chip { margin-left: 0; }
  .detail-grid { grid-template-columns: 1fr; }
}
```

Client Code :

```
function() {
  varc = this;

  //— PAGE IDs (confirmed from your ServiceNow Pages list) —
  varPAGE_IDS = {
    home:       'test_catalog', // ← CORRECT page ID from your screenshot
    labReports: 'lab_reports'
  };

  c.loading = true;
  c.activeTab = 'all';
  c.searchQuery = '';
  c.sortBy = 'date_desc';
  c.filteredAppointments = [];
  c.showModal = false;
  c.selectedAppt = null;

  c.tabs = [
    {key: 'all',       label: 'All',       count: 0 },
    {key: 'pending',   label: 'Pending',   count: 0 },
    {key: 'confirmed', label: 'Confirmed', count: 0 },
    {key: 'completed', label: 'Completed', count: 0 },
    {key: 'cancelled', label: 'Cancelled', count: 0 }
  ];
```

```
c.stats = [
  { icon: '📋',label: 'Total',     count: 0 },
  { icon: '✅',label: 'Confirmed', count: 0 },
  { icon: '⏳',label: 'Pending', count: 0 },
  { icon: '✔️',label: 'Completed', count: 0 }
];

//—NAVIGATION ————————————————————————————————————
var_nav=function(pageId) {
  varportalId=window.location.pathname.split('/')[1] || 'sp';
  window.location.href = '/' + portalId + '?id=' + pageId;
};

//—INIT————————————————————————————————————————————
//KEYFIX:ServiceNow populates c.data synchronously BEFORE this runs.
//$watch('data') never fires. Just read data directly in $onInit.
c.$onInit=function() {
  c.loading=false;
  c.buildStats();
  c.filterAppointments();
};

c.buildStats=function() {
  varappts=c.data.appointments || [];
  c.stats[0].count = appts.length;
  c.stats[1].count = appts.filter(function(a) { return a.status === 'confirmed'; }).length;
  c.stats[2].count = appts.filter(function(a) { return a.status === 'pending'; }).length;
  c.stats[3].count = appts.filter(function(a) { return a.status === 'completed'; }).length;
  c.tabs.forEach(function(tab) {
    tab.count=(tab.key === 'all')
```

```
      ?appts.length
      :appts.filter(function(a) { return a.status === tab.key; }).length;
  });
};

c.setTab=function(key) { c.activeTab = key; c.filterAppointments(); };

c.filterAppointments = function() {
  varappts=angular.copy(c.data.appointments || []);
  varq=(c.searchQuery || '').toLowerCase();
  vartab=c.activeTab;
  c.filteredAppointments = appts.filter(function(a) {
    varmatchTab = (tab === 'all') || (a.status === tab);
    varmatchSearch = !q ||
      (a.test_name         && a.test_name.toLowerCase().indexOf(q) !== -1) ||
      (a.appointment_number && a.appointment_number.toLowerCase().indexOf(q) !== -1) ||
      (a.test_category     && a.test_category.toLowerCase().indexOf(q) !== -1);
    returnmatchTab && matchSearch;
  });
  c.sortAppointments();
};

c.sortAppointments = function() {
  c.filteredAppointments.sort(function(a, b) {
    if(c.sortBy=== 'date_asc') return (a.scheduled_date || '').localeCompare(b.scheduled_date || '');
    if(c.sortBy=== 'date_desc') return (b.scheduled_date || '').localeCompare(a.scheduled_date || '');
    if(c.sortBy=== 'status') return (a.status || '').localeCompare(b.status || '');
    return 0;
  });
};
```

```
//—STATUSHELPERS————————————————————————————————
var STATUS_MAP = {
  'pending':{color:'#f59e0b', bg:'#fef3c7', icon:'⏳', label:'Pending' },
  'confirmed':{color:'#3b82f6', bg:'#dbeafe', icon:'✅', label:'Confirmed' },
  'completed':{color:'#10b981', bg:'#dcfce7', icon:'✔️', label:'Completed' },
  'cancelled':{color:'#6b7280', bg:'#f1f5f9', icon:'🚫', label:'Cancelled' },
  'rejected':{color:'#ef4444', bg:'#fee2e2', icon:'❌', label:'Rejected' }
};
var_statusProp=function(s, prop, fallback) {
  return(STATUS_MAP[s] && STATUS_MAP[s][prop]) ? STATUS_MAP[s][prop] : fallback;
};
c.getStatusColor=function(s) { return _statusProp(s, 'color', '#94a3b8'); };
c.getStatusBg    =function(s) { return _statusProp(s, 'bg',    '#f1f5f9'); };
c.getStatusIcon=function(s) { return _statusProp(s, 'icon', '•');          };
c.getStatusLabel=function(s) { return _statusProp(s, 'label', s);          };

c.getApprovalLabel=function(s) {
  varm={'requested':'Approval Requested','approved':'✅ Approved','rejected':'❌ Rejected' };
  return m[s] || s;
};
c.getPaymentLabel=function(s) {
  varm={'paid':'  ✓ Paid','pending':'Payment Pending','unpaid':'Unpaid','refunded':'Refunded' };
  returnm[s]||(s||'N/A');
};
c.getCategoryIcon=function(cat) {
  varicons={'blood':'🩸','urine':'🧪','imaging':'🩻','cardiology':'❤️',
            'neurology':'🧠','genetics':'🧬','pathology':'🔬' };
  if (!cat) return '🔬';
  vark=cat.toLowerCase();
  for(varkeyinicons){if (k.indexOf(key) !== -1) return icons[key]; }
  return '🔬
```

```
};

 c.canCancel=function(appt) {
  returnappt.status=== 'pending' || appt.status === 'confirmed';
 };

 // CANCEL
 c.cancelAppointment = function(appt) {
  if(!confirm('Areyou sure you want to cancel appointment ' + appt.appointment_number + '?')) return;
  c.server.get({action: 'cancel_appointment', appointment_sys_id: appt.sys_id })
    .then(function(response) {
      if(response.data.success) {
      appt.status='cancelled';
      c.buildStats();
      c.filterAppointments();
      alert('Appointment cancelled successfully.');
      } else {
        alert('Error:'+(response.data.error || 'Failed to cancel.'));
      }
    });
 };

 //—MODAL————————————————————————————————————
 c.viewDetails=function(appt) { c.selectedAppt = appt; c.showModal = true; };
 c.closeModal=function()       { c.showModal = false; c.selectedAppt = null; };

 //—NAVIGATION———————————————————————————————
 //KEYFIX:"BookNew Test" now goes to correct page ID "test_catalog"
 c.bookNew=function() { _nav(PAGE_IDS.home); };
 c.viewReport=function(appt) { _nav(PAGE_IDS.labReports); };
}
```

Server Code:

```
(function() {
 data.appointments = [];

 try{
  varcurrentUser = gs.getUser();
  varuserID       = gs.getUserID();
  varuserEmail = currentUser.getEmail() || '';
  varuserName     = gs.getUserName() || '';

  //—APPROACH 1: Find patient records linked to this sys_user ———
  varpatientSysIds = [];
  varpatientMap = {}; // sys_id → true (dedup)

  //Byuser reference field
  varpatGr = new GlideRecord('x_1883080_medica_0_patient');
  patGr.addQuery('user', userID);
  patGr.query();
  while(patGr.next()) {
   varpid = patGr.getUniqueValue();
   if(!patientMap[pid]) { patientMap[pid] = true; patientSysIds.push(pid); }
  }

  //Byemail (catches cases where email in form ≠ ServiceNow user email)
  if(userEmail) {
   varpatEmailGr = new GlideRecord('x_1883080_medica_0_patient');
   patEmailGr.addQuery('email', userEmail);
   patEmailGr.query();
   while(patEmailGr.next()) {
    vareid = patEmailGr.getUniqueValue();
    if(!patientMap[eid]) { patientMap[eid] = true; patientSysIds.push(eid); }
```

```
  }
}

//—APPROACH 2: Find appointments created_by this user ——————————
//KEYFIX: catches bookings where patient email ≠ logged-in user email
varapptSysIds = [];
varapptMap      = {}; // dedup
varapptDataMap = {}; // sys_id → raw appointment GlideRecord data

varcreatedByGr = new GlideRecord('x_1883080_medica_0_appointment_table');
createdByGr.addQuery('created_by', userID);
createdByGr.orderByDesc('sys_created_on');
createdByGr.query();
while(createdByGr.next()) {
  varaid = createdByGr.getUniqueValue();
  if(!apptMap[aid]) {
    apptMap[aid] = true;
    apptSysIds.push(aid);

    //Also collect patient IDs from these appointments
    varpRef = createdByGr.getValue('patient');
    if(pRef && !patientMap[pRef]) {
      patientMap[pRef] = true;
      patientSysIds.push(pRef);
    }
  }
}

//—APPROACH 3: Appointments linked to any patient record found ——
if(patientSysIds.length > 0) {
  varapptPatGr = new GlideRecord('x_1883080_medica_0_appointment_table');
```

```
  apptPatGr.addQuery('patient', 'IN', patientSysIds.join(','));
  apptPatGr.orderByDesc('sys_created_on');
  apptPatGr.query();
  while(apptPatGr.next()) {
    varapid = apptPatGr.getUniqueValue();
    if(!apptMap[apid]) {
      apptMap[apid] = true;
      apptSysIds.push(apid);
    }
  }
}

if(apptSysIds.length === 0) {
  data.appointments = [];
  return;
}

//—FETCH FULL APPOINTMENT DATA ————————————————————————————
varfinalGr = new GlideRecord('x_1883080_medica_0_appointment_table');
finalGr.addQuery('sys_id', 'IN', apptSysIds.join(','));
finalGr.orderByDesc('sys_created_on');
finalGr.query();

while(finalGr.next()) {

  //Gettest details
  vartestName     = '';
  vartestCategory = '';
  vartestRef      = finalGr.getValue('test');
  if(testRef) {
    vartestGr = new GlideRecord('x_1883080_medica_0_diagnostic_test');
```

```
  if(testGr.get(testRef)) {
    testName     = testGr.getValue('test_name') || '';
    testCategory = testGr.getDisplayValue('category') || testGr.getValue('category') || '';
  }
}

//Check if report exists
varhasReport = false;
varreportGr = new GlideRecord('x_1883080_medica_0_report_table');
reportGr.addQuery('appointment', finalGr.getUniqueValue());
reportGr.setLimit(1);
reportGr.query();
if(reportGr.next()) { hasReport = true; }

//Approved by name
varapprovedByName = '';
varapprovedByRef = finalGr.getValue('approved_by');
if(approvedByRef) {
  varapproverGr = new GlideRecord('sys_user');
  if(approverGr.get(approvedByRef)) {
    approvedByName = approverGr.getDisplayValue('name') || '';
  }
}

//Format dates safely
varscheduledRaw = finalGr.getValue('scheduled_date') || '';
varscheduledDisplay = '';
if(scheduledRaw) {
  try{
    vargdt = new GlideDateTime(scheduledRaw);
    scheduledDisplay = gdt.getLocalDate().getLocalDate();
```

```
    }catch(dateErr) {
      scheduledDisplay = scheduledRaw.split(' ')[0] || scheduledRaw;
    }
  }

  varcreatedOn = finalGr.getDisplayValue('sys_created_on') || '';

  data.appointments.push({
    sys_id:             finalGr.getUniqueValue(),
    appointment_number: finalGr.getValue('appointment_number') || '',
    status:             finalGr.getValue('status') || 'pending',
    approval_status:    finalGr.getValue('approval_status') || '',
    payment_status:     finalGr.getValue('payment_status') || '',
    scheduled_date:     scheduledRaw,
    scheduled_date_display: scheduledDisplay,
    slot_time:          finalGr.getValue('slot_time') || '',
    total_amount:       parseFloat(finalGr.getValue('total_amount')) || 0,
    notes:              finalGr.getValue('notes') || '',
    rejection_reason:   finalGr.getValue('rejection_reason') || '',
    confirmation_sent: finalGr.getValue('confirmation_sent') === '1' || finalGr.getValue('confirmation_sent') === true,
    test_name:          testName,
    test_category:      testCategory,
    approved_by_name: approvedByName,
    has_report:         hasReport,
    created_on_display: createdOn
  });
}

//—HANDLE CANCEL ACTION ————————————————————————————————
if(input && input.action === 'cancel_appointment') {
  varcancelGr = new GlideRecord('x_1883080_medica_0_appointment_table');
```

```
if(cancelGr.get(input.appointment_sys_id)) {

  //Verify ownership: created_by OR patient belongs to this user
  varisOwner = false;
  if(cancelGr.getValue('created_by') === userID) {
    isOwner = true;
  } else {
    varcancelPatId = cancelGr.getValue('patient');
    if(cancelPatId && patientSysIds.indexOf(cancelPatId) !== -1) {
      isOwner = true;
    }
  }

  if(isOwner) {
    cancelGr.setValue('status', 'cancelled');
    cancelGr.update();
    data.success = true;

    //Send cancellation email
    try{
      varpatEmail2 = '';
      varpatGr2 = new GlideRecord('x_1883080_medica_0_patient');
      if(patGr2.get(cancelGr.getValue('patient'))) {
        patEmail2 = patGr2.getValue('email') || '';
      }
      if(patEmail2) {
        varemailer = new GlideEmailOutbound();
        emailer.setTo(patEmail2);
        emailer.setSubject('Appointment Cancelled: ' + cancelGr.getValue('appointment_number'));
        emailer.setBody('<p>Your appointment <strong>' +
          cancelGr.getValue('appointment_number') +
```

```
            '</strong> has been cancelled. If this was a mistake, please book again.</p>');
            emailer.save();
          }
        }catch(emailErr) {
          gs.warn('Cancel email error: ' + emailErr.message);
        }

      } else {
        data.error = 'Unauthorized';
      }
    } else {
      data.error = 'Appointment not found';
    }
  }

 } catch(e) {
   gs.error('My Appointments Widget Error: ' + e.message);
   data.error= 'Failed to load appointments: ' + e.message;
   data.appointments = [];
 }
})();
```

Note: **you need to modify the script as per your requirements to get appropriate results**

Creation of widget(Appointment Booking):

Navigate to the **Application Navigator**

Click on **All**

Search for **Service Portal**

Under **Service Portal**, select **Widgets**

Click on **New**

Fill in the widget details:

Name: Appointment Booking

ID: appointment_booking

Make Widget as **Public** to easily accessible to every user

Description: Widget to display and manage functionalities

Click on **Submit** or **Save**







HTML:

```
<div class="appt-booking">

  <!-- PROGRESS STEPS -->

  <div class="progress-wrap">

    <div class="progress-step" ng-class="{'active': c.step >= 1, 'done': c.step > 1}">

      <div class="step-circle"><i class="fa fa-check" ng-if="c.step > 1"></i><span ng-if="c.step <= 1">1</span></div>

      <span class="step-label">Details</span>

    </div>

    <div class="step-line" ng-class="{'filled': c.step > 1}"></div>

    <div class="progress-step" ng-class="{'active': c.step >= 2, 'done': c.step > 2}">

      <div class="step-circle"><i class="fa fa-check" ng-if="c.step > 2"></i><span ng-if="c.step <= 2">2</span></div>

      <span class="step-label">Schedule</span>

    </div>

    <div class="step-line" ng-class="{'filled': c.step > 2}"></div>

    <div class="progress-step" ng-class="{'active': c.step >= 3, 'done': c.step > 3}">

      <div class="step-circle"><i class="fa fa-check" ng-if="c.step > 3"></i><span ng-if="c.step <= 3">3</span></div>

      <span class="step-label">Payment</span>

    </div>

    <div class="step-line" ng-class="{'filled': c.step > 3}"></div>

    <div class="progress-step" ng-class="{'active': c.step >= 4}">

      <div class="step-circle"><span>4</span></div>

      <span class="step-label">Done</span>

    </div>

  </div>



  <!-- TEST BANNER — ng-bind used instead of {{}} for price -->
```

```
<divclass="test-banner" ng-if="c.selectedTest">
 <divclass="test-banner-icon" ng-bind="c.getCategoryIcon(c.selectedTest.category)"></div>
 <divclass="test-banner-info">
  <spanclass="test-banner-name" ng-bind="c.selectedTest.test_name"></span>
  <spanclass="test-banner-meta">
   <spanng-bind="c.selectedTest.category"></span> &middot;
   Code:<span ng-bind="c.selectedTest.test_code"></span> &middot;
   Duration:<span ng-bind="c.selectedTest.test_duration"></span>
  </span>
 </div>
 <divclass="test-banner-price">
  <spanclass="price-tag">$<span ng-bind="c.testPrice"></span></span>
  <buttonclass="btn-change-test" ng-click="c.changeTest()">Change Test</button>
 </div>
</div>

<divclass="no-test-warn" ng-if="!c.selectedTest">
 <iclass="fafa-exclamation-triangle"></i>
 Notestselected. <a ng-click="c.changeTest()">Back to catalog</a>
</div>

<!--=====STEP 1: PATIENT DETAILS ===== -->
<divclass="booking-step" ng-show="c.step === 1">
 <divclass="step-header">
  <h2>&#128100; Patient Information</h2>
  <p>Fillinyour personal details to proceed.</p>
 </div>
```

```
<divclass="form-card">
 <divclass="form-grid">

  <divclass="form-group" ng-class="{'has-error': c.errors.first_name}">
   <label class="form-label req">First Name</label>
   <input class="form-input" type="text" placeholder="First name"
    ng-model="c.form.first_name" ng-change="c.clearError('first_name')" />
   <span class="err-msg" ng-if="c.errors.first_name" ng-bind="c.errors.first_name"></span>
  </div>

  <divclass="form-group" ng-class="{'has-error': c.errors.last_name}">
   <label class="form-label req">Last Name</label>
   <input class="form-input" type="text" placeholder="Last name"
    ng-model="c.form.last_name" ng-change="c.clearError('last_name')" />
   <span class="err-msg" ng-if="c.errors.last_name" ng-bind="c.errors.last_name"></span>
  </div>

  <divclass="form-group" ng-class="{'has-error': c.errors.email}">
   <label class="form-label req">Email Address</label>
   <input class="form-input" type="email" placeholder="you@example.com"
    ng-model="c.form.email" ng-change="c.clearError('email')" />
   <span class="err-msg" ng-if="c.errors.email" ng-bind="c.errors.email"></span>
  </div>

  <divclass="form-group" ng-class="{'has-error': c.errors.phone_number}">
   <label class="form-label req">Phone Number</label>
   <input class="form-input" type="tel" placeholder="+1 555 000 0000"
    ng-model="c.form.phone_number" ng-change="c.clearError('phone_number')" />
```

```
        <span class="err-msg" ng-if="c.errors.phone_number" ng-
bind="c.errors.phone_number"></span>
      </div>

      <div class="form-group" ng-class="{'has-error': c.errors.date_of_birth}">
        <label class="form-label req">Date of Birth</label>
        <input class="form-input" type="date"
          ng-model="c.form.date_of_birth" ng-change="c.clearError('date_of_birth')" />
        <span class="err-msg" ng-if="c.errors.date_of_birth" ng-
bind="c.errors.date_of_birth"></span>
      </div>

      <!--GENDER custom dropdown -->
      <divclass="form-group" ng-class="{'has-error': c.errors.gender}">
        <labelclass="form-label req">Gender</label>
        <divclass="cust-select" ng-class="{'open': c.genderOpen}">
          <divclass="cust-sel-trigger" ng-click="c.genderOpen = !c.genderOpen; c.bankOpen = false;">
            <span class="cust-sel-val" ng-if="!c.form.gender" style="color:#94a3b8;">-- Select Gender --
</span>
            <span class="cust-sel-val" ng-if="c.form.gender" ng-
bind="c.getGenderLabel(c.form.gender)"></span>
            <i class="fa" ng-class="c.genderOpen ? 'fa-chevron-up' : 'fa-chevron-down'"
style="color:#94a3b8;font-size:12px;"></i>
          </div>
          <div class="cust-sel-menu" ng-if="c.genderOpen">
            <div class="cust-sel-item" ng-repeat="opt in c.genderOptions"
              ng-click="c.selectGender(opt.value)"
              ng-class="{'selected': c.form.gender === opt.value}"
              ng-bind="opt.label">
```

```
          </div>
         </div>
        </div>
        <spanclass="err-msg" ng-if="c.errors.gender" ng-bind="c.errors.gender"></span>
       </div>

       <divclass="form-group form-full">
        <labelclass="form-label">Address</label>
        <textareaclass="form-input" rows="2" placeholder="Your full address"
         ng-model="c.form.address"></textarea>
       </div>

     </div>
    </div>

    <divclass="step-actions">
     <buttonclass="btn-back" ng-click="c.changeTest()"><i class="fa fa-arrow-left"></i> Back to Catalog</button>
     <button class="btn-next" ng-click="c.validateStep1()">Continue <i class="fa fa-arrow-right"></i></button>
    </div>
  </div>
  <!-- Validation message -->
<div ng-if="c.validationMsg" style="background:#fef2f2;border:2px solid #fca5a5;border-radius:10px;padding:12px 16px;margin-bottom:16px;color:#b91c1c;font-size:13px;font-weight:600;display:flex;align-items:center;gap:8px;">
  <i class="fa fa-exclamation-circle"></i>
  <span>{{c.validationMsg}}</span>
</div>
```

```
<!--===== STEP 2: SCHEDULE ===== -->
<divclass="booking-step" ng-show="c.step === 2">
 <divclass="step-header">
  <h2>&#128197; Schedule Appointment</h2>
  <p>Choose your preferred date and time slot.</p>
 </div>

 <divclass="form-card">
  <divclass="form-group" ng-class="{'has-error': c.errors.scheduled_date}">
   <label class="form-label req">Preferred Date</label>
   <input class="form-input" type="date" ng-model="c.form.scheduled_date"
    ng-attr-min="{{c.minDate}}" ng-change="c.onDateChange()" />
   <span class="err-msg" ng-if="c.errors.scheduled_date" ng-
bind="c.errors.scheduled_date"></span>
  </div>

  <div class="slots-section" ng-if="c.form.scheduled_date">
   <label class="form-label req" style="display:block;margin-bottom:10px;">Available Time
Slots</label>
   <div class="slots-grid">
    <button class="slot-btn" ng-repeat="slot in c.timeSlots"
     ng-class="{'selected': c.form.slot_time === slot}"
     ng-click="c.selectSlot(slot)"
     ng-bind="slot">
    </button>
   </div>
   <span class="err-msg" ng-if="c.errors.slot_time" ng-bind="c.errors.slot_time"></span>
```

```
    </div>

    <divclass="form-group" style="margin-top:20px;">
      <labelclass="form-label">Notes (optional)</label>
      <textarea class="form-input" rows="3" placeholder="Any special instructions..."
        ng-model="c.form.notes"></textarea>
    </div>
  </div>

  <!--Booking Summary — FIX: use ng-bind for all dynamic values -->
  <divclass="booking-summary">
    <h4>&#128203; Booking Summary</h4>
    <divclass="sum-row">
      <span>Test</span>
      <strong ng-bind="c.selectedTest.test_name"></strong>
    </div>
    <divclass="sum-row">
      <span>Patient</span>
      <strong><span ng-bind="c.form.first_name"></span> <span ng-
bind="c.form.last_name"></span></strong>
    </div>
    <div class="sum-row" ng-if="c.form.scheduled_date">
      <span>Date</span>
      <strong ng-bind="c.formatDateDisplay(c.form.scheduled_date)"></strong>
    </div>
    <div class="sum-row" ng-if="c.form.slot_time">
      <span>Time</span>
      <strong ng-bind="c.form.slot_time"></strong>
```

```
    </div>
    <div class="sum-row">
      <span>Amount</span>
      <strong style="color:#0a2463;">$<span ng-bind="c.testPrice"></span></strong>
    </div>
  </div>

  <div class="step-actions">
    <button class="btn-back" ng-click="c.prevStep()"><i class="fa fa-arrow-left"></i> Back</button>
    <button class="btn-next" ng-click="c.validateStep2()">Continue to Payment <i class="fa fa-arrow-right"></i></button>
  </div>
 </div>
 <!-- Validation message -->
<div ng-if="c.validationMsg" style="background:#fef2f2;border:2px solid #fca5a5;border-radius:10px;padding:12px 16px;margin-bottom:16px;color:#b91c1c;font-size:13px;font-weight:600;display:flex;align-items:center;gap:8px;">
 <i class="fa fa-exclamation-circle"></i>
 <span>{{c.validationMsg}}</span>
</div>

 <!-- ===== STEP 3: PAYMENT ===== -->
 <div class="booking-step" ng-show="c.step === 3">
  <div class="step-header">
    <h2>&#128179; Payment</h2>
    <p>Select a payment method and confirm your booking.</p>
  </div>

  <!-- Order Summary — all using ng-bind -->
```

```
  <div class="order-card">
    <div class="order-hdr">Order Summary</div>
    <div class="order-row">
      <span ng-bind="c.selectedTest.test_name"></span>
      <span>$<span ng-bind="c.testPrice"></span></span>
    </div>
    <div class="order-row">
      <span>Date &amp;amp; Time</span>
      <span><span ng-bind="c.formatDateDisplay(c.form.scheduled_date)"></span> &middot; <span ng-bind="c.form.slot_time"></span></span>
    </div>
    <div class="order-row"><span>Service Fee</span><span>$0.00</span></div>
    <div class="order-divider"></div>
    <div class="order-total">
      <span>Total</span>
      <span class="order-total-price">$<span ng-bind="c.testPrice"></span></span>
    </div>
  </div>

  <!-- Payment methods -->
  <label class="form-label" style="display:block;margin-bottom:12px;">Select Payment Method</label>
  <div class="pay-methods">
    <div class="pay-method" ng-class="{'active': c.payment.method === 'card'}" ng-click="c.setPaymentMethod('card')">
      <span class="pay-icon">&#128179;</span><span class="pay-lbl">Card</span>
      <span class="pay-tick" ng-if="c.payment.method === 'card'">&#10003;</span>
    </div>
```

```
    <div class="pay-method" ng-class="{'active': c.payment.method === 'upi'}" ng-click="c.setPaymentMethod('upi')">
      <span class="pay-icon">&#128241;</span><span class="pay-lbl">UPI</span>
      <span class="pay-tick" ng-if="c.payment.method === 'upi'">&#10003;</span>
    </div>
    <div class="pay-method" ng-class="{'active': c.payment.method === 'netbanking'}" ng-click="c.setPaymentMethod('netbanking')">
      <span  class="pay-icon">&#127974;</span><span  class="pay-lbl">Net  Banking</span>
      <span class="pay-tick" ng-if="c.payment.method === 'netbanking'">&#10003;</span>
    </div>
    <div class="pay-method" ng-class="{'active': c.payment.method === 'insurance'}" ng-click="c.setPaymentMethod('insurance')">
      <span class="pay-icon">&#127973;</span><span class="pay-lbl">Insurance</span>
      <span class="pay-tick" ng-if="c.payment.method === 'insurance'">&#10003;</span>
    </div>
    <div class="pay-method" ng-class="{'active': c.payment.method === 'cash'}" ng-click="c.setPaymentMethod('cash')">
      <spanclass="pay-icon">&#128181;</span><span class="pay-lbl">Pay on Arrival</span>
      <spanclass="pay-tick" ng-if="c.payment.method === 'cash'">&#10003;</span>
    </div>
  </div>

  <!--Card-->
  <divclass="form-card" ng-if="c.payment.method === 'card'">
    <divclass="secure-tag"><i class="fa fa-lock"></i> Secure Demo Payment</div>
    <divclass="form-grid">
      <divclass="form-group form-full">
        <labelclass="form-label">Cardholder Name</label>
```

```
        <input class="form-input" type="text" placeholder="Name on card" ng-model="c.payment.card_name" />
      </div>
      <div class="form-group form-full">
        <label class="form-label">Card Number</label>
        <input class="form-input" type="text" placeholder="4242 4242 4242 4242" maxlength="19" ng-model="c.payment.card_number" />
      </div>
      <div class="form-group">
        <label class="form-label">Expiry</label>
        <input class="form-input" type="text" placeholder="MM/YY" maxlength="5" ng-model="c.payment.expiry" />
      </div>
      <div class="form-group">
        <label class="form-label">CVV</label>
        <input class="form-input" type="password" placeholder="***" maxlength="4" ng-model="c.payment.cvv" />
      </div>
    </div>
  </div>

  <!-- UPI -->
  <div class="form-card" ng-if="c.payment.method === 'upi'">
    <div class="secure-tag"><i class="fa fa-lock"></i> UPI Demo Payment</div>
    <div class="form-group" style="margin-bottom:16px;">
      <label class="form-label">UPI ID</label>
      <input class="form-input" type="text" placeholder="yourname@upi" ng-model="c.payment.upi_id" />
    </div>
```

```
    <label class="form-label" style="display:block;margin-bottom:10px;">Or choose app</label>
    <div class="upi-apps">
      <div class="upi-app-tile" ng-class="{'upi-active': c.payment.upi_app === 'gpay'}" ng-click="c.selectUpiApp('gpay')">
        <div class="upi-app-logo" style="background:linear-gradient(135deg,#4285f4,#34a853);">G</div>
        <span>GPay</span>
      </div>
      <div class="upi-app-tile" ng-class="{'upi-active': c.payment.upi_app === 'phonepe'}" ng-click="c.selectUpiApp('phonepe')">
        <div class="upi-app-logo" style="background:#5f259f;">P</div>
        <span>PhonePe</span>
      </div>
      <div class="upi-app-tile" ng-class="{'upi-active': c.payment.upi_app === 'paytm'}" ng-click="c.selectUpiApp('paytm')">
        <div class="upi-app-logo" style="background:#00b9f5;color:#002970;">P</div>
        <span>Paytm</span>
      </div>
      <div class="upi-app-tile" ng-class="{'upi-active': c.payment.upi_app === 'bhim'}" ng-click="c.selectUpiApp('bhim')">
        <div class="upi-app-logo" style="background:#ff6600;">B</div>
        <span>BHIM</span>
      </div>
      <div class="upi-app-tile" ng-class="{'upi-active': c.payment.upi_app === 'amazonpay'}" ng-click="c.selectUpiApp('amazonpay')">
        <div class="upi-app-logo" style="background:#ff9900;color:#232f3e;">A</div>
        <span>Amazon</span>
      </div>
    </div>
  </div>
```

```
<!--NetBanking -->
<divclass="form-card" ng-if="c.payment.method === 'netbanking'">
 <divclass="secure-tag"><i class="fa fa-lock"></i> Net Banking Demo</div>
 <divclass="form-group">
  <labelclass="form-label">Select Your Bank</label>
  <divclass="cust-select" ng-class="{'open': c.bankOpen}">
   <divclass="cust-sel-trigger" ng-click="c.bankOpen = !c.bankOpen; c.genderOpen = false;">
    <span class="cust-sel-val" ng-if="!c.payment.bank" style="color:#94a3b8;">-- Select Bank --
</span>
    <span class="cust-sel-val" ng-if="c.payment.bank" ng-
bind="c.getBankLabel(c.payment.bank)"></span>
    <i class="fa" ng-class="c.bankOpen ? 'fa-chevron-up' : 'fa-chevron-down'"
style="color:#94a3b8;font-size:12px;"></i>
   </div>
   <divclass="cust-sel-menu" ng-if="c.bankOpen">
    <divclass="cust-sel-item" ng-repeat="b in c.bankOptions"
     ng-click="c.selectBank(b.value)"
     ng-class="{'selected': c.payment.bank === b.value}"
     ng-bind="b.label">
    </div>
   </div>
  </div>
 </div>
</div>

<!--Insurance -->
<divclass="form-card" ng-if="c.payment.method === 'insurance'">
 <divclass="secure-tag">&#127973; Insurance Payment</div>
```

```
      <div class="form-grid">
        <div class="form-group">
          <label class="form-label">Provider</label>
          <input class="form-input" type="text" placeholder="e.g. BlueCross, Aetna" ng-model="c.payment.insurance_provider" />
        </div>
        <div class="form-group">
          <label class="form-label">Policy Number</label>
          <input class="form-input" type="text" placeholder="Policy / Member ID" ng-model="c.payment.policy_number" />
        </div>
      </div>
    </div>

    <!-- Cash -->
    <div class="form-card cash-card" ng-if="c.payment.method === 'cash'">
      <div class="cash-emoji">&#128181;</div>
      <h4>Pay on Arrival</h4>
      <p>Pay <strong>$<span ng-bind="c.testPrice"></span></strong> at the center when you arrive.</p>
      <pclass="cash-note">Carry a valid ID. Please arrive 15 minutes early.</p>
    </div>

    <divclass="step-actions">
      <button class="btn-back" ng-click="c.prevStep()"><i class="fa fa-arrow-left"></i> Back</button>
      <button class="btn-pay" ng-click="c.processPayment()" ng-disabled="c.processing">
        <span ng-if="!c.processing">
          <iclass="fa fa-lock"></i> Confirm &amp;amp; Pay $<span ng-bind="c.testPrice"></span>
        </span>
```

```
      <span ng-if="c.processing"><i class="fa fa-spinner fa-spin"></i> Processing...</span>
    </button>
   </div>
  </div>

  <!--===== STEP 4: SUCCESS ===== -->
  <divclass="booking-step success-wrap" ng-show="c.step === 4">
   <divclass="success-circle"><i class="fa fa-check"></i></div>
   <h2class="success-title">Appointment Confirmed! &#127881;</h2>
   <pclass="success-sub">Pending admin approval. Confirmation sent to <strong ng-bind="c.form.email"></strong></p>

   <div class="conf-card">
    <div class="conf-row"><span>Appointment #</span><strong class="appt-code" ng-bind="c.data.appointmentNumber"></strong></div>
    <div class="conf-row"><span>Patient</span><strong><span ng-bind="c.form.first_name"></span> <span ng-bind="c.form.last_name"></span></strong></div>
    <div class="conf-row"><span>Test</span><strong ng-bind="c.selectedTest.test_name"></strong></div>
    <div class="conf-row"><span>Date &amp;amp; Time</span><strong><span ng-bind="c.formatDateDisplay(c.form.scheduled_date)"></span> &middot; <span ng-bind="c.form.slot_time"></span></strong></div>
    <div class="conf-row"><span>Amount Paid</span><strong class="paid-green">$<span ng-bind="c.testPrice"></span> &#10003;</strong></div>
    <div class="conf-row"><span>Payment Via</span><strong ng-bind="c.getPaymentLabel(c.payment.method)"></strong></div>
    <div class="conf-row"><span>Status</span><strong class="status-warn">&#9203; Pending Approval</strong></div>
   </div>

   <div class="next-steps-wrap">
```

```
    <h4>What happens next?</h4>

    <div class="next-step-row"><span class="ns-ico">&#128231;</span><div><strong>Confirmation Email</strong><span>Check your inbox for booking details</span></div></div>

    <div class="next-step-row"><span class="ns-ico">&#9989;</span><div><strong>Admin Approval</strong><span>Reviewed within 24 hours</span></div></div>

    <div class="next-step-row"><span class="ns-ico">&#128276;</span><div><strong>Reminder</strong><span>You will get an alert 24h before your test</span></div></div>

   </div>


   <div class="success-btns">

    <button class="btn-next" ng-click="c.viewMyAppointments()"><i class="fa fa-list"></i> View My Bookings</button>

    <button class="btn-back" ng-click="c.bookAnother()">Book Another Test</button>

   </div>

  </div>


</div>
```

CSS :

```
.appt-booking {

  --blue:#0a2463; --blue2:#1e3a8a; --cyan:#00b4d8; --cyan2:#0096c7;

  --green:#10b981; --amber:#f59e0b; --red:#ef4444;

  --g50:#f8fafc; --g100:#f1f5f9; --g200:#e2e8f0;

  --g400:#94a3b8; --g600:#475569; --g800:#1e293b; --wht:#ffffff;

  --r:14px; --sh:0 1px 4px rgba(0,0,0,.07);

  font-family:'Segoe UI',system-ui,sans-serif;

  max-width:800px; margin:0 auto;

  padding:28px 20px 60px; background:var(--g50); min-height:100vh;

}
```

```
/* ── PROGRESS ──────────────────────────────────────────── */
.progress-wrap { display:flex; align-items:center; justify-content:center; margin-bottom:32px; gap:0; }
.progress-step { display:flex; flex-direction:column; align-items:center; gap:6px; }
.step-circle {
  width:42px; height:42px; border-radius:50%; border:3px solid var(--g200);
  background:var(--g200); color:var(--g400);
  display:flex; align-items:center; justify-content:center;
  font-size:15px; font-weight:700; transition:all .3s;
}
.progress-step.active .step-circle { background:var(--blue); border-color:var(--blue); color:#fff; box-shadow:0 4px 12px rgba(10,36,99,.25); }
.progress-step.done .step-circle { background:var(--green); border-color:var(--green); color:#fff; }
.step-label { font-size:11px; font-weight:600; color:var(--g400); white-space:nowrap; }
.progress-step.active .step-label,
.progress-step.done .step-label { color:var(--blue); }
.step-line { flex:1; min-width:40px; max-width:90px; height:3px; background:var(--g200); margin-top:-22px; transition:background .3s; }
.step-line.filled { background:var(--green); }

/* ── TEST BANNER ──────────────────────────────────────── */
.test-banner {
  display:flex; align-items:center; gap:14px; flex-wrap:wrap;
  background:linear-gradient(135deg,#eff6ff,#dbeafe);
  border:1px solid #bfdbfe; border-radius:var(--r);
  padding:14px 18px; margin-bottom:24px;
}
.test-banner-icon { font-size:34px; flex-shrink:0; }
```

```
.test-banner-info { flex:1; }
.test-banner-name { display:block; font-size:16px; font-weight:700; color:var(--blue); }
.test-banner-meta { display:block; font-size:12px; color:var(--g600); margin-top:2px; }
.test-banner-price { display:flex; flex-direction:column; align-items:flex-end; gap:6px; }
.price-tag { font-size:26px; font-weight:800; color:var(--blue); }
.btn-change-test {
  background:none; border:1px solid var(--cyan); color:var(--cyan2);
  padding:4px 12px; border-radius:20px; font-size:12px; font-weight:600; cursor:pointer;
}
.btn-change-test:hover { background:var(--cyan); color:#fff; }
.no-test-warn {
  background:#fef3c7; border:1px solid #fcd34d; border-radius:10px;
  padding:12px 16px; color:#92400e; font-size:14px; margin-bottom:20px;
}
.no-test-warn a { color:var(--cyan2); cursor:pointer; text-decoration:underline; }

/* ── STEP HEADER ──────────────────────────────────────── */
.step-header { margin-bottom:20px; }
.step-header h2 { font-size:21px; font-weight:800; color:var(--g800); margin:0 0 4px; }
.step-header p { color:var(--g600); font-size:13px; margin:0; }

/* ── FORM CARD ────────────────────────────────────────── */
.form-card {
  background:var(--wht); border-radius:var(--r); border:1px solid var(--g200);
  padding:24px; box-shadow:var(--sh); margin-bottom:20px;
}
.form-grid { display:grid; grid-template-columns:1fr 1fr; gap:16px; }
.form-group { display:flex; flex-direction:column; gap:5px; }
```

```
.form-full { grid-column:1 / -1; }
.form-label { font-size:11px; font-weight:700; color:var(--g800); text-transform:uppercase; letter-spacing:.4px; }
.form-label.req::after { content:' *'; color:var(--red); }

/* ── INPUTS ──────────────────────────────────────── */
.form-input {
  padding:11px 14px; border:2px solid var(--g200); border-radius:10px;
  font-size:14px; color:var(--g800); background:var(--wht);
  outline:none; transition:border .2s; width:100%; box-sizing:border-box;
  font-family:inherit;
}
.form-input:focus { border-color:var(--cyan); }
.has-error .form-input { border-color:var(--red); }
textarea.form-input { resize:vertical; min-height:72px; }
.err-msg { font-size:12px; color:var(--red); font-weight:500; }

/* ── CUSTOM SELECT (fixes broken <select> in Service Portal) ── */
.cust-select { position:relative; }
.cust-sel-trigger {
  display:flex; align-items:center; justify-content:space-between;
  padding:11px 14px; border:2px solid var(--g200); border-radius:10px;
  background:var(--wht); cursor:pointer; transition:border .2s;
  font-size:14px; color:var(--g800); user-select:none;
}
.cust-sel-trigger:hover,
.cust-select.open .cust-sel-trigger { border-color:var(--cyan); }
.cust-sel-val { flex:1; }
```

```
.cust-sel-menu {
  position:absolute; top:calc(100% + 4px); left:0; right:0; z-index:999;
  background:var(--wht); border:2px solid var(--cyan); border-radius:10px;
  box-shadow:0 8px 24px rgba(0,0,0,.12); overflow:hidden;
}
.cust-sel-item {
  padding:11px 16px; font-size:14px; color:var(--g800);
  cursor:pointer; transition:background .12s; border-bottom:1px solid var(--g100);
}
.cust-sel-item:last-child { border-bottom:none; }
.cust-sel-item:hover { background:#f0f9ff; }
.cust-sel-item.selected { background:#dbeafe; color:var(--blue); font-weight:600; }
.has-error .cust-sel-trigger { border-color:var(--red); }

/* ── TIME SLOTS ──────────────────────────────────────── */
.slots-section { margin-top:16px; }
.slots-grid { display:grid; grid-template-columns:repeat(auto-fill,minmax(88px,1fr)); gap:7px; margin-
top:8px; }
.slot-btn {
  padding:8px 4px; border:2px solid var(--g200); border-radius:8px;
  background:var(--wht); color:var(--g800); font-size:12px; font-weight:600;
  cursor:pointer; transition:all .15s; text-align:center;
}
.slot-btn:hover { border-color:var(--cyan); color:var(--cyan2); background:#f0f9ff; }
.slot-btn.selected { background:var(--blue); border-color:var(--blue); color:#fff; }

/* ── BOOKING SUMMARY ─────────────────────────────────── */
.booking-summary {
```

```
  background:#f0fdf4; border:1px solid #bbf7d0; border-radius:var(--r);
  padding:16px 20px; margin-bottom:20px;
}
.booking-summary h4 { font-size:13px; font-weight:700; color:#166534; margin:0 0 10px; }
.sum-row { display:flex; justify-content:space-between; font-size:13px; padding:5px 0; border-
bottom:1px solid #dcfce7; }
.sum-row:last-child { border-bottom:none; }
.sum-row span { color:var(--g600); }
.sum-row strong { color:var(--g800); }

/* ── ORDER CARD ──────────────────────────────────────── */
.order-card { background:var(--wht); border-radius:var(--r); border:1px solid var(--g200);
overflow:hidden; margin-bottom:20px; }
.order-hdr { background:var(--blue); color:#fff; padding:13px 18px; font-weight:700; font-size:14px; }
.order-row { display:flex; justify-content:space-between; padding:11px 18px; border-bottom:1px
solid var(--g100); font-size:13px; color:var(--g800); }
.order-divider { border-top:2px solid var(--g200); }
.order-total { display:flex; justify-content:space-between; padding:14px 18px; font-size:15px; font-
weight:700; color:var(--g800); }
.order-total-price { font-size:22px; color:var(--blue); }
/* ── PAYMENT METHODS ─────────────────────────────────── */
.pay-methods { display:grid; grid-template-columns:repeat(5,1fr); gap:10px; margin-bottom:20px; }
.pay-method {
  display:flex; flex-direction:column; align-items:center; gap:6px;
  padding:14px 8px; border:2px solid var(--g200); border-radius:12px;
  background:var(--wht); cursor:pointer; transition:all .2s;
  position:relative; text-align:center;
}
```

```
.pay-method:hover { border-color:var(--cyan); }

.pay-method.active { border-color:var(--blue); background:#eff6ff; box-shadow:0 4px 12px rgba(10,36,99,.1); }

.pay-icon { font-size:24px; }

.pay-lbl { font-size:11px; font-weight:700; color:var(--g800); line-height:1.2; }

.pay-tick {
  position:absolute; top:5px; right:7px; width:17px; height:17px;
  background:var(--green); color:#fff; border-radius:50%;
  display:flex; align-items:center; justify-content:center; font-size:10px; font-weight:700;
}

/*— SECURE TAG ——————————————————————————— */
.secure-tag {
  display:flex; align-items:center; gap:8px;
  background:#ecfdf5; border:1px solid #a7f3d0; border-radius:8px;
  padding:9px 14px; color:#065f46; font-size:13px; font-weight:600; margin-bottom:18px;
}

/*— UPI APPS ————————————————————————————— */
.upi-apps { display:flex; gap:10px; flex-wrap:wrap; }
.upi-app-tile {
  display:flex; flex-direction:column; align-items:center; gap:6px;
  padding:12px 14px; border:2px solid var(--g200); border-radius:12px;
  background:var(--wht); cursor:pointer; transition:all .2s;
  min-width:64px; font-size:11px; font-weight:700; color:var(--g800);
}
.upi-app-tile:hover { border-color:var(--cyan); }
.upi-app-tile.upi-active { border-color:var(--blue); background:#eff6ff; color:var(--blue); }
```

```
.upi-app-logo {
  width:36px; height:36px; border-radius:10px;
  display:flex; align-items:center; justify-content:center;
  font-size:16px; font-weight:900; color:#fff;
}

/*— CASH ———————————————————————————————— */
.cash-card { text-align:center; padding:28px !important; }
.cash-emoji { font-size:44px; margin-bottom:10px; }
.cash-card h4 { font-size:17px; color:var(--g800); margin:0 0 8px; }
.cash-card p { color:var(--g600); font-size:14px; margin:0 0 6px; }
.cash-note    { color:var(--g400); font-size:12px; font-style:italic; }

/* — STEP ACTIONS ———————————————————————————— */
.step-actions { display:flex; justify-content:space-between; align-items:center; gap:12px; flex-wrap:wrap; margin-top:4px; }
.btn-back, .btn-next, .btn-pay {
  display:inline-flex; align-items:center; gap:7px;
  padding:12px 24px; border-radius:10px; font-size:14px; font-weight:700;
  cursor:pointer; border:none; transition:all .2s;
}
.btn-back { background:var(--wht); color:var(--g600); border:2px solid var(--g200); }
.btn-back:hover { border-color:var(--g400); }
.btn-next { background:linear-gradient(135deg,var(--blue),var(--blue2)); color:#fff; box-shadow:0 4px 12px rgba(10,36,99,.28); }
.btn-next:hover { transform:translateY(-1px); box-shadow:0 6px 18px rgba(10,36,99,.34); }
.btn-pay { background:linear-gradient(135deg,var(--green),#059669); color:#fff; box-shadow:0 4px 12px rgba(16,185,129,.3); padding:13px 28px; font-size:15px; }
.btn-pay:hover { transform:translateY(-1px); }
```

```
.btn-pay:disabled { opacity:.65; cursor:not-allowed; transform:none; }

/* ── SUCCESS ──────────────────────────────────────── */
.success-wrap { text-align:center; padding-top:16px; }
.success-circle {
  width:88px; height:88px; background:var(--green); border-radius:50%;
  display:inline-flex; align-items:center; justify-content:center;
  font-size:38px; color:#fff; margin-bottom:20px;
  box-shadow:0 8px 28px rgba(16,185,129,.38);
  animation:pop .5s cubic-bezier(.36,.07,.19,.97);
}
@keyframes pop { 0%{transform:scale(0)} 80%{transform:scale(1.1)} 100%{transform:scale(1)} }
.success-title { font-size:26px; font-weight:800; color:var(--g800); margin:0 0 10px; }
.success-sub { color:var(--g600); font-size:14px; margin:0 0 24px; }
.conf-card {
  background:var(--wht); border-radius:var(--r); border:1px solid var(--g200);
  padding:20px; text-align:left; max-width:480px; margin:0 auto 24px;
}
.conf-row { display:flex; justify-content:space-between; padding:8px 0; border-bottom:1px solid var(--g100); font-size:13px; }
.conf-row:last-child { border-bottom:none; }
.conf-row span { color:var(--g600); }
.conf-row strong { color:var(--g800); }
.appt-code { color:var(--blue); font-family:'Courier New',monospace; }
.paid-green { color:var(--green); }
.status-warn { color:var(--amber); }
.next-steps-wrap { max-width:480px; margin:0 auto 24px; text-align:left; }
.next-steps-wrap h4 { font-size:14px; font-weight:700; color:var(--g800); margin:0 0 12px; }
```

```
.next-step-row { display:flex; align-items:flex-start; gap:10px; background:var(--g50); border-radius:10px; padding:10px 12px; border:1px solid var(--g100); margin-bottom:8px; }
.ns-ico { font-size:20px; flex-shrink:0; }
.next-step-row strong { font-size:13px; color:var(--g800); display:block; margin-bottom:2px; }
.next-step-row span { font-size:12px; color:var(--g600); }
.success-btns { display:flex; gap:12px; justify-content:center; flex-wrap:wrap; }

/* ── RESPONSIVE ──────────────────────────────────────── */
@media (max-width:600px) {
  .form-grid { grid-template-columns:1fr; }
  .pay-methods { grid-template-columns:repeat(3,1fr); }
  .step-line { min-width:16px; }
  .appt-booking { padding:16px 12px 40px; }
}

/*VALIDATION TOAST */
.val-toast {
  background: #fef2f2;
  border: 2px solid #fca5a5;
  border-radius: 10px;
  padding: 12px 16px;
  margin-bottom: 16px;
  color: #b91c1c;
  font-size: 13px;
  font-weight: 600;
  display: flex;
  align-items: center;
  gap: 8px;
```

```
  animation: shake 0.4s ease;
}
@keyframes shake {
  0%,100%{transform:translateX(0)}
  20%,60%{transform:translateX(-5px)}
  40%,80%{transform:translateX(5px)}
}
```

Client Code:

```
function($timeout) {
  varc = this;

  //— PAGE IDs (confirmed from your ServiceNow Pages list) —
  varPAGE_IDS = {
    home:          'test_catalog',
    myAppointments: 'my_appointments',
    labReports:    'lab_reports'
  };

  c.step = 1;
  c.processing = false;
  c.errors = {};
  c.genderOpen = false;
  c.bankOpen = false;
  c.testPrice = '0.00';
  c.validationMsg = '';

  c.form = {
    first_name: '', last_name: '', email: '', phone_number: '',
```

```
  date_of_birth: '', gender: '', address: '',
  scheduled_date: '', slot_time: '', notes: ''
};

c.payment = {
  method: 'card',
  card_name: '', card_number: '', expiry: '', cvv: '',
  upi_id: '', upi_app: '',
  bank: '',
  insurance_provider: '', policy_number: ''
};

c.genderOptions = [
  {value: 'male',             label: 'Male' },
  {value: 'female',           label: 'Female' },
  {value: 'other',            label: 'Other' },
  {value: 'prefer_not_to_say', label: 'Prefer not to say' }
];

c.bankOptions = [
  {value: 'sbi', label: 'State Bank of India' },
  {value: 'hdfc', label: 'HDFC Bank' },
  {value: 'icici', label: 'ICICI Bank' },
  {value: 'axis', label: 'Axis Bank' },
  {value: 'kotak', label: 'Kotak Mahindra Bank' },
  {value: 'pnb', label: 'Punjab National Bank' },
  {value: 'bob', label: 'Bank of Baroda' },
  {value: 'other', label: 'Other Bank' }
```

```
];

c.timeSlots = [
  '08:00AM','08:30AM','09:00  AM','09:30  AM',
  '10:00AM','10:30AM','11:00  AM','11:30  AM',
  '12:00PM','12:30PM','01:00  PM','01:30  PM',
  '02:00PM','02:30PM','03:00  PM','03:30  PM',
  '04:00PM','04:30PM','05:00 PM'
];

//FIX:padStart()not always available in ServiceNow's JS engine — use manual pad
functionpad2(n){return n < 10 ? '0' + n : '' + n; }
vartoday=newDate();
c.minDate=today.getFullYear() + '-' + pad2(today.getMonth() + 1) + '-' + pad2(today.getDate());

//—NAVIGATION————————————————————————————
var_nav=function(pageId) {
  varportalId=window.location.pathname.split('/')[1] || 'sp';
  window.location.href = '/' + portalId + '?id=' + pageId;
};

//—INIT———————————————————————————————————
c.$onInit=function() {
  varsysId    =sessionStorage.getItem('selected_test_sys_id') || '';
  varname     =sessionStorage.getItem('selected_test_name')     || '';
  varprice    =sessionStorage.getItem('selected_test_price') || '0';
  varcode     =sessionStorage.getItem('selected_test_code')     || '';
  varcategory=sessionStorage.getItem('selected_test_category') || 'General';
```

```
  varduration = sessionStorage.getItem('selected_test_duration') || '';

  if(sysId) {
    varnumPrice = parseFloat(price) || 0;
    c.selectedTest = {
      sys_id: sysId, test_name: name, price: numPrice,
      test_code: code, category: category, test_duration: duration
    };
    c.testPrice = numPrice.toFixed(2);
    ['selected_test_sys_id','selected_test_name','selected_test_price',
     'selected_test_code','selected_test_category','selected_test_duration']
      .forEach(function(k) { sessionStorage.removeItem(k); });
  }elseif (c.data && c.data.test) {
    c.selectedTest = c.data.test;
    c.testPrice = (parseFloat(c.data.test.price) || 0).toFixed(2);
  }

  if(c.data && c.data.currentUser) {
    c.form.first_name = c.data.currentUser.first_name || '';
    c.form.last_name = c.data.currentUser.last_name || '';
    c.form.email       = c.data.currentUser.email     || '';
    c.form.phone_number = c.data.currentUser.phone     || '';
  }
};

//—DROPDOWN HELPERS ————————————————————————————
c.getGenderLabel = function(val) {
  for(var i = 0; i < c.genderOptions.length; i++) {
```

```
    if (c.genderOptions[i].value === val) return c.genderOptions[i].label;
   }
   return '-- Select Gender --';
  };
  c.getBankLabel = function(val) {
   for (var i = 0; i < c.bankOptions.length; i++) {
    if (c.bankOptions[i].value === val) return c.bankOptions[i].label;
   }
   return '-- Select Bank --';
  };
  c.selectGender = function(val) { c.form.gender = val; c.genderOpen = false; c.clearError('gender'); };
  c.selectBank = function(val) { c.payment.bank = val; c.bankOpen = false; };
  c.setPaymentMethod = function(method) { c.payment.method = method; c.bankOpen = false;
c.genderOpen = false; };
  c.selectUpiApp = function(app) { c.payment.upi_app = app; };

  //—MISC HELPERS ————————————————————————————————
  c.getCategoryIcon = function(cat) {
   varicons = {
    'blood':'🩸','urine':'🧪','imaging':'🩻','radiology':'🩻',
    'cardiology':'❤️','neurology':'🧠','genetics':'🧬','pathology':'🔬',
    'biochemistry':'⚗️','allergy':'🌿','microbiology':'🦠','covid':'😷',
    'ecg':'❤️','x-ray':'🩻','xray':'🩻','diabetes':'💉','thyroid':'🦋'
   };
   if(!cat) return '🔬';
   varkey = cat.toLowerCase();
   for(var k in icons) { if (key.indexOf(k) !== -1) return icons[k]; }
   return '🔬';
```

```
};

c.formatDateDisplay = function(dateStr) {
 if(!dateStr)return '';
 //Normalize:handle both string and Date object
 if(typeofdateStr !== 'string') {
  try{dateStr=dateStr.toISOString().split('T')[0]; } catch(e) { return ''; }
 }
 varparts=dateStr.split('-');
 if(parts.length!== 3) return dateStr;
 varyr=parseInt(parts[0], 10);
 varmo=parseInt(parts[1], 10) - 1;
 vardy=parseInt(parts[2], 10);
 vard=newDate(yr, mo, dy);
 varmonths=['Jan','Feb','Mar','Apr','May','Jun','Jul','Aug','Sep','Oct','Nov','Dec'];
 vardays=['Sunday','Monday','Tuesday','Wednesday','Thursday','Friday','Saturday'];
 returndays[d.getDay()] + ', ' + dy + ' ' + months[mo] + ' ' + yr;
};

c.getPaymentLabel = function(method) {
 var labels = {
  'card':'Credit/Debit Card','upi':'UPI Payment',
  'netbanking':'Net Banking','insurance':'Insurance','cash':'Pay on Arrival'
 };
 returnlabels[method] || method;
};

c.selectSlot=function(slot) { c.form.slot_time = slot; c.clearError('slot_time'); };
```

```
 c.onDateChange = function() { c.form.slot_time = ''; c.clearError('scheduled_date'); };

 c.clearError = function(field) {
  if(c.errors[field]) delete c.errors[field];
  c.validationMsg = '';
 };

 //—STEP NAVIGATION (direct — ng-click already triggers digest) ——
 var_goToStep = function(n) {
  c.step=n;
  window.scrollTo(0, 0);
 };

 //—STEP 1 VALIDATION ————————————————————————————
 c.validateStep1 = function() {
  c.errors= {};
  c.validationMsg = '';
  varf=c.form;
  varemailReg = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
  varphoneReg = /^\+?[\d\s\-(). ]{7,20}$/;

  if(!f.first_name || !f.first_name.trim()) c.errors.first_name = 'First name is required';
  if(!f.last_name || !f.last_name.trim()) c.errors.last_name = 'Last name is required';
  if(!f.email      || !f.email.trim())     c.errors.email       = 'Email is required';
  elseif(!emailReg.test(f.email.trim())) c.errors.email          = 'Enter a valid email';
  if(!f.phone_number || !f.phone_number.trim()) c.errors.phone_number = 'Phone number is
required';
```

```
  elseif(!phoneReg.test(f.phone_number.trim())) c.errors.phone_number = 'Enter a valid phone number';
  if(!f.date_of_birth)c.errors.date_of_birth = 'Date of birth is required';
  if(!f.gender)       c.errors.gender       = 'Please select a gender';

  if(Object.keys(c.errors).length > 0) {
    c.validationMsg='Please fill in all required fields marked below.';
    window.scrollTo(0,0);
    return;
  }
  _goToStep(2);
 };

 //—STEP2VALIDATION ——————————————————————————————
 //KEYFIX:Robustdate handling — works with string, Date object, or missing value
 c.validateStep2=function() {
  c.errors = {};
  c.validationMsg = '';

  //Normalizethedate value safely
  varrawDate=c.form.scheduled_date;
  var dateStr = '';

  if (rawDate) {
    if(typeofrawDate=== 'string') {
      dateStr=rawDate.trim();
    }elseif(rawDateinstanceof Date) {
      //ng-modelontype="date" can return a Date object in some AngularJS builds
```

```
    varyr=rawDate.getFullYear();
    varmo=rawDate.getMonth() + 1;
    vardy=rawDate.getDate();
    dateStr=yr+ '-' + pad2(mo) + '-' + pad2(dy);
    c.form.scheduled_date = dateStr; // Normalize to string
  }else {
    dateStr=String(rawDate).trim();
  }
}

if (!dateStr) {
  c.errors.scheduled_date = 'Please select a date';
}else {
  try{
    varparts=dateStr.split('-');
    if(parts.length === 3) {
      varsel=new Date(parseInt(parts[0], 10), parseInt(parts[1], 10) - 1, parseInt(parts[2], 10));
      varnow=new Date();
      now.setHours(0, 0, 0, 0);
      if(sel<now) c.errors.scheduled_date = 'Please select a future date';
    }
  } catch (ex) {
    c.errors.scheduled_date = 'Invalid date selected';
  }
}

if(!c.form.slot_time) {
  c.errors.slot_time = 'Please select a time slot';
```

```
  }

  if(Object.keys(c.errors).length > 0) {
    c.validationMsg = 'Please select a date and time slot before continuing.';
    window.scrollTo(0, 0);
    return;
  }

  _goToStep(3);
};

//— PAYMENT ——————————————————————————————————————
c.processPayment = function() {
  c.processing = true;
  $timeout(function() { c.submitBooking(); }, 1200);
};

c.submitBooking = function() {
  c.server.get({
    action: 'create_appointment',
    data: {
      form: c.form,
      test_sys_id: c.selectedTest ? c.selectedTest.sys_id : '',
      payment_method: c.payment.method,
      total_amount: c.selectedTest ? c.selectedTest.price : 0
    }
  }).then(function(r) {
    c.processing = false;
```

```
      if(r.data.success) {
        c.data.appointmentNumber = r.data.appointment_number;
        _goToStep(4);
      }else {
        alert('Error: ' + (r.data.error || 'Something went wrong. Please try again.'));
      }
    }).catch(function() {
      c.processing = false;
      alert('Network error. Please try again.');
    });
  };

  c.prevStep = function() {
    if(c.step > 1) _goToStep(c.step - 1);
  };

  c.changeTest         = function() { _nav(PAGE_IDS.home); };
   c.viewMyAppointments = function() { _nav(PAGE_IDS.myAppointments); };
  c.bookAnother        = function() { _nav(PAGE_IDS.home); };
}
```

Server Code:

```
(function() {

  data.test       = null;
  data.currentUser = null;
  data.success     = false;
  data.error       = '';
  data.appointmentNumber = '';
```

```
//—Safe user detection (no isAnonymous — not allowed in scope) —
try{
  varuserID = gs.getUserID() || '';
  varuserName = gs.getUserName() || '';

  if(userID && userName !== 'guest' && userName !== '') {
    varuserGr = new GlideRecord('sys_user');
    if(userGr.get(userID)) {
      data.currentUser = {
        first_name: userGr.getValue('first_name') || '',
        last_name: userGr.getValue('last_name')     || '',
        email:      userGr.getValue('email')        || '',
        phone:      userGr.getValue('mobile_phone') || userGr.getValue('phone') || ''
      };
    }
  }
}catch(e) {
  gs.error('Booking init error: ' + e.message);
}

//—Handle appointment creation ————————————————————
if(input && input.action === 'create_appointment') {
  try{
    varformData       = input.data.form       || {};
    vartestSysId      = input.data.test_sys_id || '';
    vartotalAmount = parseFloat(input.data.total_amount) || 0;
    varpaymentMethod = input.data.payment_method || 'card';
```

```
//Fetchtest name & code for email
vartestName = '', testCode = '';
if(testSysId) {
  vartestGr = new GlideRecord('x_1883080_medica_0_diagnostic_test');
  if(testGr.get(testSysId)) {
    testName = testGr.getValue('test_name') || '';
    testCode = testGr.getValue('test_code') || '';
  }
}

//—Find or create PATIENT record (not sys_user!) ———
varpatientSysId = '';
varpatGr = new GlideRecord('x_1883080_medica_0_patient');
patGr.addQuery('email', formData.email || '');
patGr.setLimit(1);
patGr.query();

if(patGr.next()) {
  //Update existing patient
  patientSysId = patGr.getUniqueValue();
  patGr.setValue('first_name', formData.first_name || '');
  patGr.setValue('last_name', formData.last_name || '');
  patGr.setValue('phone_number', formData.phone_number || '');
  patGr.setValue('address',     formData.address      || '');
  patGr.update();
}else {
  //Create new patient record
```

```
 varnewPat = new GlideRecord('x_1883080_medica_0_patient');
 newPat.initialize();
 newPat.setValue('first_name', formData.first_name || '');
 newPat.setValue('last_name',    formData.last_name    || '');
 newPat.setValue('email',        formData.email        || '');
 newPat.setValue('phone_number', formData.phone_number || '');
 newPat.setValue('date_of_birth', formData.date_of_birth || '');
 newPat.setValue('gender',       formData.gender       || '');
 newPat.setValue('address',      formData.address      || '');

 //Linkto sys_user if logged in
 varuid= gs.getUserID();
 if(uid&& gs.getUserName() !== 'guest') {
   newPat.setValue('user', uid);
 }
 patientSysId = newPat.insert();
}

if(!patientSysId) {
 data.error = 'Failed to create patient record. Check table ACLs.';
 return;
}

//—Create  appointment  ————————————————————————
varapptNum  =  'APPT-'  +  new  Date().getFullYear()  +  '-'  +
(Math.floor(Math.random() * 90000) + 10000);

varapptGr = new GlideRecord('x_1883080_medica_0_appointment_table');
```

```
    apptGr.initialize();
    apptGr.setValue('appointment_number', apptNum);
    apptGr.setValue('patient',          patientSysId); // links to patient table
    apptGr.setValue('test',             testSysId);    // links to diagnostic test
    apptGr.setValue('status',           'pending');
    apptGr.setValue('approval_status',  'requested');
    apptGr.setValue('payment_status',   'paid');
    apptGr.setValue('total_amount',     totalAmount);
    apptGr.setValue('scheduled_date',   formData.scheduled_date || '');
    apptGr.setValue('slot_time',        formData.slot_time      || '');
    apptGr.setValue('notes',            formData.notes          || '');
    apptGr.setValue('confirmation_sent', false);
    apptGr.setValue('email',            formData.email || ''); // ← NEW: Save email to appointment
table

    varuid2 = gs.getUserID();
    if(uid2 && gs.getUserName() !== 'guest') {
      apptGr.setValue('created_by', uid2);
    }

    varapptSysId = apptGr.insert();
    if(!apptSysId) {
      data.error = 'Failed to create appointment. Check table permissions.';
      return;
    }

    //—Patient confirmation email ——————————————————
    try{
```

```
varpatEmail = new GlideEmailOutbound();
patEmail.setTo(formData.email);
patEmail.setSubject('Appointment Confirmed: ' + apptNum + ' — MediCare Diagnostic Center');
patEmail.setBody(
 '<div style="font-family:Arial,sans-serif;max-width:600px;margin:0 auto;">' +
 '<div style="background:#0a2463;padding:24px;text-align:center;border-radius:12px 12px 0 0;">' +
 '<h2 style="color:#fff;margin:0;">🏥 MediCare Diagnostic Center</h2></div>' +
 '<div style="background:#f0fdf4;border:2px solid #10b981;border-radius:0 0 12px 12px;padding:24px;">' +
 '<h3 style="color:#065f46;">✅ Booking Confirmed!</h3>' +
 '<p>Dear ' + (formData.first_name||'') + ' ' + (formData.last_name||'') + ',</p>' +
 '<table style="width:100%;font-size:14px;border-collapse:collapse;background:#fff;border-radius:8px;">' +
 '<tr><td style="padding:10px;background:#f8fafc;font-weight:600;">Appointment #</td><td style="padding:10px;">' + apptNum + '</td></tr>' +
 '<tr><td style="padding:10px;background:#f8fafc;font-weight:600;">Test</td><td style="padding:10px;">' + testName + ' (' + testCode + ')</td></tr>' +
 '<tr><td style="padding:10px;background:#f8fafc;font-weight:600;">Date</td><td style="padding:10px;">' + (formData.scheduled_date||'') + '</td></tr>' +
 '<tr><td style="padding:10px;background:#f8fafc;font-weight:600;">Time</td><td style="padding:10px;">' + (formData.slot_time||'') + '</td></tr>' +
 '<tr><td style="padding:10px;background:#f8fafc;font-weight:600;">Amount Paid</td><td style="padding:10px;color:#10b981;font-weight:700;">$' + totalAmount.toFixed(2) + '</td></tr>' +
 '<tr><td style="padding:10px;background:#f8fafc;font-weight:600;">Payment</td><td style="padding:10px;">' + paymentMethod + '</td></tr>' +
 '</table>' +
 '<p style="margin-top:16px;color:#6b7280;font-size:13px;">Pending admin approval. You will receive a confirmation within 24 hours.</p>' +
 '</div></div>'
);
```

```
    patEmail.save();
  }catch(emailErr) { gs.warn('Patient email error: ' + emailErr.message); }

  //—Admin approval email ————————————————————
  try{
    varadminEmail = gs.getProperty('medicare.admin.email', '');
    if(adminEmail) {
      varadminMail = new GlideEmailOutbound();
      adminMail.setTo(adminEmail);
      adminMail.setSubject('[Action Required] New Appointment: ' + apptNum);
      adminMail.setBody(
        '<div style="font-family:Arial,sans-serif;max-width:600px;">' +
        '<div style="background:#0a2463;padding:20px;border-radius:8px 8px 0 0;"><h2
style="color:#fff;margin:0;">New Appointment — Approval Required</h2></div>' +
        '<div style="background:#fffbeb;border:2px solid #f59e0b;border-radius:0 0 8px
8px;padding:24px;">' +
        '<table style="width:100%;font-size:14px;border-collapse:collapse;">' +
        '<tr><td style="padding:8px;font-weight:600;width:40%;">Appointment #</td><td
style="padding:8px;">' + apptNum + '</td></tr>' +
        '<tr><td style="padding:8px;font-weight:600;">Patient</td><td style="padding:8px;">' +
(formData.first_name||'') + ' ' + (formData.last_name||'') + '</td></tr>' +
        '<tr><td style="padding:8px;font-weight:600;">Email</td><td style="padding:8px;">' +
(formData.email||'') + '</td></tr>' +
        '<tr><td style="padding:8px;font-weight:600;">Phone</td><td style="padding:8px;">' +
(formData.phone_number||'') + '</td></tr>' +
        '<tr><td style="padding:8px;font-weight:600;">Test</td><td style="padding:8px;">' +
testName + '</td></tr>' +
        '<tr><td style="padding:8px;font-weight:600;">Date &amp;amp; Time</td><td
style="padding:8px;">' + (formData.scheduled_date||'') + ' ' + (formData.slot_time||'') + '</td></tr>'
+
```

```
          '<tr><td style="padding:8px;font-weight:600;">Amount</td><td
style="padding:8px;color:#059669;font-weight:700;">$' + totalAmount.toFixed(2) + '</td></tr>' +
          '</table>' +
          '<div style="margin-top:20px;padding:12px;background:#f1f5f9;border-radius:8px;font-
size:13px;color:#475569;">To approve or reject: open the appointment record in ServiceNow
backendand change the <strong>Approval Status</strong> field.</div>' +
          '</div></div>'
        );
        adminMail.save();
      }
    }catch(admErr) { gs.warn('Admin email error: ' + admErr.message); }

    //Mark confirmation sent
    varcfGr = new GlideRecord('x_1883080_medica_0_appointment_table');
    if(cfGr.get(apptSysId)) {
      cfGr.setValue('confirmation_sent', true);
      cfGr.update();
    }

    data.success          = true;
    data.appointment_number = apptNum;
    data.appointment_sys_id = apptSysId;

  }catch(submitErr) {
    gs.error('Create Appointment Error: ' + submitErr.message);
    data.error = submitErr.message;
  }
}
```

})();

Note: **you need to modify the script as per your requirements to get appropriate results**

Creation of Widgets(Lab Reports)

Navigate to the**ApplicationNavigator**

Click on **All**

Search for **Service Portal**

Under **Service Portal**, select **Widgets**

Click on **New**

Fill in the widget details:

Name: Lab Reports

ID: lab_reports

Make Widget as **Public** to easily accessible to every user

Description: Widget to display and manage functionalities

Click on **Submit** or **Save**







Copy and paste the script as mentioned below

HTML :

```
<div class="lab-reports">


 <!-- HEADER -->

 <div class="rpt-header">

   <div class="rpt-header-left">
```

```
    <h1class="rpt-title">📄 My Lab Reports</h1>
    <pclass="rpt-sub">View and download your diagnostic test results.</p>
   </div>
   <divclass="rpt-header-right">
    <buttonclass="btn-back-home" ng-click="c.goHome()">
     <iclass="fa fa-home"></i> Home
    </button>
    <buttonclass="btn-my-bookings" ng-click="c.goBookings()">
     <iclass="fa fa-calendar"></i> My Bookings
    </button>
   </div>
  </div>

  <!--STATSBAR -->
  <divclass="rpt-stats-bar">
   <divclass="rpt-stat-card" ng-repeat="stat in c.stats">
    <spanclass="rpt-stat-icon">{{stat.icon}}</span>
    <divclass="rpt-stat-info">
     <spanclass="rpt-stat-val">{{stat.count}}</span>
     <spanclass="rpt-stat-name">{{stat.label}}</span>
    </div>
   </div>
  </div>

  <!--SEARCH -->
  <divclass="rpt-controls">
   <divclass="rpt-search-wrap">
    <iclass="fa fa-search"></i>
    <inputtype="text" class="rpt-search" placeholder="Search by test name or report number..."
```

```
      ng-model="c.searchQuery" ng-change="c.filterReports()" />
    </div>
    <selectclass="rpt-sort" ng-model="c.sortBy" ng-change="c.filterReports()">
      <optionvalue="date_desc">Newest First</option>
      <optionvalue="date_asc">Oldest First</option>
      <optionvalue="name">By Test Name</option>
    </select>
  </div>

  <!--LOADING -->
  <divclass="rpt-loading" ng-if="c.loading">
    <divclass="spinner-ring"></div>
    <p>Loading your reports...</p>
  </div>

  <!--EMPTYSTATE -->
  <divclass="rpt-empty" ng-if="!c.loading && c.filteredReports.length === 0">
    <divclass="rpt-empty-icon">📭</div>
    <h3>Noreports found</h3>
    <png-if="c.searchQuery">No reports match your search.</p>
    <png-if="!c.searchQuery">Your lab reports will appear here once they are uploaded by the diagnostic
center.</p>
    <buttonclass="btn-book-test" ng-click="c.goHome()">Browse Tests</button>
  </div>

  <!-- REPORTS LIST -->
  <div class="rpt-list" ng-if="!c.loading && c.filteredReports.length > 0">
    <div class="rpt-card" ng-repeat="report in c.filteredReports">

      <!-- STATUS BAR -->
```

```
<divclass="rpt-card-accent" ng-style="{'background': c.getStatusColor(report.status)}"></div>

<divclass="rpt-card-content">
 <!--TOPROW -->
 <divclass="rpt-card-top">
  <divclass="rpt-card-title-group">
   <spanclass="rpt-icon">{{c.getCategoryIcon(report.test_category)}}</span>
   <div>
    <h3class="rpt-test-name" ng-bind="report.test_name"></h3>
    <spanclass="rpt-number" ng-bind="report.report_number"></span>
   </div>
  </div>
  <divclass="rpt-status-wrap">
   <spanclass="rpt-status-pill"
    ng-style="{'background': c.getStatusBg(report.status), 'color': c.getStatusColor(report.status)}">
    {{c.getStatusLabel(report.status)}}
   </span>
  </div>
 </div>

 <!--META-->
 <divclass="rpt-meta">
  <divclass="rpt-meta-chip">
   <iclass="fa fa-calendar"></i>
   <span>Test Date: {{report.test_date_display || 'N/A'}}</span>
  </div>
  <divclass="rpt-meta-chip">
   <iclass="fa fa-clock-o"></i>
   <span>Report Date: {{report.report_date_display || 'N/A'}}</span>
```

```
  </div>
  <divclass="rpt-meta-chip" ng-if="report.doctor_name">
    <iclass="fa fa-user-md"></i>
    <span>Dr. {{report.doctor_name}}</span>
  </div>
  <divclass="rpt-meta-chip" ng-if="report.test_category">
    <iclass="fa fa-tag"></i>
    <span>{{report.test_category}}</span>
  </div>
</div>

<!--SUMMARY / FINDINGS — rendered as rich HTML -->
<divclass="rpt-findings" ng-if="report.findings">
  <divclass="rpt-findings-label"><i class="fa fa-file-text-o"></i> Findings</div>
  <divclass="rpt-findings-body" ng-bind-html="report.findings"></div>
</div>

<!--REMARKS -->
<divclass="rpt-remarks" ng-if="report.remarks">
  <iclass="fa fa-comment-o"></i> <em ng-bind="report.remarks"></em>
</div>

<!--ACTIONS -->
<divclass="rpt-actions">
  <button class="rpt-btn btn-view-detail" ng-click="c.viewDetail(report)">
    <iclass="fa fa-eye"></i> View Details
  </button>
  <button class="rpt-btn btn-download" ng-if="report.report_url" ng-click="c.downloadReport(report)">
    <iclass="fa fa-download"></i> Download Report
```

```
        </button>
        <spanclass="rpt-appt-link" ng-if="report.appointment_number">
          Booking: <strong ng-bind="report.appointment_number"></strong>
        </span>
       </div>
     </div>
   </div>
 </div>

 <!--DETAILMODAL -->
 <divclass="rpt-modal-overlay" ng-if="c.showModal" ng-click="c.closeModal()">
   <divclass="rpt-modal-box" ng-click="$event.stopPropagation()">
     <divclass="rpt-modal-header">
       <h3>Report Details</h3>
       <buttonclass="rpt-modal-close" ng-click="c.closeModal()">✕</button>
     </div>
     <divclass="rpt-modal-body" ng-if="c.selectedReport">
       <divclass="rpt-detail-grid">
         <divclass="rpt-detail-item">
           <spanclass="rpt-detail-key">Report #</span>
           <spanclass="rpt-detail-val mono" ng-bind="c.selectedReport.report_number"></span>
         </div>
         <divclass="rpt-detail-item">
           <spanclass="rpt-detail-key">Status</span>
           <spanclass="rpt-detail-val">
             <spanclass="rpt-status-pill"
               ng-style="{'background': c.getStatusBg(c.selectedReport.status), 'color':
c.getStatusColor(c.selectedReport.status)}">
               {{c.getStatusLabel(c.selectedReport.status)}}
             </span>
```

```
 </span>
</div>
<div class="rpt-detail-item">
 <span class="rpt-detail-key">Test Name</span>
 <span class="rpt-detail-val" ng-bind="c.selectedReport.test_name"></span>
</div>
<div class="rpt-detail-item">
 <span class="rpt-detail-key">Category</span>
 <span class="rpt-detail-val" ng-bind="c.selectedReport.test_category"></span>
</div>
<div class="rpt-detail-item">
 <span class="rpt-detail-key">Test Date</span>
 <span class="rpt-detail-val" ng-bind="c.selectedReport.test_date_display"></span>
</div>
<div class="rpt-detail-item">
 <span class="rpt-detail-key">Report Date</span>
 <span class="rpt-detail-val" ng-bind="c.selectedReport.report_date_display"></span>
</div>
<div class="rpt-detail-item">
 <span class="rpt-detail-key">Doctor</span>
 <span class="rpt-detail-val" ng-bind="c.selectedReport.doctor_name || 'N/A'"></span>
</div>
<div class="rpt-detail-item">
 <span class="rpt-detail-key">Appointment #</span>
 <span class="rpt-detail-val mono" ng-bind="c.selectedReport.appointment_number || 'N/A'"></span>
</div>
<!-- Findings rendered as rich HTML in modal -->
<div class="rpt-detail-item full">
 <span class="rpt-detail-key">Findings</span>
```

```
          <div class="rpt-modal-findings" ng-if="c.selectedReport.findings" ng-bind-
html="c.selectedReport.findings"></div>
          <spanclass="rpt-detail-val" ng-if="!c.selectedReport.findings">None</span>
        </div>
        <divclass="rpt-detail-item full">
          <spanclass="rpt-detail-key">Remarks</span>
          <spanclass="rpt-detail-val" ng-bind="c.selectedReport.remarks || 'None'"></span>
        </div>
      </div>
    </div>
    <divclass="rpt-modal-footer">
      <buttonclass="rpt-btn btn-download"
        ng-if="c.selectedReport  &&  c.selectedReport.report_url"
        ng-click="c.downloadReport(c.selectedReport)">
        <iclass="fa fa-download"></i> Download Report
      </button>
      <buttonclass="rpt-btn btn-close-modal" ng-click="c.closeModal()">Close</button>
    </div>
  </div>
 </div>

</div>
```

CSS :

```
.lab-reports {
 --primary:  #0a2463;
 --accent: #00b4d8; -
 -success: #10b981; -
 -warning: #f59e0b; -
 -danger:  #ef4444; --
 info: #3b82f6;
```

```
  --gray-50: #f8fafc;
  --gray-100: #f1f5f9;
  --gray-200: #e2e8f0;
  --gray-400: #94a3b8;
  --gray-600: #475569;
  --gray-800: #1e293b;
  --white: #ffffff;
  --shadow-sm: 0 1px 4px rgba(0,0,0,0.07); --
  shadow-md: 0 4px 14px rgba(0,0,0,0.09); --
  radius: 14px;
  font-family: 'Segoe UI', system-ui, sans-serif;
  background: var(--gray-50);
  min-height: 100vh;
  padding: 0 0 60px;
}

/*HEADER */
.rpt-header {
  background: linear-gradient(135deg, var(--primary) 0%, #1e3a8a 100%);
  padding: 40px 40px 50px;
  display: flex;
  align-items: flex-start;
  justify-content: space-between;
  border-radius: 0 0 32px 32px;
  flex-wrap: wrap;
  gap: 20px;
}
.rpt-title { font-size: 32px; font-weight: 800; color: #fff; margin: 0 0 8px; }
.rpt-sub { color: #bfdbfe; margin: 0; font-size: 15px; }
```

```
.rpt-header-right { display: flex; gap: 12px; flex-wrap: wrap; align-items: flex-start; }

.btn-back-home, .btn-my-bookings {
  display: inline-flex; align-items: center; gap: 8px;
  padding: 10px 20px; border: none; border-radius: 10px;
  font-size: 14px; font-weight: 700; cursor: pointer; transition: all 0.2s;
}
.btn-back-home {
  background: rgba(255,255,255,0.15);
  color: #fff; border: 1px solid rgba(255,255,255,0.3);
}
.btn-back-home:hover { background: rgba(255,255,255,0.25); }
.btn-my-bookings {
  background: var(--accent); color: #fff;
  box-shadow: 0 4px 14px rgba(0,180,216,0.35);
}
.btn-my-bookings:hover { transform: translateY(-2px); }

/* STATS BAR */
.rpt-stats-bar { display: flex; gap: 16px; padding: 24px 40px 0; flex-wrap: wrap; }
.rpt-stat-card {
  flex: 1; min-width: 120px; background: var(--white);
  border-radius: var(--radius); border: 1px solid var(--gray-200);
  padding: 16px 20px; display: flex; align-items: center; gap: 14px;
  box-shadow: var(--shadow-sm);
}
.rpt-stat-icon { font-size: 28px; }
.rpt-stat-info { display: flex; flex-direction: column; }
.rpt-stat-val { font-size: 22px; font-weight: 800; color: var(--primary); line-height: 1; }
```

```
.rpt-stat-name { font-size: 12px; color: var(--gray-600); margin-top: 2px; }

/* CONTROLS */
.rpt-controls {
  display: flex; align-items: center; gap: 12px;
  padding: 20px 40px; flex-wrap: wrap;
}
.rpt-search-wrap {
  position: relative; flex: 1; max-width: 400px;
}
.rpt-search-wrap .fa {
  position: absolute; left: 12px; top: 50%;
  transform: translateY(-50%); color: var(--gray-400);
}
.rpt-search {
  padding: 10px 14px 10px 36px; border: 2px solid var(--gray-200);
  border-radius: 10px; font-size: 14px; width: 100%; outline: none;
  transition: border-color 0.2s; box-sizing: border-box;
}
.rpt-search:focus { border-color: var(--accent); }
.rpt-sort {
  padding: 10px 14px; border: 2px solid var(--gray-200);
  border-radius: 10px; font-size: 14px; background: var(--white);
  cursor: pointer; outline: none;
}
.rpt-sort:focus { border-color: var(--accent); }

/* LOADING */
.rpt-loading { text-align: center; padding: 60px; color: var(--gray-600); }
```

```
.spinner-ring {
  display: inline-block; width: 44px; height: 44px;
  border: 4px solid var(--gray-200); border-top-color: var(--accent);
  border-radius: 50%; animation: spin 0.8s linear infinite; margin-bottom: 14px;
}
@keyframes spin { to { transform: rotate(360deg); } }

/* EMPTY */
.rpt-empty { text-align: center; padding: 60px 40px; }
.rpt-empty-icon { font-size: 56px; margin-bottom: 16px; }
.rpt-empty h3 { font-size: 20px; color: var(--gray-800); margin: 0 0 8px; }
.rpt-empty p { color: var(--gray-600); margin: 0 0 20px; }
.btn-book-test {
  padding: 12px 28px; background: var(--primary); color: #fff;
  border: none; border-radius: 10px; font-size: 15px; font-weight: 700;
  cursor: pointer; transition: background 0.2s;
}
.btn-book-test:hover { background: #1e3a8a; }

/* REPORTS LIST */
.rpt-list { padding: 8px 40px; display: flex; flex-direction: column; gap: 16px; }

/* REPORT CARD */
.rpt-card {
  background: var(--white); border-radius: var(--radius);
  border: 1px solid var(--gray-200); display: flex; overflow: hidden;
  box-shadow: var(--shadow-sm); transition: box-shadow 0.2s, transform 0.2s;
}
.rpt-card:hover { box-shadow: var(--shadow-md); transform: translateY(-2px); }
```

```
.rpt-card-accent { width: 5px; flex-shrink: 0; }
.rpt-card-content { flex: 1; padding: 20px 24px; }

/* TOP ROW */
.rpt-card-top {
  display: flex; align-items: flex-start; justify-content: space-between;
  margin-bottom: 14px; gap: 12px; flex-wrap: wrap;
}
.rpt-card-title-group { display: flex; align-items: center; gap: 14px; }
.rpt-icon { font-size: 32px; }
.rpt-test-name { font-size: 17px; font-weight: 700; color: var(--gray-800); margin: 0 0 4px; }
.rpt-number { font-size: 12px; color: var(--gray-400); font-family: 'Courier New', monospace; }
.rpt-status-wrap { display: flex; flex-wrap: wrap; gap: 8px; align-items: center; }
.rpt-status-pill {
  display: inline-flex; align-items: center; gap: 5px;
  padding: 5px 14px; border-radius: 20px; font-size: 12px; font-weight: 700;
}

/*META */
.rpt-meta { display: flex; flex-wrap: wrap; gap: 10px; margin-bottom: 12px; }
.rpt-meta-chip {
  display: inline-flex; align-items: center; gap: 5px;
  font-size: 13px; color: var(--gray-600); background: var(--gray-100);
  padding: 4px 10px; border-radius: 6px;
}
.rpt-meta-chip .fa { color: var(--accent); font-size: 12px; }

/* FINDINGS — container */
.rpt-findings {
```

```
 background: #f0f9ff;
  border-left: 3px solid var(--accent);
  border-radius: 0 8px 8px 0;
  padding: 12px 16px;
  margin-bottom: 12px;
  overflow-x: auto;
}
.rpt-findings-label {
  font-size: 11px; font-weight: 700; color: var(--accent);
  margin-bottom: 10px; text-transform: uppercase; letter-spacing: 0.5px;
}

/*Rich HTML body inside findings (card view) */
.rpt-findings-body { font-size: 13px; color: var(--gray-800); }

.rpt-findings-body h3 {
  font-size: 15px; font-weight: 700; color: var(--primary);
  margin: 0 0 10px; padding-bottom: 6px;
  border-bottom: 2px solid var(--accent);
}
.rpt-findings-body p { margin: 8px 0; font-size: 13px; color: var(--gray-600); }
.rpt-findings-body strong { color: var(--gray-800); }

/* Table inside findings */
.rpt-findings-body table,
.rpt-modal-findings table {
  width: 100%;
  border-collapse: collapse;
  font-size: 13px;
```

```
 margin: 8px 0;
  background: var(--white);
  border-radius: 8px;
  overflow: hidden;
  box-shadow: var(--shadow-sm);
}
.rpt-findings-body table thead tr,
.rpt-modal-findings table thead tr {
  background: var(--primary);
  color: #fff;
}
.rpt-findings-body table th,
.rpt-modal-findings table th {
  padding: 10px 14px;
  text-align: left;
  font-size: 12px;
  font-weight: 700;
  letter-spacing: 0.3px;
  border: none;
}
.rpt-findings-body table td,
.rpt-modal-findings table td {
  padding: 9px 14px;
  border-bottom: 1px solid var(--gray-100);
  color: var(--gray-800);
  vertical-align: middle;
}
.rpt-findings-body table tbody tr:last-child td,
.rpt-modal-findings table tbody tr:last-child td {
```

```
 border-bottom: none;
}
.rpt-findings-body table tbody tr:nth-child(even),
.rpt-modal-findings table tbody tr:nth-child(even) {
  background: var(--gray-50);
}
.rpt-findings-body table tbody tr:hover,
.rpt-modal-findings table tbody tr:hover {
  background: #e0f2fe;
  transition: background 0.15s;
}

/*Status text colours inside findings table (Normal / Abnormal) */
.rpt-findings-body td:last-child,
.rpt-modal-findings td:last-child {
  font-weight: 700;
}

/*REMARKS */
.rpt-remarks {
  font-size: 13px; color: var(--gray-600); background: var(--gray-50);
  border-left: 3px solid var(--gray-200); padding: 6px 12px; margin-bottom: 12px;
  border-radius: 0 6px 6px 0;
}

/*ACTIONS */
.rpt-actions { display: flex; align-items: center; gap: 10px; flex-wrap: wrap; }
.rpt-btn {
  display: inline-flex; align-items: center; gap: 6px;
```

```
 padding: 7px 16px; border-radius: 8px; font-size: 13px; font-weight: 600;
  cursor: pointer; border: none; transition: all 0.2s;
}
.btn-view-detail { background: #dbeafe; color: #1d4ed8; }
.btn-view-detail:hover { background: #bfdbfe; }
.btn-download { background: #dcfce7; color: #166534; }
.btn-download:hover { background: #bbf7d0; }
.btn-close-modal { background: var(--primary); color: #fff; }
.btn-close-modal:hover { background: #1e3a8a; }
.rpt-appt-link { margin-left: auto; font-size: 11px; color: var(--gray-400); }

/* MODAL */
.rpt-modal-overlay {
  position: fixed; inset: 0; background: rgba(0,0,0,0.5);
  z-index: 9999; display: flex; align-items: center;
  justify-content: center; padding: 20px;
}
.rpt-modal-box {
  background: var(--white); border-radius: 20px;
  max-width: 680px; width: 100%; overflow: hidden;
  box-shadow: 0 20px 60px rgba(0,0,0,0.25);
  animation: slideUp 0.3s ease;
  max-height: 90vh;
  display: flex;
  flex-direction: column;
}
@keyframes slideUp {
  from { opacity: 0; transform: translateY(20px); }
  to { opacity: 1; transform: translateY(0); }
```

```
}
.rpt-modal-header {
  display: flex; align-items: center; justify-content: space-between;
  padding: 20px 24px; background: var(--primary); color: #fff;
  flex-shrink: 0;
}
.rpt-modal-header h3 { margin: 0; font-size: 18px; }
.rpt-modal-close {
  background: none; border: none; color: #fff;
  font-size: 20px; cursor: pointer; opacity: 0.8;
}
.rpt-modal-close:hover { opacity: 1; }
.rpt-modal-body { padding: 24px; overflow-y: auto; flex: 1; }
.rpt-modal-footer {
  padding: 16px 24px; border-top: 1px solid var(--gray-100);
  display: flex; justify-content: flex-end; gap: 10px;
  flex-shrink: 0;
}

/*Rich HTML findings inside modal */
.rpt-modal-findings {
  margin-top: 6px;
  font-size: 13px;
  color: var(--gray-800);
  overflow-x: auto;
}
.rpt-modal-findings h3 {
  font-size: 15px; font-weight: 700; color: var(--primary);
  margin: 0 0 10px; padding-bottom: 6px;
```

```
 border-bottom: 2px solid var(--accent);
}
.rpt-modal-findings p { margin: 8px 0; color: var(--gray-600); }

/* DETAIL GRID */
.rpt-detail-grid { display: grid; grid-template-columns: 1fr 1fr; gap: 14px; }
.rpt-detail-item { display: flex; flex-direction: column; gap: 4px; }
.rpt-detail-item.full { grid-column: 1 / -1; }
.rpt-detail-key {
  font-size: 11px; font-weight: 700; text-transform: uppercase;
  color: var(--gray-400); letter-spacing: 0.4px;
}
.rpt-detail-val { font-size: 14px; font-weight: 600; color: var(--gray-800); }
.rpt-detail-val.mono { font-family: 'Courier New', monospace; color: var(--primary); }

/* RESPONSIVE */
@media (max-width: 768px) {
  .rpt-header, .rpt-stats-bar, .rpt-controls, .rpt-list {
    padding-left: 16px; padding-right: 16px;
  }
  .rpt-card-top { flex-direction: column; }
  .rpt-detail-grid { grid-template-columns: 1fr; }
  .rpt-modal-box { max-width: 100%; }
}
```

Client Code:

```
function($sce) {
  var c = this;

  // ── PAGE IDs ──────────────────────────────────────────────
```

```
var PAGE_IDS = {
  home:          'test_catalog',
  myAppointments:'my_appointments'
};


c.loading       =false;
c.searchQuery    ='';
c.sortBy        ='date_desc';
c.filteredReports=[];
c.showModal      =false;
c.selectedReport=null;


c.stats = [
  { icon: '📄 ',label:'Total Reports', count: 0 },
  { icon: '✅ ',label:'Ready',           count: 0 },
  { icon: '⏳ ',label:'Pending',         count: 0 },
  { icon: '🔬 ',label:'Tests Completed', count: 0 }
];


//—TRUSTHTMLFINDINGS ————————————————————————————
//ConvertsrawHTML string in findings to trusted HTML so
//ng-bind-htmlrenders the formatted table instead of plain text
vartrustFindings=function(reports) {
  reports.forEach(function(r) {
    if(r.findings&&typeof r.findings === 'string') {
      r.findings=$sce.trustAsHtml(r.findings);
    }
  });
};
```

```
//—NAVIGATION————————————————————————————————————
var _nav = function(pageId) {
  varportalId=window.location.pathname.split('/')[1] || 'sp';
  window.location.href='/'+portalId + '?id=' + pageId;
};

//—INIT———————————————————————————————————————————
c.$onInit = function() {
  c.buildStats();
  c.filterReports();
};

c.buildStats = function() {
  varrpts=c.data.reports||[];
  c.stats[0].count=rpts.length;
  c.stats[1].count=rpts.filter(function(r) { return r.status === 'ready'; }).length;
  c.stats[2].count=rpts.filter(function(r) { return r.status === 'pending'; }).length;
  c.stats[3].count=rpts.filter(function(r) {
    returnr.status==='completed' || r.status === 'ready';
  }).length;
};

c.filterReports = function() {
  varall=angular.copy(c.data.reports || []);
  varq=(c.searchQuery||'').toLowerCase();

  c.filteredReports=all.filter(function(r) {
    return !q ||
```

```
    (r.test_name    && r.test_name.toLowerCase().indexOf(q)    !== -1) ||
    (r.report_number && r.report_number.toLowerCase().indexOf(q) !== -1) ||
    (r.doctor_name && r.doctor_name.toLowerCase().indexOf(q) !== -1);
  });

  c.filteredReports.sort(function(a, b) {
   if(c.sortBy === 'date_asc') return (a.report_date || '').localeCompare(b.report_date || '');
   if(c.sortBy === 'date_desc') return (b.report_date || '').localeCompare(a.report_date || '');
   if(c.sortBy === 'name')      return (a.test_name || '').localeCompare(b.test_name || '');
   return 0;
  });

  // ★Trust HTML findings for all filtered reports so ng-bind-html renders properly
  trustFindings(c.filteredReports);
};

//—STATUS HELPERS ——————————————————————————————
varRPT_STATUS = {
  'ready': { color: '#10b981', bg: '#dcfce7', label: '✅ Ready' },
  'completed': { color: '#10b981', bg: '#dcfce7', label: '✅ Completed' },
  'pending': { color: '#f59e0b', bg: '#fef3c7', label: '⏳ Pending' },
  'processing': { color: '#3b82f6', bg: '#dbeafe', label: '🔬 Processing' }
};

var_rptProp = function(s, prop, fallback) {
  return (RPT_STATUS[s] && RPT_STATUS[s][prop]) ? RPT_STATUS[s][prop] : fallback;
};

c.getStatusColor = function(s) { return _rptProp(s, 'color', '#94a3b8'); };
```

```
c.getStatusBg    =function(s) { return _rptProp(s, 'bg',     '#f1f5f9'); };
c.getStatusLabel=function(s) { return _rptProp(s, 'label', s || 'Ready'); };


c.getCategoryIcon=function(cat) {
  var icons = {
    'blood': ' ',  🩸
    'urine': ' ',  🧪
    'imaging': ' ',🩻
    'radiology': ' 🩻
    'cardiology':' ❤️
    'neurology': ' ',🧠
    'genetics': ' '🧬
    'pathology': ' '🔬
  };
  if(!cat)return' ';🔬
  vark=cat.toLowerCase();
  for(varkeyinicons){if(k.indexOf(key) !== -1) return icons[key]; }
  return' '🔬
};


//—MODAL————————————————————————————————————————
c.viewDetail=function(report) {
  //Useangular.copysomodal has its own independent copy
  c.selectedReport=angular.copy(report);

  // ★TrustHTMLfindings for the modal view
  if(c.selectedReport.findings && typeof c.selectedReport.findings === 'string') {
    c.selectedReport.findings = $sce.trustAsHtml(c.selectedReport.findings);
  }
```

```
  c.showModal = true;
 };

 c.closeModal = function() {
  c.showModal     = false;
  c.selectedReport = null;
 };

 c.downloadReport = function(report) {
  if(report && report.report_url) {
   window.open(report.report_url, '_blank');
  }else {
   alert('Report file is not yet available for download.');
  }
 };

 //— NAVIGATION ————————————————————————————————
 c.goHome     = function() { _nav(PAGE_IDS.home); };
 c.goBookings = function() { _nav(PAGE_IDS.myAppointments); };
}
```

Server Code:

```
(function() {
 data.reports = [];

 try {
  var userID    = gs.getUserID();
  var userEmail = gs.getUser().getEmail() || '';
```

```
//—STEP1:CollectALLpatient sys_ids for this user ————————————

var patientMap = {};
var patientSysIds = [];

//A)Byuserreferencefieldon patient table
varp1=newGlideRecord('x_1883080_medica_0_patient');
p1.addQuery('user', userID);
p1.query();
while (p1.next()) {
  varpid1=p1.getUniqueValue();
  if(!patientMap[pid1]){patientMap[pid1] = true; patientSysIds.push(pid1); }
}

// B) By email match
if (userEmail) {
  varp2=newGlideRecord('x_1883080_medica_0_patient');
  p2.addQuery('email',userEmail);
  p2.query();
  while (p2.next()) {
    varpid2=p2.getUniqueValue();
    if(!patientMap[pid2]){patientMap[pid] = true; patientSysIds.push(pid2); }
  }
}

//C)Findpatientsviaappointments created by this user
vara1=newGlideRecord('x_1883080_medica_0_appointment_table');
a1.addQuery('created_by',userID);
a1.query();
```

```
while(a1.next()) {
  varpRef = a1.getValue('patient');
  if(pRef && !patientMap[pRef]) {
    patientMap[pRef] = true;
    patientSysIds.push(pRef);
  }
}

if(patientSysIds.length === 0) {
  data.reports = [];
  return;
}

//—STEP 2: Query reports by patient field ——————————————————

varreportGr = new GlideRecord('x_1883080_medica_0_report_table');
reportGr.addQuery('patient', 'IN', patientSysIds.join(','));
reportGr.orderByDesc('sys_created_on');
reportGr.query();

while(reportGr.next()) {

  //Get appointment details — number, test name, category, test date
  vartestName        = '';
  vartestCategory    = '';
  varapptNum         = '';
  vartestDateRaw     = '';
  vartestDateDisplay = '';
  varapptRef         = reportGr.getValue('appointment');
```

```
if (apptRef) {
  varapptGr=newGlideRecord('x_1883080_medica_0_appointment_table');
  if(apptGr.get(apptRef)) {
    apptNum=apptGr.getValue('appointment_number') || '';

    //Trycommondatefield names on appointment table
    varrawApptDate=apptGr.getValue('appointment_date')
                ||apptGr.getValue('scheduled_date')
                ||apptGr.getValue('test_date')
                ||apptGr.getValue('date')
                || '';

    if (rawApptDate) {
      testDateRaw=rawApptDate;
      try{
        testDateDisplay=new GlideDateTime(rawApptDate).getLocalDate().getValue();
      } catch(de) {
        testDateDisplay=rawApptDate.split(' ')[0] || rawApptDate;
      }
    }

    //Testnameandcategory from linked diagnostic test
    vartestRef=apptGr.getValue('test');
    if (testRef) {
      vartestGr=newGlideRecord('x_1883080_medica_0_diagnostic_test');
      if(testGr.get(testRef)) {
        testName     =testGr.getValue('test_name') || '';
        testCategory=testGr.getDisplayValue('category') || testGr.getValue('category') || '';
```

```
    }
   }
  }
}

//Verified by / doctor name
vardoctorName = '';
varverifiedRef = reportGr.getValue('verified_by');
if(verifiedRef) {
  vardocGr = new GlideRecord('sys_user');
  if(docGr.get(verifiedRef)) {
    doctorName = docGr.getDisplayValue('name') || '';
  }
}

//Format report date
varreportDateRaw     = reportGr.getValue('report_date') || '';
varreportDateDisplay = '';
if(reportDateRaw) {
  try{
    reportDateDisplay = new GlideDateTime(reportDateRaw).getLocalDate().getValue();
  }catch(de) {
    reportDateDisplay = reportDateRaw.split(' ')[0] || reportDateRaw;
  }
}

//Status
varrptStatus = 'ready';
try{
```

```
  varsv = reportGr.getValue('status');
  if(sv) rptStatus = sv;
 }catch(se) { /* field doesn't exist, use default */ }

 //Findings — preserve full HTML for rich table display
 varfindingsHTML = '';
 try{
  findingsHTML = reportGr.getHTMLValue('findings') || '';
 }catch(fe) {
  findingsHTML = reportGr.getValue('findings') || '';
 }

 data.reports.push({
  sys_id:            reportGr.getUniqueValue(),
  report_number:     reportGr.getValue('report_number') || '',
  status:            rptStatus,
  findings:          findingsHTML,
  test_date:         testDateRaw,
  test_date_display: testDateDisplay,
  report_date:       reportDateRaw,
  report_date_display: reportDateDisplay,
  doctor_name:       doctorName,
  report_url:        '',
  test_name:         testName || ('Report ' + (reportGr.getValue('report_number') || '')),
  test_category:     testCategory,
  appointment_number: apptNum
 });
}
```

```
 }catch(e) {
   gs.error('Lab Reports Widget Error: ' + e.message);
   data.error = e.message;
   data.reports = [];
 }

})();
```

Creation of pages(Test Catlog Pages):

Navigate to the **Application Navigator**

Click on **All**

Search for **Service Portal**

Under **Service Portal**, select **Pages**

Click on **New**

Fill in the page details:

Page Title: Test Catalog

ID: test_catalog

Page Type: Standard

Description: Page for Medical Diagnostic Center through Service Portal

Make Public as True

Click on **Submit** or **Save**







Creation of pages(Book Appointments):

Navigate to the Application Navigator

Click on All

Search for Service Portal

Under Service Portal, select Pages

Click on New

Fill in the page details:

Page Title: Book Appointment

ID: appointment_booking

Page Type: Standard

Description: Page for Medical Diagnostic Center through Service Portal

Make Public as True

Click on Submit or Save







Creation of pages(My Appointments):

Navigate to the Application Navigator

Click on All

Search for Service Portal

Under Service Portal, select Pages

Click on New

Fill in the page details:

Page Title: My Appointments

ID: my_appointments

Page Type: Standard

Description: Page for Medical Diagnostic Center through Service Portal

Make Public as True

Click on Submit or Save







Creation of pages(Lab Reports):

Navigate to the Application Navigator

Click on All

Search for Service Portal

Under Service Portal, select Pages

Click on New

Fill in the page details:

Page Title: lab Reports

ID: lab_reports

Page Type: Standard

Description: Page for Medical Diagnostic Center through Service Portal

Make Public as True

Click on Submit or Save







Page Configuration:



Procedure:

Login to ServiceNow PDI

Copy the Instance domain ex: https://domain.service-now.com.

Paste the URL in the Next tab and add Prefix SP to the URL.

ex: https://dpamin.service-now.com/mdc

Select the Test which you want book and click on Book test button

You'll navigate to User Details page, Provide the details properly

Make payment and click on Submit button

Upon successful payments you will get a confirmation email with test code and test number.

In this phase we need to configure Email Notifications to notify the Customers

Activity 1: Configure Email Notifications(Based on Approvals):

Navigate to the Application Navigator

Click on All

Search for System Notification

Under System Notification, select Email > Notifications

Click on New

Fill in the notification details:

Name: Approval Notifications

Table: x_1883080_medica_0_appointment

When to Send: Record Inserted or Updated

Apply Condition : Approval Status Changes to Approved

Active: True







Who will receive:





Activity 2: Configure Email Notifications(Based on Reports Generation)

Navigate to the Application Navigator

Click on All

Search for System Notification

Under System Notification, select Email > Notifications

Click on New

Fill in the notification details:

Name: reportsNotifications

Table: x_1883080_medica_0_report_table

When to Send: Record Inserted

Apply Condition : Report number is Not Empty

Active: True









Description

Created Role-Based ACL's

Users/Clients are directly able to Book Sports booking hall, But they can not access the Database table.

While creating a custom table 4 ACL's are created automatically, in this scenario I used the default ACL's only

Access Control Rules (ACLs): Configured to restrict read/write access to sensitive fields depending on the role.





Activity 1: Dashboard Creation in ServiceNow

Navigate to ServiceNow Home page- Click on All Menu

Type Dashboard→ Usage and Governance → Dashboard

Click on New button to Create New Dashboard

Name as : Health Reports Dashboard

Save the Dashboard



Activity 2: Reports Creation in ServiceNow(Appointment Reports)

Navigate to ServiceNow Home page- Click on All Menu

Type Reports→ Usage and Governance → Reports

Click on New button to Create New Report

Name as : Appointments Reports

Select Data Source as Table

Select the Table as : x_1883080_medica_0_appointment

Click on Next and select Type as Bar Chart

Click on Configure tab and configure the following options:

Select Group By: Status

Additional Group By: Approval Status

Stack By: Created, Approval Date

Aggregation: Count

Save and Run the Report

Add the generated report to the Dashboard through the share icon, which you have created earlier as Health Reports Dashboard.


servicenow
All
Favorites
History
Workspaces
reports
Report Statistics
Core UI artifacts
Reports
List of Report definition records
Scheduled Reports
Color Settings
Report Ranges
Properties
Reporting Properties
Application
Title
Table
Field Name
Type
Chart size


servicenow
All
Favorites
History
Workspaces
Admin
Report - Appointment
Search
Please configure this report using Edit Report, and create new reports using View / Run.
Application
Medical Diagnosis Center
Title
Appointment
Table
APPOINTMENT TABLE [x_1959076_medica_0_appointment_table]
Field Name
appointment_number
Type
Vertical bar
Chart size
Large
User
Filter
Add Filter Condition
Add OR Clause
Roles
Update
View Report
Edit Report
Delete

Edit report
Data
Type
Configure
Style
Report Ti
Filter the visualizations
Select one of the valid types
Bars
Compare individual or aggregate scores across data dimensions.
Type a question
What do yo
To modify the curre
Table: APPOINTME
All
Pies and Donuts
Pies and Donuts show the proportions that make up a whole.


Edit report
Data
Type
Configure
Style
Report Title :
Group by
Appointment Number
Type a question about y
What do you wa
To modify the current repo
Table: APPOINTMENT TA
All
Appointment Number
Approval Date
Approval Status
Approved By
Confirmation Sent
Created
Created By
Created by
Email
Notes
Patient
Payment Status



Final output:



Description

Login to service portal page using : https://dev300958.service-now.com/mdc

Provide valid user name and password

You'll get login successful message





- Click on Book Now Button
- You'll see the User Details page
- Fill the required details and Click on Continue button





- You'll navigate to the Appointment Schedule Page, select the date and time slotas per your convenience then Click on Continue to Payment Button.



- You'll navigate to the Payment processing page. Make the payment and click on Confirmation button





- After receiving the confirmation, if you want to see your booking history and reports and payment details, just click on My Reports and Bookings Section
- You'll see all of your booking details and their status also



- After this booking confirmation, a record will be created in the Appointment tableand an email will be sent to the registered email address.
- Check your system email logs to find the email and confirm the slot as shown below pictures



Checking for the Email Notifications:

Navigate to the All menu

Type Emails

System Logs>> Emails

Open the emails table and search for the latest created

Open the email and click on Preview Email





Description

Appointment Booking & Slot Validation Issues

Debugged appointment conflicts, incorrect time-slot availability, duplicate bookings, and test pricing mismatches using:

System Logs (System Logs → All)

gs.info() statements in Business Rules

Browser console logs inside Service Portal widgets

GlideRecord debugging in server scripts

Resolved issues related to:

Overlapping appointment bookings

Incorrect scheduled date validation

Test price not auto-populating from Diagnostic Test table

Payment status not updating correctly

Ensured real-time slot validation and accurate price calculation.

Data Binding & Variable Population Issues

Resolved missing or incorrect data mapping between:

Service Portal widgets

Record Producers

Custom tables (Patient, Appointment, Diagnostic Test, Report)

Troubleshooting steps included:

Verifying widget server-side and client-side script objects

Using data object correctly in widget server scripts

Debugging $scope variables in client controller

Validating GlideRecord inserts and updates

Also ensured:

Correct mapping of reference fields (Patient → Appointment → Report)

Auto-population of Test Price from Diagnostic Test table

Proper data transfer in Flow Designer record actions

Email & Notification Issues

Troubleshot email template and notification trigger problems by:

Testing notifications manually

Previewing email templates

Verifying event registration (gs.eventQueue)

Checking Email Logs

Resolved issues such as:

Confirmation email not sent after booking

Approval email not triggered

Report availability notification not reaching patient

Incorrect email recipient mapping

Ensured patients receive:

Appointment confirmation

Approval/rejection updates

Payment confirmation

Report ready notification

Cancellation alerts

Security & Access Issues

Debugged ACL-related issues by reviewing:

Table-level ACLs

Field-level ACLs

Service Portal access control

Resolved:

Patients viewing other patients' records

Lab technicians unable to upload reports

Receptionist unable to create appointments

Admin permission inheritance issues

Validated access using:

Debug Security Rules

Impersonation testing

Role-based login testing

Ensured secure, role-based access control and data privacy compliance.

Conclusion:

TheMedicalDiagnostic System successfully delivers a comprehensive, secure, and user-friendly healthcare service solution built on the ServiceNow platform. By leveraging Service Portal, custom widgets, Flow Designer automation, approvals, scheduled jobs, and robust security controls, the system streamlines the complete diagnostic lifecycle—from appointment booking to report delivery and notifications.

The project demonstrates strong alignment with real-world diagnostic center operations, ensuring accurate slot availability, structured processing workflows, secure report management, and consistent communication with patients. High standards of quality, realism, and data security were maintained throughout the implementation, resulting in a reliable and production-ready solution.

The modular architecture and adherence to ServiceNow best practices ensure ease of maintenance, scalability, and long-term sustainability. The system is designed to support future enhancements such as online payment integration, advanced analytics dashboards, mobile application support, and integration with hospital management systems.

Overall, the project showcases effective utilization of ServiceNow capabilities to address practical healthcare management challenges, delivering improved operational efficiency, enhanced patient experience, and secure handling of sensitive medical data.