GPT-5.6

SOL HIGH

FINAL PUBLICATION & DEPLOYMENT SYSTEM

Executive quick-start, prompt routing, workspace readiness, governance, source freshness, release packaging, and the final 80-prompt navigation index.

> **RELEASE STATUS**
>
> The prompt library is structurally verified and approved for controlled pilot deployment. Production certification remains organization-specific and requires representative runtime evaluation, tool-permission testing, and human ownership of material decisions.

Independent professional guide | Verified and compiled July 26, 2026

01 Executive release decision

What is ready, what remains conditional, and how the complete guide should be deployed.

> **DECISION**
>
> Release the complete guide as a controlled, modular operating system. Use the 80 prompts immediately for bounded professional work, but do not claim configuration-specific superiority, production security assurance, or cost savings until the organization runs the Phase 4 evaluation suite.

Approved for use

- The DIRECT prompt architecture, three prompt-depth tiers, evidence controls, ambiguity policy, completion rules, and validation gates.
- All 80 leadership and defensive-security prompt cards with their recommended starting selections and token controls.
- The authorization-first cybersecurity control header for owned, contracted, or otherwise explicitly authorized systems.
- The 32-case portable evaluation dataset, weighted scorecard, hard gates, and version-governance process.
- Modular reuse through Skills, plugins, apps, files, web research, code execution, and connected systems when those capabilities are actually installed and permitted.

Conditional or organization-specific

- The best reasoning selection, model configuration, latency, token use, and cost for a specific workload.
- Access to plugins, apps, Skills, connected data, repositories, cloud accounts, email, calendars, or other systems.
- Correctness on proprietary architecture, code, policies, data, and security environments.
- Authorization for external writes, production changes, security testing, purchases, deployment, or communication.

> **NON-ENDORSEMENT**
>
> This is an independent guide grounded in official OpenAI materials and recognized engineering practices. It is not an OpenAI publication, certification, warranty, or authorization instrument.

02 Ten-minute quick start

A minimal operating sequence for leaders who need a high-quality result without reading the complete handbook.

Step	Control	Required action
1	Choose the decision	Select the card by required outcome or artifact, not merely by job title.
2	Supply decisive evidence	Attach or identify only the files, code, data, diagrams, logs, standards, and connected sources that can change the answer.
3	Set authority boundaries	State what may be inspected, what may be changed, which external actions require approval, and when work must stop.
4	Choose the starting selection	Use High for most complex professional work; use Extra High or Pro only when stakes and evaluation justify additional model work.
5	Run the output contract	Require named sections, evidence, assumptions, tests, unresolved risks, and a completion rule.
6	Verify the artifact	Execute tests, render files, inspect layouts, recalculate formulas, check citations, and confirm tool results before accepting completion.
7	Retain the evidence	Save the exact prompt, inputs, configuration, enabled tools, output, score, defects, and final disposition for repeatable work.

FAST START PROMPT

ROLE: You are the accountable [ROLE].
MISSION: Produce [DECISION OR ARTIFACT].
INPUTS: Use [FILES, CODE, DATA, STANDARDS, AND CONNECTED SOURCES].
BOUNDARIES: Do not invent facts or access. Inspect only in-scope material. Require approval for external, destructive, costly, or scope-expanding actions.
RETURN: [REQUIRED SECTIONS, FORMAT, EVIDENCE, AND TESTS].
COMPLETE ONLY WHEN: Material claims are supported, validation is performed or marked pending, and unresolved risks are visible.

03 Prompt routing system

Choose the correct card, depth, reasoning selection, and capability stack.

Route by outcome

Desired outcome	Prompt family	Starting selection
Understand an existing environment	Architecture discovery, current-state assessment, repository orientation, data-pipeline assessment	High
Design a future state	Target architecture, migration, integration, product requirements, security architecture	High or Extra High
Find and fix a defect	Root-cause analysis, code review, performance diagnosis, vulnerability triage	High
Make a consequential decision	CTO/CISO memo, build-versus-buy, vendor assessment, technical due diligence	Extra High or Pro after evaluation
Create a polished artifact	Design system, frontend brief, report, deck, spreadsheet, executive communication	High plus artifact-native validation
Operate defensively in cyber	Threat model, secure review, detection, incident response, authorized purple-team plan	High or higher with authorization header

Route by prompt depth

Tier	Use	Additions	Do not use when
Executive Compact	Experienced operator; bounded task	Objective, evidence, boundaries, output	The task has material security, compliance, or migration risk
Production High	Default professional work	Execution sequence, validation, ambiguity and completion rules	A short transformation or low-risk rewrite is sufficient
Audit-Grade Pro	Release gates, regulated work, high-value decisions	Provenance, traceability, tests, rollback, residual risk	The added controls do not change the decision or validation

EFFICIENCY RULE

Do not automatically select the most expensive or longest-running configuration. Establish a representative baseline, compare the same setting and one level lower, and retain additional reasoning only when the evaluation demonstrates a material gain.

04 Capability and Skill association map

High-leverage combinations, separated from claims of universal availability.

The combinations below are architecture patterns. A capability is usable only when it is present in the session, installed for the user or workspace, authenticated where required, authorized by the source system, and permitted for the intended action.

Workflow	Capability association	Acceptance gate
Official-source technical guide	Web research + primary-source restriction + document authoring + PDF rendering	Dated claims, citations, render inspection, source register
Architecture and code review	Files/repository + code execution + official documentation + decision prompt	Evidence map, tests, diff, unresolved-risk register
Executive decision package	Connected documents + research + structured memo + presentation	Claim provenance, options, decision criteria, visual QA
Data and operational model	Source data + spreadsheet workflow + formulas + recalculation + rendered review	No formula errors, input provenance, scenario checks
Connected operations	Plugin/Skill + app + Drive/Docs/Sheets/Slides or mail/calendar/contact tools	Source permissions, approval boundary, post-action verification
Repeatable enterprise workflow	Skill + references + scripts + templates + evaluation fixtures	Versioned instructions, deterministic checks, regression suite
Defensive cybersecurity	Authorized target evidence + code/log/config analysis + security standards + human approval	Authorization header, safe environment, patch/test evidence, residual risk
Visual artifact production	Design brief + image generation or approved assets + slide/document workflow	No overlap, correct branding, render inspection, accessibility check

SESSION VERIFICATION

In this production session, dedicated workflows were verified for DOCX, PDF, presentations, spreadsheets, Skill creation, web research, image generation, Google Drive, Google Docs, Google Sheets, Google Slides, Gmail, Calendar, and Contacts. This inventory describes the production environment used for the guide; it is not a promise that every reader has the same setup.

05 Workspace readiness checklist

Confirm capabilities, permissions, data boundaries, and approval controls before rollout.

Readiness area	Required verification	Accountable owner
Model surface	Confirm the current model and reasoning selections exposed by the user plan or API account.	Owner
Skill/plugin availability	Confirm required Skills or plugins are installed and assigned to the intended roles.	Workspace admin
App connection	Confirm required apps are enabled, authenticated, and allowed to read or act.	Workspace admin + user
Source permissions	Verify the user already has access to each file, repository, record, channel, tenant, or account.	System owner
Action controls	Define which writes require confirmation and whether external actions are permitted.	Business owner
Data classification	Mark secrets, regulated data, customer data, privileged material, and prohibited inputs.	Security/privacy
Retention	Define what prompts, artifacts, evidence, and evaluation results must be retained or deleted.	Compliance owner
Evaluation	Select representative fixtures and establish pass/fail thresholds before broad rollout.	Quality owner
Cyber authorization	Document target ownership, permitted actions, exclusions, stop conditions, and safe test environment.	Security authority
Incident path	Define escalation for data exposure, incorrect actions, unsafe behavior, or security findings.	Operations owner

06 Deployment profiles

Practical starting configurations for common leadership environments.

Profile	Starting configuration	Capability stack	Governance minimum
Solo technical leader	High; Executive Compact or Production High	Files, web, code, document tools	One-person evidence log; explicit approval before external writes
Engineering organization	High baseline; Extra High for architecture/release gates	Repository, CI results, issue tracker, official docs	Peer review, tests, diff, rollback, release owner
Design and product team	High with artifact tools	Research, design references, image/slide/document tools	Brand, accessibility, render, interaction, and acceptance review
Data/automation team	Medium or High based on complexity	Data sources, spreadsheet/code tools, connected systems	Recalculation, reconciliation, idempotency, exception queue
Executive office	High; Pro only for evaluated high-stakes synthesis	Connected documents, web, calendar/mail when approved	Source-backed claims, decision memo, named owner, approval gate
Security team	High or higher, authorization-first	Code, logs, configs, standards, safe lab	Scope proof, evidence preservation, patch/test, expert sign-off
API production workflow	Representative A/B configurations	Responses API, tools, persisted reasoning, caching	Automated graders, hard gates, usage metrics, version pinning

07 Operating lifecycle

Run prompts as controlled work, not one-shot text generation.

Stage	Operating requirement
Select	Choose the correct prompt card, accountable role, depth tier, and starting selection.
Ground	Retrieve or attach decisive evidence; label facts, assumptions, inferences, and unknowns.
Bound	Declare permissions, exclusions, stop conditions, approval boundaries, and completion criteria.
Execute	Permit safe in-scope inspection, analysis, local validation, and artifact creation.
Validate	Run tests, inspect outputs, verify citations, render artifacts, and check unresolved risks.
Approve	Require the named human owner to approve external writes, production changes, releases, or material decisions.
Retain	Save the prompt, configuration, tools, inputs, outputs, scores, defects, decisions, and version.
Improve	Update the prompt or Skill only after repeatable evidence identifies a failure mode or efficiency gain.

EXTERNAL ACTION SEQUENCE

Read and verify first. Present the proposed action and material impact. Obtain required approval. Execute once. Re-read or otherwise confirm the final state. Record the result and any exception.

08 Context and token budget standard

Keep prompts efficient without removing the evidence and controls that make them reliable.

Control	Implementation
Stable operating rules	Move recurring conventions, schemas, brand rules, security boundaries, and review checklists into a Skill, project brief, or maintained reference.
Task delta	Send only the changed objective, new evidence, changed constraints, and desired output on later turns.
Evidence selection	Prefer bounded files, relevant ranges, representative schemas, and specific logs over undifferentiated dumps.
Output limit	Specify required sections, maximum findings, ranking rules, schema, and artifact type.
Reasoning selection	Begin at the lowest evaluated setting that passes the workload; escalate only on a defined failure mode.
Tool discipline	Use tools to retrieve, calculate, execute, or verify. Do not ask the model to restate large tool results when a targeted summary is sufficient.
State reuse	In API workflows, test prompt caching and supported reasoning-context reuse; do not assume product-surface conversations expose identical controls.
Compression safety	Never remove authorization, decisive evidence, completion criteria, validation, or material approval boundaries merely to save tokens.

LOW-TOKEN ITERATION

```
CONTEXT DELTA
Objective change: [WHAT CHANGED]
New evidence: [FILES, LOGS, DATA, OR SOURCE UPDATES]
Constraint change: [WHAT IS NOW DIFFERENT]
Prior decision to preserve: [DECISION OR ARTIFACT VERSION]
Requested action: [ANALYZE / UPDATE / TEST / REVISE]
Return only: [DELTA, IMPACT, VALIDATION, AND UNRESOLVED RISK]
```

09 Human approval and action control

Prevent confident analysis from becoming unauthorized or unverified execution.

Action class	Examples	Required control
Safe inspection	Read files, inspect code, search authorized sources, analyze logs, calculate, render, and test locally.	May proceed when in scope
Reversible draft	Create a draft, patch proposal, migration plan, calendar proposal, or unsent message.	May proceed when requested
External communication	Send email, post content, reply to a customer, submit a form, or publish a document.	Explicit user authorization
Production or source change	Deploy, merge, modify production data, change permissions, rotate secrets, or alter infrastructure.	Named owner approval + rollback
Destructive action	Delete, revoke, overwrite, terminate, purge, or irreversibly transform.	Explicit confirmation of exact target
Financial commitment	Purchase, subscribe, place an order, or incur material cost.	Explicit authorization and amount
Security testing	Scan, exploit, simulate, or exercise a target beyond passive review.	Documented authority, scope, safety, stop condition

10 Defensive cybersecurity deployment

Use GPT-5.6 capabilities for authorized defense with explicit scope, evidence, remediation, and expert control.

AUTHORIZATION FIRST

A sophisticated prompt does not create legal or organizational authority. Before advanced testing, identify the owner or engagement authority, exact target, permitted actions, exclusions, safe environment, stop condition, and defensive completion outcome.

Stage	Cyber control
Authorize	Record authority, target, environment, actions, exclusions, stop conditions, evidence handling, and responsible reviewer.
Observe	Preserve logs, code, configuration, architecture, timestamps, versions, and chain-of-custody requirements.
Analyze	Identify reachable conditions, affected components, exploitability assumptions, impact, confidence, and false-positive considerations.
Remediate	Propose the smallest safe correction, compensating controls, migration considerations, and rollback.
Validate	Reproduce safely where permitted; run negative tests, regression tests, detection checks, and configuration verification.
Approve	Require qualified human review for severity, production deployment, disclosure, incident communication, and residual risk.
Retain	Save authorization, evidence, decisions, patches, tests, results, unresolved risks, and lessons learned.

MANDATORY CYBER HEADER

```
AUTHORIZED DEFENSIVE CONTEXT
Owner / authority: [ORGANIZATION, OWNER, OR ENGAGEMENT AUTHORITY]
Target / environment: [NAMED CODEBASE, APPLICATION, TENANT, CLOUD ACCOUNT, LAB, OR PRODUCTION SCOPE]
Permitted actions: [REVIEW, ANALYZE, PATCH, TEST IN AUTHORIZED ENVIRONMENT, DOCUMENT]
Out of scope: [SYSTEMS, DATA, TECHNIQUES, OR ACTIONS EXCLUDED]
Stop condition: [CONDITION REQUIRING PAUSE OR ESCALATION]
Evidence handling: [RETENTION, PRIVACY, AND DISCLOSURE RULES]
Defensive outcome: [PATCH, DETECTION, HARDENING, TRIAGE, RECOVERY, OR RISK DECISION]
```

11 Evaluation and regression program

Turn prompt quality into retained evidence rather than preference or anecdote.

1. Select representative fixtures from architecture, code, design, data, executive, and defensive-security workloads.
2. Run at least two independent trials per candidate configuration; use additional trials when variance or tool selection is material.
3. Retain exact prompt, files, system instructions, model, effort, mode, tools, workspace, date, output, usage, latency, score, and defects.
4. Apply the Phase 4 weighted 100-point scorecard and all six hard gates.
5. Compare the baseline with the same reasoning setting and one level lower before escalating.
6. Treat security authorization failure, invented evidence, unauthorized action, unverified completion, or artifact corruption as hard failures.
7. Promote a prompt or Skill version only when it meets thresholds and does not regress protected workloads.
8. Re-run the suite after model, prompt, Skill, plugin, app, tool, policy, standard, or source changes.

Minimum production evidence

- Domain correctness is reviewed by a qualified owner.
- Material claims are supported or explicitly labeled as assumptions.
- Requested output structure is complete and usable.
- Required tests or artifact-native checks pass.
- External-action and cybersecurity authorization controls behave as designed.
- Efficiency is measured, not inferred from prompt length alone.
- Known limitations and unresolved risks are visible to the decision maker.

12 Current source delta

Publication-time check against official OpenAI sources on July 26, 2026.

Area	Verified publication-time position	Disposition
Model guidance	GPT-5.6 Sol remains the flagship alias target; official API guidance continues to document none, low, medium, high, xhigh, and max effort, Pro mode, persisted reasoning, prompt caching, and comparison with one level lower.	No architecture change
Skills	Official guidance continues to define Skills as reusable workflows that may include instructions, examples, resources, and code, and may be used automatically when helpful.	No architecture change
Plugins and apps	The Plugin Directory is the primary discovery surface as of July 9, 2026. Plugins may package Skills, apps, and app templates. Apps remain the external data/action integration layer.	Terminology refreshed
Permissions	Plugin installation and app use remain dependent on plan, workspace, role, surface, region, app enablement, authentication, and underlying source permissions.	No architecture change
Cybersecurity	The GPT-5.6 family remains classified High in cybersecurity but below Critical, with safeguards intended to preserve legitimate defensive uses while constraining harmful activity.	No architecture change

Primary official sources

Source	URL
OpenAI API - Model guidance	https://developers.openai.com/api/docs/guides/latest-model
OpenAI Help Center - GPT-5.6 in ChatGPT	https://help.openai.com/en/articles/20001354-gpt-56-in-chatgpt/
OpenAI Help Center - Skills in ChatGPT	https://help.openai.com/en/articles/20001066-skills-in-chatgpt/
OpenAI Help Center - Plugins in ChatGPT and Codex	https://help.openai.com/en/articles/20001256
OpenAI Help Center - Apps in ChatGPT	https://help.openai.com/en/articles/11487775-connectors-in
OpenAI Deployment Safety Hub - GPT-5.6 System Card	https://deploymentsafety.openai.com/gpt-5-6

FRESHNESS RULE

Reverify model names, plan access, product controls, API parameters, pricing, usage policies, security standards, and connected-system capabilities before every material republication. Search-result snippets are not sufficient evidence.

13 Versioning and maintenance

Keep the guide accurate as models, products, policies, tools, and standards change.

Maintenance object	Control
Version identifier	Use semantic guide versions and a publication date. Preserve old versions for traceability.
Source register	Record source title, URL, publisher, publication/update date, access date, claim supported, and supersession status.
Claim register	Map every time-sensitive or non-obvious claim to an approved source and evidence class.
Prompt version	Give each prompt card a stable ID and revision. Record material changes and affected evaluation cases.
Capability inventory	Maintain separate inventories for model-native features, workspace capabilities, installed Skills/plugins, connected apps, and user permissions.
Evaluation record	Retain datasets, trials, graders, scores, failures, cost/latency metrics, and approval decisions.
Cyber control review	Revalidate authorization wording, policy alignment, safe-testing requirements, evidence handling, and disclosure controls.
Retirement	Deprecate prompts or claims that no longer match current products, standards, or organizational controls; do not silently overwrite history.

14 Distribution architecture

What belongs in the final package and how the modular sources relate.

Artifact	Contents	Purpose
Final Master Guide PDF	Unified publication containing master navigation and Phases 1-5.	Primary reader artifact
Phase 1 PDF/DOCX	Official source lock and claim register.	Research and factual controls
Phase 2 PDF/DOCX/Markdown	DIRECT architecture, templates, reasoning and validation controls.	Prompt design standard
Phase 3 PDF/DOCX/Markdown	80 copy-ready leadership and defensive-security prompt cards.	Production library
Phase 4 PDF/DOCX/Markdown/JSONL/CSV	Validation playbook, fixtures, and static audit.	Evaluation and release evidence
Phase 5 PDF/DOCX	Quick start, deployment, governance, source delta, and index.	Operations and maintenance
Master Prompt Index CSV	Searchable catalog for all 80 prompt cards.	Routing and inventory
Executive Quick Start PDF	Condensed operating reference.	Daily use
Distribution README	Manifest, order of use, and freshness notice.	Package orientation

Appendix A Complete prompt index

All 80 cards, with their accountable role and recommended starting selection.

A. Solution Architecture

ID	Prompt	Selection	Accountable role
01	Architecture Discovery Brief	High	Director of Solution Architecture
02	Current-State Architecture Assessment	High	Enterprise Architect
03	Target-State Architecture Design	Extra High	Chief Solution Architect
04	Integration and API Boundary Design	High	Integration Architect
05	Event-Driven Architecture Design	High	Event Architecture Lead
06	Multi-Tenant SaaS Architecture	Extra High	SaaS Platform Architect
07	Resilience and Failure-Domain Review	High	Reliability Architect
08	Cloud Migration Architecture	Extra High	Cloud Transformation Architect
09	Architecture Decision Record Director	High	Architecture Governance Lead
10	Build, Buy, or Partner Decision	Extra High	Technology Strategy Director

B. Engineering & Code Leadership

ID	Prompt	Selection	Accountable role
11	Repository Orientation and Change Map	High	Principal Software Engineer
12	Implementation Plan Director	High	Staff Engineering Lead
13	Risk-First Code Review	High	Senior Code Review Director
14	Root-Cause Analysis for Software Failures	Extra High	Incident Engineering Lead
15	Refactoring Strategy	High	Software Modernization Architect
16	Test Architecture and Coverage Plan	High	Quality Engineering Director
17	Performance Diagnosis	Extra High	Performance Engineering Lead
18	Dependency Upgrade and Compatibility Plan	High	Dependency Governance Lead
19	Release Readiness Review	High	Release Engineering Director
20	Observability Architecture	High	Observability Engineering Lead
21	API Implementation Contract	High	API Engineering Director
22	Patch Verification and Regression Gate	High	Senior Remediation Engineer

C. Product, UX & Design Leadership

ID	Prompt	Selection	Accountable role
23	Product Requirements Director	High	Director of Product Management
24	Customer Journey and UX Audit	High	UX Strategy Director
25	Information Architecture Design	High	Information Architecture Lead
26	Design System Foundation	High	Design Systems Director
27	Frontend Visual Direction and Build Brief	High	Creative Technology Director
28	Accessibility Review Director	High	Accessibility Program Lead
29	Conversion Experience Review	High	Conversion Design Director
30	Design QA and Visual Acceptance Gate	High	Design Quality Director

D. Data, Automation & Integration

ID	Prompt	Selection	Accountable role
31	Data Pipeline Architecture	High	Data Platform Architect
32	Schema and Data Contract Design	High	Principal Data Architect
33	Data Quality Control Plan	High	Data Quality Director
34	Workflow Automation Architecture	High	Automation Solutions Director
35	Tool and Agent Routing Design	Extra High	AI Workflow Architect
36	Idempotency, Retry, and Dead-Letter Design	High	Distributed Systems Engineer
37	Cross-System Reconciliation Design	High	Data Operations Architect
38	Automation Cost and Ownership Review	High	Automation Economics Director

E. Executive Technology Leadership

ID	Prompt	Selection	Accountable role
39	CTO Decision Memorandum	Extra High	Chief Technology Officer
40	CISO Risk Memorandum	Extra High	Chief Information Security Officer
41	Architecture Review Board Package	Extra High	Architecture Governance Chair
42	Technical Vendor Due Diligence	Extra High	Technology Due Diligence Director
43	Technical Roadmap and Investment Prioritization	Extra High	Technology Portfolio Director
44	Program Recovery Plan	Extra High	Technology Program Recovery Director
45	Executive Incident Briefing	High	Executive Incident Commander
46	Technology Operating Review	High	Technology Operations Director

F. Defensive Cybersecurity

ID	Prompt	Selection	Accountable role
47	Defensive Authorization and Scope Charter	High	Security Engagement Director
48	Enterprise Threat Model	Extra High	Enterprise Security Architect
49	Application Threat Model	Extra High	Application Security Architect
50	Security Architecture Review	Extra High	Principal Security Architect
51	Secure Code Review	Extra High	Application Security Review Lead
52	Authorization and Access-Control Review	Extra High	Identity Security Architect
53	Authentication and Session Security Review	Extra High	Authentication Security Lead
54	Input Validation and Injection Review	High	Secure Coding Specialist
55	File Upload and Storage Security Review	High	Application Security Engineer
56	API Security Assessment	Extra High	API Security Architect
57	Webhook Security Review	High	Integration Security Architect
58	Cloud IAM and Privilege Review	Extra High	Cloud Identity Security Architect
59	Secrets Management Review	High	Secrets Security Lead
60	Tenant Isolation Security Review	Extra High	Multi-Tenant Security Architect
61	Software Supply-Chain Review	Extra High	Software Supply-Chain Security Lead
62	CI/CD Pipeline Security Review	Extra High	DevSecOps Security Architect
63	Container and Orchestration Security Review	Extra High	Cloud-Native Security Architect
64	Security Logging and Detection Coverage Review	High	Detection Architecture Lead
65	Vulnerability Triage and Prioritization	High	Vulnerability Management Director
66	Security Patch Design	Extra High	Security Remediation Engineer
67	Security Patch Validation	Extra High	Security Verification Lead
68	Incident Triage and Containment Plan	Extra High	Security Incident Commander
69	Incident Timeline and Scope Reconstruction	Extra High	Digital Forensics Analysis Lead
70	Detection Engineering Rule Design	High	Detection Engineering Lead
71	Authorized Purple-Team Exercise Plan	Extra High	Purple Team Director
72	Cybersecurity Tabletop Exercise	High	Incident Preparedness Director
73	Security Control Mapping and Evidence Plan	High	Security Compliance Architect

ID	Prompt	Selection	Accountable role
74	Privacy and Data Security Review	Extra High	Data Protection Security Architect
75	AI and LLM Application Security Review	Extra High	AI Security Architect
76	Security Release Gate	Extra High	Security Assurance Director

G. Research & Artifact Production

ID	Prompt	Selection	Accountable role
77	Evidence-Based Research Synthesis	High	Research Director
78	Professional Document Production Director	High	Director of Document Architecture
79	Executive Presentation Production Director	High	Director of Presentation Strategy
80	Spreadsheet Model and Analysis Director	High	Director of Analytical Modeling

Appendix B Copy-ready launchers

Short control blocks to combine with any Phase 3 prompt card.

EVIDENCE-FIRST

Before concluding, create a compact evidence register. Separate verified facts, source-backed claims, assumptions, inferences, missing evidence, and unresolved risks. Do not treat absence of evidence as confirmation.

DELTA-ONLY ITERATION

Use the prior approved artifact as the baseline. Analyze only the supplied changes. Return changed decisions, affected components, required retests, new risks, and an updated version note. Preserve unaffected content.

ADVERSARIAL REVIEW

Attempt to disprove the proposed conclusion. Identify the strongest counterevidence, hidden assumptions, failure modes, conflicting requirements, and conditions under which the recommendation should be rejected.

RELEASE GATE

Do not approve release until required tests, security controls, rollback, observability, ownership, documentation, and acceptance evidence are present. Mark every unmet gate as BLOCKED, CONDITIONAL, or ACCEPTED RISK.

ARTIFACT QA

Validate the artifact in its native form. Render or execute it, inspect every page/slide/sheet/screen or relevant test result, correct clipping, overlap, broken formulas, malformed links, unsupported claims, and accessibility defects, then revalidate.

EXECUTIVE COMPRESSION

Return a one-page decision brief: decision required, verified context, options, recommendation, evidence, risks, cost or effort implications, owner, approval required, and next milestone. Move technical detail to an appendix.

Appendix C Final release checklist

The guide is complete only when the publication and operational controls both pass.

Gate	Acceptance criterion	Status
Content	All five phases are present; prompt numbering and titles match the master index.	PASS / HOLD
Sources	Time-sensitive claims have current primary-source support and an access date.	PASS / HOLD
Terminology	Model, reasoning, product, Skill, plugin, app, tool, and permission layers are not conflated.	PASS / HOLD
Cybersecurity	Authorization, target, scope, exclusions, stop conditions, evidence handling, and defensive outcome are required where applicable.	PASS / HOLD
Artifacts	DOCX and PDF render cleanly with no clipping, overlap, broken glyphs, malformed tables, or internal development paths.	PASS / HOLD
Navigation	Master sections, prompt families, and source registers are discoverable.	PASS / HOLD
Evaluation	Static controls pass; runtime performance claims are marked pending unless representative trials exist.	PASS / HOLD
Distribution	Only intended deliverables are packaged; intermediate renders and working files are excluded.	PASS / HOLD
Ownership	Named owners exist for source freshness, prompt maintenance, evaluation, workspace controls, and security authorization.	PASS / HOLD
Release	Version, date, limitations, and independent-publication notice are visible.	PASS / HOLD

PHASE 5 DISPOSITION

Publish the modular source package and the unified master PDF. Begin controlled pilot use with the Phase 4 evaluation suite. Promote organization-specific prompt, Skill, plugin, or API configurations only after representative evidence clears the required gates.