Programming Fundamentals

LAB-03-04 Submission

Name: **Rowan Aziz**

Roll No: **20**

Program: **Computer Science**

Section: **(E)**


Submitted to: **Sir Asad Majeed**

Date: **18/10/2026**


TASK. 2

Progrm check whether int is positive or negative or zero.


HAND WRITTEN CODING



CONDING WRITTEN ON PHONE




OUTPUT




TASK 3

Int = mark
process:if mark greater than and equal to 75 , score will be A.
if mark less than 75 and greater than and equal to 60 ,score wiĺ be B.
if mark less than 60 and greater than and equal to 45 ,score will be C.
if mark less than 30 , score will be D.
Output :print grade of your score

HAND WRITTEN CODING



CODING WRITTEN ON PHONE



```
new*
1  #include <iostream>
2  #include <cstdlib>
3  #include <ctime>
4  using namespace std;
5  int main(){
6  int mark;
7  cin >>mark;
8  if(mark >=75){
9  cout<< "Grade='A'";
10 } else if(mark >=60){
11   cout<<"Grade='B'";
12 } else if(mark >=45){
13   cout<<"Grade= 'C'";
14 } else {
15   cout<<"Grade='D'";}
16
17   return 0;
18 }
```

OUTPUT



```
TAB
567788
Grade='A'
[Program finished]
```

TASK. 4

First largest number using nested ___ if else statement
Check whether number is affected by user is positive or not .
If it is positive then calculate how many digit number have

HAND WRITTEN CODING

TASK 4:

INPUT:

```
#include <iostream>
using namespace std;
int main (){
int number;
cout << " Enter number:";
cin >> number;
if (number>0) {
cout << "number is positive";
}
if (number<10){
cout << "digit1" <<endl;
}
  if (number < 100){
  cout <<"digit 2" <<endl;
}else if (number<1000){
 cout<< "digit 3"<<endl;
  } else {
    cout << "More than 3 digits";
  }
 cout << "nomber is not positive";
   return 0; }
```

OUTPUT:


Enter number : 5667888

number is positive more than 3 is not positive.

CODING WRITTEN ON PHONE

```
1  #include <iostream>
2  using namespace std;
3  int main(){
4  int number;
5  cout<<"Enter number:";
6  cin>>number;
7  if(number>0){
8  cout<<"number is positive";
9  }
10 if(number < 10){
11    cout<<"digit1"<<endl;
12 }
13    if(number < 100){
14    cout<<"digit2"<<endl;
15 } else if(number < 1000){
16    cout<<"digit3"<<endl;
17 } else {
18    cout<<"More than 3 digits";
19 }
20    cout<<"number is not positive";
21
22    return 0;
23 }
```

OUTPUT




LAB. 3

TASK 5


Assume qty and salesReps are both integer . Use a pdf can expression to rewritten following statement so it will not perform integer division

unitEach=qty/salesReps.

HAND WRITTEN CODING



CODING WRITTEN ON PHONE



OUTPUT

