- (c) What is Collection Framework in Java? Write Java code to insert 10, 20 at the end and 30 at index 2 of an ArrayList<Integer> having elements 1, 2, 3, 4, 5. (CO2, CO3, CO4)
- 5. (a) Write a program to insert a new record and display the contents of the table. Assume the given table is stored at MySQL server:

(CO3, CO5)

ID	Name	Gender	Address	
1	Ram	M	Delhi	
2	Shilpi	F	Noida	
3	Ravi	M	Dehradun	
4	Kapil	M	Delhi	

(b) Discuss JDBC drivers with suitable diagram. Also discuss their pros and cons.

4 Shirw cells suniver this TWA (CO3, CO5)

(c) Discuss event delegation model. Also write a suitable code to handle an event by using Action Listener on two Buttons and also identify which button is pressed.

1480

al awards and like Husser and hom bearer (CO3, CO5) TCS-408

Roll No. ....

## TCS-408

## B. TECH. (CSE) (FOURTH SEMESTER) END SEMESTER EXAMINATION, June/July, 2022

JAVA PROGRAMMING LANGUAGE

**Time: Three Hours** 

Maximum Marks: 100

Note: (i) All questions are compulsory.

- (ii) Answer any two sub-questions among (a), (b) and (c) in each main question.
- (iii) Total marks in each main question are twenty.
- (iv) Each sub-question carries 10 marks.
- 1. (a) Discuss the internal architecture of JVM with help of a diagram. (CO1)
  - (b) The annual examination result 100 students are tabulated as follows:

(CO1)

Roll No.	Subject1	Subject2	Subject3	Total
1			504-6	
2	(300)	ноэт	G	
100	TO SAN	10 1177	UO7)	1472

Write a program to read the data and determine the following:

- Total marks obtained by each student.
- (ii) The highest marks in each subject and the Roll No. of that student who secured it.
- (iii) The student who obtained the highest total marks.
- (c) Write a Java program to find the maximum occurring character in a string. m (1) ( seimus neitzano-dus (CO1)
- 2. (a) What is dynamic method dispatch ? Explain it with a suitable program.

(CO1, CO2)

(b) Explain final, finalize and finally by using (CO1, CO2) suitable examples.

(c) Design a class to represent a bank account that includes the following members:

eldizava norsi lawabdhu nel lawa (CO1, CO2)

- Name of depositor
  - Account number
  - Type of account
  - · Balance amount in the account

## Methods:

- To assign initial values
- To deposit an amount
- · To withdraw an amount after checking the balance.
  - To display the name and balance.

Write a program to incorporate the constructor to provide initial values, use this keyword and also instantiate its object.

3. (a) What is exception handling in Java? Write a program to demonstrate ArithmeticException and ArrayIndexOutOfBoundsException.

(CO2, CO3)


(b) What is inter-thread communication? There are two threads that want to access the same account for deposit and withdrawal. But withdrawal is not possible if the account balance is not sufficient. inter-thread communication maintain the integrity of the account. If the account balance is less, then the thread that is responsible for withdrawal must wait for the second thread to deposit money. Once money will be deposited then the waiting thread will resume for withdrawal. Write a Java application to implement this scenario and consider the following values in your program:

off official and margon a (CO2, CO3)

- accountBalance = 10,000 INR
- Withdraw 15,000 INR by one thread and deposit 10,000 INR by another thread.
- (c) Create a program to count the number of characters, words and lines in a file.

mitigatov debautofil Ond reshally (CO2, CO3)

4. (a) Write a program to create a GUI that accepts a city name from the user (through textbox) and adds it to a list box by clicking on the add button. Also write an event handler code for add>> and Exit buttons. Its screenshot is shown in Fig. below: (CO2, CO3, CO4)



(b) Compare AWT with Swing. Also write a suitable code to create two text fields to take two integer inputs a, b and a button (submit) in a frame. When the button gets clicked the  $(a^2 - b^2)$  operation will be performed and the result will be shown in a Label. (CO2, CO3, CO4)