

Book Appointment

Write React code to implement the requirements given below in the Codesandbox which is shared with Crio

Note: Use function components and React hooks. Don't use class components.

Scenario 1: On page load

Display this view with form elements

Book a session

Fill in the form below to book a virtual session with your doctor

Basic Info

First Name

Last Name

Email

Doctor

Select your doctor ▼

Confirm Booking

Scenario 2: On selecting a doctor

Display the “Where?” and “When?” options to be selected

Book a session

Fill in the form below to book a virtual session with your doctor

Basic Info

First Name
Last Name
Email

Doctor

▼

Where?

- ☐ Google Meet
☐ Phone

When?



Scenario 3: On clicking “Submit”

- The page shouldn't refresh or append the data to the URL
- Make a POST API call with the form data as payload to <https://jsonplaceholder.typicode.com/posts>
- During the time from making an API call to the API response being received (as Network calls take time), display a loading type banner instead of the form

Book a session

Fill in the form below to book a virtual session with your doctor

Scheduling the appointment...

Scenario 4: On clicking “Submit”, if the API call is successful

Show a different view with a banner and a “Cancel appointment” button

Appointment booked successfully

Cancel appointment

Scenario 5: On clicking “Cancel appointment”

Show the appointment booking form again

Book a session

Fill in the form below to book a virtual session with your doctor

Basic Info

First Name
Last Name
Email

Doctor

Select your doctor ▼

Notes

- Create a component, **src/session3-takehome/BookAppointment.js** to store the UI and logic for this Takehome. Export the component and import it in `src/App.js`.
- Use function components and React hooks. Don't use class components.
- API Endpoints - "POST <https://jsonplaceholder.typicode.com/posts>" - [Documentation](#)
- You must use **axios** to make API calls and handle errors (and not Fetch API)
 - Use the axios shorthand **axios.post()** to make the API request
- **It is mandatory to check out this reference** and understand the concept - [Conditional Rendering](#)

References

1. [Exports and imports](#)

2. [Axios POST request syntax](#)
3. [Dropdowns in React](#)
4. [Forms in React](#)
5. [Conditional Rendering](#)
6. [Radio buttons in React](#)
7. [Styling in React](#)

Tip

- async-await syntax for JavaScript with arrow functions (or function expressions)

```
const add = async (a) => {  
  let b = await fetchData();  
  return a + b;  
};
```


Optional requirement

Once the functional requirements given above are working, feel free to work on styling the application


Installing and importing axios in Codesandbox

Axios needs to be added as the project dependency (installed) for us to be able to use it in the project. Follow the steps below to install axios in Codesandbox

1. Find the **Dependencies** section within the File explorer section



2. Type **axios** in the search bar and select the first option



3. You'll find **axios** displayed in the dependencies list

▼ Dependencies	
Add Dependency	
@emotion/react	11.5.0
@emotion/styled	11.3.0
@mui/material	5.0.6
axios	0.24.0
react	17.0.2
react-dom	17.0.2
react-scripts	4.0.0

4. Import axios to the appropriate component by adding below import statement
import axios from "axios";