



Uniform Spec Sheet

Polo & Crew-Neck Tee · v1.0

Rawinnipa Co., Ltd. · April 2026

This document defines the production specifications for Rawinnipa's corporate uniforms across four design concepts, two garment types, and four approved shirt colors. All measurements are production-ready; all placements are millimeter-accurate.

Refer to the Rawinnipa Brand Guidelines v1.0 for master brand rules. Any deviation from this spec — particularly color, logo size, or placement — must be approved in writing by the brand owner.

1. Program summary

Garment types

- Polo shirt — knit collar, 3-button placket, short sleeve. Unisex cut, adult sizes XS–3XL.
- Crew-neck tee — rib-knit collar, short sleeve. Unisex cut, adult sizes XS–3XL.

Shirt colors (approved)

- Deep Black #0A0A0A — primary uniform color.
- Charcoal #1A1A1A — alternate uniform color.
- Off White #F7F7F7 — summer / event use.
- Rawin Green #3EDC81 — brand-moment color, use sparingly.

Design concepts

- 01 · Classic — chest-left logo, URL on sleeve, tagline heat-transfer at inner neck. Low-key everyday uniform.
- 02 · Bold Back — small chest logo + large embroidered logo centered on the back, tagline beneath. High visibility, best for events and trade shows.
- 03 · Gradient — signature 3-color gradient stripe across the left shoulder + hem tagline. The most visually distinctive option.
- 04 · Typography — large 'RAWINNIPA' wordmark across the chest with a green accent dot, and a stacked 'BUILD / WHAT / MOVES.' slogan across the back. Bold statement piece.

Quantity matrix

4 concepts × 2 garments × 4 colors = 32 approved SKUs. Front + back views documented individually; mockup library contains 64 PNGs plus 8 concept grids.

2. Color standards

Shirt dye colors shall be lab-dipped and matched against the Pantone references below. Substitutions require written brand approval.

Shirt fabric colors

Deep Black #0A0A0A Pantone Black 6 C	Charcoal #1A1A1A Pantone Black 7 C	Off White #F7F7F7 Pantone 11-0601 TCX	Rawin Green #3EDC81 Pantone 2256 C
---	---	--	---

Logo & print colors

Deep Teal #23B591 Pantone 339 C	Rawin Green #3EDC81 Pantone 2256 C	Lime Accent #9DC351 Pantone 2285 C
--	---	---

Pantone values are approximate cross-references — final matches to be confirmed via lab dip at the supplier.

Ink matrix by shirt color

Shirt color	Logo variant	Text / URL ink	Accent ink
Deep Black	logo_white.png	White #FFFFFF	Rawin Green #3EDC81
Charcoal	logo_white.png	White #FFFFFF	Rawin Green #3EDC81
Off White	logo_black.png	Deep Black #0A0A0A	Rawin Green #3EDC81
Rawin Green	logo_white.png	White #FFFFFF	White #FFFFFF (no green-on-green)

3. Fabric & construction

Polo shirt

Fabric	Cotton 65% / Polyester 35% piqué knit, 200–220 GSM
Collar	Self-fabric rib knit, flat-bed, 2×2 rib, color-matched to body
Placket	3-button, self-fabric reinforced, 18 cm length
Buttons	Polyester, color-matched to shirt (deep tone) or body-matched, 11 mm dia.
Stitching	Single-needle on hems; 3-needle coverstitch on sleeve & bottom hems
Sleeve	Short, self-fabric banded hem, 3.5 cm band
Side seam	Open side seam, 1.0 cm SA, overlocked
Shrinkage	Max 3% warp, 3% weft after one wash
Weight (size L)	210 g ±10 g finished

Crew-neck tee

Fabric	Combed cotton 100%, single jersey, 180–200 GSM
Neck	1×1 rib knit, 2.0 cm band, self-fabric color-matched
Neck tape	Tonal cotton twill tape across back neck
Stitching	Single-needle on neck binding; double-needle coverstitch on sleeve & bottom hems
Sleeve	Short, 3.0 cm double-needle hem
Side seam	Set-in tubular body OR side-seamed depending on manufacturer; confirm with vendor
Shrinkage	Max 4% warp, 4% weft after one wash
Weight (size L)	180 g ±10 g finished

Finishing

- Pre-washed to control shrinkage before cut.
- All raw edges overlocked; no frayed edges in finished goods.
- Remove all thread tails; no knots visible on face side.
- Care label in Thai + English heat-transferred at left hip side seam.

4. Tech pack — Polo



Branding placement — Polo

Element	Method	Size (W×H)	Placement anchor	Notes
Chest-left logo	Embroidery	70 × 70 mm	Center 90 mm below HPS ¹ , 100 mm from center-front placket	Logo variant per ink matrix. 9000-stitch max.
Big back logo	Embroidery	170 × 170 mm	Center, 180 mm below HPS centerline	Concepts 02 + 04 only. Confirm density for dark shirts.
Sleeve URL	Screen print or embroidery	Text height 8 mm, length ~90 mm	Viewer-left sleeve, centered on sleeve hem band, 15° tilt toward cuff	All caps. Font: Inter Bold.
Inner-neck tagline	Heat-transfer label	60 × 8 mm	Centered below collar band, 20 mm below neckline	Thin stretch film, color per ink matrix.
Hem tagline	Screen print	Text height 6 mm, length ~48 mm	Center-front, 45 mm above hem stitch	Concept 03 only.
Gradient stripe	Sublimation or screen	Length 280 mm, thickness 16 mm	Angled 22° across left shoulder, starting 10 mm from shoulder seam	Concept 03 only. Gradient teal → green → lime. On green shirts: solid white.
Chest wordmark	Screen print	Text height 26 mm,	Center chest, 200	Concept 04 only. Green

Element	Method	Size (W×H)	Placement anchor	Notes
		length ~220 mm	mm below HPS	dot at end (8 mm dia.).
Back stacked slogan	Screen print	Each line 55 mm high	Centered, starting 220 mm below HPS, 20 mm line gap	Concept 04 only. Keep period after 'MOVES.'

¹ HPS = High Point of Shoulder. All measurements are finished-garment dimensions on a size L.

5. Tech pack — Crew-neck tee



Branding placement — Tee

Identical to polo placements except: chest-left logo sits 85 mm below HPS (the crew neck is higher than a polo's open collar). Hem tagline for concept 03 sits 35 mm above hem stitch. All other anchors match the polo table in section 4.

6. Size chart

All measurements in centimeters, tolerance ± 1.5 cm. Chest measured 2.5 cm below armpit, laid flat and doubled for full circumference.

Polo — finished measurements

Size	Chest (cm)	Body length (cm)	Shoulder (cm)	Sleeve length (cm)	Neck opening (cm)
XS	96	66	41	20	38
S	100	68	43	21	39
M	104	70	45	22	40
L	110	72	47	23	41
XL	116	74	49	24	42
2XL	122	76	51	25	43
3XL	128	78	53	26	44

Crew tee — finished measurements

Size	Chest (cm)	Body length (cm)	Shoulder (cm)	Sleeve length (cm)	Neck opening (cm)
XS	94	66	40	19	36
S	98	68	42	20	37
M	102	70	44	21	38
L	108	72	46	22	39
XL	114	74	48	23	40
2XL	120	76	50	24	41
3XL	126	78	52	25	42

7. Decoration methods

Embroidery (preferred for logos)

- Chest-left and big back logo variants. Thread: polyester; stitch density 4.0–4.4 pt.
- Stabilizer: medium-weight cut-away on knit fabric.
- Max stitch count: 9,000 (chest), 22,000 (back).
- Use approved DST file from brand owner — do not redigitize without approval.

Screen print

- Preferred for text-heavy elements (wordmark, back slogan, hem tagline).
- Plastisol ink on knits; soft-hand additive for comfort.
- Mesh count: 305 for fine type; 156 for solid blocks.
- Cure temp 160°C for 90 s; snap-cure not accepted on production runs.

Sublimation (gradient only)

- Concept 03 gradient stripe on polyester-blend (polo) only. 100% cotton tees cannot sublimate — use screen print with two-color simulated gradient instead.
- Color calibration must be confirmed against Pantone references (§2) before production.

Heat-transfer label

- Inner-neck tagline only. 45 µm stretch film, matte finish.
- Apply at 160°C / 15 s / medium pressure. Peel hot.

8. Design concept gallery

Reference mockups for each concept. Black colorway shown; other colors rendered per ink matrix (\$2). Full 64-file mockup library is in 05-uniforms/mockups/.

01 · Classic

Chest-left logo + sleeve URL + inner-neck tagline. The everyday uniform.



02 · Bold Back

Small chest logo + large embroidered back logo + tagline. High-visibility option.



03 · Gradient

Signature 3-color gradient stripe on left shoulder + hem tagline. Brand signature.



Polo · Deep Black



Tee · Deep Black

04 · Typography

Big 'RAWINNIPA' wordmark on chest + stacked 'BUILD / WHAT / MOVES.' on back.



Polo · Deep Black



Tee · Deep Black

9. Care & packaging

Care instructions (label)

- Machine wash cold, inside out.
- Non-chlorine bleach only if needed.
- Tumble dry low; remove promptly.
- Do not iron directly on prints or embroidery.
- Do not dry clean.

Packaging

- Individual flat-fold with collar support board (polo) or tissue paper (tee).
- Poly-bag: 40 µm LDPE, 300 × 380 mm, resealable.
- Hang tag: kraft card 250 gsm, 50 × 90 mm, black string loop, logo foil-stamped.
- Cartons: 50 pieces per master carton, single size per carton, label with SKU + size + color + quantity.

Labeling

- Size label: woven, black with white text, at center-back neck.
- Care label: printed on satin, below size label.
- Country of origin label: joint side seam at left hip.

10. QA & approval

Pre-production samples

- Submit 1 sample per garment × per concept × per color = 32 samples for brand approval before bulk production.
- Each sample must include all four decoration types relevant to its concept.
- Turnaround target: 14 working days after PO confirmation.

Inspection points

- Color match vs. Pantone reference (§2) — confirmed in natural daylight.
- Logo placement — measured from HPS per §4/§5 tables, ±5 mm tolerance.
- Logo size — measured W×H, ±2 mm tolerance.
- Embroidery quality — no puckering, no loose threads, registration within 0.5 mm.
- Stitch density — count per 10 mm² must match digitized file ±10%.
- Shrinkage — max per §3 after one standard wash cycle.

Acceptance criteria

- AQL 2.5 for major defects, AQL 4.0 for minor, per ISO 2859-1.
- Any unit with logo misregistration >2 mm, wrong color thread, or print ghosting is rejected.

Approval sign-off

Role	Name	Date / signature
Brand owner		
Production manager		
QA lead		

Contact

All questions about this spec sheet: sayhi@rawinsoft.com