

[Dashboard](#) ▶ [My courses](#) ▶ [4143108-APPL](#) ▶ [9 May - 15 May](#) ▶ [Latihan Soal Persiapan UAS](#)

Started on Tuesday, 19 May 2026, 7:59 AM

State Finished

Completed on Tuesday, 19 May 2026, 8:45 AM

Time taken 46 mins 21 secs

Grade 99.00 out of 100.00

Question **1**

Correct

Mark 1.00 out of 1.00

What does graceful degradation aim to achieve?

- ☐ a. Completely shut down all services during failure
- ☒ b. Maintain core functions while disabling non-critical features
- ☐ c. Increase downtime intentionally
- ☐ d. Remove load balancing



The correct answer is: Maintain core functions while disabling non-critical features

Question **2**

Correct

Mark 1.00 out of 1.00

Which tool mainly focuses on configuration management and deployment automation?

- ☒ a. Ansible
- ☐ b. Hyper-V
- ☐ c. Docker
- ☐ d. MySQL



The correct answer is: Ansible

Question **3**

Correct

Mark 1.00 out of 1.00

What is the main advantage of using cursor-based pagination?

- ☐ a. Simpler URLs
- ☐ b. Requires no database
- ☒ c. Better scalability
- ☐ d. Easier implementation



The correct answer is: Better scalability

Question **4**

Correct

Mark 1.00 out of 1.00

What is the role of version control in IaC?

- ☒ a. Track infrastructure changes as code
- ☐ b. Store hardware devices
- ☐ c. Encrypt databases
- ☐ d. Replace automation scripts



The correct answer is: Track infrastructure changes as code

Question **5**

Correct

Mark 1.00 out of 1.00

Which principle grants users or systems only the minimum required access?

- ☐ a. Secure Defaults
- ☐ b. Defense in Depth
- ☒ c. Least Privilege
- ☐ d. Fail Securely



The correct answer is: Least Privilege

Question **6**

Correct

Mark 1.00 out of 1.00

What is the primary purpose of an API in software architecture?

- ☐ a. To replace databases
- ☒ b. To define communication between software components
- ☐ c. To compile source code
- ☐ d. To manage operating systems



The correct answer is: To define communication between software components

Question **7**

Correct

Mark 1.00 out of 1.00

Which Docker component is responsible for building and running containers?

- ☐ a. Docker Client
- ☐ b. Docker Registry
- ☐ c. Kubernetes Node
- ☒ d. Docker Daemon



The correct answer is: Docker Daemon

Question **8**

Correct

Mark 1.00 out of 1.00

What is the primary role of an API Gateway?

- ☐ a. Storing application logs
- ☐ b. Replacing databases
- ☐ c. Compiling APIs
- ☒ d. Acting as a single entry point for client requests



The correct answer is: Acting as a single entry point for client requests

Question 9

Correct

Mark 1.00 out of 1.00

Which 12-Factor App principle separates build, release, and run stages?

- ☐ a. Processes
- ☐ b. Dependencies
- ☒ c. Build, Release, Run
- ☐ d. Config



The correct answer is: Build, Release, Run

Question 10

Incorrect

Mark 0.00 out of 1.00

Which statement about Docker Images is correct?

- ☐ a. They are writable during runtime
- ☐ b. They are immutable templates
- ☐ c. They cannot be versioned
- ☒ d. They always contain databases



The correct answer is: They are immutable templates

Question 11

Correct

Mark 1.00 out of 1.00

Which 12-Factor principle recommends treating logs as event streams?

- ☒ a. Logs
- ☐ b. Config
- ☐ c. Dependencies
- ☐ d. Processes



The correct answer is: Logs

Question 12

Correct

Mark 1.00 out of 1.00

Compared to virtual machines, containers generally have:

- ☒ a. Shared host OS kernel
- ☐ b. Larger storage requirements
- ☐ c. Separate physical hardware
- ☐ d. Slower boot times



The correct answer is: Shared host OS kernel

Question 13

Correct

Mark 1.00 out of 1.00

What is the purpose of the COPY instruction in Dockerfile?

- ☐ a. Run the application
- ☐ b. Install dependencies
- ☒ c. Transfer files into the image
- ☐ d. Create a network



The correct answer is: Transfer files into the image

Question 14

Correct

Mark 1.00 out of 1.00

Which metric is commonly used to measure reliability?

- ☐ a. Storage format
- ☒ b. SLA and SLO
- ☐ c. CPU temperature
- ☐ d. Image resolution



The correct answer is: SLA and SLO

Question 15

Correct

Mark 1.00 out of 1.00

What is the primary role of Docker Client?

- ☐ a. Store container images
- ☐ b. Run background services
- ☒ c. Send commands to Docker Daemon
- ☐ d. Manage databases



The correct answer is: Send commands to Docker Daemon

Question 16

Correct

Mark 1.00 out of 1.00

Which Dockerfile instruction specifies the base image?

- ☐ a. CMD
- ☐ b. RUN
- ☐ c. COPY
- ☒ d. FROM



The correct answer is: FROM

Question 17

Correct

Mark 1.00 out of 1.00

Which cloud computing model provides ready-to-use software accessed via a browser?

- ☒ a. SaaS
- ☐ b. DaaS
- ☐ c. IaaS
- ☐ d. PaaS



The correct answer is: SaaS

Question 18

Correct

Mark 1.00 out of 1.00

Which mechanism distributes traffic only to healthy application instances?

- ☒ a. Load Balancing
- ☐ b. Circuit Breaker
- ☐ c. Replication
- ☐ d. Encryption



The correct answer is: Load Balancing

Question 19

Correct

Mark 1.00 out of 1.00

What is one benefit of Continuous Integration?

- ☒ a. Detecting integration conflicts early
- ☐ b. Removing testing requirements
- ☐ c. Eliminating software releases
- ☐ d. Increasing downtime



The correct answer is: Detecting integration conflicts early

Question 20

Correct

Mark 1.00 out of 1.00

Which tool is commonly used for Infrastructure as Code (IaC)?

- ☐ a. Docker
- ☒ b. Terraform
- ☐ c. Postman
- ☐ d. Jenkins



The correct answer is: Terraform

Question **21**

Correct

Mark 1.00 out of 1.00

What is the main benefit of Continuous Integration/Continuous Delivery (CI/CD)?

- ☐ a. Slower software releases
- ☐ b. Manual deployment process
- ☒ c. Faster releases and improved code quality
- ☐ d. Eliminating testing



The correct answer is: Faster releases and improved code quality

Question **22**

Correct

Mark 1.00 out of 1.00

What is the purpose of a circuit breaker in distributed systems?

- ☐ a. Delete corrupted data
- ☐ b. Replace monitoring systems
- ☒ c. Prevent cascading failures
- ☐ d. Increase internet speed



The correct answer is: Prevent cascading failures

Question **23**

Correct

Mark 1.00 out of 1.00

Which API security vulnerability is related to SQL injection attacks?

- ☐ a. Excessive Data Exposure
- ☒ b. Injection Attacks
- ☐ c. Broken Authentication
- ☐ d. BOLA



The correct answer is: Injection Attacks

Question **24**

Correct

Mark 1.00 out of 1.00

What is the primary idea behind Security by Design (SbD)?

- ☐ a. Security eliminates software testing
- ☒ b. Security is integrated from the beginning of system development
- ☐ c. Security only focuses on databases
- ☐ d. Security is added after deployment



The correct answer is: Security is integrated from the beginning of system development

Question **25**

Correct

Mark 1.00 out of 1.00

Which architectural style emphasizes stateless communication and standard HTTP methods?

- ☒ a. REST
- ☐ b. FTP
- ☐ c. RPC
- ☐ d. SOAP



The correct answer is: REST

Question **26**

Correct

Mark 1.00 out of 1.00

What is Docker Hub?

- ☐ a. A Linux kernel module
- ☐ b. A virtualization hypervisor
- ☐ c. A CI/CD pipeline tool
- ☒ d. A public Docker image registry



The correct answer is: A public Docker image registry

Question **27**

Correct

Mark 1.00 out of 1.00

What does Shared Responsibility mean in DevOps?

- ☒ a. Development and operations share deployment and maintenance responsibilities
- ☐ b. Security is ignored
- ☐ c. Only developers handle deployment
- ☐ d. Only operations handle scaling



The correct answer is: Development and operations share deployment and maintenance responsibilities

Question **28**

Correct

Mark 1.00 out of 1.00

What is Kubernetes primarily designed for?

- ☐ a. Replacing programming languages
- ☐ b. Desktop virtualization
- ☒ c. Managing and scaling containerized applications
- ☐ d. Building operating systems



The correct answer is: Managing and scaling containerized applications

Question **29**

Correct

Mark 1.00 out of 1.00

What does DevOps aim to improve?

- ☒ a. Application delivery speed and quality
- ☐ b. Only UI design
- ☐ c. Hardware manufacturing
- ☐ d. Physical network installation



The correct answer is: Application delivery speed and quality

Question **30**

Correct

Mark 1.00 out of 1.00

What is a major advantage of containers over virtual machines?

- ☐ a. Require separate operating systems
- ☒ b. Faster startup time
- ☐ c. More hardware overhead
- ☐ d. Cannot scale horizontally



The correct answer is: Faster startup time

Question **31**

Correct

Mark 1.00 out of 1.00

What is the main purpose of containers in cloud-native applications?

- ☐ a. Eliminate APIs
- ☐ b. Increase hardware costs
- ☒ c. Ensure portability and consistency across environments
- ☐ d. Replace databases



The correct answer is: Ensure portability and consistency across environments

Question **32**

Correct

Mark 1.00 out of 1.00

What is the main purpose of Continuous Delivery (CD)?

- ☐ a. Preventing software testing
- ☐ b. Automatically designing user interfaces
- ☒ c. Ensuring applications are always ready for release
- ☐ d. Managing physical hardware



The correct answer is: Ensuring applications are always ready for release

Question **33**

Correct

Mark 1.00 out of 1.00

What is the primary role of observability and distributed tracing in cloud-native systems?

- ☒ a. Monitoring and troubleshooting system performance
- ☐ b. Replacing APIs
- ☐ c. Encrypting databases
- ☐ d. Reducing internet bandwidth



The correct answer is: Monitoring and troubleshooting system performance

Question **34**

Correct

Mark 1.00 out of 1.00

Which tool is widely used for provisioning infrastructure across cloud providers?

- ☒ a. Terraform
- ☐ b. GitLab
- ☐ c. Jenkins
- ☐ d. Kubernetes



The correct answer is: Terraform

Question **35**

Correct

Mark 1.00 out of 1.00

What is the purpose of rate limiting in APIs?

- ☐ a. Replace authentication
- ☐ b. Increase server memory
- ☐ c. Encrypt all requests
- ☒ d. Prevent abuse and maintain service quality



The correct answer is: Prevent abuse and maintain service quality

Question **36**

Correct

Mark 1.00 out of 1.00

Which DevOps principle emphasizes breaking down silos between teams?

- ☒ a. Collaboration
- ☐ b. Virtualization
- ☐ c. Replication
- ☐ d. Containerization



The correct answer is: Collaboration

Question **37**

Correct

Mark 1.00 out of 1.00

Which cloud-native principle focuses on decomposing applications into small independent services?

- ☒ a. Microservices Architecture
- ☐ b. Containers
- ☐ c. Dynamic Scalability
- ☐ d. Observability



The correct answer is: Microservices Architecture

Question **38**

Correct

Mark 1.00 out of 1.00

What is the main disadvantage of point-to-point integration architecture?

- ☐ a. Difficult to implement
- ☒ b. Becomes complex and tangled at scale
- ☐ c. Requires cloud computing
- ☐ d. Cannot use APIs



The correct answer is: Becomes complex and tangled at scale

Question 39

Correct

Mark 1.00 out of 1.00

Which platform is most commonly used for building and managing containers?

- ☐ a. Terraform
- ☐ b. Jenkins
- ☐ c. Kubernetes
- ☒ d. Docker



The correct answer is: Docker

Question 40

Correct

Mark 1.00 out of 1.00

According to REST principles, what does “stateless” mean?

- ☐ a. The server stores all client sessions permanently
- ☐ b. APIs cannot use databases
- ☐ c. The client stores data in XML format
- ☒ d. Every request contains all required information



The correct answer is: Every request contains all required information

Question 41

Correct

Mark 1.00 out of 1.00

Which DevOps concept emphasizes iterative enhancement through feedback loops?

- ☒ a. Continuous Improvement
- ☐ b. Virtual Machine
- ☐ c. Hypervisor
- ☐ d. Containerization



The correct answer is: Continuous Improvement

Question **42**

Correct

Mark 1.00 out of 1.00

What is a major risk of AI-assisted software development?

- ☐ a. Removal of cloud computing
- ☐ b. Elimination of scalability
- ☒ c. AI-generated code may be incorrect or insecure
- ☐ d. Increased hardware costs only



The correct answer is: AI-generated code may be incorrect or insecure

Question **43**

Correct

Mark 1.00 out of 1.00

Which API versioning strategy places the version directly in the URL?

- ☐ a. Header Versioning
- ☒ b. URI Versioning
- ☐ c. Token Versioning
- ☐ d. Session Versioning



The correct answer is: URI Versioning

Question **44**

Correct

Mark 1.00 out of 1.00

What does Continuous Integration (CI) primarily do?

- ☐ a. Disable deployments
- ☐ b. Replace production servers
- ☒ c. Automatically validate and test code changes
- ☐ d. Remove source code repositories



The correct answer is: Automatically validate and test code changes

Question 45

Correct

Mark 1.00 out of 1.00

What does Kubernetes "Self-Healing" capability mean?

- ☐ a. Deletes unused images
- ☐ b. Automatically updates operating systems
- ☒ c. Restarts failed containers automatically
- ☐ d. Repairs damaged hard drives



The correct answer is: Restarts failed containers automatically

Question 46

Correct

Mark 1.00 out of 1.00

Which team is mainly responsible for managing servers and monitoring uptime?

- ☐ a. Design Team
- ☐ b. Dev Team
- ☐ c. QA Team
- ☒ d. Operations Team



The correct answer is: Operations Team

Question 47

Correct

Mark 1.00 out of 1.00

What is the primary goal of DevOps?

- ☐ a. Eliminate cloud computing
- ☐ b. Replace developers with automation
- ☐ c. Remove software testing
- ☒ d. Improve collaboration between development and operations teams



The correct answer is: Improve collaboration between development and operations teams

Question **48**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of Platform as a Service (PaaS)?

- ☐ a. AWS EC2
- ☒ b. Google App Engine
- ☐ c. VMware
- ☐ d. Slack



The correct answer is: Google App Engine

Question **49**

Correct

Mark 1.00 out of 1.00

Which architecture is an example of a distributed system?

- ☐ a. Local text editor
- ☐ b. Single desktop application
- ☒ c. Microservices architecture
- ☐ d. Standalone calculator



The correct answer is: Microservices architecture

Question **50**

Correct

Mark 1.00 out of 1.00

Which technology commonly manages stateless services across multiple nodes?

- ☐ a. Photoshop
- ☒ b. Kubernetes
- ☐ c. Microsoft Word
- ☐ d. FTP



The correct answer is: Kubernetes

Question **51**

Correct

Mark 1.00 out of 1.00

Reliability mainly focuses on:

- ☐ a. Internal network topology
- ☐ b. Physical server design
- ☒ c. Consistent system behavior and uptime
- ☐ d. Replacing databases



The correct answer is: Consistent system behavior and uptime

Question **52**

Correct

Mark 1.00 out of 1.00

Which cloud service model allows users to manage the operating system and applications?

- ☒ a. IaaS
- ☐ b. FaaS
- ☐ c. SaaS
- ☐ d. PaaS



The correct answer is: IaaS

Question **53**

Correct

Mark 1.00 out of 1.00

Which authentication standard is widely used for delegated authorization?

- ☐ a. SMTP
- ☒ b. OAuth 2.0
- ☐ c. DNS
- ☐ d. FTP



The correct answer is: OAuth 2.0

Question 54

Correct

Mark 1.00 out of 1.00

What is security debt?

- ☒ a. Accumulated technical debt creating security vulnerabilities
- ☐ b. A backup mechanism
- ☐ c. A type of database replication
- ☐ d. Extra cloud storage cost



The correct answer is: Accumulated technical debt creating security vulnerabilities

Question 55

Correct

Mark 1.00 out of 1.00

What is the main purpose of dynamic scalability in cloud-native systems?

- ☐ a. Prevent container usage
- ☐ b. Eliminate monitoring systems
- ☐ c. Reduce internet connectivity
- ☒ d. Automatically scale applications based on demand



The correct answer is: Automatically scale applications based on demand

Question 56

Correct

Mark 1.00 out of 1.00

What does "Pipeline as Code" refer to?

- ☐ a. Manual GUI configuration
- ☐ b. Replacing Git repositories
- ☒ c. Writing CI/CD workflows in code form
- ☐ d. Hardware provisioning



The correct answer is: Writing CI/CD workflows in code form

Question 57

Correct

Mark 1.00 out of 1.00

Which orchestration platform is commonly known as K8s?

- ☐ a. VMware
- ☐ b. OpenShift
- ☐ c. Docker Swarm
- ☒ d. Kubernetes



The correct answer is: Kubernetes

Question 58

Correct

Mark 1.00 out of 1.00

Why is orchestration needed in containerized environments?

- ☒ a. To automate deployment and scaling
- ☐ b. To remove networking features
- ☐ c. To disable fault tolerance
- ☐ d. To replace Docker images



The correct answer is: To automate deployment and scaling

Question 59

Correct

Mark 1.00 out of 1.00

Fault tolerance refers to:

- ☐ a. Preventing all software updates
- ☒ b. Allowing systems to continue operating during failures
- ☐ c. Removing redundant systems
- ☐ d. Eliminating cloud infrastructure



The correct answer is: Allowing systems to continue operating during failures

Question **60**

Correct

Mark 1.00 out of 1.00

What is the purpose of the “Secure Defaults” principle?

- ☐ a. Remove authentication
- ☒ b. Ensure systems are secure by default
- ☐ c. Disable all security settings
- ☐ d. Increase manual configuration



The correct answer is: Ensure systems are secure by default

Question **61**

Correct

Mark 1.00 out of 1.00

What happens to the Read-Write layer when a container is deleted?

- ☒ a. All stored changes are lost
- ☐ b. It is uploaded automatically
- ☐ c. It becomes permanent
- ☐ d. It is moved to another image



The correct answer is: All stored changes are lost

Question **62**

Correct

Mark 1.00 out of 1.00

In the Build-Ship-Run workflow, what happens during the “Build” stage?

- ☐ a. Containers are deployed to production
- ☐ b. Images are shared in a registry
- ☒ c. Environment is defined in a Dockerfile
- ☐ d. Containers are deleted



The correct answer is: Environment is defined in a Dockerfile

Question **63**

Correct

Mark 1.00 out of 1.00

Which Security by Design principle uses multiple layers of protection?

- ☐ a. Stateless Design
- ☐ b. Secure Defaults
- ☒ c. Defense in Depth
- ☐ d. Least Privilege



The correct answer is: Defense in Depth

Question **64**

Correct

Mark 1.00 out of 1.00

Which characteristic best describes container isolation?

- ☐ a. No isolation at all
- ☒ b. Process-level isolation
- ☐ c. BIOS-level isolation
- ☐ d. Hardware-level isolation



The correct answer is: Process-level isolation

Question **65**

Correct

Mark 1.00 out of 1.00

What is JWT primarily used for?

- ☐ a. API versioning
- ☒ b. Stateless authentication tokens
- ☐ c. Database replication
- ☐ d. Load balancing



The correct answer is: Stateless authentication tokens

Question **66**

Correct

Mark 1.00 out of 1.00

According to the presentation, security debt negatively impacts:

- ☐ a. Only application appearance
- ☐ b. Only internet bandwidth
- ☒ c. Velocity, security, and stability
- ☐ d. Hardware manufacturing



The correct answer is: Velocity, security, and stability

Question **67**

Correct

Mark 1.00 out of 1.00

According to the 12-Factor App methodology, configuration settings should be stored in:

- ☒ a. Environment variables
- ☐ b. Database tables
- ☐ c. Local text files only
- ☐ d. Source code



The correct answer is: Environment variables

Question **68**

Correct

Mark 1.00 out of 1.00

What is the purpose of replication in fault tolerance?

- ☒ a. Storing copies of data across multiple nodes
- ☐ b. Encrypting passwords
- ☐ c. Preventing backups
- ☐ d. Reducing application features



The correct answer is: Storing copies of data across multiple nodes

Question **69**

Correct

Mark 1.00 out of 1.00

Which component enables multiple virtual machines to run on one physical machine?

- ☐ a. Registry
- ☐ b. Container Runtime
- ☒ c. Hypervisor
- ☐ d. Docker Engine



The correct answer is: Hypervisor

Question **70**

Correct

Mark 1.00 out of 1.00

Which of the following is a correct RESTful endpoint naming practice?

- ☒ a. /users/123/orders
- ☐ b. /fetchAllUsers
- ☐ c. /getUsers
- ☐ d. /retrieveOrders



The correct answer is: /users/123/orders

Question **71**

Correct

Mark 1.00 out of 1.00

Compared to REST, GraphQL generally reduces:

- ☐ a. Database usage
- ☐ b. Server uptime
- ☐ c. Security
- ☒ d. Payload size



The correct answer is: Payload size

Question **72**

Correct

Mark 1.00 out of 1.00

Which HTTP method is considered idempotent?

- ☐ a. PATCH
- ☐ b. CONNECT
- ☒ c. DELETE
- ☐ d. POST



The correct answer is: DELETE

Question **73**

Correct

Mark 1.00 out of 1.00

Why is serverless architecture becoming popular?

- ☐ a. Requires more infrastructure management
- ☐ b. Prevents cloud usage
- ☒ c. Automatically provisions resources when functions run
- ☐ d. Eliminates scalability



The correct answer is: Automatically provisions resources when functions run

Question **74**

Correct

Mark 1.00 out of 1.00

What is a major advantage of stateless systems?

- ☐ a. Difficult horizontal scaling
- ☒ b. Easier scalability and fault tolerance
- ☐ c. Dependence on local storage
- ☐ d. Requires expensive hardware



The correct answer is: Easier scalability and fault tolerance

Question **75**

Correct

Mark 1.00 out of 1.00

What is a container in software architecture?

- ☐ a. A physical server
- ☐ b. A network switch
- ☐ c. A database engine
- ☒ d. A standard unit packaging code and dependencies



The correct answer is: A standard unit packaging code and dependencies

Question **76**

Correct

Mark 1.00 out of 1.00

In API-led connectivity, which API layer orchestrates business logic across systems?

- ☐ a. System API
- ☐ b. Experience API
- ☐ c. Gateway API
- ☒ d. Process API



The correct answer is: Process API

Question **77**

Correct

Mark 1.00 out of 1.00

Which IaC concept defines the final desired infrastructure state?

- ☐ a. Imperative
- ☐ b. Replication
- ☐ c. Virtualization
- ☒ d. Declarative



The correct answer is: Declarative

Question 78

Correct

Mark 1.00 out of 1.00

Which statement best describes a Stateless + Distributed architecture?

- ☐ a. Services depend heavily on local storage
- ☐ b. Applications can only run on one server
- ☐ c. Session data must always be stored locally
- ☒ d. Distributed stateless services are scalable and resilient



The correct answer is: Distributed stateless services are scalable and resilient

Question 79

Correct

Mark 1.00 out of 1.00

How can AI assist software development?

- ☐ a. Automatically manufacture hardware
- ☒ b. Generate code, documentation, and detect bugs
- ☐ c. Remove the need for testing
- ☐ d. Replace all software engineers completely



The correct answer is: Generate code, documentation, and detect bugs

Question 80

Correct

Mark 1.00 out of 1.00

Which communication model is considered asynchronous?

- ☐ a. Direct SQL query
- ☒ b. Message Queue communication
- ☐ c. REST API request-response
- ☐ d. SOAP over HTTP



The correct answer is: Message Queue communication

Question **81**

Correct

Mark 1.00 out of 1.00

Which Kubernetes feature manages networking and load balancing between services?

- ☐ a. Virtualization
- ☒ b. Discovery
- ☐ c. Scheduling
- ☐ d. Compilation



The correct answer is: Discovery

Question **82**

Correct

Mark 1.00 out of 1.00

Which IaC concept means producing the same result regardless of system state?

- ☐ a. Portability
- ☒ b. Idempotency
- ☐ c. Virtualization
- ☐ d. Scalability



The correct answer is: Idempotency

Question **83**

Correct

Mark 1.00 out of 1.00

What is the function of message queues such as Kafka or RabbitMQ?

- ☐ a. Manage operating systems
- ☒ b. Enable message retry and asynchronous processing
- ☐ c. Create databases automatically
- ☐ d. Replace APIs



The correct answer is: Enable message retry and asynchronous processing

Question **84**

Correct

Mark 1.00 out of 1.00

What is one benefit of implementing Security by Design?

- ☐ a. Elimination of software updates
- ☐ b. Increased technical debt
- ☐ c. Reduced user trust
- ☒ d. Lower long-term security costs



The correct answer is: Lower long-term security costs

Question **85**

Correct

Mark 1.00 out of 1.00

In cloud computing, the pay-as-you-go pricing model is categorized as:

- ☒ a. OpEx
- ☐ b. Fixed Cost
- ☐ c. CapEx
- ☐ d. Hybrid Cost



The correct answer is: OpEx

Question **86**

Correct

Mark 1.00 out of 1.00

Which of the following is NOT a core responsibility of an API Gateway?

- ☐ a. Authentication
- ☒ b. Source Code Compilation
- ☐ c. Load Balancing
- ☐ d. Rate Limiting



The correct answer is: Source Code Compilation

Question 87

Correct

Mark 1.00 out of 1.00

Which of the following is an example of a CI/CD tool?

- ☐ a. VMware
- ☐ b. Terraform
- ☐ c. Docker
- ☒ d. GitLab CI/CD



The correct answer is: GitLab CI/CD

Question 88

Correct

Mark 1.00 out of 1.00

What does the "Processes" principle in 12-Factor Apps emphasize?

- ☒ a. Applications should run as stateless processes
- ☐ b. Applications should store sessions locally
- ☐ c. Applications should avoid scaling
- ☐ d. Applications should use XML



The correct answer is: Applications should run as stateless processes

Question 89

Correct

Mark 1.00 out of 1.00

In Semantic Versioning (SemVer), what does a MAJOR version change indicate?

- ☐ a. Bug fixes only
- ☐ b. UI redesign only
- ☐ c. Backward-compatible improvements
- ☒ d. Breaking changes



The correct answer is: Breaking changes

Question **90**

Correct

Mark 1.00 out of 1.00

What is a key characteristic of a stateless system?

- ☐ a. Server stores session data permanently
- ☐ b. Requires only one server
- ☒ c. Each request is independent
- ☐ d. Cannot scale horizontally



The correct answer is: Each request is independent

Question **91**

Correct

Mark 1.00 out of 1.00

Which architecture style commonly uses a single endpoint for all queries?

- ☒ a. GraphQL
- ☐ b. SOAP
- ☐ c. REST
- ☐ d. FTP



The correct answer is: GraphQL

Question **92**

Correct

Mark 1.00 out of 1.00

What is the purpose of auto-scaling in Kubernetes?

- ☐ a. Replace Dockerfiles
- ☒ b. Adjust container instances automatically based on demand
- ☐ c. Increase storage manually
- ☐ d. Encrypt application data



The correct answer is: Adjust container instances automatically based on demand

Question **93**

Correct

Mark 1.00 out of 1.00

In traditional software development, increasing application complexity often causes:

- ☒ a. More operational challenges
- ☐ b. Reduced collaboration issues
- ☐ c. Simpler deployment
- ☐ d. Elimination of downtime



The correct answer is: More operational challenges

Question **94**

Correct

Mark 1.00 out of 1.00

What is the main characteristic of GraphQL?

- ☒ a. Client specifies exact required data
- ☐ b. Uses XML messages
- ☐ c. Requires multiple endpoints
- ☐ d. Only works with SOAP



The correct answer is: Client specifies exact required data

Question **95**

Correct

Mark 1.00 out of 1.00

Which standard emphasizes integrating security throughout the system lifecycle?

- ☐ a. IEEE 802.11
- ☒ b. NIST SP 800-160
- ☐ c. HTML5
- ☐ d. CSS3



The correct answer is: NIST SP 800-160

Question **96**

Correct

Mark 1.00 out of 1.00

What does "Fail Securely" mean?

- ☐ a. Systems ignore all failures
- ☐ b. Systems expose all logs publicly
- ☒ c. Systems default to the most secure state during failures
- ☐ d. Systems shut down permanently after errors



The correct answer is: Systems default to the most secure state during failures

Question **97**

Correct

Mark 1.00 out of 1.00

What is Infrastructure as Code (IaC)?

- ☐ a. Managing infrastructure manually
- ☒ b. Managing IT infrastructure using code
- ☐ c. Monitoring databases only
- ☐ d. Replacing operating systems



The correct answer is: Managing IT infrastructure using code

Question **98**

Correct

Mark 1.00 out of 1.00

What is the purpose of automation in DevOps?

- ☐ a. Eliminate monitoring systems
- ☐ b. Replace databases
- ☒ c. Reduce repetitive manual tasks
- ☐ d. Increase manual work



The correct answer is: Reduce repetitive manual tasks

Question **99**

Correct

Mark 1.00 out of 1.00

What is the primary advantage of cloud computing compared to on-premise infrastructure?

- ☐ a. Uses proprietary hardware only
- ☐ b. Requires manual scaling
- ☒ c. Automatic scalability and elasticity
- ☐ d. Higher upfront investment



The correct answer is: Automatic scalability and elasticity

Question **100**

Correct

Mark 1.00 out of 1.00

Which statement best describes DevOps architecture?

- ☐ a. Manual deployment only
- ☒ b. Unified ecosystem integrating development, QA, and operations
- ☐ c. Infrastructure without automation
- ☐ d. Separate workflows between teams



The correct answer is: Unified ecosystem integrating development, QA, and operations

Previous activity

◀ [UTS-MHS-REGULAR](#)

Jump to...