

Samuel Lyons

1.

def-use(i) = (2,3)(2,3,4)(4,3)(4,3,4)(5,6)(5,6,7) (7,6)(7,6,7)

def-use(numbers) = (1,2,3,4)(1,2,3,5)(1,2,3,5,6,7)

def-use(sum) = (1,2,3,4)(1,2,3,5)(4,3,4)(4,3,5)

def-use(length) = (1,2,3)(1,2,3,5)(1,2,3,5,6)(1,2,3,5,6,8)

def-use(med) = (5,6,8)

def-use(mean) = (5,6,7)(5,6,8)

def-use(varsum) = (5,6,7)(5,6,8)(7,6,7)(7,6,8)

2.

Input [1,2,3,4]

def-use (1,2,3,4) = result (sum += 1;)

def-use (4,3,4) = result (sum += 2)

def-use (1,2,3,5,6,7) = result ((varsum = 0 + ((1- 2.5) * (1 - 2.5));)

def-use (7,6,7) = result ((varsum = 2.25 + ((2- 2.5) * (2 - 2.5));)

def-use (4,3,5) = result (mean = 10 / 4.0)

def-use (1,2,3,5,6,8) = result var = 5 / 3.0

def-use (7,6,8) = result var = 5 / 3.0