Candidate surname		Other names
Pearson Edexcel nternational Advanced Level	Centre Number	Candidate Number
Wednesday 22	2 May	2019
Morning (Time: 2 hours 30 minutes) Paper F	Reference WMA01/01
Mathematics		
Mathematics International Advanced Core Mathematics C12	Subsidiar	y/Advanced Level

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 16 questions in this question paper. The total mark for this paper is 125.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ▶







	Answer ALL questions. Write your answers in the spaces provided.
1.	The 4th term of a geometric series is 125 and the 7th term is 8
	(a) Show that the common ratio of this series is $\frac{2}{5}$
	(b) Hence find, to 3 decimal places, the difference between the sum to infinity and the sum of the first 10 terms of this series. (4)

	i	è			
				Ŗ	
		1			
				2	
		è			
			2		

Question 1 continued	Leave blank
	Q1
(Total 6 marks)	



	8 ^x —	(
(b) Hence solve the equation	$\frac{3}{2^{x-1}} = 2\sqrt{2}$	(



	-			
3				
	⊨			
	è			
			×	
×				
		¥		

Question 2 continued		Leave blank
		Q2
(Tota	ıl 6 marks)	



3.




Figure 1

Figure 1 shows a sketch of part of the curve with equation y = f(x). The curve crosses the coordinate axes at the points (-6, 0) and (0, 3), has a stationary point at (-3, 9) and has an asymptote with equation y = 1

On separate diagrams, sketch the curve with equation

(a)
$$y = -f(x)$$
 (3)

(b)
$$y = f\left(\frac{3}{2}x\right)$$

On each diagram, show clearly the coordinates of the points of intersection of the curve with the two coordinate axes, the coordinates of the stationary point, and the equation of the asymptote.

Leave

blank Question 3 continued Q3 (Total 6 marks)



4. Given that

$$y = 5x^{2} + \frac{1}{2x} + \frac{2x^{4} - 8}{5\sqrt{x}} \qquad x > 0$$

find $\frac{dy}{dx}$, giving	each term	in its	simplest	form.
-------------------------------	-----------	--------	----------	-------

	(6)

	Š		
		1	
			ì
	Ž		
	\overline{z}	3	7
X	Š	2	S
	Š	Š	Š
8		2	
×			
8	2		
X	X	Y	
×	ž		
×	Ž		
×	Ž		
× × × ×			
× × ×			
× × × ×			

Question 4 continued	Leave
	04
	Q4
(Total 6 marks)	



blank

5. A sequence u_1, u_2, u_3, \dots is defined by

$$u_1 = 1$$

$$u_{n+1} = k - \frac{8}{u_n} \qquad n \geqslant 1$$

where k is a constant.

(a) Write down expressions for u_2 and u_3 in terms of k.

(2)

Given that $u_3 = 6$

(b) find the possible values of k.

(4)

10

Κ				
		Ì		
		3		
)
			Ď	a
		Я	P	1
		9	Ľ	3
?	ļ	Ŷ	ļ	j
ζ	Į	9	ļ	į
3	ļ	2	ļ	1
S	ļ	2	2	1
>	ļ	2	Ì	1
3	Į	2		
2	Į	2		
2	Į	2		2
3	Į	2	2	
3		2		
3	1	2		
		2		
3		2		
		2		
		2		
		2		
		2		

Question 5 continued	Leave
	Q5
(Total 6 marks)	



6. (a) Find, in ascending powers of x, up to and including the term in x^3 , the binomial expansion of

$$\left(1 + \frac{1}{4}x\right)^{12}$$

giving each term in its simplest form.

(4)

(b) Hence find the coefficient of x in the expansion of

$$\left(3 + \frac{2}{x}\right)^2 \left(1 + \frac{1}{4}x\right)^{12}$$

(4)

	ă			
	9			
	Î	-	7	
	d	0	7	5
	i	Ú	ζ	Σ
	i	2	3	Σ
	i	2		>
	i	2	5	2
×	į	2	2	2
	į	Ż	2	2
	į	Z	>	
×		2		
		Z Z		
×		Z Z		
××××		Z A		
	į			
	į			
	į			
	į			
× × × × × × ×		2 X X X X X X		
× × × × × × × × ×				
××××××××××××××××××××××××××××××××××××××				
××××××××××××××××××××××××××××××××××××××		12 スペース・スクレン ペペー		
× × × × × × × × × × × × × × × × × × ×				
××××××××××××××××××××××××××××××××××××××				
× × × × × × × × × × × × × × × × × × ×				
××××××××××××××××××××××××××××××××××××××				
××××××××××××××××××××××××××××××××××××××		となるなどとなりとのなって		
× × × × × × × × × × × × × × × × × × ×				
××××××××××××××××××××××××××××××××××××××				
× × × × × × × × × × × × × × × × × × ×				
× × × × × × × × × × × × × × × × × × ×		レス なく シャプレ ワ く へ ア ス く		
× × × × × × × × × × × × × × × × × × ×				
× × × × × × × × × × × × × × × × × × ×				
× × × × × × × × × × × × × × × × × × ×				
× × × × × × × × × × × × × × × × × × ×				
× × × × × × × × × × × × × × × × × × ×				

	Leave
	blank
Question 6 continued	
	1



estion 6 continued	

Κ				
		Ì		
		3		
)
			Ď	a
		Я	P	1
		9	Ľ	3
?	ļ	Ŷ	ļ	j
ζ	Į	9	ļ	į
3	ļ	2	ļ	1
S	ļ	2	2	1
>	ļ	2	Ì	1
3	Į	2		
2	Į	2		
2	Į	2		2
3	Į	2	2	
3		2		
3	1	2		
		2		
3		2		
		2		
		2		
		2		
		2		

Question 6 continued	Leave blank
	Q6
(Total 8 marks)	



7. (a) Sketch the graph of $y = \sin\left(x + \frac{\pi}{6}\right)$, $0 \le x \le 2\pi$

Show the coordinates of the points where the graph crosses the *x*-axis.

(3)

The table below gives corresponding values of x and y for $y = \sin\left(x + \frac{\pi}{6}\right)$.

The values of *y* are rounded to 3 decimal places where necessary.

x	0	$\frac{\pi}{8}$	$\frac{\pi}{4}$	$\frac{3\pi}{8}$	$\frac{\pi}{2}$
у	0.5	0.793	0.966	0.991	0.866

(b) Use the trapezium rule with all the values of y from the table to find an approximate value for

$$\int_{0}^{\frac{\pi}{2}} \sin\left(x + \frac{\pi}{6}\right) \mathrm{d}x$$

Give your answer to 2 decimal places.

(4)

Question 7 continued	blank



	Leav blank
Question 7 continued	biani
	1

		ğ				
		6				
		×				
	ż					
		Ř				
		ŀ				
	d	ĕ			è	
	4		Ξ	2	È	
X	8	Ä	ī	ž	Ġ	
	1	ě	١	é	Ì	į
X	1		3	ć	į	
X	1	à)	ĺ		
X	1		1			
X	1					
			1			
Κ	j					
Κ	j					
Κ	j					
Κ						
	1					
	1					
	1					
	1					
	1					
	j					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					

Question 7 continued	Leave blank
	07
	Q7
(Total 7 marks)	



8.




Figure 2

Figure 2 shows the design for a company logo. The design consists of a triangle *ABE* joined to a sector *BCDE* of a circle with radius 6 cm and centre *E*. The line *AE* is perpendicular to the line *DE* and the length of *AE* is 9 cm. The size of angle *DEB* is 3.5 radians, as shown in Figure 2.

(a) Find the length of the arc BCD.

(2)

Find, to one decimal place,

(b) the perimeter of the logo,

(4)

(c) the area of the logo.

(4)

Question 8 continued	blank
Question 8 continued	



	Leave blank
Question 8 continued	

	Leave blank
Question 8 continued	
	Q8
(Total 10 marks)	



0		
9.	$f(x) = (x + k) (3x^2 + 4x - 16) + 32$, where k is a constant	
	(a) Write down the remainder when $f(x)$ is divided by $(x + k)$.	(1)
	When $f(x)$ is divided by $(x + 1)$, the remainder is 15	
	(b) Show that $k = 2$	(3)
	(c) Hence factorise $f(x)$ completely.	(4)



	L
uestion 9 continued	
	.
	.
	.



Question 9 continued	

Question 9 continued	Leave blank
	Q9
(Total 9 mayles)	
(Total 8 marks)	



10. The circle C has equation

$$x^2 + y^2 + 4x + py + 123 = 0$$

where p is a constant.

Given that the point (1, 16) lies on C,

- (a) find
 - (i) the value of p,
 - (ii) the coordinates of the centre of C,
 - (iii) the radius of C.

(5)

(b) Find an equation of the tangent to C at the point (1, 16), giving your answer in the form ax + by + c = 0, where a, b and c are integers to be found.



Question 10 continued	blank



	Leav
Question 10 continued	blan
Question 10 continues	

		\geq		\geq	
		1	4	2	/
	è	è		₹	
✓.	7	۰	۹	×	
N	ú		í.	ä	
		а	Ľ		
	2	Ξ		Ξ	
		7		7	7
K	e	Ħ	ņ	þ	К
	2	5	á	þ	
		S		Ľ	
~	7	7	7	,	ĸ,
N	ır		ρ	٩	0
	9	ø		4	
vì	'n	ú	i	ú	k
N	Z	2	_	2	
	7	٦	Р	₹	2
	è	d	ь	ú	
	'n.	7		2	
N		'n	ú	è	
	p.				>
	7	_	7		
Z	₹			,	
N			z	7	
		Ξ		Ξ	
v.	7	7	5	7	5
	S			2	
	ı	}		1	
	ņ	e	,	e	
		2	2	2	S
		7	₹	7	۲
×,	2	2	2	2	
	2		2	G	
		7		7	1
	ŧ	ņ	e	,	
	×		ď	7	
	ù	é	ÿ	₹	
~	Z				
	₹	7	₹		
١,	á	S		١	2
		ú	è	á	
N	щ	2	2		5
		7	7	١	
		Ż	2	a	ν
	3	7	7	7	
N	×	p			K
	ú	р	۳	5	
	ø	۴	ø	۲	٧
	ú	pl	۹	ŭ	Š
N	κ			1	
	2	۹	۲	₹	2
	ú	ø	9	ĸ	
a	ſĹ			3	
	۳	۹	۲	۹	

Question 10 continued	Leave blank
	Q10
(Total 9 marks)	



11. The straight line l has equation $y = mx - 2$, where m is a constant.	
The curve C has equation $y = 2x^2 + x + 6$	
The line l does not cross or touch the curve C .	
(a) Show that m satisfies the inequality	
$m^2 - 2m - 63 < 0$	(2)
(b) Hence find the range of possible values of m .	(3)
	(4)

				1		
					1	
	g	и	ę	ø	٠	
		ŝ	ú	z	7	
			ø	۹		
		Г			я	
	3		ú	á		
		c				
	7		۰	۹	к	
		r			1	ľ
		ь	ú	à		
	ζ	7	7	τ	7	

Question 11 continued	Leave blank
	Q11
(Total 7 marks)	



12. (a) Show that

$$\frac{2+\cos x}{3+\sin^2 x} = \frac{4}{7}$$

may be expressed in the form

$$a\cos^2 x + b\cos x + c = 0$$

where a, b and c are constants to be found.

(3)

(b) Hence solve, for $0 \le x < 2\pi$, the equation

$$\frac{2+\cos x}{3+\sin^2 x} = \frac{4}{7}$$

giving your answers in radians to 2 decimal places.

(Solutions based entirely on graphical or numerical methods are not acceptable.)

(5)

Question 12 continued	Leave



estion 12 continued	

Leave

					S	
			^		1	S
						2
۶						
					?	١
					\geq	
>						
					5	
				ä	i	À
۶		4		Σ		В
		ú		₹		7
					Ь	
		9	ė	•	۹	,
			Р		ġ	ø
	1		Ġ	ч		'n
				٤	2	ú
		ì		8		7
		Ζ	7	7	Ņ	ų
		á		ú		6
		٦	ь		5	
		š	i	2	ï	2
		ē		Σ	Ξ	Ζ
		ā	7		P	₹
		ì	'n		h	á
		ï	ı.		ξ	2
			þ	þ	ø	þ
	2	3	P		2	
			2	_	2	_
	ζ	ą	ď			ρ
		g			í	è
		ģ	ĕ	ú	ž	S
	>	ď	Ź	ď	ž	ď
		Š	v	š		ŝ
>			Ĺ		Ĺ	
			ř	Ž	1	Š
			í	ė	è	ú
	5	1		Ž		
		ם	ä	è	ģ	è
		d	ġ	ь	á	и
			ŭ		Ŀ	Ĺ
		ï	š			
			3			
		Ą	4		ζ	\overline{z}
		á			P	۹
					S	
			L	2	4	2
>			г	7	7	7
		á	ö	q	ø	Ь
		9	9	ŭ	ij	P
		ź	ė	ù	Ĥ	è
		4	â	μ	ρ	5
		J				ę
>				2	2	
>		i		×	3	Ś
>		ĺ		>		1
>		1				
>		1				
>				X		
>	>			X		
> > > > >	?					
	>		×			
	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	1	×			
	>>>>>		×	×		
	>		× × ×	×		
	>		×××××	X		
	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		×××××	X		
>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	>		××××××××××××××××××××××××××××××××××××××	× × × × × × × × × × × × × × × × × × ×		
>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>				X		
	> > > >		××××××××××××××××××××××××××××××××××××××			
	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>			X	>>>>>>>>>	
				× × × × × × × × × × × × × × × × × × ×		
				>=\siz		
				>=>=>=>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>=>=>=>×××××××××××××××××××××××××××××××		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		
				>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>		

\Diamond					
			2		
	١.		١	1	
V	/	7			
8	2		2		
8					
ŏ					
\wedge		2	1		
		Ú			
×	1	2		3	Z
0	5	ĺ	3	ĺ	1
×			4		
	2	₹	7	Ş	
X	1		Ħ	й	ρ
V	2	ĺ	2	K	i
\triangle	1	۴	۹	۲	
×		5	4	۵	į
0	5		ø		۲
×		7	ij		б
O					
Λ	١		١	2	S
V		R	4		
	3			۲	1
×		3	2	3	ð
$\langle \rangle$	0	ø	ę	۲	۹
×		2		2	ś
V	2	٠		۲	9
\triangle	\		y	ĸ	\$
V	2	щ	ø		F
	5	ø			
×				ė	d
$\langle \rangle$	2	q	2		
X	1	2		2	
\vee		ы	×	'n	
\wedge		7	3		β
V	1		Ì	s	2
	5	면	۹	۳	٩
×		ú	ń	×	ń
0		Κ	2		
\wedge	1	2	1	2	S
\vee	2	п	Α	B.	J
\triangle	1		à		
×	2		7		
	ζ		2	2	
×			ę		
0					ę
		ę	2	⋜	5
$^{\sim}$	<	Š	2	Ξ	
♦	S	Š	2	S	
Ó	<	ì	2	S	
8	5	į	2	Š	
8	3	į		Š	
8	2				
8	3				
8	3				
8	3				
8	3				
8	3				
	3		_		
	3		_		
	3		_		
	3		_		
	3		_		
	3		_		
	3		_		
	3		_		
	3		_		
	3		_		
			_		
			_		
			_		
			_		
			_		
			_		
			_		
			_		
			_		

	blank
Question 12 continued	
	Q12
(Total 8 marks)	
(1 0	



(a) $\log_a 900$	(
(b) $\log_a 0.3$	(4
\mathcal{E}_a	(.

Leave

XXXXX
~~×××× I
$\times\!\!\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times\!\!\times$
×××××
923992
000000 I
××××××
XXXXXX
××××××
×× ××
○○ □ ▽○○
00 100 00
88 000 88
×× ×× ××
$\times \times \times \times \times \times$
XXXX
0000000
00 00 00
00 54 88
XX = XX
XXXXXXX I
\times
∞
002000
<u> </u>
000 000 000
66 6 2 66 - 1
XX = XX
⊗ ã⊗
DC
~~~~~~
XXXXXX
×××××
$\times\!\!\times\!\!\times\!\!\times\!\!\times$
XXXXX
××××××××××××××××××××××××××××××××××××××
XXXX
XXXXX
$\cdots$
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
******
4
A
W.
EA
XXX
REA
XXX
XXX
ARE
ARE
SARE
SARE
SARE
SARE
HIS ARE
SARE
THIS ARE
HIS ARE
THIS ARE
N THIS ARE
N THIS ARE
N THIS ARE
N THIS ARE
E IN THIS ARE
N THIS ARE
E IN THIS ARE
ITE IN THIS ARE
E IN THIS ARE
RITE IN THIS ARE
RITE IN THIS ARE
WRITE IN THIS ARE
WRITE IN THIS ARE
WRITE IN THIS ARE
WRITE IN THIS ARE
WRITE IN THIS ARE
WRITE IN THIS ARE
OT WRITE IN THIS ARE
OT WRITE IN THIS ARE
NOT WRITE IN THIS ARE
NOT WRITE IN THIS ARE
NOT WRITE IN THIS ARE
NOT WRITE IN THIS ARE
NOT WRITE IN THIS ARE
NOT WRITE IN THIS ARE
O NOT WRITE IN THIS ARE

Question 13 continued	blank
	012
	Q13
(Total 6 marks)	



<b>14.</b> The 5th term of an arithmetic series is $4k$ , where $k$ is a constant.	
The sum of the first 8 terms of this series is $20k + 16$	
(a) (i) Find, in terms of $k$ , an expression for the common difference of the series.	
(ii) Show that the first tame of the societies is 16. 9h	
(ii) Show that the first term of the series is $16 - 8k$	(6)
	(*)
Given that the 9th term of the series is 24, find	
(b) the value of $k$ ,	
	(2)
( ) 4	
(c) the sum of the first 20 terms.	(3)
	(-)

	Leave
	blank
Question 14 continued	



uestion 14 continued	
uestion 14 continued	

					Ì	
					ĕ	
		н				
					2	
				2	2	
					ì	
		μ	ę	۴	۲	
					2	
	1	ų	_	S	2	
	1	ä	ū	ù	٤	2
	1	ä	ū	ù	٤	
	1	ä	ū	ù	٤	į
	1	ä	ū		٤	
		ä	ū	ù	٤	
		ä	ū	ù	٤	
		ä	ū	ù	٤	
		ä	ū	ù	٤	
×						
× × × ×						
				ù		

	Leave blank
Question 14 continued	
	014
	Q14
(Total 11 marks)	



15.




Diagram not drawn to scale

Figure 3

Figure 3 shows the plan view of a garden. The shape of this garden consists of a rectangle joined to a semicircle.

The rectangle has length *x* metres and width *y* metres.

The area of the garden is  $100 \,\mathrm{m}^2$ .

(a) Show that the perimeter, P metres, of the garden is given by

$$P = \frac{1}{4}x(4+\pi) + \frac{200}{x} \qquad x > 0$$

**(4)** 

(b) Use calculus to find the exact value of x for which the perimeter of the garden is a minimum.

**(3)** 

(c) Justify that the value of x found in part (b) gives a minimum value for P.

**(2)** 

(d) Find the minimum perimeter of the garden, giving your answer in metres to one decimal place.

**(2)** 

$\sim$			
ΧI	¢	۰	۰
X	Ę	7	7
X!	5		7
X	2	Š	3
8			
X			
X			3
		2	)
			)
			)

	Leav
Question 15 continued	blan
Question 15 continued	
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_



	Leave
Question 15 continued	blank

		g			
			į		
	ï				
			į		
	ı		ķ		
		K			
		K			
	1				
		Ě			
				í	
		K		a	
		8	2		þ
	ı	8	2	J	į
	ı	S	2	1	ŀ
		8	2	2	į
		8	2		
		8	2		į
		8	2		
	1	8			
2		8			
2					
\ \ \ \					
\ \ \ \					
2 2 2					
×××					
××××					
××××					
^					

Question 15 continued	Leave blank
	Q15
(Total 11 marks)	



**16.** 




Figure 4

Figure 4 shows a sketch of the curve with equation  $y = 2x^2 - 11x + 12$ . The curve crosses the y-axis at the point A and crosses the x-axis at the points B and C.

(a) Find the coordinates of the points A, B and C.

**(3)** 

The point D lies on the curve such that the line AD is parallel to the x-axis.

The finite region R, shown shaded in Figure 4, is bounded by the curve, the line AC and the line AD.

(b) Use algebraic integration to find the exact area of R.

**(7)** 


	L
uestion 16 continued	



	Leave
	blank
Question 16 continued	
	1

		ğ			
	į				
		X k			
Κ					
		Č			
				2	
				>	
		Ľ			
		ŀ			
			î		
	ì				
	ļ				
			No.		

Question 16 continued		1   t
	Question 16 continued	



Leave

Question 16 continued		blank
		Q16
	(Total 10 marks) TOTAL FOR PAPER: 125 MARKS	
END	TOTAL FOR TAI ER. 125 MARKS	