Write your name here Surname	Other names	
Pearson Edexcel International Advanced Level	Centre Number Ca	andidate Number
)
Psycholog International Advar Paper 2: Biological I Learning Ti	nced Subsidiary	pment
International Advar Paper 2: Biological I	nced Subsidiary Psychology, heories and Develo	pment per Reference VPS02/01

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.

Information

- The total mark for this paper is 96.
- The marks for **each** question are shown in brackets
 use this as a guide as to how much time to spend on each question.
- The list of formulae and statistical tables are printed at the start of this paper.
- Candidates may use a calculator.

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ▶



FORMULAE AND STATISTICAL TABLES

Standard deviation (sample estimate)

$$\sqrt{\left(\frac{\sum (x-\bar{x})^2}{n-1}\right)}$$

Spearman's rank correlation coefficient

$$1 - \frac{6\sum d^2}{n(n^2 - 1)}$$

Critical values for Spearman's rank

Level of significance for a one-tailed test

	Level of significance for a one-tailed test				
	0.05	0.025	0.01	0.005	0.0025
	Le	vel of signifi	cance for a	two-tailed t	est
Ν	0.10	0.05	0.025	0.01	0.005
5	0.900	1.000	1.000	1.000	1.000
6	0.829	0.886	0.943	1.000	1.000
7	0.714	0.786	0.893	0.929	0.964
8	0.643	0.738	0.833	0.881	0.905
9	0.600	0.700	0.783	0.833	0.867
10	0.564	0.648	0.745	0.794	0.830
11	0.536	0.618	0.709	0.755	0.800
12	0.503	0.587	0.678	0.727	0.769
13	0.484	0.560	0.648	0.703	0.747
14	0.464	0.538	0.626	0.679	0.723
15	0.446	0.521	0.604	0.654	0.700
16	0.429	0.503	0.582	0.635	0.679
17	0.414	0.485	0.566	0.615	0.662
18	0.401	0.472	0.550	0.600	0.643
19	0.391	0.460	0.535	0.584	0.628
20	0.380	0.447	0.520	0.570	0.612
21	0.370	0.435	0.508	0.556	0.599
22	0.361	0.425	0.496	0.544	0.586
23	0.353	0.415	0.486	0.532	0.573
24	0.344	0.406	0.476	0.521	0.562
25	0.337	0.398	0.466	0.511	0.551
26	0.331	0.390	0.457	0.501	0.541
27	0.324	0.382	0.448	0.491	0.531
28	0.317	0.375	0.440	0.483	0.522
29	0.312	0.368	0.433	0.475	0.513
30	0.306	0.362	0.425	0.467	0.504

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.

AREA

DO NOT WRITE IN THIS AREA

Chi-squared distribution formula

$$X^2 = \sum \frac{(O-E)^2}{E}$$
 $df = (r-1)(c-1)$

Critical values for chi-squared distribution

Level of	significance	for a one-tailed test	
	Jigiiii caiice	ioi a one tanea test	

				ioi a one		
	0.10	0.05	0.025	0.01	0.005	0.0005
				for a two-	tailed test	
df	0.20	0.10	0.05	0.025	0.01	0.001
1	1.64	2.71	3.84	5.02	6.64	10.83
2	3.22	4.61	5.99	7.38	9.21	13.82
3	4.64	6.25	7.82	9.35	11.35	16.27
4	5.99	7.78	9.49	11.14	13.28	18.47
5	7.29	9.24	11.07	12.83	15.09	20.52
6	8.56	10.65	12.59	14.45	16.81	22.46
7	9.80	12.02	14.07	16.01	18.48	24.32
8	11.03	13.36	15.51	17.54	20.09	26.12
9	12.24	14.68	16.92	19.02	21.67	27.88
10	13.44	15.99	18.31	20.48	23.21	29.59
11	14.63	17.28	19.68	21.92	24.73	31.26
12	15.81	18.55	21.03	23.34	26.22	32.91
13	16.99	19.81	22.36	24.74	27.69	34.53
14	18.15	21.06	23.69	26.12	29.14	36.12
15	19.31	22.31	25.00	27.49	30.58	37.70
16	20.47	23.54	26.30	28.85	32.00	39.25
17	21.62	24.77	27.59	30.19	33.41	40.79
18	22.76	25.99	28.87	31.53	34.81	42.31
19	23.90	27.20	30.14	32.85	36.19	43.82
20	25.04	28.41	31.41	34.17	37.57	45.32
21	26.17	29.62	32.67	35.48	38.93	46.80
22	27.30	30.81	33.92	36.78	40.29	48.27
23	28.43	32.01	35.17	38.08	41.64	49.73
24	29.55	33.20	36.42	39.36	42.98	51.18
25	30.68	34.38	37.65	40.65	44.31	52.62
26	31.80	35.56	38.89	41.92	45.64	54.05
27	32.91	36.74	40.11	43.20	46.96	55.48
28	34.03	37.92	41.34	44.46	48.28	56.89
29	35.14	39.09	42.56	45.72	49.59	58.30
30	36.25	40.26	43.77	46.98	50.89	59.70
40	47.27	51.81	55.76	59.34	63.69	73.40
50	58.16	63.17	67.51	71.42	76.15	86.66
60	68.97	74.40	79.08	83.30	88.38	99.61
70	79.72	85.53	90.53	95.02	100.43	112.32

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



Wilcoxon Signed Ranks test process

- Calculate the difference between two scores by taking one from the other
- Rank the differences giving the smallest difference Rank 1

Note: do not rank any differences of 0 and when adding the number of scores, do not count those with a difference of 0, and ignore the signs when calculating the difference

- Add up the ranks for positive differences
- Add up the ranks for negative differences
- T is the figure that is the smallest when the ranks are totalled (may be positive or negative)
- N is the number of scores left, ignore those with 0 difference

Critical values for the Wilcoxon Signed Ranks test

Level of significance for a one-tailed test

	0.05	0.025	0.01
	Level of signif	icance for a two-	tailed test
n	0.1	0.05	0.02
N=5	0	-	-
6	2	0	-
7	3	2	0
8	5	3	1
9	8	5	3
10	11	8	5
11	13	10	7
12	17	13	9

The calculated value must be equal to or less than the critical value in this table for significance to be shown.



DO NOT WRITE IN THIS AREA

SECTION A

BIOLOGICAL PSYCHOLOGY

	Answer ALL questions in this section. Write your answers in the spaces p	rovided.
1	Describe the role of the neuron in human behaviour.	
•	Describe the role of the hearon in haman behaviour.	
	(Total for Question 1 = 3	B marks)
2	Samadhi lives in Norway and she finds her sleep-wake cycle changes according to season. During the winter months Samadhi goes to bed earlier and wakes up late compared to during the summer months.	
	(a) Describe the role of internal pacemakers on Samadhi's sleep-wake cycle.	
		(3)



DO NOT WRITE IN THIS AREA

Explain one strength and one we sleep-wake cycle.		(4)
Strength		
-		
Weakness		
vveakriess		
	(Total for	Question 2 = 7 marks)

DO NOT WRITE IN THIS AREA

3	Ulrick conducted an experiment to see whether aggression increased during puberty He gathered a sample of 10-year-olds from a local school and a sample of 15-year-olds from a school in the neighbouring town. Ulrick recorded the number of aggressive acts carried out by 10-year-olds and the	
	number of aggressive acts carried out by 15-year-olds using a tally chart. (a) Identify the experimental design used by Ulrick.	(1)
	(b) Define what is meant by the term 'nominal data' in relation to the data gathered by Ulrick.	(2)

Ulrick's results are shown in **Table 1**.

Age in years	Average number of aggressive acts
10	3
15	4

Table 1

(c) Calculate the average number of aggressive acts carried out by 10-year-olds as a percentage of the total number of aggressive acts.

You **must** give your answer to **two** decimal places.

(1)

Percentage

(Total for Question 3 = 6 marks)

Space for calculations

(d) Explain one conclusion about aggression that could be made from the data in Table 1.	
	(2)

DO NOT WRITE IN THIS AREA

escribe the menstrual cycle in rela	ation to Beryl.	
		(Total for Question 4 = 4 marks



During your course you will have learned about Brendgen et al.'s (2005) contemporary study.	
(a) Describe the sample used by Brendgen et al. (2005) in their study.	(2)

DO NOT WRITE IN THIS AREA

b) Explain one strength and one weakness of	of Brendgen e	al.'s (2005) study.	(4)
Strength			
Weakness			
	(Та	otal for Question	5 = 6 marks)
	(10	THE PROPERTY OF	



DO NOT WRITE IN THIS AREA

6	You will have carried out a practical investigation when studying biological psychology.	
	Evaluate your practical investigation from biological psychology.	(8)

DO NOT WRITE IN THIS AREA

(Total for Question 6 = 8 marks)
TOTAL FOR SECTION A = 34 MARKS
IOTAL I ON SECTION A - ST WANKS



DO NOT WRITE IN THIS AREA

SECTION B

LEARNING THEORIES AND DEVELOPMENT

Answer ALL questions in this section. Write your answers in the spaces provided.

7	Andrija wants to train his cat to come into the house when he calls its name. Andrija decides to use operant conditioning to train his cat.	
	(a) Describe how Andrija could use operant conditioning to train his cat to come into the house when he calls its name.	
		(4)
•••••		

DO NOT WRITE IN THIS AREA

Andrija decides his bed.	to use operant c	onditioning to	encourage his so	on, Alexi, to mak	e
(b) Explain one to make his	weakness of And	drija using ope	rant conditioning	to encourage <i>F</i>	Mexi
to make ms	bed.				(2)
			(Total f	or Question 7 =	6 marks)



8 Karolina has carried out an investigation to see if watching television programmes where people help each other, increased the helping behaviour of young children. She recorded the number of helping behaviours each child displayed before and after they had watched the television programmes.

Karolina's results are shown in **Table 2**.

Participant	Condition A Number of helping behaviours displayed before watching the television programmes	Condition B Number of helping behaviours displayed after watching the television programmes
one	3	5
two	9	4
three	0	2
four	2	6
five	4	6
six	2	3
seven	5	8
eight	1	3

Table 2

(a) Calculate the mean score for Condition B using the results from **Table 2**.

You **must** give your answer to **two** decimal places.

(1)

Space for calculations

Mean	
------	--



Karolina calculated the ranges for her results.

The ranges for Karolina's results are shown in **Table 3**.

Range for number of helping behaviours displayed before watching the television programmes	Range for number of helping behaviours displayed after watching the television programmes
9	6

Table 3

(b) Interpret the data shown in Table 3.	(2)



Compare ordinal data and interval data		
	(4)	
	(Total for Question 8 = 7 marks)	

18



DO NOT WRITE IN THIS AREA

9	Watson and Rayner (1920) used classical conditioning in their study on Little Albert. (a) Identify the unconditioned stimulus (UCS) in Watson and Rayner's (1920) study.	(1)
1	(b) Explain two ethical weaknesses of Watson and Rayner's (1920) study.	(4)
2		



DO NOT WRITE IN THIS AREA

(c) Explain one improvement that could be made to the sample used in Watson and Rayner's (1920) study.	
	(2)
(Total for Question 9 = 7 mai	rks)

DO NOT WRITE IN THIS AREA

Brigita finds her mother's make-up and puts it onto her own face.	
(a) State two reasons why Brigita imitates her mother.	(2)
b) Explain one strength and one weakness of social learning theory.	
Strongth	(4)
Strength	
Weakness	



DO NOT WRITE IN THIS AREA

11	1 Lotte is a psychoanalyst. She has a new client, Olaf, who has come to her for psychoanalysis because he has problems working with his new manager, who is female.		
	Discuss how Lotte may use psychoanalysis to help Olaf with his problems working with his new manager.		
	You must refer to the context in your answer.	(0)	
		(8)	

DO NOT WRITE IN THIS AREA

(Total for Question 11 = 8 marks)
TOTAL FOR SECTION B = 34 MARKS



DO NOT WRITE IN THIS AREA

SECTION C			
Answer ALL questions in this section. Write your answers in the spaces provided.			
12 Evaluate research into infradian rhythms.			
	(12)		

DO NOT WRITE IN THIS AREA

••••
••••



DO NOT WRITE IN THIS AREA

(Total for Question 12 = 12 marks)

DO NOT WRITE IN THIS AREA

 Brianna and Finnian work in a hospital that specialises in helping people with mental health issues. A patient has recently been referred with a sleeping disorder. Brianna and Finnian cannot decide on the best method to use in order to understand the patient's sleeping disorder. Brianna wants to use scanning techniques on the patient as she thinks the sleeping disorder could be biological. Finnian wants to use a case study method as used by Freud, as he thinks the sleeping disorder may be unconscious. Assess whether Brianna and Finnian should use scanning techniques or a Freudian 		
case study method with their patient.	••	
You must refer to the context in your answer.	(16)	



DO NOT WRITE IN THIS AREA

	Ŕ		\Diamond
888			Ö
	è	5	Ŏ
$\times\!\times\!\!\times$			X.
$\times\!\!\times\!\!\times$	2		X
$\times\!\!\times\!\!\times$)		X
$\times\!\times\!\times$	5		×
$\times \times \times$	ĸ,		S
$\propto \times$			Q.
$<\!<\!<\!<\!<$	Κ		\Diamond
∞	K		\Diamond
			8
$\times \times \times$	2		X
$\times \infty$			X
\times)		×
XO.			×
$\times \times$			X.
∞	Κ		$^{\circ}$
			\circ
	Κ		\circ
$^{\circ}$	Ŕ		4
	2	Ś	X
$\times \times \times$	V	ς	X
			×
$\times\!\!\times\!\!\!\times$			×
X			×
V	Ŋ	2	v
DO NOT WRITE	S		×
V 2 0			$^{\circ}$
	Κ		\Diamond
		>	\Diamond
O O O	K		\Diamond
022			Ŏ
ann.	K		Ŏ.
XX		<	X
	Ď		×
	Ď		X
X			×
$\nabla \nabla \nabla$	Ŋ		SZ.
$\propto \times$	ĸ	2	$^{\circ}$
	Κ		$^{\circ}$
Onio			
044	K		
100	K	5	0
	2		8
\times_{A}			X
$\times \mathbb{Z} \times$			X
\times	D		X
X 2.	Ŋ	K	×
\times^{\times}	Ď		X
920			Q.
	K		
	K	>	♦
844	K	3	8
	K	3	8
	K	?	8
	K	>	8
	K	?	8
A	K		8
Y	K	>	8
Y A	K K K K K K K K K K K K K K K K K K K	?	
N N	K		
	K K K K K K K K K K K K K K K K K K K		
No.	K	?	
EA	K K K K K K K K K K K K K K K K K K K		
EA	K K K K K K K K K K K K K K K K K K K		
EA	K		
EA	K		
EA	K		
EA	K/K/K/K/K/K/K/K/K/K/K/K/K/K/K/K/K/K/K/		
EA	K/K/K/K/K/K/K/K/K/K/K/K/K/K/K/K/K/K/K/		
EA	K/K///////////////////////////////////		
EA	K		
N.	K		
A			
A			
A			
A			
EA			
EA			
EA DO			
EA DO			
0			
0			
0			
PLONO			
PLONO			
PLONO			
PLONO			
O NOT WRI			
O NOT WRI			
O NOT WRI			
PLONO			

$\times \times \times$	∞
× n n	IXX.
∞	$\times \times$
× ***	
\sim	
X 25	WX.
000	iXX.
$\sim\sim$	\sim
\times	KX).
$\times \times \times$	\triangle
× × ×	XX.
$\propto \times$	$\times \times$
	KXV.
XXXX	∞
	\sim
\otimes_{M}	IXX.
	\sim
∞	$\times \times$
XXX	$\kappa \sim$
X	XX
	íXX.
XX 4	\times
\times^{\sim}	∞
ON no zi	XX.
S.₩.₩.	'XX
\times	\sim
	XX
∞	$\times \times$
$\times \times \times$	\sim
$\times\!\times\!\times$	\times
$\times \times \times$	XX.
$\times \times \times$	$\times \times$
$\times\!\!\times\!\!\times$	\times
$\times \times \times$	\sim
$\times \times \times$	\times
$\times\!\times\!\!\times$	$\times \times$
$\times \times \times$	\times
\times	××
$\times\!\times\!\times$	XX
$\times \times \times$	$\propto \sim$
$\times \times \times$	\times
$\sim\sim$	\sim
$\times\!\!\times\!\!\times$	XX
$\sim\sim$	\sim
$\times \times \times$	\sim
$\sim\sim$	\sim
$\times \times \times$	XX.
$\sim\sim$	\sim
	$\times \times \rangle$
$\sim\sim$	
$\times \times \times$	$\times \times$
$\sim\sim$	\sim
$\times \times \times$	\times
	\sim
	$\times \times$
$\times\!\!\!\times\!$	\sim
$\times\!\!\times\!\!\times$	$\times\!\!\times$
$\times\!\!\times$	\otimes
\times	\otimes
\times	\otimes
	$\overset{\otimes}{\otimes}$
	$\overset{\otimes}{\otimes}$
$\times \omega$	
$\times \omega$	
O	
O	
Ö	
001	
001	
NO NO	
NO NO	
ON OC	
NO NO	
ON OC	
TON OC	
A LONGO	
MIONOC	
M KON OC	
M KON OC	\times
DO NOT WE	\otimes
DO NOT WE	\otimes
O NOT WRI	\otimes
O NOT WRI	\otimes
DO NOT WE	\otimes
O NOT WRI	\otimes
O NOT WRI	\otimes
DO NOT WRITE	
O NOT WRI	
O NOT WRITE!	
DO NOT WRITE IN	
O NOT WRITE!	
DO NOT WRITEINT	
O NOT WRITEIN TH	
20 NOT WRITEIN TH	
20 NOT WRITEIN TH	
DO NOT WRITE IN THE	
DO NOT WRITE IN THIS A	
DO NOT WRITE IN THIS AR	
DO NOT WRITE IN THIS A	
DO NOT WRITE IN THIS AR	
DO NOT WRITE IN THIS AR	
DO NOT WRITE IN THIS ARE	
DO NOT WRITE IN THIS ARE	
DO NOT WRITE IN THIS ARE	



DO NOT WRITE IN THIS AREA

TOTAL FOR SECTION C = 28 MARKS TOTAL FOR PAPER = 96 MARKS
(Total for Question 13 = 16 marks)

DO NOT WRITE IN THIS AREA



BLANK PAGE