Surname	Other nan	nes
Pearson Edexcel International Advanced Level	Centre Number	Candidate Number
Core Math Advanced Subsidiar		s C2
Monday 13 January 2014 – Time: 1 hour 30 minutes	Morning	Paper Reference 6664A/01

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided - there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information

- The total mark for this paper is 75.
- The marks for **each** question are shown in brackets - use this as a guide as to how much time to spend on each guestion.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶



Leave	
blank	

1.	The first three terms in ascending powers of x in the binomial expansion of $(1 + px)^{12}$ are given by
	$1 + 18x + qx^2$
	where p and q are constants.
	Find the value of p and the value of q .
	(5)
_	

uestion 1 continued	
	(Total 5 marks)



2. $f(x) = 2x^3 + x^2 + ax + b,$	where a and b are constants.
----------------------------------	----------------------------------

Given that when f(x) is divided by (x - 2) the remainder is 25,

(a) show that 2a + b = 5

(2)

Given also that (x + 3) is a factor of f(x),

(b) find the value of a and the value of b.

(4)

estion 2 continued	



3. The curve *C* has equation

$$y = 2\sqrt{x} + \frac{18}{\sqrt{x}} - 1, \qquad x > 0$$

- (a) Find
 - (i) $\frac{\mathrm{d}y}{\mathrm{d}x}$
 - (ii) $\frac{d^2y}{dx^2}$

(5)

(b) Use calculus to find the coordinates of the stationary point of C.

(4)

(c) Determine whether the stationary point is a maximum or minimum, giving a reason for your answer.

(2)

Question 3 continued		bla

uestion 3 continued	

Question 3 continued	blank
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	Q3
(Total 11	·a)
(Total 11 mark	.a)



4.	The first term of a geometric series is 5 and the common ratio is 1.2	bl
	For this series find, to 1 decimal place,	
	(a) (i) the 20 th term,	
	(ii) the sum of the first 20 terms. (4)	
	The sum of the first n terms of the series is greater than 3000	
	(b) Calculate the smallest possible value of n .	
	(4)	

uestion 4 continued	

uestion 4 continued	



5. The height of water, H metres, in a harbour on a particular day is given by the equation

$$H = 10 + 5 \sin\left(\frac{\pi t}{6}\right), \qquad 0 \leqslant t < 24$$

where t is the number of hours after midnight.

(a) Show that the height of the water 1 hour after midnight is 12.5 metres.

(1)

(b) Find, to the nearest minute, the times before midday when the height of the water is 9 metres.

(6)

uestion 5 continued	



Leave	
blank	

6.	Given	that

express y in terms of x.

(5)



Question 6 continued		b
		Q
	(Total 5 marks)	



7.




Figure 1

Figure 1 shows a sketch of part of the curve *C* with equation

$$y = x^3 - 6x^2 + 9x + 5$$

The point P(4, 9) lies on C.

(a) Show that the normal to C at the point P has equation

$$x + 9y = 85 (6)$$

The region R, shown shaded in Figure 1, is bounded by the curve C, the y-axis and the normal to C at P.

(b) Showing all your working, calculate the exact area of R.

(7)

tion 7 continued		

estion 7 continued	

Question 7 continued		Leave blank
		0.5
		Q7
	(Total 13 marks)	



8.




Figure 2

Figure 2 shows a circle C with centre O and radius 5

(a) Write down the cartesian equation of C.

(1)

The points P(-3, -4) and Q(3, -4) lie on C.

(b) Show that the tangent to C at the point Q has equation

$$3x - 4y = 25$$

(4)

(c) Show that, to 3 decimal places, angle *POQ* is 1.287 radians.

(2)

The tangent to C at P and the tangent to C at Q intersect on the y-axis at the point R.

(d) Find the area of the shaded region *PQR* shown in Figure 2.

(4)



22

estion 8 continued	

estion 8 continued		

Question 8 continued		blank
		Q8
	(Total 11 marks)	
	(10tai 11 maiks)	



9. (a) Show that the equation

$$5 \sin x - \cos^2 x + 2 \sin^2 x = 1$$

can be written in the form

$$3\sin^2 x + 5\sin x - 2 = 0$$

(2)

(b) Hence solve, for $-180^{\circ} \le \theta < 180^{\circ}$, the equation

$$5\sin 2\theta - \cos^2 2\theta + 2\sin^2 2\theta = 1$$

giving your answers to 2 decimal places.

(7)

uestion 9 continued	b
destion 7 continued	