Please check the examination details below Candidate surname	Other names
Pearson Edexcel International Advanced Level	e Number Candidate Number
Thursday 21 Jan	uary 2021
Afternoon (Time: 1 hour 30 minutes)	Paper Reference <b>WPS03/01</b>
Psychology International Advanced Lev Paper 3: Applications of Psy	
You do not need any other materials.	Total Marks

#### **Instructions**

- Use **black** ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer ALL questions in Section A, and ALL questions from EITHER Option 1 criminological psychology **OR** Option 2 health psychology.
- Answer the questions in the spaces provided
  - there may be more space than you need.

#### Information

- The total mark for this paper is 64.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.
- The list of formulae and statistical tables are printed at the start of this paper.
- Candidates may use a calculator.

#### Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ▶





#### FORMULAE AND STATISTICAL TABLES

**Standard deviation (sample estimate)** 

$$\sqrt{\left(\frac{\sum (x-\bar{x})^2}{n-1}\right)}$$

Spearman's rank correlation coefficient

$$1 - \frac{6\sum d^2}{n(n^2 - 1)}$$

**Critical values for Spearman's rank** 

Level of significance for a one-tailed test

	0.05 0.025 0.01 0.005 0.0025						
	Level of significance for a two-tailed test						
Ν	0.10	0.05	0.025	0.01	0.005		
5	0.900	1.000	1.000	1.000	1.000		
6	0.829	0.886	0.943	1.000	1.000		
7	0.714	0.786	0.893	0.929	0.964		
8	0.643	0.738	0.833	0.881	0.905		
9	0.600	0.700	0.783	0.833	0.867		
10	0.564	0.648	0.745	0.794	0.830		
11	0.536	0.618	0.709	0.755	0.800		
12	0.503	0.587	0.678	0.727	0.769		
13	0.484	0.560	0.648	0.703	0.747		
14	0.464	0.538	0.626	0.679	0.723		
15	0.446	0.521	0.604	0.654	0.700		
16	0.429	0.503	0.582	0.635	0.679		
17	0.414	0.485	0.566	0.615	0.662		
18	0.401	0.472	0.550	0.600	0.643		
19	0.391	0.460	0.535	0.584	0.628		
20	0.380	0.447	0.520	0.570	0.612		
21	0.370	0.435	0.508	0.556	0.599		
22	0.361	0.425	0.496	0.544	0.586		
23	0.353	0.415	0.486	0.532	0.573		
24	0.344	0.406	0.476	0.521	0.562		
25	0.337	0.398	0.466	0.511	0.551		
26	0.331	0.390	0.457	0.501	0.541		
27	0.324	0.382	0.448	0.491	0.531		
28	0.317	0.375	0.440	0.483	0.522		
29	0.312	0.368	0.433	0.475	0.513		
30	0.306	0.362	0.425	0.467	0.504		

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



# **Chi-squared distribution formula**

$$X^2 = \sum \frac{(O-E)^2}{E}$$
  $df = (r-1)(c-1)$ 

# Critical values for chi-squared distribution

Level	of significance	for a one-tailed tes	it
-------	-----------------	----------------------	----

	0.10	0.05	0.025	0.01	0.005	0.0005
	Level of significance for a two-tailed test					
df	0.20	0.10	0.05	0.025	0.01	0.001
1	1.64	2.71	3.84	5.02	6.64	10.83
2	3.22	4.61	5.99	7.38	9.21	13.82
3	4.64	6.25	7.82	9.35	11.35	16.27
4	5.99	7.78	9.49	11.14	13.28	18.47
5	7.29	9.24	11.07	12.83	15.09	20.52
6	8.56	10.65	12.59	14.45	16.81	22.46
7	9.80	12.02	14.07	16.01	18.48	24.32
8	11.03	13.36	15.51	17.54	20.09	26.12
9	12.24	14.68	16.92	19.02	21.67	27.88
10	13.44	15.99	18.31	20.48	23.21	29.59
11	14.63	17.28	19.68	21.92	24.73	31.26
12	15.81	18.55	21.03	23.34	26.22	32.91
13	16.99	19.81	22.36	24.74	27.69	34.53
14	18.15	21.06	23.69	26.12	29.14	36.12
15	19.31	22.31	25.00	27.49	30.58	37.70
16	20.47	23.54	26.30	28.85	32.00	39.25
17	21.62	24.77	27.59	30.19	33.41	40.79
18	22.76	25.99	28.87	31.53	34.81	42.31
19	23.90	27.20	30.14	32.85	36.19	43.82
20	25.04	28.41	31.41	34.17	37.57	45.32
21	26.17	29.62	32.67	35.48	38.93	46.80
22	27.30	30.81	33.92	36.78	40.29	48.27
23	28.43	32.01	35.17	38.08	41.64	49.73
24	29.55	33.20	36.42	39.36	42.98	51.18
25	30.68	34.38	37.65	40.65	44.31	52.62
26	31.80	35.56	38.89	41.92	45.64	54.05
27	32.91	36.74	40.11	43.20	46.96	55.48
28	34.03	37.92	41.34	44.46	48.28	56.89
29	35.14	39.09	42.56	45.72	49.59	58.30
30	36.25	40.26	43.77	46.98	50.89	59.70
40	47.27	51.81	55.76	59.34	63.69	73.40
50	58.16	63.17	67.51	71.42	76.15	86.66
60	68.97	74.40	79.08	83.30	88.38	99.61
70	79.72	85.53	90.53	95.02	100.43	112.32

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



#### **Wilcoxon Signed Ranks test process**

- Calculate the difference between two scores by taking one from the other
- Rank the differences giving the smallest difference Rank 1

Note: do not rank any differences of 0 and when adding the number of scores, do not count those with a difference of 0, and ignore the signs when calculating the difference

- Add up the ranks for positive differences
- Add up the ranks for negative differences
- T is the figure that is the smallest when the ranks are totalled (may be positive or negative)
- N is the number of scores left, ignore those with 0 difference

# **Critical values for the Wilcoxon Signed Ranks test**

## Level of significance for a one-tailed test

	0.05	0.025	0.01		
	Level of significance for a two-tailed test				
n	0.1	0.05	0.02		
N=5	0	-	-		
6	2	0	-		
7	3	2	0		
8	5	3	1		
9	8	5	3		
10	11	8	5		
11	13	10	7		
12	17	13	9		

The calculated value must be equal to or less than the critical value in this table for significance to be shown.



#### **SECTION A**

#### **DEVELOPMENTAL PSYCHOLOGY**

## Answer ALL questions. Write your answers in the spaces provided.

- In developmental psychology, you will have learned about the following classic study in detail:
  - Van iJzendoorn and Kroonenberg (1988).
  - (a) Explain **two** strengths of the study by Van iJzendoorn and Kroonenberg (1988).

- //	/II \	
-		

2



(b) Explain <b>one</b> improvement that could be made to the study by Van iJzendoorn and Kroonenberg (1988).			
and Moonenberg (1986).	(2)		
(Total for Question 1 = 6 ma	rks)		

2	Erica is planning to investigate the effectiveness of baby sign language for communication. She recruited 10 families from her local university. The parents were taught specific hand signals, for example 'milk' and 'teddy bear', during a five-week baby sign language programme.	
	The child's ability to communicate was assessed before and after the programme.	
	(a) Describe <b>two</b> ethical issues Erica should consider in her investigation.	(2)
1		
2		

The communication ability of each child was measured out of 50, with 10 being low ability and 50 being high ability.

The results of Erica's investigation are shown in **Table 1**.

Participant	Communication score before baby sign language programme	Communication score after baby sign language programme
А	12	11
В	13	15
С	41	48
D	35	41
Е	28	32
F	21	31
G	14	14
Н	32	40
ı	17	26
J	20	32

Table 1

(b) Complete **Table 2** and calculate the Wilcoxon Signed Ranks test for Erica's data.

(4)

Participant	Communication score before baby sign language programme	Communication score after baby sign language programme	Difference	Ranked difference
А	12	11		
В	13	15		
С	41	48		
D	35	41		
E	28	32		
F	21	31		
G	14	14		
Н	32	40		
I	17	26		
J	20	32		

Table 2
Space for calculations

(Total for Question 2 = 6 marks)



Florian is interested in children's social development. He would like to use a cross-sectional research method to see how their social development change	es over time.
(a) Describe how Florian could use a cross-sectional research method to stude changes in children's social development.	dy the
(b) Explain <b>one</b> weakness of Florian using a cross-sectional research method	l to study
(b) Explain <b>one</b> weakness of Florian using a cross-sectional research method children's social development.	to study (2)

4	Ivy is 12 years old and has recently moved with her family from England to France.	
	Ivy now attends the local school where all her lessons are taught in French. She is having extra French language lessons after school and practises her speaking with her French friends. When she is at home with her parents, she only speaks English and watches English television.	
	Discuss, using Chomsky's language acquisition device (LAD), why Ivy may be able to speak both languages.	
	You must make reference to the context in your answer.	(8)



(Total t	for Question 4 = 8 marks)





(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
(Total for Question 5 = 8 marks)		
		(Total for Question 5 - 9 marks)
TOTAL FOR CECTION A 32 MARKS		( Iotal Ioi Question 5 = 6 Marks)
1 / 1 / N   1 / 1 / 1 / N   M   M   M   M   M   M   M   M   M	_	COTAL FOR CECTION A 22 MARY

#### **SECTION B**

# Answer ALL questions from EITHER OPTION 1: CRIMINOLOGICAL PSYCHOLOGY OR OPTION 2: HEALTH PSYCHOLOGY.

Indicate which question you are answering by marking a cross in the box  $\boxtimes$ . If you change your mind, put a line through the box  $\boxtimes$  and then indicate your new question with a cross  $\boxtimes$ .

If you answer the questions in Option 1 put a cross in the box  $\ oxdots$  .

## **OPTION 1: CRIMINOLOGICAL PSYCHOLOGY**

6	(a)	Describe antisocial personality disorder (ASPD) as an explanation of criminal and antisocial behaviour.	d	
		antisociai benavioui.	(2)	
	(b)	Justify how antisocial personality disorder (ASPD) can be considered a credible explanation of criminal and antisocial behaviour.		
			(3)	
_		(Total for Question 6 = 5 ma	arks)	



7	Ren is researching whether using the services of a charity that gives support to victims of crime is beneficial to their emotional wellbeing. The charity has given their approval for Ren to work with their service users.	
	Ren gathered a volunteer sample. He gave them a questionnaire, which included closed questions, to gather data on the impact of the crimes. He also conducted 11 in-depth interviews with the victims of crime.	
	(a) Describe how Ren may have used a volunteer sampling technique to gather his participants (3)	s.
	(b) Explain <b>one</b> strength of Ren using quantitative data for his research. (2)	

(c) Explain <b>one</b> strength of Ren using qualitative data	for his research.
	(2)
	(Total for Question 7 = 7 marks)

# **BLANK PAGE**

8	Myrtle has recently completed her training and is now a police officer. She has been asked to conduct her first cognitive interview. She will be using cognitive interviewing techniques that she was taught during her training.	g
	Jared was at the local shopping mall when he saw two men running away from a shoe shop closely followed by a security guard.	
	Explain <b>one</b> strength and <b>one</b> weakness of Myrtle using cognitive interviewing techniques with Jared.	(4)
	Strength	(4)
	Weakness	
	(Total for Question 8 = 4 m	arks)



9		In your studies of criminological psychology, you will have learned about the following contemporary study in detail:	
	,	Bradbury and Williams (2013).	
	ı	Evaluate the study by Bradbury and Williams (2013) in terms of reliability and validity.	(8)

****	
XXXX	
*****	
AREA	
×62×	
XXXX	
E S	
WRITE IN	
$\times \boxplus \times$	
9	
$\times \otimes \times$	
×8×	
*****	
*****	
*****	
<b>***</b>	
XIII X	
THIS AREA	
$\otimes \underline{\omega} \otimes$	
×2×	
WRITEIN	
$\times$ 2 $\times$	
XXXXXX	
× × × ×	
ō	
DOO	
Pool	
DO	
DO	
DO	
DO	
POOL	
DO	
DO	
DO	
DOI	
DOT	
A DOI	
IEA DO 1	
NEA DOT	
AREA DOT	
IS AREA DO 1	
HIS AREA DOT	
THIS AREA DOT	
IN THIS AREA DOT	
EINTHIS AREA DOT	
TE IN THIS AREA DOT	
RITE IN THIS AREA DO 1	
WRITE IN THIS AREA DO 1	
WRITE IN THIS AREA DOT	
OT WRITE IN THIS AREA DO 1	
VOT WRITE IN THIS AREA DOT	
I NOT WRITE IN THIS AREA DOT	
O NOT WRITE IN THIS AREA DOT	
DO NOT WRITE IN THIS AREA DO 1	
DO NOT WRITE IN THIS AREA DO 1	
DO NOT WRITE IN THIS AREA DO 1	
DO NOT WRITE IN THIS AREA DO 1	
DO NOT WRITE IN THIS AREA DO 1	
DO NOT WRITE IN THIS AREA DO 1	
DO NOT WRITE IN THIS AREA DO 1	

<b>10</b> Assess the influence of post-event information on the reliability of eyewitness memory	(8)

CONDICO	(Total for Question $10 - 8$ marks)
ON OC	(Total for Question 10 = 8 marks)
DO NOT WRITE IN THIS AREA	
EINT	
HIS AR	
EA	
DO	
NOT	
VRITE IN	
N THE	
S.ARE	
<b>a</b>	
ON OC	
T W/RIT	
TEINT	
HIS A	
AREA	



# **SECTION B**

# If you answer the questions in Option 2 put a cross in the box $\; \square \;$ .

# **OPTION 2: HEALTH PSYCHOLOGY**

<b>11</b> (a) Describe Selye's General Adaptation Syndrome (GAS) as an explanation for stress.	(2)
(b) Justify how Selye's General Adaptation Syndrome (GAS) can be considered a credible explanation for stress.	
	(3)
(Total for Question 11 = 5 ma	nrks)

24

Ren is researching whether joining a bereavement support group following the dea of a loved one is beneficial to emotional wellbeing. His local hospice has given their approval to work with their services users.  Ren gathered a volunteer sample. He gave them a questionnaire, which included closed questions, to gather data on the outcome of the bereavement sessions. He also conducted 11 in-depth interviews with the individuals who had taken part.	
(a) Describe how Ren may have used a volunteer sampling technique to gather	
his participants.	(3)
(b) Explain <b>one</b> strength of Ren using quantitative data for his research.	(2)



(c)	Explain <b>one</b> strength of Ren using qualitative data for his research.	(2)
	(Total for Question 12 = 7 ma	

•••

13	Myrtle is an occupational therapist who specialises in coping strategies. Jared is about to sit a final examination at work and is worried he will not pass. He is not sleeping and now finds it difficult to concentrate, which is making him even more worried.	
	Jared has been referred to Myrtle and hopes that she can help him cope with managing his stress.	
	Explain <b>one</b> strength and <b>one</b> weakness of Myrtle using appraisal focusing as a coping strategy to help Jared.	(4)
		(4)
	Strength	
•••••		
	Weakness	
	(Total for Question 13 = 4 ma	rks)



14	In your studies of health psychology, you will have learned about the following contemporary study in detail:			
	Nakonz and Shik (2009).			
	Evaluate the study by Nakonz and Shik (2009) in terms of reliability and validity.	(8)		

(×××××)	
REA	
WRITE IN THIS	
X 1 X X X	
9	
XX	
*****	
A.R.E.A	
X DC	
2	
×6×	
×o×	
111	
× CO	
XXXX	
3	
DO NOT WRITE IN THIS AREA	
	(Total for Question 14 = 8 marks)
	(1.000) (a. 6000)
*****	

DO NOT WRITE IN THIS AREA

15	Assess the effectiveness of serotonin and norepinephrine reuptake inhibitors (SNRIs) as a treatment for anxiety.	
	,	(8)

*****	
XXXX	
****	
*****	
Ø.	
<u></u>	
<u> </u>	
<b>±</b>	
<u> </u>	
$\otimes$	
$\times$	
O	
۵	
****	
<b>*****</b>	
XXXX	
****	
*****	
*****	
XXXX	
<b>4</b>	
$\times$ 144 $\times$	
×02×	
VA .	
<u>\$</u>	
E S	
THIS	
IN THIS	
N TH	
TE IN THIS	
ETN THE	
ETN THE	
ETN THE	
/RITE IN THE	
/RITE IN THE	
/RITE IN THE	
NOT WRITE IN THE	
OO NOT WRITE IN THE	
NOT WRITE IN THE	
OO NOT WRITE IN THE	
DO NOT WRITE IN THE	
OO NOT WRITE IN THE	
DO NOT WRITE IN THI	
DO NOT WRITE IN THE	
DO NOT WRITE IN THI	
DO NOT WRITE IN THE	
N DO NOT WRITE IN THE	
A DO NOT WRITE IN THI	
EA DO NOT WRITE IN THI	
REA DO NOT WRITE IN THI	
AREA DO NOT WRITE IN THI	
S AREA DO NOT WRITE IN THI	
AREA DO NOT WRITE IN THI	
THIS AREA DO NOT WRITE IN THI	
N THIS AREA DO NOT WRITE IN THI	
IN THIS AREA DO NOT WRITE IN THE	
E IN THIS AREA DO NOT WRITE IN THI	
ITE IN THIS AREA DO NOT WRITE IN THI	
RITE IN THIS AREA DO NOT WRITE IN THI	
ITE IN THIS AREA DO NOT WRITE IN THI	

	×			
	s	?	S	2
K	ï			2
×		>		
	2	۷	4	Š
J		S		
ú			2	5
1	Ŀ		Ŀ	₫
1		Z	2	Z
J	C			Z
a	7	7	₹	7
ĺ	ĝ	þ		P
å	7	9	ø	ķ
×	×	S		
Ì	r	ú	ρ	۹
3	9	۴		¢
3	7	ŧ	7	₹
ï	9			ŧ
ĭ	i		L	i
i	í.			
ł	P	7	Ħ	9
å	"	S		
į	è			Ó
á	ĕ			ζ
ï	S		3	Ζ
1	×	7	2	7
ĺ	k	ã	Ь	d
1	ķ	ď	Ę	d
1	Ĺ	Σ	≤	2
ł	r	7	₹	7
ė	ă	ņ	ø	'n
á	ř	٩	ù	ú
1	k	4		4
į	b	í	è	۷
Ĵ	i	έ	ij	ę
Š	3			þ
Š		5		
4	Ĺ	Σ	≤	2
4	r	5	7	7
ú	ď	ij	Ħ	ij
J	k	٤	2	
		2		ζ
1	Š		ø	ę
1	ı	í	þ	ė
×			ς	ì
ï	ĕ	9	ę	h
4	S	۵	4	ď
k	2			S
J	۴		7	٩

TOTAL FOR SECTION B OPTION 2 = 32 MARKS
(Total for Question 15 = 8 marks)



**TOTAL FOR PAPER = 64 MARKS** 

## **BLANK PAGE**

