Please check the examination det	tails belov	w before ente	ring your candidate information			
Candidate surname			Other names			
Pearson Edexcel International Advanced Level	Centr	re Number	Candidate Number			
Wednesday 1	100	Octo	ber 2018			
Morning (Time: 2 hours 30 minu	ıtes)	Paper Re	eference WMA01/01			
Core Mathematics C12 Advanced Subsidiary						
You must have:			Total Marks			

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information

- The total mark for this paper is 125.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







1. (i) Given that $125\sqrt{5} = 5^a$, find the value of a.

(2)

(ii) Show that
$$\frac{16}{4 - \sqrt{8}} = 8 + 4\sqrt{2}$$

You must show all stages of your working.

(3)

Leave

		ğ				
		6				
		×				
	ż					
		Ř				
		ŀ				
	d	ĕ			è	
	4		Ξ	2	È	
X	8	Ä	ī	ž	Ġ	
	1	ě	١	é	Ì	į
X	1		3	ć	į	
X	1	à)	ĺ		
X	1)			
X	1					
			1			
Κ	j					
Κ	j					
Κ	j					
Κ						
	1					
	1					
	1					
	1					
	1					
	j					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					

Question 1 continued	blank
	Q1
(Total 5 marks)	



2.	Use	algebra	to	solve	the	simultaneous	equations
----	-----	---------	----	-------	-----	--------------	-----------

$$x + y = 5$$

$$x^2 + x + y^2 = 51$$

You must show all stages of your working	g
------------------------------------------	---

(7)



3		į		
		1		
	Č			
	Ħ			
ż				
			>	
ä				
		×		
ì				

				ń	
	Ś				
			ø		
	Ĥ				
		₫			
O					
				2	
N					
		ì	Ĺ	a	ĸ.

Question 2 continued	Leave blank
	Q2
(Total 7 marks)	



3.	Given that $y = 2x^3 - \frac{5}{3x^2} + 7$,	$x \neq 0$, find in its simplest form
	(a) $\frac{\mathrm{d}y}{\mathrm{d}x}$,	

(3)

(b) $\int y \, dx$.

(4)

Question 3 continued	Leave blank
Z = = = = = = = = = = = = = = = = = = =	
	_
	_
	_
	_
	-
	_
	_
	_
	_
	_
	_
	-
	_
	_
	_
	-
	_
	-
	_
	_
	_
	_
	_
	-
	_
	_
	_
	_
	Q3
(Total 7 marks)



4. A sequence of numbers $u_1, u_2, u_3,$	satisfies
--------------------------------------------------	-----------

$$u_n = kn - 3^n$$

where k is a constant.

Given that $u_2 = u_4$

(a) find the value of k

(3)

(b) evaluate $\sum_{r=1}^{4} u_r$

(3)

	į		
	ŀ		
	i		
		ž	

			ķ		
		7			
	Ž	K	ù	ú	Ь
X	ã	K	ù	Ŕ	þ
X	ĺ	5	ľ	ź	Š
X	į	í	Ì	2	Š
Š	ĺ		į	2	
X				Ź	
X				Ź	
X					
X					
×					
X					
×					
X					
× × × ×					
× × ×					
× × × ×					
× × × ×					
× × × × ×					
× × × × × ×					
× × × × ×					
× × × × × × ×					

	į			ĺ
		į		
	j			
	j			

Question 4 continued	Leave blank
Question 4 continued	
	Q4
(Total 6 marks)	
(Total V marks)	



5. (a) Find the first 4 terms, in ascending powers of x, of the binomial expansion of

$$\left(1 - \frac{1}{2}x\right)^{10}$$

giving each term in its simplest form.

(4)

(b) Hence find the coefficient of x^3 in the expansion of

$$(3+5x-2x^2)(1-\frac{1}{2}x)^{10}$$

(2)





uestion 5 continued	



Question 5 contin	iucu		

×			
	Ŀ		
	Ĉ		
	Ċ		
		Ì	
		×	
		2	
Q			
		8	ě
			э

Question 5 continued	blank
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	Q5
(Total 6 marks	5)



6. (a) Sketch the graph of $y = \left(\frac{1}{2}\right)^x$, $x \in \mathbb{R}$, showing the coordinates of the point at which the graph crosses the y-axis.

(2)

The table below gives corresponding values of x and y, for $y = \left(\frac{1}{2}\right)^x$

The values of y are rounded to 3 decimal places.

х	-0.9	-0.8	-0.7	-0.6	-0.5
у	1.866	1.741	1.625	1.516	1.414

(b) Use the trapezium rule with all the values of y from the table to find an approximate value for

$$\int_{-0.9}^{-0.5} \left(\frac{1}{2}\right)^x \mathrm{d}x$$

(3)

14

ø	
Ŀ	
Ē	
=	
=	
曲	
Ľ	
100	
蛇	

Question 6 continued	
$oxed{Q6}$	
(Total 5 marks)	



7. The point A has coordinates (-1, 5) and the point B has coordinates (4, 1). The line l passes through the points A and B. (a) Find the gradient of l. **(2)** (b) Find an equation for *l*, giving your answer in the form ax + by + c = 0where a, b and c are integers. **(2)** The point M is the midpoint of AB. The point C has coordinates (5, k) where k is a constant. Given that the distance from M to C is $\sqrt{13}$ (c) find the exact possible values of the constant k. **(4)**



	Leave
Ougstion 7 continued	blank
Question 7 continued	



estion 7 continued	

		ğ				
		6				
		×				
	ż					
		Ř				
		ŀ				
	d	ĕ			è	
	4		Ξ	2	È	
X	8	Ä	ī	ž	Ġ	
	1	ě	١	é	Ì	į
X	1		3	ć	į	
X	1	à)	ĺ		
X	1		1			
X	1					
			1			
Κ	j					
Κ	j					
Κ	j					
Κ						
	1					
	1					
	1					
	1					
	1					
	j					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					
	1					

Question 7 continued	Leave blank
	Q7
(Total 8 marks)	



8.

$$f(x) = 2x^3 - 3x^2 + px + q$$

where p and q are constants.

When f(x) is divided by (x - 1), the remainder is -6

(a) Use the remainder theorem to show that p + q = -5

(2)

Given also that (x + 2) is a factor of f(x),

(b) find the value of p and the value of q.

(3)

(c) Factorise f(x) completely.

(4)

	t
uestion 8 continued	



Question 8 continued

Question 8 continued	blank
	Q8
(Total 9 marks)	



9.	A car manufacturer currently makes 1000 cars each week.	
	The manufacturer plans to increase the number of ears it makes each week	
	The manufacturer plans to increase the number of cars it makes each week.	
	The number of cars made will be increased by 20 each week from 1000 in week 1, to 1020 in week 2, to 1040 in week 3 and so on, until 1500 cars are made in week <i>N</i> .	
	(a) Find the value of <i>N</i> .	
	(.)	(2)
	The car manufacturer then plans to continue to make 1500 cars each week.	
	The car manufacturer then plans to continue to make 1500 cars each week.	
	(b) Find the total number of cars that will be made in the first 50 weeks	
	starting from and including week 1.	(5)
		()



Question 9 continued	blank



	Leave blank
Question 9 continued	

Question 9 continued	Leave
	Q9
(Total 7 marks)	



10.




Figure 1

The finite region R, which is shown shaded in Figure 1, is bounded by the coordinate axes, the straight line l with equation $y = \frac{1}{3}x + 5$ and the curve C with equation $y = 4x^{\frac{1}{2}} - x + 5$, $x \ge 0$

The line l meets the curve C at the point D on the y-axis and at the point E, as shown in Figure 1.

(a) Use algebra to find the coordinates of the points D and E.

(4)

The curve C crosses the x-axis at the point F.

(b) Verify that the x coordinate of F is 25

(1)

(c) Use algebraic integration to find the exact area of the shaded region R.

(6)

	blank
Question 10 continued	



uestion 10 continued	

Leave

≷	۶	Ş		S
S			Ş	
<	۶			۶
۶				ζ
ς	þ			۶
S	ζ			ζ
2	5			5
5	?	2		≷
2	ζ	X	2	S
S	K	Ķ	4	ķ
>	9	И	ķ	4
S	à		É	Ż
≷	Š	X	ă	ĕ
<	y	2	d	þ
⊱	š	K	ò	í
Κ	S	3	2	3
>	Ì	3	ŕ	5
ζ	8	k		Ž
S	ß	Ŗ	3	ζ
₹	S		Ì	þ
S	į	ž		È
\geq	S	Š.	3	S
S	ķ		ļ	Į
2	1	K	è	ź
S	Ì	Ì	Í	È
2	J	2	Ę	7
S	ď	2	ğ	è
>	Š	V	P	ij
<	à	ŭ	₹	2
⊱	S	Z		ζ
3	y	ķ	è	Į
S	Š	Z	Ź	Ŕ
₹	y	Ö	₹	Ž
5	Ì	٢	2	١
<		3	ġ	S
3	ď	è		1
3				
3		\ \ \		

	ζ					
	?					
	(
				ļ		
	>		Ĺ	\geq	Z	_
	?		ĺ	è		ė
	?	į	ĺ	}		į
	?	ĺ		2		
	?	١		3		
	?	ĺ		2		
	?					
	3					
,						

Question 10 continued	blank
Question to continued	
	010
	Q10
(Total 11 marks)	
`	



11.	The equation $7x^2 + 2kx + k^2 = k + 7$, where k is a constant, has two distinct	et
	real roots.	

(a) Show that k satisfies the inequality

$$6k^2 - 7k - 49 < 0$$

						(4)	

(b) Find the range of possible values for k .	
-------------------------------------------------	--

(4)



×			
	É		
X			
	Û		
	Š		
	ŭ		
	Н		
		V	
	X		
	À N D		
		Z	
	\ \ \ \		
$\times_{\mathbb{I}}$			
	a		
×.	ø	7	

Question 11 continued	Leave blank
Question 11 continued	
	011
	Q11
(Total 8 marks)	



(3)

(5)

12. (a) Show that the equation

$$6\cos x - 5\tan x = 0$$

may be expressed in the form

$$6\sin^2 x + 5\sin x - 6 = 0$$

(b) Hence solve for $0 \leqslant \theta < 360^{\circ}$

$$6\cos(2\theta - 10^{\circ}) - 5\tan(2\theta - 10^{\circ}) = 0$$

giving your answers to one decimal place.

(Solutions based entirely on graphical or numerical methods are not acceptable.)

Question 12 continued	blank



	Leave
Question 12 continued	blank

0						
		×			∠	
	ú	й	ρ		r	
	4	h	ù		ķ	
				L	₹	
		l.		ĸ	4	
		c				
					ø	
2		Ľ	Ц		۷.	ú
	3	e	7	7		
		2	š	d		
		ě				
	ä			р		
					ú	
		r				
		۲				
		s	S	۷		ľ
	í					
		a	'n	ú	~	
	ì	и	۰	į		
		Ĺ				ľ
		×		ø	₹	
		á	à	b	ω	
		۲		2		ν
		L	2	2		
	ē	4	9	۴	9	

Question 12 continued	Leave blank
Zuoston za obliviman	
	Q12
(Total 8 marks)	
(10tai 6 maiks)	



Leave blank

13. (i) Find the value of x for which

$$4^{3x+2} = 3^{600}$$

giving your answer to 4 significant figures.

(3)

(ii) Given that

$$\log_a (3b-2) - 2\log_a 5 = 4, \quad a > 0, \ a \neq 1, \ b > \frac{2}{3}$$

find an expression for b in terms of a.

(4)

	Leave blank
Question 13 continued	



	L
Question 13 continued	l b
eucstion 15 continueu	

Question 13 continued	Leave blank
	Q13
(Total 7 marks)	



Leave blank

14. The circle C has equation

$$x^2 + y^2 + 16y + k = 0$$

where k is a constant.

(a) Find the coordinates of the centre of C.

(2)

Given that the radius of *C* is 10

(b) find the value of k.

(2)

The point A(a, -16), where a > 0, lies on the circle C. The tangent to C at the point A crosses the x-axis at the point D and crosses the y-axis at the point E.

(c) Find the exact area of triangle ODE.

(7)



	blan
Question 14 continued	



	Leave
	blank
Question 14 continued	
Question 11 continuou	
	- 1

44

					į	
					4	
					į	
					Ś	
		ě				
		ľ				
		ŀ				
	j					
					ń	
	3	۰	۹	7	ì	
					/	
		ú			S	
		и	1	13		
		Ĺ			4	ĸ
		×			К	
		á	d	6	ĸ.	
		۴		7	٧	
		L	2	2	4	
	ş	4	۲	۴	4	۴

Question 14 continued	Leave blank
(Total 11 marks)	Q14



Leave blank

15.




Figure 2 shows a plan for a garden.

The garden consists of two identical rectangles of width y m and length x m, joined to a sector of a circle with radius x m and angle 0.8 radians, as shown in Figure 2.

The area of the garden is 60 m².

(a) Show that the perimeter, P m, of the garden is given by

$$P = 2x + \frac{120}{x}$$
 (5)

(b) Use calculus to find the exact minimum value for P, giving your answer in the form $a\sqrt{b}$, where a and b are integers.

(4)

(c) Justify that the value of P found in part (b) is the minimum.

(2)



blank



	Lo
Duration 15 continued	bl
Question 15 continued	

					Ġ	
				į		
					ļ	
					1	
	ì					
					Ì	
					4	
					ĸ	
	d	١			5	
	ī.	2	ú	n	ĸ	
		ø	7	4		K
		R			я	
	4			2	ø	
	Z				7	
	1	ų	μ			١
		í		ρ	5	
				ė	ú	
		á			ĸ	
		r		7		Ľ
		١	2	S		ľ,
		7			₹	
		á			ω	
		۲		2		ν
		L	2	Š		
	ş	4	ч	۴	۰	۲

Question 15 continued	
Q	15
(Total 11 marks)	



Leave blank

16. The first three terms of a geometric series are $(k + 5)$, k and $(2k - 24)$ respectively, where k is a constant.	
(a) Show that $k^2 - 14k - 120 = 0$	
() 222 / 220 /	(3)
(b) Hange find the possible values of h	
(b) Hence find the possible values of k .	(2)
	(-)
(c) Given that the series is convergent, find	
(i) the common ratio,	
(ii) the sum to infinity.	(4)
	(+)

uestion 16 continued	
	The state of the s



Question 16 continued		Leave blank
		Q16
	(Total 9 marks)	
	TOTAL FOR PAPER: 125 MARKS	
ENI	D	