Please check the examination details be	low before ente	ering your candidate information
Candidate surname		Other names
Centre Number Candidate N	umber	
Pearson Edexcel Inter	nation	al Advanced Level
Time 1 hour 30 minutes	Paper reference	WST02/01
Mathematics		
International Advanced S	uhsidiar	v/Advanced Level
	ubsidiai	y/Advanced Level
Statistics S2		
You must have: Mathematical Formulae and Statistic	al Tables (Ye	ellow), calculator

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use black ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Values from the statistical tables should be quoted in full. If a calculator is used instead of the tables, the value should be given to an equivalent degree of accuracy.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 6 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each guestion.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ▶





Leave blank

1. A research project into food purchases found that 35% of people who buy eggs do **not** buy free range eggs.

A random sample of 30 people who bought eggs is taken. The random variable F denotes the number of people who do **not** buy free range eggs.

(a) Find
$$P(F \ge 12)$$

(2)

(b) Find P(
$$8 \le F < 15$$
)

(2)

A farm shop gives 3 loyalty points with every purchase of free range eggs. With every purchase of eggs that are **not** free range the farm shop gives 1 loyalty point. A random sample of 30 customers who buy eggs from the farm shop is taken.

(c) Find the probability that the total number of points given to these customers is less than 70

(3)

The manager of the farm shop believes that the proportion of customers who buy eggs but do **not** buy free range eggs is more than 35%

In a survey of 200 customers who buy eggs, 86 do **not** buy free range eggs.

Using a suitable test and a normal approximation,

(d) determine, at the 5% level of significance, whether there is evidence to support the manager's belief. State your hypotheses clearly.

(7)

	blank
Question 1 continued	Dialik
Question I continued	



estion 1 continued	


~~~~~
× 1
$\times$
XXXXXX
×××
000 000
× <del>=</del> ×
$\times$
***
<b>***</b>
$\otimes \otimes \otimes$
<b>O</b>
XXXXX
*****
$(\times \times \times \times \times \times)$
<b>◇◇◇◇</b>
×××××
×××××
Ą
Ą
Ą
KREA
KREA
KREA
HS AREA
HIS AREA
THIS AREA
THIS AREA
NTHIS AREA
IN THIS AREA
IN THIS AREA
TE IN THIS AREA
TE IN THIS AREA
VRITE IN THIS AREA
VRITE IN THIS AREA
WRITE IN THIS AREA
OT WRITE IN THIS AREA
OT WRITE IN THIS AREA
OT WRITE IN THIS AREA
OT WRITE IN THIS AREA
OT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
A DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

		è			
		2			
		è	7		,
	2	S	7	ĕ	۱
	Š	Š	g	į	
8	Š		2	2	
>	8	d	Š	2	
3	8	d	Š		
2	8	d	Š		
3	8	d	Š		
	8	d	Š		
3	8	d	Š		
	8	d			
3	8	d	Š		
	8	d	Š		
	8				
	8				
	8				
	8				
	8				

	Leave blank
Question 1 continued	
	Q1
(Total 14 marks)	
(Total 14 marks)	



Leave blank The continuous random variable X is uniformly distributed over the interval [a, b]

Given that  $P(8 < X < 14) = \frac{1}{5}$  and E(X) = 11

(a) write down P(X > 14)

**(1)** 

(b) find P(6X > a + b)

2.

**(4)** 

- (ii) Susie makes a strip of pasta 45 cm long. She then cuts the strip of pasta, at a randomly chosen point, into two pieces. The random variable S is the length of the shortest piece of pasta.
  - (a) Write down the distribution of S

**(1)** 

(b) Calculate the probability that the shortest piece of pasta is less than 12 cm long.

**(2)** 

Susie makes 20 strips of pasta, all 45 cm long, and separately cuts each strip of pasta, at a randomly chosen point, into two pieces.

(c) Calculate the probability that exactly 6 of the pieces of pasta are less than 12 cm long.

**(3)** 


Question 2 continued	blank



estion 2 continued	

$\otimes$	$\times\!\!\times$	X
$\otimes$	$\times\!\!\times$	$\otimes$
X	$\times$	×
×	×	X
$\otimes$	$\Leftrightarrow$	×
$\times$	$\times\!\!\times$	8
$\otimes$	XX	X
$\otimes$	$\otimes$	$\otimes$
$\otimes$	$\times$	×
×		×
$\otimes$	WRITEIN THIS AREA	×
$\otimes$		8
88	*	X
$\otimes$	無	$\otimes$
$\otimes$	ú	$\otimes$
$\otimes$		×
X	42	X
$\approx$	×	$\otimes$
$\otimes$	$\otimes$	×
$\times$	4	X
$\otimes$		$\otimes$
$\otimes$	111	X
$\propto$	×	×
$\otimes$		$\otimes$
×		$\approx$
$\otimes$	1	X
$\otimes$	38	$\otimes$
$\otimes$	X	×
$\otimes$	0	$\otimes$
88		X
$\otimes$	XX	×
$\otimes$	0	X
$\approx$	X	8
$\otimes$	DONOC	×
$\otimes$	$\approx$	$\otimes$
$\otimes$	$\times\!\!\times$	×
X	$\times$	×
×	$\otimes$	X
×	$\otimes$	×
$\times$	$\times\!\!\times$	8
×	XX	$\otimes$
$\otimes$	$\Longrightarrow$	×
$\otimes$	$\otimes\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$	$\otimes$
×	8	82
$\propto$	$\Leftrightarrow$	×
$\otimes$	$\times\!\!\times$	$\otimes$
×	88	×
$\otimes$	燹	X
$\otimes$	$\otimes \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$	$\otimes$
$\times\!\!\times$	$\Delta \nabla z$	$\otimes$
$\otimes$	ΩĮ.	
$\stackrel{>}{\times}$		$\stackrel{>}{\sim}$
		× ×
*		
	はなると	
	国の文の田	
	はなるがに	
	MAN STEEN	
	MAN STELL	
	はるがの子にといい	
	ME AS HENNEL	
	TELN TELS ARE	
	RYNAMISARE	
	VETENING SARE	
	WENT WITH SARRY	
	TWENTER ARE	
	OT WRITE IN THIS ARE	
	THE STATE OF	
	NOT WRITE IN THIS ARE	
	ONOTWRITE IN THIS AREA	
	DO NOT WRITE IN THIS ARE	
$\otimes$		
$\otimes$		
	00	
	00	
	A	
	EA	
	REA	
	REA	
	AREA	
	SAREA	
	HIS AREA DC	
	HIS AREA DC	
	THIS AREA DC	
	HIS AREA DC	

			Û				
X	2			2	ゼ	х	2
$\vee$		Λ	-		ш	V	1
$\triangle$	/	/	Δ	_	$\sim$	$\sim$	/
					Ş		
		4					
V	ς	Z	÷	₹	7	0	Κ
X	5	ζ	×	Ş	3	2	5
Š	8	8	X	Š	7	8	3
8	8	3	×	Þ	1	8	5
8	5	3	X	Þ	1	X	3
8	3	3	X M	Þ	1	× ×	3
8	2	3	X			× ×	5
8		2	X			× × ×	3
8			X			× × ×	3
8			X				3
8							
×						× × ×	3
***						× × ×	
	\ \ \						
×							
×							
× × × × × × × × × × × × × × × × × × ×							
× × × × × × × × × × × × × × × × × × ×							
× × × × × × × × × × × × × × × × × × ×			2				
			2				
			2				
× × × × ×			2				
			2				
			2				
			2				
			2				
			2				
			2				
			2				
			2				
			2				
			2				
			2				
			2				
			2				
8			2				
8			2				
			2				

	Leave blank
Question 2 continued	
	Q2
(Total 11 marks)	



Leave blank

3. A continuous random variable X has cumulative distribution function

$$F(x) = \begin{cases} 0 & x < 0 \\ 4ax^2 & 0 \le x \le 1 \\ a(bx^3 - x^4 + 1) & 1 < x \le 3 \\ 1 & x > 3 \end{cases}$$

where a and b are positive constants.

(a) Show that b = 4

**(1)** 

(b) Find the exact value of a

**(2)** 

(c) Find P(X > 2.25)

**(2)** 

- (d) Showing your working clearly,
  - (i) sketch the probability density function of X
  - (ii) calculate the mode of X

**(5)** 



\2	۲.	Х	Ü	
v	ġ	2	ř	
		27	Ę	
	ķ			
×				
			9	
			H	
Z)				
			×	
			š	
			_	
Ø	L		J	
8	ŀ	Ķ	Ĭ	
X	k	ĕ		
	l.	Į,	×	
	ŀ	# F >	×	
	ŀ		×	
			X	
		ì	×	
	ĺ	ì	×	
	ĺ	ì	×	
	ĺ	ì	×	
	ĺ	ì	×	
	ĺ	ì	X	
	ĺ	ì	×	
	ĺ	ì	×	
	ĺ	ì	×	
	ĺ	Y Y W X		
	ĺ	Y Y W X		
	ĺ	Y Y W X	×	
	ĺ	Y Y W X		
		Y Y W X		
		Y Y W X		
		Y Y W X		
		Y Y W X		
		Y Y W X		
		Y Y W X		
		Y Y W X		
		Y Y W X		

	Leave
	blank
Question 3 continued	



estion 3 continued	

	Leave
Question 3 continued	blank
	Q3
(Total 10 marks)	
·	



Leave blank

4.	The number of cars entering a safari park per 10-minute period can be modelled by a Poisson distribution with mean 6
	(a) Find the probability that in a given 10-minute period exactly 8 cars will enter the safari park.
	(2)
	(b) Find the smallest value of <i>n</i> such that the probability that at least <i>n</i> cars enter the safari park in 10 minutes is less than 0.05
	(2)
	The probability that no cars enter the safari park in $m$ minutes, where $m$ is an integer, is less than $0.05$
	(c) Find the smallest value of $m$ (2)
	A car enters the safari park.
	(d) Find the probability that there is less than 5 minutes before the next car enters the safari park.
	(3)
	Given that exactly 15 cars entered the safari park in a 30-minute period,
	<ul><li>(e) find the probability that exactly 1 car entered the safari park in the first 5 minutes of the 30-minute period.</li><li>(4)</li></ul>
	Aston claims that the mean number of cars entering the safari park per 10-minute period is more than 6
	He selects a 15-minute period at random in order to test whether there is evidence to support his claim.
	(f) Determine the critical region for the test at the 5% level of significance. (2)



Question 4 continued	blank



estion 4 continued	

Onestina A continued	Leave blank
Question 4 continued	
	04
	Q4
(Total 15 marks)	



Leave blank

5.	A bag contains a large number of counters.
	40% of the counters are numbered 1 35% of the counters are numbered 2 25% of the counters are numbered 3
	In a game Alif draws two counters at random from the bag. His score is 4 times the number on the first counter minus 2 times the number on the second counter.
	(a) Show that Alif gets a score of 8 with probability 0.0875 (1)
	(b) Find the sampling distribution of Alif's score. (5)
	(c) Calculate Alif's expected score. (2)



×	×	X	
$\sim$		ĸ.	2
Χ.			7
V4	۰,	a,	
		7	9
×I		ľИ	
VI		н	
			è
×			۰
ാ	ш	ь	à
×.	$\overline{}$	7	ī
v.	ú	Į	,
/N	6	æ	S
X.		7	,
$\langle \rangle$		<.	>
$^{\wedge}$	n	a	ú
M	м	Ю	
	-		9
×ι			
V.	_	$\sim$	2
	п	_	5
×.	24	D.	_
	_	₹	,
ΧI	K		L
VI	×	۰,	
$\sim$	n	↶	
X.		X	
O			
х.	ž	r	
V/I		'n	ú
	$\simeq$	$\sim$	٤
×	⇁	7	•
$\langle \rangle$		ς,	>
ă	ř١	n	
M	ы	ы	
	_	↽	
×I	ĸ		
VI	7	₹	۲
	<u>*\</u>	2	S
×	$\overline{}$	7	
( <i>7</i> )		úď	
∕√∥	(2)	e	s
V4	÷	-	۰
		~	٤
×.	×	a	ø
	46	٤.	2
		ø	ij
×	X	×	
	0		
×Ν	ь.	÷	
VI	K.	ž	1
S	ä	6	١
XI	区	7	
∵.XI	N2	SJ	ď
$\sim$	74	~	
XI		9	
	2		
Χı	2	5	2
ø	2	ě	į
8	X	Ž	9
8	X	Š	2
8	X	\ \ \ \	
	X	3	
8	×	3	
	X		
	X		

	Leave blank
Question 5 continued	
	Q5
(Total 8 marks)	



Leave blank

**6.** The continuous random variable Y has probability density function f(y) given by

$$f(y) = \begin{cases} \frac{1}{14}(y+2) & -1 < y \le 1\\ \frac{3}{14} & 1 < y \le 3\\ \frac{1}{14}(6-y) & 3 < y \le 5\\ 0 & \text{otherwise} \end{cases}$$

(a) Sketch the probability density function f(y)

(2)

Given that  $E(Y^2) = \frac{131}{21}$ 

(b) find Var(2Y-3)

**(4)** 

The cumulative distribution function of Y is F(y)

(c) Show that 
$$F(y) = \frac{1}{14} \left( \frac{y^2}{2} + 2y + \frac{3}{2} \right)$$
 for  $-1 < y \le 1$ 

**(2)** 

(d) Find F(y) for all values of y

**(5)** 

(e) Find the exact value of the 30th percentile of Y

**(2)** 

(f) Find  $P(4Y \leqslant 5 \mid Y \leqslant 3)$ 

**(2)** 



	Leave
	blank
Question 6 continued	



estion 6 continued	

	Leave
Question 6 continued	blank
Question 6 continued	



Leave

$\langle X \rangle$		< :	C2-
$\sim$	$^{\sim}$	$^{\wedge}$	$\sim$
$\sim$	$\vee$		$\sim$
$\times \times$	×	×	×
$\times$	$^{\sim}$	$^{\scriptscriptstyle{\wedge}}$	$\sim$
$\sim$	V	v	$\sim$
$\times \times$	×		×
$\times \times >$	$\langle \cdot \rangle$		< > -
$\times$	×	Х	_
$\sim$	V	v	$\sim$
$\sim$	$^{\circ}$		
$\times \times$	×		×
$\times \times >$			
$\times \times$	х	Х	
	$\sim$	$\sim$	$\sim$
$\wedge \wedge$			
$\times \times$	×	×	×
$(\times)$			< > -
X	×	×	
	Z		$\sim$
	-40		
$\times z$	5/	V	v
CM	•		♦
$\times \kappa$	20	lΧ	X
	w		$\sim$
$\triangle 5$	25		$\triangle$
$\times \!\! \times$	×	×	×
			< > -
<i>X</i> 28	₹.	X	8
			$\sim$
$\triangle$	48	Λ	$\triangle$
$\times \mathbb{R}$	78		×
୍ଦ	cai		
$\times$ 78	æ	×	×
$\times \times >$	9		<>
Хmi	=		$\sim$
$\sim$	∖/II	N	$\sim$
	$\langle \cdot \rangle$		$\sim$
$\times_{\!\scriptscriptstyle \perp}$	-		×
	×	$\sim$	$\sim$
	23		
	-		×
$\sim$	ш		
X55	罖		
		N	$\sim$
	വ	K)	$\circ$
Xiii			×
$\langle \times \rangle$	SJI		Κ2.
	Ň	↶	$^{\sim}$
MIN			v
	и		
$\times \times$	×		×
⋄	-		Κ2.
		Ø	$\sim$
	Ŷ	2	X
	Ŷ	8	Š.
忿	Ź	8	8
	2		Š
	2		8
			Š
			×
	2		×
			\ \ \ \ \ \
			× × × × × × × × × × × × × × × × × × ×
			× × × × × × × × × × × × × × × × × × ×
IN COMPLETE			
IN CARLLINE			
UNITED AND			
UNITED AND			
UNITED AND			
TANK CALL A			
TANK CALL A			
ATION CHAIL			
TANK CALL A			
ATION CHAIL			

Question 6 continued			
			Q
		(Total 17 marks)	
	TOTAL FOR PA	APER: 75 MARKS	

