Write your name here Surname	0	ther names	
Pearson Edexcel International Advanced Level	Centre Number	Canc	lidate Number
Biology			
Advanced Unit 5: Energy, Exer	rcise and Co	ordinatio	on
Advanced		Paper	on Reference 3105/01

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.

Information

- The total mark for this paper is 90.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- Questions labelled with an asterisk (*) are ones where the quality of your written communication will be assessed
 - you should take particular care with your spelling, punctuation and grammar, as well as the clarity of expression, on these questions.
- Candidates may use a calculator.

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶

PEARSON

P42919A
©2014 Pearson Education Ltd.



BLANK PAGE




Answer ALL questions.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

- 1 Muscles, tendons and the skeleton all interact when the leg of a human moves.
 - (a) Place a cross in the box \boxtimes that completes each statement about skeletal muscles.
 - (i) The diagram below shows part of a muscle fibre.

(1)



The label that shows a sarcomere is

- \times A
- \boxtimes B
- X C
- X D
- (ii) When a muscle contracts, the length of a sarcomere


(1)

- A becomes zero
- **B** decreases
- C increases
- **D** stays the same



(iii) In the diagram below, tropomyosin is found in

(1)



- X A
- \boxtimes B
- **X** C

(iv) The sarcoplasmic reticulum releases ions that bind to troponin. These ions are

(1)

- A calcium
- **B** phosphate
- C potassium
- **D** sodium

(v) The thin filament in a muscle fibre is

(1)

- A actin
- B ATP
- D myosin

(vi) Slow twitch muscle fibres have

(1)

- A less myoglobin than fast twitch fibres
- ☑ B more myoglobin than fast twitch fibres
- C no myoglobin
- **D** the same quantity of myoglobin as fast twitch fibres

4



(b) Explain why tendons need to be inelastic.	(3)
(Tc	otal for Question 1 = 9 marks)



BLANK PAGE

2 The zebrafish is a tropical freshwater fish that has been genetically modified.

The photograph below shows a zebrafish.



Magnification ×1

(a) The transcription factor known as Sp2 has been studied. In this study, a gene from red coral cells was added to the genome of the zebrafish.

The gene from red coral cells produces a red protein when the synthesis of Sp2 also occurs.

(i)	Explain what is meant by the term transcription factor .	(2)

(ii) Suggest how this gene is removed from the red coral cells and then added to the zebrafish genome.	(3)
(b) Genetically modified zebrafish, in a variety of bright colours, can be bought from some pet shops.	
The colour of the zebrafish depends on which gene has been added to its genome.	
Suggest one potential risk to other organisms in a river ecosystem if a genetically	
modified zebrafish escaped into this river.	(1)
modified zebrafish escaped into this river.	
modified zebrafish escaped into this river.	
modified zebrafish escaped into this river.	
modified zebrafish escaped into this river.	
modified zebrafish escaped into this river.	
modified zebrafish escaped into this river.	
modified zebrafish escaped into this river.	
modified zebrafish escaped into this river.	
modified zebrafish escaped into this river.	
modified zebrafish escaped into this river.	
modified zebrafish escaped into this river.	



(c) The optimum temperature range for zebrafish to survive is 17–29°C.

An investigation was carried out to study the effect of water temperature on the survival of both genetically modified zebrafish and non-genetically modified zebrafish.

The results are shown in the table below.

Town of solverish	Lowest temperatu	re for survival / °C
Type of zebrafish	Mean	Standard deviation
Non-genetically modified	5.3	1.3
With gene for red protein	9.2	1.9
With gene for green protein	6.4	1.3

(i)	These results suggest that there would be less risk to the environment if
	zebrafish with the gene for the red protein escaped into a cold water river
	compared with non-genetically modified zebrafish.

Using the information in the table, give the evidence for this.


(1)

(ii)	These results also suggest that there may be no difference in the lowest
	temperature for survival of the zebrafish with the gene for the green protein
	and the non-genetically modified zebrafish.

Using the information in the table, give the evidence for this.

(2)

(Total for Question 2 = 9 marks)



3	Activities such as exercise can affect both the heart rate and breathing rate of huma	ns.
	(a) Heart rate can be measured using an electrocardiogram (ECG).	
	Explain what is meant by the term electrocardiogram .	(2)
	(b) A spirometer trace can be used to find the resting breathing rate in humans.	
	Explain how a spirometer trace can be used to calculate the mean resting	
	breathing rate of a person.	(3)



(c) The atmosphere near a volcano has a high concentration of carbon dioxide. This can lead to an increase in the breathing rate of people walking near a volcano.

The photograph below shows two people walking near a volcano.



*(i)	Explain how the atmosphere near a volcano can lead to an increase in breathing rate.	
		(5)

12

concentration of carbon dioxide in a person walk	elp to reduce the king away from a volcano. (3)
(**************************************	Total for Question 3 = 13 marks)



4	Weisel and Hubel studied the development of vision during the critical window (critical period) of various mammals.	
	(a) In one investigation, kittens were used.	
	(i) Suggest why kittens were used to study the development of vision in humans.	(1)
	(ii) Suggest why the kittens used were all from one set of parents.	(1)
	(b) A kitten had its right eye covered for the first seven weeks after birth. The right eye was then uncovered. The left eye was not covered.	
	After seven weeks the visual cortex of this kitten was studied.	
	(i) Describe what happens to the visual pigment in a rod cell when stimulated by	
	light.	(2)



(ii) Explain what happens to the visual cortex when the right eye of this kitten is covered for the first seven weeks after birth.	(3)
(c) Give one reason why some people believe that it is ethically unacceptable to use kittens in medical research.	
Ritteris in medical research.	(1)
(Total for Question 4 = 8 ma	ırks)
	,

- **5** A neurone is a cell that has a potential difference across its cell surface membrane. This potential difference changes when a neurone is stimulated.
 - (a) The potential difference across the membrane of a neurone was investigated before and after stimulation.

The table below shows the results of this investigation.

Time / ms	Potential difference / mV
0.00	-70
1.00	-70
1.25	0
1.50	+30
1.75	0
2.00	-80

(i) Place a cross in the box ⋈ that completes the following statement.


The resting potential for this neurone is

(1)

- B 70 mV
- \square **D** +30 mV
- (ii) Using the information in the table, describe the changes in the potential difference from 1.00 ms to 1.50 ms.

(2)

his neurone was given a second stimulus at 1.50 ms. his had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the	membrane between 1.00 ms and 1.50	o ms. (5)
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		(3)
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
this had no effect on the changes in the potential difference shown in the table. uggest reasons why the second stimulus had no effect on the changes in the potential difference. (2)		
otential difference. (2)		
(2)		
	This had no effect on the changes in the p Suggest reasons why the second stimulus	potential difference shown in the table.
(Total for Question 5 = 10 marks)	This had no effect on the changes in the p	potential difference shown in the table. s had no effect on the changes in the
(Total for Question 5 = 10 marks)	This had no effect on the changes in the p Suggest reasons why the second stimulus	potential difference shown in the table. s had no effect on the changes in the
(Total for Question 5 = 10 marks)	This had no effect on the changes in the purpose Suggest reasons why the second stimulus	potential difference shown in the table. s had no effect on the changes in the
(Total for Question 5 = 10 marks)	This had no effect on the changes in the purpose Suggest reasons why the second stimulus	potential difference shown in the table. s had no effect on the changes in the
(Total for Question 5 = 10 marks)	This had no effect on the changes in the purpose Suggest reasons why the second stimulus	potential difference shown in the table. s had no effect on the changes in the
(Total for Question 5 = 10 marks)	This had no effect on the changes in the public Suggest reasons why the second stimulus	potential difference shown in the table. s had no effect on the changes in the
(Total for Question 5 = 10 marks)	This had no effect on the changes in the purpose Suggest reasons why the second stimulus	potential difference shown in the table. s had no effect on the changes in the
(Total for Question 5 = 10 marks)	This had no effect on the changes in the p Suggest reasons why the second stimulus	potential difference shown in the table. s had no effect on the changes in the
(Total for Question 3 – To marks)	This had no effect on the changes in the p Suggest reasons why the second stimulus	potential difference shown in the table. s had no effect on the changes in the
	This had no effect on the changes in the p Suggest reasons why the second stimulus	potential difference shown in the table. s had no effect on the changes in the (2)
	This had no effect on the changes in the p Suggest reasons why the second stimulus	potential difference shown in the table. s had no effect on the changes in the (2)
	This had no effect on the changes in the p Suggest reasons why the second stimulus	potential difference shown in the table. s had no effect on the changes in the (2)





6	Serotonin is a neurotransmitter found in the human brain. A reduced level of this neurotransmitter has been linked to depression.	
	(a) Explain what is meant by the term neurotransmitter .	(2)
	(b) A serotonin selective reabsorption inhibitor (SSRI) may be given to patients to	
	reduce depression.	
	Suggest how this helps to reduce depression.	(2)




(c) An investigation was carried out to study habituation in a group of people.

Each person wore a pair of headphones through which a short sound was played once. This sound made each person blink their eyes.

The degree of contraction of one muscle involved in blinking was recorded. The mean degree of muscle contraction was calculated for the group.

This was repeated with the sound played 5 times, 10 times, 15 times and 20 times. The mean results for the group were recorded.

The results are shown in the graph below.



(i) Suggest an explanation for the change in the mean degree of muscle contraction.

data on how the volume of the sour	ia codia difect fiabiti		(4)
	(Total fo	r Question 6 =	11 marks)
	(Total fo	r Question 6 =	11 marks)
	(Total fo	r Question 6 =	11 marks)
	(Total fo	r Question 6 =	11 marks)
	(Total fo	r Question 6 =	11 marks)
	(Total fo	r Question 6 =	11 marks)
	(Total fo	r Question 6 =	11 marks)
	(Total fo	r Question 6 =	11 marks)
	(Total fo	r Question 6 =	11 marks)
	(Total fo	r Question 6 =	11 marks)
	(Total fo	r Question 6 =	11 marks)
	(Total fo	r Question 6 =	11 marks)
	(Total fo	r Question 6 =	11 marks)
	(Total fo	r Question 6 =	11 marks)



Scientist. Use the information from the article and your own knowledge to answer the following questions.	
*(a) Describe how the Krebs cycle is involved in 'burning up fuel' (paragraph 2).	
(a, 2 commoner, and messages of the messages o	(6)
(b) The unique merger 'gave rise to all complex, or eukaryotic, cells' (paragraph 4). The presence of a nucleus is characteristic of eukaryotic cells.	
The presence of a nucleus is characteristic of eukaryotic cells.	
	(3)
The presence of a nucleus is characteristic of eukaryotic cells.	(3)
The presence of a nucleus is characteristic of eukaryotic cells.	(3)
The presence of a nucleus is characteristic of eukaryotic cells.	(3)
The presence of a nucleus is characteristic of eukaryotic cells.	(3)
The presence of a nucleus is characteristic of eukaryotic cells.	(3)
The presence of a nucleus is characteristic of eukaryotic cells.	(3)
The presence of a nucleus is characteristic of eukaryotic cells.	(3)
The presence of a nucleus is characteristic of eukaryotic cells.	(3)
The presence of a nucleus is characteristic of eukaryotic cells.	(3)
The presence of a nucleus is characteristic of eukaryotic cells.	(3)
The presence of a nucleus is characteristic of eukaryotic cells.	(3)

(c) Explain what is meant by the term mutation 'of mitochondrial genes' (paragraph	7). (2)
d) In 2011 there were 723,913 children born in England and Wales.	
Using information from paragraph 9, calculate the number of children born with Leigh syndrome in England and Wales in 2011. Show your working.	(2)
Answer	
e) Using information from paragraph 22, explain how cells in the pancreas would	
detect an increase in blood glucose concentration.	(3)



(f) 'No controlled trials were done to show this for sure' (paragraph 37). Suggest what the control should have been.	(2)
(g) In MELAS syndrome (paragraph 40), a mutation can occur in a gene that codes an enzyme involved in oxidative phosphorylation.	for
This causes lactate (lactic acid) to accumulate in the body.	
Suggest how this mutation in MELAS syndrome causes lactate to accumulate i the body.	n
	(5)

	(i) Give a reason why people may wish to use preimplantation genetic diagnosis.	
	(i) Give a reason with people may wish to use preimplantation genetic diagnosis.	(1)
	(ii) Give an ethical reason why people may not wish to use preimplantation	
	genetic diagnosis.	(1)
		(1)
)	Using information from paragraph 52 and your own knowledge, suggest which climate-related mitochondrial variant may boost athleticism. Give reasons for	
	your answer.	(3)



	(2)
(To	otal for Question 7 = 30 marks)
Т	OTAL FOR PAPER = 90 MARKS