Please check the examination details belo	w before entering your candidate information
Candidate surname	Other names
Centre Number Candidate Nu Pearson Edexcel Interi	national Advanced Level
Thursday 15 June 20)23
Morning (Time: 1 hour 30 minutes)	Paper reference WFM03/01
Mathematics	
International Advanced Su	Y
Further Pure Mathematics	F3
You must have: Mathematical Formulae and Statistical	Tables (Yellow), calculator

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use black ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear.
 Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 8 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ▶







1.	In this question you must show all stages of your working.	
	Solutions relying entirely on calculator technology are not acceptable.	
	Solve the equation	
	$7\cosh x + 3\sinh x = 2e^x + 7$	
	Give your answers as simplified natural logarithms.	
	orve your answers as simplified natural regulations.	(5)

$\times\!\!\times\!\!\times$

$\times\!\!\times\!\!\times$
$\triangle \triangle \triangle \triangle \triangle \triangle$
◀
111
<u> </u>
S
王
×
\mathbb{Z}
in S
R.
Œ
M
\times
6
\times \mathbf{e} \times
XZX
DO N

$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
\cdots
>>>>
<
02
<u>v</u>
\sim
歪
\times
Z
× iii
01
(X X 3 X X
$\Leftrightarrow \Leftrightarrow \Rightarrow$
∑©:
00
0
0
00
00
0Q
0Q
00
00
00
00
00
A DO
EA DO
REA DO
AREA DO
SAREA DO
IS AREA DO
HIS AREA DO
THIS AREA DO
N THIS AREA DO
IN THIS AREA DO
TE IN THIS AREA DO
TE IN THIS AREA DO
RITE IN THIS AREA DO
WRITE IN THIS AREA DO
I WRITE IN THIS AREA DO
OT WRITE IN THIS AREA DO
NOT WRITE IN THIS AREA DO
NOT WRITE IN THIS AREA DO
NOT WRITE IN THIS AREA DO
O NOT WRITE IN THIS AREA DO

Question 1 continued	
(Tot	al for Question 1 is 5 marks)



In this question you must show all stages of your working.
 Solutions relying entirely on calculator technology are not acceptable.

$$\mathbf{M} = \begin{pmatrix} 2 & 0 & 0 \\ 0 & 1 & 4 \\ 3 & -2 & -3 \end{pmatrix}$$

(a) Determine \mathbf{M}^{-1}

(3)

The transformation represented by \mathbf{M} maps the plane $\,\varPi_{_{1}}\,$ to the plane $\,\varPi_{_{2}}$

The point (x, y, z) on Π_1 maps to the point (u, v, w) on Π_2

(b) Determine x, y and z in terms of u, v and w as appropriate.

(3)

The plane Π_1 has equation

$$3x - 7y + 2z = -3$$

(c) Find a Cartesian equation for Π_2

Give your answer in the form au + bv + cw = d where a, b, c and d are integers to be determined.

(2)

* × × × ×
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
>>>
$\times\!\!\times\!\!\times\!\!\times$
>>>>
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\!\times$
\times
×62
NOT WRITE IN THIS AREA
S
$\times\!\!\times\!\!\times\!\!\times$
$\times \bowtie$
$\otimes \bowtie$
∞
×6
00
$\times\!\!\times\!\!\times$
XXX
$\times\!\!\times\!\!\times$
>>>>
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
>>>
>>>>
>>>>
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
>>>>
$\times\!\!\times\!\!\times$

$\times m$
AREA
\times
\times IUN
<u> </u>
¥
王
THIS
NTHIS
IN THIS
E IN THIS
TE IN THIS
(ITE IN THIS
RITE IN THIS
VRITE IN THIS
WRITE IN THIS
T WRITE IN THIS
OT WRITE IN THIS
IOT WRITE IN THIS
NOT WRITE IN THIS
LON
LON
LON
DO NOT WRITE IN THIS
LON
TON OQ
A DO NOT
A DO NOT
REA DO NOT
AREA DO NOT
AREA DO NOT
S AREA DO NOT
S AREA DO NOT
HIS AREA DO NOT
THIS AREA DO NOT
THIS AREA DO NOT
IN THIS AREA DO NOT
IN THIS AREA DO NOT
E IN THIS AREA DO NOT
TE IN THIS AREA DO NOT
TE IN THIS AREA DO NOT
RITE IN THIS AREA DO NOT
RITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT

Question 2 continued	



Question 2 continued	

V.	×××
X	$\times\!\!\times\!\!\times$
\otimes	\Longrightarrow
×	$\times\!\!\times\!\!\times$
X	$\times\!\!\times\!\!\times$
\wedge	>>>
\otimes	\Longrightarrow
×	$\times\!\!\times\!\!\times$
X	$\times\!\!\times\!\!\times$
$\stackrel{}{\sim}$	$\Leftrightarrow \Leftrightarrow$
×	$\times\!\!\times\!\!\times$
X	$\times\!\!\times\!\!\times$
X	
×	
X	HAY.
×	ee.
X	
\times	
X.	INTHIS AREA
×	S
×	\approx
\times	200
×	
X	
\times	\sim
X	Z
×	
X	XXX
×>	ш
×	
×	
X	-
×	
×	
X	
×	₩
X	
X	
×	-
X	
×	$\propto \times$
×	DO NOT WRITE
\otimes	
X	
X	XX
$\stackrel{\wedge}{\sim}$	$\Leftrightarrow \Leftrightarrow$
\otimes	$\times\!\!\times\!\!\times$
×	$\times\!\!\times\!\!\times$
×	$\langle\!\!\langle\!\!\langle\!\!\langle\!\!\langle\!\!\langle\!\!\langle\!\!\langle\!\!\langle}$
\sim	\Longrightarrow
X	$\times\!\!\times\!\!\times$
X	$\times\!\!\times\!\!\times$
X	>>>
×	$\Leftrightarrow \Leftrightarrow$
×	$\times\!\!\times\!\!\times$
	$\times\!\!\times\!\!\times$
X	***
×	\Longrightarrow
X	$\times\!\!\times\!\!\times$
X	***
X	XXX
$\stackrel{\times}{\sim}$	$\Leftrightarrow \Leftrightarrow$
×	$\times\!\!\times\!\!\times$
X	$\sim\sim$
$\stackrel{\wedge}{\sim}$	AREA
×	
X	
X	
×	\otimes
X	
	$\times \times \times$
$\times \!\! >$	
8	<u>v</u>
$\stackrel{>}{\sim}$	2
	<u>工</u>
× ×	医医
	S T
	EIN THIS
	TE IN THIS
	TE IN THIS
	SITE IN THIS
	RITE IN THIS
	VRITE IN THIS
	WRITE IN THIS
	WRITE IN THIS
	TWRITE IN THIS
	OT WRITE IN THIS
	10T WRITE IN THIS
	NOT WRITE IN THIS
	NOT WRITE IN THIS
	O NOT WRITE IN THIS
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	0
	00
	00
	00
	00
	(EA DO
	REA
	REA
	AREA
	AREA
	AREA
	AREA
	HIS AREA DO
	HIS AREA DO
	THIS AREA DO
	THIS AREA DO
	IN THIS AREA DO
	IN THIS AREA DO
	EIN THIS AREA DO
	EIN THIS AREA DO
	EIN THIS AREA DO
	EIN THIS AREA DO
	RITE IN THIS AREA
	RITE IN THIS AREA
	WRITE IN THIS AREA
	WRITE IN THIS AREA
	WRITE IN THIS AREA
	WRITE IN THIS AREA
	WRITE IN THIS AREA
	WRITE IN THIS AREA

Question 2 continued	
(Tota	d for Question 2 is 8 marks)



3.




Figure 1

Figure 1 shows a sketch of the curve C with equation

$$y = \frac{1}{2} (\tan x + \cot x) \qquad \frac{\pi}{6} \leqslant x \leqslant \frac{\pi}{3}$$

(a) Show that the length of C is given by

$$\frac{1}{2} \int_{\frac{\pi}{6}}^{\frac{\pi}{3}} \left(\tan^2 x + \cot^2 x \right) \mathrm{d}x$$

(6)

(b) Hence determine the exact length of C, giving your answer in simplest form.

(5)

XXXX
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
>>>>
$\times\!\!\times\!\!\times$
⋖
× <u>₩</u>
0.0
× vs
$\times \mathbb{R}$
×in/
Œ
$\times \times$
0
×Đ
DO NOT WRITE IN THIS AREA
$\times\!\!\!\times\!\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times$
>>>>
XXX
$\times\!\!\times\!\!\!\times$
800
AREA
NOT WRITE IN THIS.
$\times \times \times$
X
<u>Q</u>
ă
$\times\!\!\times\!\!\times$

$\times\!\!\times\!\!\times$
4
2
4
· VA
至
TEIS
TEIS
IN THIS
TE IN THIS
TE IN THIS
RITE IN THIS
WRITE IN THIS
WRITE IN THIS
WRITE IN THIS
NOT WRITE IN THIS
NOT WRITE IN THIS
WRITE IN THIS

Question 3 continued



Question 3 continued

				į		
				g		
				5		
				ś		
			к	à	ø	
2	í	f	٩	è	9	
3	á	٤	ì	Ė	4	
2	į	į	1	į	9	
3			1		2	
2	3					
3	3					
3						
3						
2				10.00		
?						
?						
3		ŀ	5	è	Š	
		ŀ	5	è	Š	
		į			Š	
		į			Š	
	1	į)	
	1	į)	
	1	į)	
	1	į)	
	1	į)	
	1	į)	
	1)	
	1)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	
)	

Question 3 continued
(Total for Question 3 is 11 marks)
(



					(-	-1`
4.	The plane Π_1	contains the point	A(2, 4, -5)	and is normal to the vector		3
						3

The plane Π_2 contains the point B(3, 6, -2) and is normal to the vector $\begin{pmatrix} 2 \\ 0 \\ -5 \end{pmatrix}$

The line $\,l\,$ is the line of intersection of $\,\varPi_{_{1}}\,$ and $\,\varPi_{_{2}}\,$

(a) Determine a vector equation for l.

(7)

The points C and D both lie on l.

Given that C and D are 5 units apart,

(b) determine the exact volume of the tetrahedron ABCD.

(5)





×	۶		2	S	
\propto	>	S	S	≷	
\otimes	>	Š		S	
×	>	Ŷ	S	<	
×	>	X	>	3	
×	>		<	5	
X	>	Q	S	≷	
×	5	X	2	≤	
×	1	Ę	ą	Ş	
×	ì	Û	Ď	ì	
	Š	Z	ž	Ş	
X	1	×	Ę	è	
X	ì	ê	Í	7	
\otimes	5	8	2	S	
×	į	ŭ	ŕ	ì	
\propto	Ş	Ξ	×	7	
×	į	Ħ	è	ģ	
×	2	X	ķ	۶	
\otimes	1	R	7	è	
	k	×	2	S	
X	ì	Ė	٤	3	
\sim	Ì		ž	ų	
×.	į	ň	R	ĺ	
X	į	×	5	7	
×	j	k	/	5	
\approx	į	Ħ	Š	3	
X	1		Ľ	2	
\times	Š	2	à	6	
×	Š	S	þ	þ	
X	3	K		2	
×	J	ō	Z	5	
×	į	C	Š	١	
×		Ž	2	2	
X	í	ë	Ž	S	
X	۶	\bigcirc	K	2	٩
\times	į	8	2)	
\propto	S	ā	7	S	
×	1	C	2)	
×	į		S	ζ	
\approx	S		2	5	
X	>	Ś	S	>	
×	>		S	ζ	
X	5	X	2	S	
X	>	Ś	Ś	>	
×	>		S	ζ	
\otimes	>	Š	2	5	
X	>		5	>	
×	S		>	ζ	
×	>	Š	2	5	
X	?		S	2	
×	S		2	S	
×	>	Š	Ś	5	
X	?		S	≷	
×	?		\geq	ζ	
×	>	Ŏ	Ŕ	۶	
X	?		5	₹	
×	S	\times	ì	á	
×	9	Š	ą	ú	
\times	ì	Ú	Ĺ	ı	
\propto	í	ă	ď	ş	
X	1	Ž	ķ	į	
\times	1	Ę	1	ζ	
XX	>				
			S	2	
\otimes	3	Ù	Š	١	
\gtrsim	3	Ù			
*	A de la				
× ×	144				
	1 4 4 7 1 1 1				
	日本 日				
	Fai-100 2 4 4 10 10 10 10 10 10 10 10 10 10 10 10 10				
	FA 6 2 1 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1				
	Fair 2010 7 11 4 2 10 11 11 11 11 11 11 11 11 11 11 11 11				
	Fig. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.				
	Fair (1) Fair (1)				
	· >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>				
	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>				
			l		

Question 4 continued



Question 4 continued	

/	\				S
	/			7	
			Κ	×	
Κ		S	ä		r
	7	3	7		и
K		2	2		3
K	1	s	è		è
>	d	۲	₹	7	₹
				Ø	
>	d	r	₹	9	۳
2	d	ŗ	5	Ź	2
3	4	ļ	5	Ž	iii k
3	1		2	Ž	
3	4				
3	4				
3					TO THE SECOND
3					# \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
					# \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
?					
?					
?					TO THE PARTY OF TH
	444444444444444444444444444444444444444	2		Α,	
		2		Α,	
?		ì	\$	2	Š
		ì	\$	2	Š
		ì	\$	2	Š
		ì	\$	2	Š
	1	į	<		
	1	į	<		
	1	į	<		
	1	į	<		
	1	į	<	2	

Question 4 continued
(Total for Question 4 is 12 marks)
(



5.

$$\mathbf{M} = \begin{pmatrix} 1 & 2 & k \\ -1 & -3 & 4 \\ 2 & 6 & -8 \end{pmatrix} \quad \text{where } k \text{ is a constant}$$

Given that \mathbf{M} has a repeated eigenvalue, determine

- (i) the possible values of k,
- (ii) all corresponding eigenvalues of M for each value of k.

(7)

000000 I	
XXXXX	١,
******* I	
< The state of the state o</td <td>-</td>	-
× 22× 1	
$\times \times $	-
×va×	
	-
$\times \times \times$	
$\times = \times $	
\times	
$\times \times \times $	
\times \times \times	
$\otimes \mapsto \otimes$	
$\otimes \otimes \otimes$	-
×=×	
×o×	-
*****	-
XXXX	
****** I	
	-
XXXXX I	
	-

******* I	١.
******* I	
4	
$\times \times $	-
×85×	
	-
<u> </u>	
$\times = \times $	
	-
	-
\times m \times	
	_
	-
	-
$\times\!\!\times\!\!\times\!\!\times$	
(XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	-
	_
	-
****** I	
XXXXXXX	-
XXXXXX	

	-

	_
Ž.	-
(EA	-
AREA	-
AREA	-
IS AREA	-
IS AREA	-
HIS AREA	-
THIS AREA	-
THIS AREA	-
IN THIS AREA	-
E IN THIS AREA	-
E IN THIS AREA	-
TE IN THIS AREA	-
RITE IN THIS AREA	-
RITE IN THIS AREA	-
WRITE IN THIS AREA	-
TWRITE IN THIS AREA	-
TWRITE IN THIS AREA	-
WRITE IN THIS AREA	-
OT WRITE IN THIS AREA	-
NOT WRITE IN THIS AREA	-
O NOT WRITE IN THIS AREA	-
O NOT WRITE IN THIS AREA	-

Question 5 continued



Question 5 continued

2	٩,	н			ы
Κ	2	Š	7	₹	*
J	М	ĸ.	7	2	/
1	ð		ø		п
2	٧	۲	S		
	7	1	/		
/	>	á	е		
				Ś	
				2	
				100	
				6	
					Ì.
		5			4
Κ	3	ø	=		ø
2		à		ø	۲.
Κ	λ		×	ĺπ	w
		7		7	₹
^	1				7
/	١	а	μ		ĸ.
1	4	r			ď
ď	3	6	۵	4	ø.
5		3	ø	4	۲
	9	в	₹		à
Κ	J	ĸ	2	S.	ø
2	d	ø	=	ø	۰
Κ					×
.2					٧.
١					7
2	1		\	/	\
1	7	1	1		
/	5		1		\
1					0
/	1				
⋖					×
5					
				<	
		<		⋖	
0					
Κ					
2					
1	2		J		7
.2	/				
^	2	/			7
2	1	2	1		١.
1	1				ľ
/					
ĸ					×

Question 5 continued	
	Total for Question 5 is 7 marks)



6. The ellipse E has equation $\frac{x^2}{16} + \frac{y^2}{9} = 1$

The point $P(4\cos\theta, 3\sin\theta)$ lies on E.

(a) Use calculus to show that an equation of the tangent to E at P is

$$3x\cos\theta + 4y\sin\theta = 12$$

(5)

(b) Determine an equation for the normal to E at P.

(2)

The tangent to E at P meets the x-axis at the point A.

The normal to E at P meets the y-axis at the point B.

(c) Show that the locus of the midpoint of A and B as θ varies has equation

$$x^2(p - qy^2) = r$$

where p, q and r are integers to be determined.

(6)

$\langle \rangle$					×	
Ö			ż	×	×	
\Diamond	(<		×	
\Diamond			<		×	
♦			<		×	
\Diamond			<		×	
\Diamond			<		>	
ø	ς			Ž	×	
\Diamond			ς	k	×	
X				×		١
X			S		?	
×	>			×		١
X	>			×	Ž	
×	5		S	4	2	ì
X	J	ξ	Ş		ľ	
×	Š	2	S	Ş	ï	
X	Я	E	4	Ļ	4	
X	S	ó	į	ú	ê	þ
X	Į	ķ	j	Ę	é	þ
X	S	۵	š	ĸ	ê	þ
X	y	É	ý	Į	Ç	è
X	>			×	ĺ	
X	1	ľ	ì	f	3	b
X	Σ	2	1	8	2	2
X	ž	Š	3	2	Ī	2
X	7	ζ	1	ľ		3
X	2	5	7	Ħ		,
8	đ	þ	ė	ĕ	į	è
X	?	5	è	×	· >	
X	ð	۹	7		į	¢
X	à	ğ	Ę	Š	þ	ú
ŏ	à	ģ	ę	ě	p	ú
Ö	2	S	ć	×	X	2
Ŏ	4	Ŀ	d	Ē	J	
\Diamond	ű	ē				7
\Diamond	1		ď	9	9	ď
\Diamond	ģ	þ	d	į	b	ģ
♦	ý	P	۹	ŷ	ø	ę
\Diamond	ģ	١	d	Í	b	ģ
\Diamond	\$	9	9	þ	þ	í
\Diamond	Ì	Ø	ş	į	ş	b
\Diamond	ġ	ė	۹	å	4	Ś
\Diamond	ý	È	<	ì	ž	Ś
♦	1	f	٩	4	9	Š
\Diamond	G	ò	ø	į	٩	Ĺ
\Diamond	9	ķ	ś		ď	7
Q	ç	ì	í		è	í
S	S	à	ġ	ź	2	ζ
\Diamond	S	7	5	×	7	5
×	S	ġ	Ŕ	Ħ	ij	è
X	9	ķ	S		ä	ļ
S	S	2	S	5	2	
	Ч	r	5	×	1	١
X	9	7	۹	×	٩	5
X	>			×		>
X	>			×	2	
×	>		5	K		>
X				×	?	
×	>			×		
X	>		5	×		
X	>			×		>
Χ				×		
X				X	Š	7
X	>					
Ä				×	Š	
8			2	×	>	
8			?	×××	× × ×	?
8	5		<	XXX	× × ×	>
8	>		2	XXXX	××××	>
8	\ \ \		~ < < < < <	XXXXX	××××	>
8			~ < < < < < <	XXXXXXX	××××××	>>>>
			~ < < < < < <	×××××××	××××××	>>>>
			~ < < < < < < <	××××××××	××××××××××××××××××××××××××××××××××××××	>>>>>
			~ < < < < < < < < < <	X	· · · · · · · · · · · · · · · · · · ·	>>>>>>
			~ < < < < < < < < < < < < < < < < < < <	×××××××××××	· · · · · · · · · · · · · · · · · · ·	>>>>>>
			~ < < < < < < < < < < < < < < < < < < <	××××××××××××××××××××××××××××××××××××××	· · · · · · · · · · · · · · · · · · ·	>>>>>>
			~ < < < < < < < < < < < < < < < < < < <	××××××××××××××××××××××××××××××××××××××		>>>>>>>
						>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>

	Ì			
	ĺ			
2	۲		Ŧ	
Š	2	Ž		
y	₹	9	7	8
y	₹	9	7	8
y	₹	9	7	8
y	₹	9	7	8
y	₹	9	7	8
y	₹	9	7	8
y			Ĺ	
y			Ĺ	
y		9	Ĺ	
				X
				X
				X
				X
				X
				X
				X
				X
				X
				X
				X
				X
				X
				X
				X
				X
				X
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR
				A STATE OF THE PARTY OF THE PAR

Question 6 continued	



Question 6 continued

Question 6 continued
(Total for Question 6 is 13 marks)



7.

$$I_n = \int \cosh^n 2x \, \mathrm{d}x \qquad n \geqslant 0$$

(a) Show that, for $n \ge 2$

$$I_{n} = \frac{\cosh^{n-1} 2x \sinh 2x}{2n} + \frac{n-1}{n} I_{n-2}$$

(5)

(b) Hence determine

$$\int (1 + \cosh 2x)^3 \, \mathrm{d}x$$

collecting any like terms in your answer.

(4)

$< \times$	$\times \times$
X	XX
×	$\times\!\!\times$
X	88
X	$\Diamond \Diamond$
\approx	$\otimes \Diamond$
\otimes	\otimes
$\langle \! \rangle$	$\times\!\!\times$
$\langle \times \rangle$	$\times\!\!\times\!\!\times$
×	$\times\!\!\!\times$
SSI	SI.
×	Œ
X	DO NOT WRITE IN THIS AREA
×	ńΫ
X	چاپ
X	er.
X	\times
×	X
\Diamond	V.
Qί	-
\bigcirc	
Ø	×
XI	
X	\otimes
\gg	۰
X	
X)	
~	SS 2
Ø	ш
⟨vi	$\times \times$
Ø	W
93	
×	\mathbf{c}
×	
\times a	2
X	\rightarrow
Z,	
< V	
$\langle \times \rangle$	*
Ø	\otimes
K,	
X	Z
SS	
X	
X	اب
X	~
X	\triangle
X.	\propto
\otimes	$\times\!\!\times$
$\langle \rangle$	XX
$<\!\!<$	$\times\!\!\times\!\!\times$
$\langle \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$	XX
X	XX
SX	XX
X	&X
×	$\Diamond \Diamond$
×	$\Diamond \Diamond$
\approx	$\Diamond \Diamond$
Ø	SS
\otimes	XX
$\langle \rangle$	XX
$\langle \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$	XX
$\langle \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$	$\times\!\!\times\!\!$
S	$\propto \times$
X	$\langle\!\!\langle\!\!\langle\!\!\rangle$
×	$\Diamond \Diamond$
X	$\Diamond \Diamond$
\approx	$\Diamond \Diamond$
$\langle \rangle$	XX
$\langle \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$	$\times \times$
Oi	ST.
	XX
×	
\otimes	النت
8	لاب خخ
	<u>0</u> 5
	N N
	A A A
	SAR
	S A S
	T S A R
	TIS ARE
	TESAR
	NA STA
	NA STAN
	NAME OF THE PARTY
	E N THIS ARE
	THE NAME OF THE PARTY AND THE
	THE STATE OF THE S
	A STATE OF THE STA
	WATHINAR
	WRITE IN THIS ARE
	TWATE IN THIS ARE
	OT WRITE IN THIS ARE
	OTWRITE NATIONARIA
	VOTWRITE IN THIS ARE
	NOTWRITEINSTAR
	NOTWRITEINTHISARE
	ONOTWRITE IN THIS ARE
	O NOTWRITE IN THIS ARE
	JO NOTWRITE IN THIS ARE
	DO NOTWRITE IN THIS ARE
	DO NOTWRITE IN THIS ARE
	DO NOTWRITE IN THIS AREA
	DO NOTWRITEIN THIS ARE
	DO NOTWRITE IN THIS ARE
	DO NOT WRITE IN THIS ARE
	OO NOTWRITEIN THIS ARE
	DO NOTWRITEIN THIS ARE
	DO NOT WRITE IN THIS ARE
	DO NOT WRITE IN THIS ARE
	DO NOT WRITE IN THIS ARE
	DO NOTWRITE IN THIS ARE
	NO NOT WRITE IN THIS ARE
	DO NOT WRITE IN THIS ARE
	DO NOT WRITE IN THIS ARE
	OO NOT WRITEIN THIS ARE
	DO NOTWRITEIN THIS ARE
	DO NOT WRITE IN THIS ARE
	DO NOT WRITE IN THIS ARE
	NOT WRITE IN THIS ARE
	DO NOT WRITE IN THIS ARE
	DO NOT WRITE IN THIS ARE
	N NOT WRITE IN THIS ARE
	A
	A
	EA
	EA
	REA
	REA
	AREA
	AREA
	SAREA
	ISAREA
	ISAREA
	EIS AREA
	EIS AREA
	THIS AREA
	EIS AREA

				1
Я			۰	
Ž	S	Z		2
4	S	Z	5	é
3	5	2		é
3	S	<	5	<
3	2		2	K
3	5	<		< A
4		<		\ \ \
		<		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
				\ \ \
		<		V 100
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		/ W
1		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		

Question 7 continued



Question 7 continued		

				ļ		
				6		
/	N		ú	d	۲.	
1		3	7	~		
1	7	7	z		۲	
/	1	а	е		2	
	Α	쁴	pi	#	ø	
					ĭ	
	V			2	Ħ.	
1	A	L	2	_	al	
.2						
1	2				2	
Κ			٥		2	
۰						
Κ					2	
>						
Κ	>				2	

Question 7 continued
(Total for Question 7 is 9 marks)



8. (a) Differentiate $x \operatorname{arcosh} 5x$ with respect to x

(2)

(b) Hence, or otherwise, show that

$$\int_{\frac{1}{4}}^{\frac{3}{5}} \operatorname{arcosh} 5x \, dx = \frac{3}{20} - \frac{2\sqrt{2}}{5} + \ln\left(p + q\sqrt{2}\right)^k - \frac{1}{4}\ln r$$

where p, q, r and k are rational numbers to be determined.

(8)

Question 8 continued	



Question 8 continued

Ŏ	?
ø	Ś
X	S
X	>
Ø	>
Ş	>
$\stackrel{>}{\sim}$	>
X	>
X	>
8	?
Ŷ	j
×	S
X	
X	à
X	1
×.	ì
\Diamond	?
V	
×	Š
X	ž
X	Ž
Ö	ï
\Diamond	J
×	Š
×	à
X	Š
X	?
Ö	1
\Diamond	ĺ
×	3
×	į
×.	J
♦	è
\Diamond	3
X	3
X	1
X	9
×.	J
\Diamond	ç
$^{\diamond}$	Š
	Š
×	ì
8	
<	j
\Diamond	1
X	>
X	>
X	>
Ø	1
<u>ې</u>	
$\stackrel{?}{>}$	>
X	>
X	>
8	?
Ŏ	?
\Diamond	S
X	>
X	>
X	>
ð,	?
\Diamond	(
\Diamond	S
×	>
×	>
X	?
Ö	(
\Diamond	Ì
X	į
X	1
×	ì
$\times \times$	
8	7
8	1
8	
×	
	2 (4) (4) (4) (4) (4)
	2 (d) / (d) d / d / d / d / d / d / d

Question 8 continued	



Question 8 continued	
	(Total for Question 8 is 10 marks)
	(Total for Question o is 10 marks)
	TOTAL FOR PAPER IS 75 MARKS

