ow before ente	ring your candidate information
	Other names
umber	
nation	al Advanced Level
Paper reference	WMA13/01
	•
aval	
.vei	
al Tables (Ye	llow), calculator
	nation Paper reference

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use black ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 9 questions in this question paper. The total mark for this paper is 75.
- The marks for each question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







Leave blank

1. The curve C has equation

$$y = (3x - 2)^6$$

(a) Find $\frac{dy}{dx}$

(2)

Given that the point $P\left(\frac{1}{3},1\right)$ lies on C,

(b) find the equation of the normal to C at P. Write your answer in the form ax + by + c = 0 where a, b and c are integers to be found.

(4)

	2			Х					
				×	1	>			
			×					^	
?									
?	ς			V	>			*	
			×	Ç	>			×	
\rangle	≺		×		>			×	
>			×		>			×	
5			×		>			×	
	2		×	X	5			×	
ς				×				Ų	
	\rangle			×					
				×					
?	5			×	?				
2				V	>				
	ς		×	Ü	2	S	à		
\rangle			٩					۶	
>				7	5	7	9		
	2			Ľ		Ľ			
			ä	Z	5	7			
ς	2			E		Ē	5		
(3	7		7	5		
	\rangle		j	Ė	e		r		
			•	7		9	ķ	ĕ	
2	S	ė	Ľ			2	۷		١
?				L		r			
>				3	2	Ś	ž	5	
				Ξ		S	5		
			å	7		ľ	7		
S	2		į	ř	,	þ	ú	ţ	
ί				Ľ		2	<u> </u>		
	\rangle			г	Ī	7	ζ	•	
				Z		>	Š	1	
	S		۰	Z		3	Ŗ	,	
?			1	Ģ	i	ģ	ŧ	ì	
?	5		1	Ż	è	į	ė	ľ	
>			×	Ç	>		2	8	
>	<			Ü		ľ			
>	Ċ			e de	9	ď	9	9	
S				ŭ	,	ė	ś	,	
	2			K	١	Ź	\$,	
					8	d			
(\rangle	<		ø		e	Š		
?			1	ž	4	9	ė	e	
?	ς		4	ġ		9	ó		
þ			1	ij	á	ś	í		
>	Ċ		4	é	į	ę	ď	9	
5	Ċ		ý		>			,	
Ś	2			ĺ	,	ė	ś	p	
	2	<	į	Š	,	è	ζ		
				r		7		í	
	\rangle		3	h	í	ò	ø	7	
2			i	×	â	è	i		
?	S		ă	d		5	2		
			Š	_	7	7	7	5	
			Š	ä	ì	í	ŝ	1	
>				r				ŀ	
5			Š	3	9	ę	7	ì	
	2	Ş	d	ρ	5	7	ij	Ŀ	
ς				M	i	ì			
	\rangle			X					
	\rangle								
	>								
5	ζ		×	X	>			×	
	3		×	X	>			×	
5	3		×××	×	>			× ×	
5	3		××××	×	>			× × ×	
3	3		XXXX	× × × ×	>>>>			× × × ×	
	3		XXXXX	××××					
			X X X X X X	×××××	< > > >			~ ~ ~ ~ ~ ~	
	3		X X X X X X	××××××					
			X X X X X X X	×××××××				× × × × × × × ×	
			X X X X X X X	××××××××				X	
			X X X X X X X X X	×××××××××					
				××××××××××××××××××××××××××××××××××××××	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>				
				××××××××××××××××××××××××××××××××××××××	>>>>>>				
				××××××××××××××××××××××××××××××××××××××	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>				
				××××××××××××××××××××××××××××××××××××××					
				××××××××××××××××××××××××××××××××××××××					
				××××××××××××××××××××××××××××××××××××××					
				××××××××××××××××××××××××××××××××××××××					
				××××××××××××××××××××××××××××××××××××××					
				××××××××××××××××××××××××××××××××××××××					
				× × × × × × × × × × × × × × × × × × ×					
				××××××××××××××××××××××××××××××××××××××					
				××××××××××××××××××××××××××××××××××××××					
				××××××××××××××××××××××××××××××××××××××					
				××××××××××××××××××××××××××××××××××××××					
				××××××××××××××××××××××××××××××××××××××	クトトトトトトトトトトトトトトト in				
				× × × × × × × × × × × × × × × × × × ×					
				××××××××××××××××××××××××××××××××××××××					
				××××××××××××××××××××××××××××××××××××××					

DO NOT WRITE IN THIS AREA

	Leave
Question 1 continued	blank
	01
	Q1
(Total 6 marks)	
(Total V marks)	



Leave blank

2. The functions f and g are defined by

$$f(x) = \frac{5 - x}{3x + 2}$$

$$x \in \mathbb{R}, x \neq -\frac{2}{3}$$

$$g(x) = 2x - 7$$

$$x \in \mathbb{R}$$

(a) Find the value of fg(5)

(2)

(b) Find f⁻¹

(3)

(c) Solve the equation

$$f\left(\frac{1}{a}\right) = g(a+3)$$

(4)



Question 2 continued	blank



estion 2 continued	

Leave

S	7					
					5	
2					ς	
S	2			Š	à	۶
	'n		2			
7		7	3	7	9	ė
>	a	Þ	á	Ď		
	d	þ	ø	ķ	ø	
Κ		й	ĸ	ú	è	Ś
	И	Ľ	3	Ľ	_	
2		7	7	Z	Σ	
	G		ď		₹	
		7	7	9	ń	
	>					
1	'n	r		ø	ь	
	Q	Ŋ,		2		
>			ú	è	6	
		S	2	Σ	2	
		₹	1	Г	7	
1	У	μ	Ŋ	μ	h	
	q	Ē		2	2	
>	4		e	7	7	
	Z	۲,	>	⟨		
	'n	á		ú	è	
2	ς	à	μ	ρ	5	
	Q.	7	۴	7	e	
5	Α	٤	μ	۹	μ	
	>		>			
	K	ľ	Ί	ľ		
2		Þ	۹	þ	۹	
		Ŀ	_	2	∠	
۱	4		7	7	7	
	X	ě	ì	6	è	
	2	Z	Σ	Z	Σ	
2	P		9		Z	
		5	e	7	₹	
1	2	3			ĸ	
	K	۹		S	2	
	'n	ó	b	ρ	7	
2						
		Ŀ	_	7	_	
5	a			5	7	
		á	þ	ú	ù	
	У	ĸ		2		
2		ø	۹	ρ	۲	
	0	þ	e		ø	
ς		á		S	2	
	y	ť	7	۲	7	
	5	Z	2	2	S	
>	9	ρ	₹	7	٩	
	ð	b	4	à	ø	
ς		S		S	2	
	X	۲	5	₹	٩	
	4	B		è		
b						
	2					
⟨					\rangle	
2	>		S	?		
>	<					
	>					
2	1		S	?		
		>				
S	2		Ĉ			

Question 2 continued	blank
	Q2
(Total 9 marks)	



Leave blank

3. In this question you must show all stages of your working.

Solutions relying entirely on calculator technology are not acceptable.

Given that k is a positive constant,

(a) find

$$\int \frac{9x}{3x^2 + k} \, \mathrm{d}x$$

(2)

Given also that

$$\int_{2}^{5} \frac{9x}{3x^2 + k} \, \mathrm{d}x = \ln 8$$

(b) find the value of k

(4)



1		2		7
$^{\wedge}$		١,		١,
X.				
\sim		į	C.	ò
Χ.	à			₹
V4		S		2
			7	9
×ı	Þ	Œ	D	а
C I	Ŀ		L	а
^				Z
×	P	а	ø	۳
ാ	L	-	Ŀ	÷
×.			7	S
v.	ú	d		۳
/N		а,		S,
X.			7	e
$^{\wedge}$	ŕ	N	d	ь
M	L		К	а
	7	7		5
Χı				Ú),
V4	'n	4	۷.	ú
	,	٦	r	Ч
×.	á		ь	4
	7	7	₹	7
A.		\sim	2	2
V/I		,	9	ж
O!	5			
×.				s
	ę	7		P
$^{\wedge}$	á		r	7
×	9		7	e
O	i	ė	ú	nί
X		7		
V.				2
വ	Г	j	r	в
ΧI				а
V4	ĸ.			
		è	ú	'n
×Ι	Б			7
(A	è	è	Ĺ	è
		Z		Z
va		71		۳
	Ŀ	ä	Ŀ	è
X			7	7
\\\^{n}	e	9	۹	ы
$^{\sim}$			۳	₹
×	2			
CA.		7	₹	7
Λ.				
VI	Ь			
OI.		4	ø	ø
XJ	Þ	S.	2	ς.
24	P	₹	9	ì
Ø	ζ	S	2)
8		Ş	2)
8)
				2
)
)
				2
				2
				2
				2
				2
				2

Question 3 continued	Leave blank
	Q3
(Total 6 marks)	
(10tal 6 marks)	



Leave blank

(2)

(2)

4.




Figure 1

The number of subscribers to an online video streaming service, N, is modelled by the equation

$$N = ab^t$$

where a and b are constants and t is the number of years since monitoring began.

The line in Figure 1 shows the linear relationship between t and $\log_{10} N$

The line passes through the points (0, 3.08) and (5, 3.85)

Using this information,

(a) find an equation for this line.

(b) Find the value of a and the value of b, giving your answers to 3 significant figures. (3)

When t = T the number of subscribers is 500 000

According to the model,

(c) find the value of T

Question 4 continued	blank



estion 4 continued	

Leave

2		2				
		1				
	\rangle				2	
		a	ú			
	А					
		7	₹	7		
١			6		А	
		ø				
				ŀ.	2	
1	У	u			ь	
		ď.				
	И	Б	4	4	à	
	B					
	2		×	b	ы	
7	١,	a	is	pl	×	
	Α	۹	pi	4	ú	
	'n	ú	ø	ø	и	
	A	ú.				
	V	ŀ	-	ú	S	ú
	А	ĸ	7			
		z	ä	é	2	
	4		۳	3		
	3	ĸ				
		71		ø	к	
	A	ь	ú	Ŀ	×	
			S		ø	
				S	2	
	Ŋ	۲	۶	۴	٩	
		>				
		Si		ń	ĸ	
	V	۲	7	7		
	Α	ß.	2	S		
		þ	۹	,	м	
					ĸ	
	N	Ġ		ď		
			6	÷		
	2	₹	7	۲	7	
è		2				

Question 4 continued	blank
	Q4
(Total 7 marks)	
(Ival / marks)	



Leave blank

5.




Figure 2

Figure 2 shows part of the graph with equation y = f(x), where

$$f(x) = |kx - 9| - 2$$

 $x \in \mathbb{R}$

and k is a positive constant.

The graph intersects the y-axis at the point A and has a minimum point at B as shown.

- (a) (i) Find the y coordinate of A
 - (ii) Find, in terms of k, the x coordinate of B

(2)

(b) Find, in terms of k, the range of values of x that satisfy the inequality

$$|kx-9|-2<0$$
 (3)

Given that the line y = 3 - 2x intersects the graph y = f(x) at two distinct points,

(c) find the range of possible values of k

(3)

	blank
Question 5 continued	Ulalik
Question 5 continued	



	Leave
	blank
Question 5 continued	
Question 5 continued	

			7		7	
		-			/	
	ì	S	4		ø	
	4		2			
^		7	₹		٩	
	Ĥ		á	δ		
	Я	L		Ľ		
	æ	7	₹	7	₹	
١.	1		к	ы	ρ	
	я	ľ		Е	\leq	
	25	7	e	7	₹	
		L	a	ú	ø	
7	Ŵ		Σ			
				9	n	
×	Ġ,		٩,	à	Ĺ	
	4	l		ĸ		
	ø	۰	и,			
	ű	'n	ú	è	2	
			2	S		
	ঙ	,		۳	۹	
١,	0	S		Ы	2	
_	я		,	,	,	
	а			2		
	4				,	
_	v	r	١		\	
	ж		ø			
/	Ċ.	â	и	r		
	4				н	
	×	í	4	4	4	
	Ċ.	7	₹	7	₹	
	á	ì	í	ř	ú	
ζ	ì	Ì	í	Ì	ĺ	
8	į		į		į	
>	į		ĺ	2	2	
8	ĺ					
>	ĺ			2		
>						
?						

	Leave blank
Question 5 continued	
	Q5
(Total 8 marks)	
(Total O marks)	



blank

6.




Figure 3

In this question you must show all stages of your working.

Solutions relying entirely on calculator technology are not acceptable.

The function f is defined by

$$f(x) = 5(x^2 - 2)(4x + 9)^{\frac{1}{2}}$$
 $x \ge -\frac{9}{4}$

(a) Show that

$$f'(x) = \frac{k(5x^2 + 9x - 2)}{(4x + 9)^{\frac{1}{2}}}$$

where k is an integer to be found.

(4)

(b) Hence, find the values of x for which f'(x) = 0

(1)

Figure 3 shows a sketch of the curve C with equation y = f(x).

The curve has a local maximum at the point P

(c) Find the exact coordinates of P

(2)

The function g is defined by

$$g(x) = 2f(x) + 4$$
 $-\frac{9}{4} \le x \le 0$

(d) Find the range of g

(3)

Question 6 continued	blank
Question o continued	



estion 6 continued	

XXXXX
$\times\!\!\times\!\!\times\!\!\times$

$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
\times

$\times\!\!\times\!\!\times\!\!\times$
\times
$\times = \times$
\times
THIS A
\times
\times
Z
\times
\times m \times
#
3
\times
\times
DON
\times $\!$
$\boxtimes \triangle \boxtimes$
\times
XXXX
$\times\!\!\times\!\!\times\!\!\times$

$\times\!\!\times\!\!\times\!\!\times$
\times

$\times\!\!\times\!\!\times\!\!\times$

$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
\times
, C.
XXXXX
<u> </u>
HIS
THIS
THIS
IN THIS
IN THIS
E IN THIS
IN THIS
ITE IN THIS
RITE IN THIS
RITE IN THIS
ITE IN THIS
RITE IN THIS
OT WRITE IN THIS
OT WRITE IN THIS
RITE IN THIS
O NOT WRITE IN THIS
OT WRITE IN THIS
O NOT WRITE IN THIS
O NOT WRITE IN THIS
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS
A DO NOT WRITE IN THIS
A DO NOT WRITE IN THIS
A DO NOT WRITE IN THIS
REA DO NOT WRITE IN THIS
AREA DO NOT WRITE IN THIS
S AREA DO NOT WRITE IN THIS
IIS AREA DO NOT WRITE IN THIS
HIS AREA DO NOT WRITE IN THIS
HIS AREA DO NOT WRITE IN THIS
I THIS AREA DO NOT WRITE IN THIS
N THIS AREA DO NOT WRITE IN THIS
N THIS AREA DO NOT WRITE IN THIS
E IN THIS AREA DO NOT WRITE IN THIS
TE IN THIS AREA DO NOT WRITE IN THIS
TE IN THIS AREA DO NOT WRITE IN THIS
ITE IN THIS AREA DO NOT WRITE IN THIS
VRITE IN THIS AREA DO NOT WRITE IN THIS
IRITE IN THIS AREA DO NOT WRITE IN THIS
VRITE IN THIS AREA DO NOT WRITE IN THIS

	Leave blank
Question 6 continued	
	Q6
(Total 10 marks)	
(15tai 16 mains)	



Leave blank

7. In this question you must show all stages of your working.

Solutions relying entirely on calculator technology are not acceptable.

(a) Show that the equation

$$2\sin\theta (3\cot^2 2\theta - 7) = 13\sec\theta$$

can be written as

$$3\csc^2 2\theta - 13\csc 2\theta - 10 = 0$$

(4)

(b) Hence solve, for $0 < \theta < \frac{\pi}{2}$, the equation

$$2\sin\theta (3\cot^2 2\theta - 7) = 13\sec\theta$$

giving your answers to 3 significant figures.

(4)



	blank
Question 7 continued	



estion 7 continued	

Leave

X.			6		
\sim			S	a	
$^{\prime}$	ġ			ĸ	
∕ ∗ı	×				
				ì	
O	ú	ė	6		
N/A	ě	р	۹	ĸ	
\sim	۲		Ź		
v	٠	2	S		
XI		ø			
Š	G	a	ρ	2	
$\times 1$		ú	ù	6	
C.N		7		7	
×.	?				
v.	и	ø	٩	к	
/ VI	۲				
X.	6	4	à		
	đ		۲		
X,				К	
VI.	ĸ				
\sim		ы	ú		

Question 7 continued	blank
	Q7
	\(\frac{\partial}{\partial}\)
(Total 8 marks)	



blank

8.




Figure 4

Figure 4 is a graph showing the velocity of a sprinter during a 100 m race.

The sprinter's velocity during the race, $v \text{ m s}^{-1}$, is modelled by the equation

$$v = 12 - e^{t-10} - 12e^{-0.75t} \qquad t \geqslant 0$$

where t seconds is the time after the sprinter begins to run.

According to the model,

(a) find, using calculus, the sprinter's maximum velocity during the race.

(5)

Given that the sprinter runs 100 m in T seconds, such that

$$\int_0^T v \, \mathrm{d}t = 100$$

(b) show that T is a solution of the equation

$$T = \frac{1}{12} \left(116 - 16e^{-0.75T} + e^{T-10} - e^{-10} \right)$$
 (4)

The iteration formula

$$T_{n+1} = \frac{1}{12} \left(116 - 16e^{-0.75T_n} + e^{T_n - 10} - e^{-10} \right)$$

is used to find an approximate value for T

Using this iteration formula with $T_1 = 10$

- (c) find, to 4 decimal places,
 - (i) the value of T_2
 - (ii) the time taken by the sprinter to run the race, according to the model.

(3)



	Leave
	blank
Question 8 continued	



Leave

\$\$\$\$\$\$\$

XX 54X -
~~~~~~
$\times \overline{\mathbf{a}} \times$
<b>XZX</b>
× × × × × × × × × × × × × × × × × × ×
× <del>u</del> ×
$\times$
8
8
XXXXXX
*****
× MA
A C
*****
<u>v</u>
XXXXX
2
XXXXX
*****
*****
******
$\times 00 \times$
<u> </u>
<u> </u>
SARE
SARE
THIS ARE
THIS ARE
THIS ARE
E IN THIS ARE
IN THIS ARE

Question 8 continued	blank
	Q8
(Total 12 marks)	



Leave blank

9.




Figure 5

In this question you must show all stages of your working.

Solutions relying entirely on calculator technology are not acceptable.

Figure 5 shows the curve with equation

$$y = \frac{1 + 2\cos x}{1 + \sin x} \qquad -\frac{\pi}{2} < x < \frac{3\pi}{2}$$

The point M, shown in Figure 5, is the minimum point on the curve.

(a) Show that the x coordinate of M is a solution of the equation

$$2\sin x + \cos x = -2$$

**(4)** 

(b) Hence find, to 3 significant figures, the x coordinate of M.

**(5)** 


×.	ġ	ú		e	۰
w		2			
Vi	ь	6			
>			7		
2	S	ζ	5	Š	
å	ĺ	2	2	ĺ	
Ì		į	2	Ì	
					֡
X		2			
X		2	3		
X			2		
X					
X					
X					
X					
X					
X					
X					
X					
X					
X					
X					
X					
X					
X					
X					
X					֡
X					
X					
X					
X					
X					
X					
X					
X					
X					
X					
X					
X					

	Leave
	blank
Question 9 continued	



	Leave blank
Question 9 continued	
	<b>Q9</b>
(Total 9 marks)	
TOTAL FOR PAPER: 75 MARKS END	