Please check the examination details be	ow before enter	ring your candidate ir	nformation
Candidate surname		Other names	
Centre Number Candidate N	umber		
Pearson Edexcel Inter	nationa	al Advanc	ed Level
<b>Time</b> 1 hour 30 minutes	Paper reference	WMA	12/01
Mathematics			• •
International Advanced S	uhsidiary	//Advanced	Level
Pure Mathematics P2	absidiai y	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Pure Mathematics P2			
You must have:			(Tribut)
Mathematical Formulae and Statistic	al Tables (Yel	low), calculator	Total Marks

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

## **Instructions**

- Use black ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
  there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

## Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 10 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

## Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







Leave blank

1. Find the first four terms, in ascending powers of $x$ , of the binomial expansion of	
$\left(2+\frac{3}{8}x\right)^{10}$	
Give each coefficient as an integer.	(4)

Λ	Ì			١	
				<	
				1	
			0	K	
	۹		۲		
	1			2	s
×	Ì	ú		ŕ	
V	4	S			
			₹	7	
X	r	q	υ	1	
V					
		à	S	à	K
Χ	r			7	
V	۰	۳	۰	۰	ľ
		۵	ú	ġ	
Ν				N	
	3	7	7	ņ	
	ς			2	S
Λ	w		d	b	è
			r	4	
0			S	2	
	,	۰	,	-	
	ò			ø	
$\vee$	۲	Я	К	2	S
	ø	ц	ņ	۰	
	Ħ	S	2	Κ	į
V		۰	۰	,	ŀ
$^{\circ}$	₹				
Х	2	≤	2	۷	,
v	7	z		P	P
			z	÷	
$^{\sim}$	Z	Σ	Z	3	
×	=	₹	7	e	ľ
			Κ		
	п	Ή	ľ	1	
	£				
		è	į	è	,
	E			₹	
	4	è	4	2	,
	r	₹		5	
V	۰	۰	۰	۲	ľ
	Ħ	è	6	۵	
Х	ä	ú	₽	×	
v	3	۲	9	ń	
0	ø	ø	₹	7	
Λ				۲,	
	it.			2	
		7	ę	7	١
$\wedge$	Ź	2	3	7	
		₹	7	۹	i
0	6	2	S	a	P
	2	3	ď	5	
	7	7			
V	ä		į	2	
	۴	7	۴	9	ĺ
х	2				
×	ä	ø	۹	ij	
	ĸ		Š	1	
Χ	Я	٩	ø	×	
×	à			К	
	e			٦	
X		ú	<		
				Ì	
				1	,
				<	
V	<		Κ	2	
$\bigcirc$	1				,
×				Κ	
V	١			ż	
					,
×	2		2	Κ	
×	1		1	1	
	<		<		,
Χ				۲	

Question 1 continued	Leave blank
	Q1
(Total 4 marks)	



Leave blank

2.




Figure 1

Figure 1 shows the graph of

$$y = 1 - \log_{10}(\sin x) \qquad 0 < x < \pi$$

where x is in radians.

The table below shows some values of x and y for this graph, with values of y given to 3 decimal places.

)	ĸ	0.5	1	1.5	2	2.5	3
J	V	1.319		1.001		1.223	1.850

(a) Complete the table above, giving values of y to 3 decimal places.

**(2)** 

(b) Use the trapezium rule with all the *y* values in the completed table to find, to 2 decimal places, an estimate for

$$\int_{0.5}^{3} \left(1 - \log_{10}(\sin x)\right) dx$$

**(3)** 

(c) Use your answer to part (b) to find an estimate for

$$\int_{0.5}^3 \left(3 + \log_{10}(\sin x)\right) \mathrm{d}x$$

(3)

	Leave
Question 2 continued	blank
Question 2 continued	



	uestion 2 continued	

		>			Ì	
	< 1					
Э	۲.	÷		ы	۷	
c	2	٠	9	٠	-	
			۹	,	į	
	1	5	7	5	7	
S	ď	Ē	2	5	Z	
ξ	Ĭ	Ī			2	
5	Į	ŀ	3	2	2	
3	į				2	
2					2	
3					2	
3						
3						
3						

	Leave
Question 2 continued	blank
Question 2 continued	
	Q2
(Total 8 marks)	



Leave blank

3. (i) Show that the following statement is <b>false</b> : $"(n+1)^3 - n^3 \text{ is prime for all } n \in \mathbb{N}"$	(2)
(ii) Given that the points $A(1, 0)$ , $B(3, -10)$ and $C(7, -6)$ lie on a circle, prove that $AB$ is a diameter of this circle.	(5)

	Leave
	blank
Question 3 continued	
Question o commune	



estion 3 continued	

Question 3 continued	Leave blank
	Q3
(Total 7 marks)	



Leave blank

In this question you must show all stages of your working. 4. Give your answers in fully simplified surd form. Given that a and b are positive constants, solve the simultaneous equations a - b = 8 $\log_4 a + \log_4 b = 3$ **(6)** 



Leave

X			2		
$\vee$			`	ė	
$^{\wedge}$	į	P		5	
×	9	ц		4	
	c				
XI	₽				
Xj					
ΧĮ					
X					
a					
À					
	9				
			2		
O	۲		3	2	
	6				
		_	_	_	
	z	S	2	S	
		۴	9	9	
C)	ĸ				
	ш	2	۷	2	
	7	S		ĸ	
v.	и		S	Z	
$\sim$	-	٠	,	=	
:>	G	à	6	O	
Ν	۲	7	7	ì	
V/	B.	Ż	7	а	
	75	۹	P	К	
×	'n	ø	b	6	
	۲		~	٧	
X		6	۷		
0	₹	7	₹	7	
$^{\wedge}$				\	

Question 4 continued	blank
	Q4
(Total 6 marks)	



Leave blank

5.	In this question you must show all stages of your working.	
	Solutions relying entirely on calculator technology are not acceptable.	
	Solve, for $-180^{\circ} < \theta \leqslant 180^{\circ}$ , the equation	
	$3\tan(\theta + 43^\circ) = 2\cos(\theta + 43^\circ)$	
		(6)

		×
V	V	V
$\langle \rangle$		$\sim$
Λ	ان	æ
X,	79	46
vi	M	и
a	N A	ш
X	$\overline{z}$	73
X	ø	m
V	w	-
$\langle \rangle$	<u></u>	
N		ж.
	X	70
V	V	V
0	n	A
X,	w	24
Χı	×	è
V	$\sim$	$\sim$
$\langle \rangle$	а	
Ν		×
X	įΚ	×
V	r	_
O	O	
$^{\wedge}$	4	$\Delta$
X	$\mathbf{x}$	7
V		
$\langle \cdot \rangle$		$\hat{}$
N		75
×	×	×
Ä		
	v	
8	K	V
8	K	X
	K	X
	Z X	X
	76 15 16 16 16 16 16 16 16 16 16 16 16 16 16	V X R
	K K K K K K	XX
	K K A A A	
	T K A A A A A	
	K K A A A A K K	
	TO BOOK OF THE PERSON OF THE P	
	T X A A A A A A A A A A A A A A A A A A	
	TO K A CO A CO A CO TO A CO	
	TO BOOK OF THE POST OF THE POS	

Question 5 continued	Leave blank
	Q5
(Total 6 marks)	



Leave blank

**6.** In a geometric sequence  $u_1$ ,  $u_2$ ,  $u_3$ , ...

- the common ratio is r
- $u_2 + u_3 = 6$ <br/> $u_4 = 8$
- (a) Show that r satisfies

$$3r^2 - 4r - 4 = 0$$

**(3)** 

Given that the geometric sequence has a sum to infinity,

(b) find  $u_1$ 

**(3)** 

(c) find  $S_{\infty}$ 

**(2)** 





	Leave
	blank
Question 6 continued	



estion 6 continued	

Leave

X.			6		
$\sim$			S	a	
Χ.	ġ			ĸ	
<b>∕</b> ∗ı	×				
				ì	
X.	S	-			
VI	ь		3	Z.	
N/A	ě	р	۹	ĸ	
$\sim$	۲		Ź		
v	٠	2	S		
XI	ņ	ø	9		
Š	G	a	ρ	2	
$\times 1$		ú	ù	6	
C.N				7	
×.	?				
v.	и	ø	٩	к	
/ VI	۲				
X.	6	4	à		
	đ		۲		
X,				К	
VII.	ĸ				
$\sim$		ы	ú		

Question 6 continued	blank
	Q6
(Total 8 marks)	



Leave blank

7.  $f(x) = Ax^3 + 6x^2 - 4x + B$ 

where *A* and *B* are constants.

Given that

- (x+2) is a factor of f(x)

find the value of A and the value of B.

(7)

Leave

Question 7 continued	blank
Question 7 continued	
	<b>Q7</b>
(Total 7 marks)	



Leave blank

In this question you must show all stages of your working. 8.

Solutions relying entirely on calculator technology are not acceptable.

A curve has equation

$$y = 256x^4 - 304x - 35 + \frac{27}{x^2} \qquad x \neq 0$$

(a) Find  $\frac{dy}{dx}$ 

**(3)** 

(b) Hence find the coordinates of the stationary points of the curve.

**(5)** 





Leave

		S		>	
	×	ι			>
	×	′			7
	ζ,	à	ú		ę
	Λ	Ę	Ş		2
0		2			
7	И	r		ν	
	⇗	,	۰	,	۰
l	7			ù	ø
1	М	Ľ	3	Ľ	_
	C.	7	₹	7	Σ
	Ĝ	ä	ø		۳
	Х	e	ú		è
	Ż				2
	<.	≥		۵	۵
	4	L		К	
		7	7		9
2	G	p	2	р	۰
	4	'n		è	ú
	7			К	2
	И	ø	ij	μ	ų
	SI.	Þ	C	2	
	4		۰	7	۳
	×	٠.			>
	١,	6	4	2	×
		Σ	ũ	7	₹
	A			'n	ú
	'n	_	4	4	4
	<.	7	₹	7	₹
	4	S			4
	I	L		L	
	У		7	7	5
	SI.	Ŀ	۷	2	۷
5	4	r	7	7	7
	X	í	4	6	à
	7		Σ		Σ
>	a	P	a	Р	₹
	Л	b	μ	Þ	ø
	×	á	è	4	7
>	ς,	à	ú	₽	ę
	e.	3	۲	9	б
	×	ę	P	₹	7
	V	?			5
	d	ŝ	6	2	4
5	4	Б	7	2	7
	X	á	μ	ú	ù
	Я	r			
	♡	9	ė	ø	ч
	4	i	ú	'n	ú
	X	í	ä	Р	5
2	A		à	μ	h
		>			
		á	á	b	R
1	М	ľ		2	ı
	C!	٩	6	à	ø
S	Ζ.	'n	ä	Б	ć
	И	۲	5	₹	9
	V	ĸ	'n	ú	d
		S			
	×				

Question 8 continued	blank
	<b>Q8</b>
(Total 8 marks)	



Leave blank

**9.** A scientist is using carbon-14 dating to determine the age of some wooden items.

The equation for carbon-14 dating an item is given by

$$N = k\lambda^t$$

where

- N grams is the amount of carbon-14 **currently** present in the item
- k grams was the **initial** amount of carbon-14 present in the item
- t is the number of years since the item was made
- $\lambda$  is a constant, with  $0 < \lambda < 1$
- (a) Sketch the graph of N against t for k = 1

**(2)** 

Given that it takes 5700 years for the amount of carbon-14 to reduce to half its initial value,

(b) show that the value of the constant  $\lambda$  is 0.999878 to 6 decimal places.

**(2)** 

Given that Item A

- is known to have had 15 grams of carbon-14 present initially
- is thought to be 3250 years old
- (c) calculate, to 3 significant figures, how much carbon-14 the equation predicts is currently in Item A.

**(2)** 

Item *B* is known to have initially had 25 grams of carbon-14 present, but only 18 grams now remain.

(d) Use algebra to calculate the age of Item *B* to the nearest 100 years.

**(3)** 





	Leave blank
Question 9 continued	Diank
	1



	Leave
	blank
Question 9 continued	
Question y continued	

		ļ		è		
	G				ú	
	Q					
	ď					
	e.	ч	pi		6	
0	×	6				
	a	Ŀ	_	2	∠	
	Я	۴	ø	۲	ø	
2	U	p	C	2		
			ø		ĸ	
	ч	۲				
	А	ь	2	s	σ	
?		Я	ч	ø	К.	
	4	۰	×	ь	mi.	
	S	7	S		ĸ	
\	а		z	S	2	
	Ą	4	۲	۳	4	
		١				
	V	4	7	2	\	
S	a		۳	4	ĸ.	
	э	ľ			3	
	a		4	à	σ	
	×	٦		۳		
>					ĸ.	
	Я	r				
	SI.		-	ì		
	2	٠	7	₹	•	
7	٧.	?			/	
	×					
	ς.				١.	

	Leave blank
Question 9 continued	Olalik
	00
	<b>Q9</b>
(Total 9 marks)	



Leave blank

**10.** The circle C has centre X(3, 5) and radius r

The line *l* has equation y = 2x + k, where *k* is a constant.

(a) Show that l and C intersect when

$$5x^2 + (4k - 26)x + k^2 - 10k + 34 - r^2 = 0$$

**(3)** 

Given that l is a tangent to C,

(b) show that  $5r^2 = (k + p)^2$ , where p is a constant to be found.

(3)




Figure 2

The line *l* 

- cuts the y-axis at the point A
- touches the circle *C* at the point *B*

as shown in Figure 2.

Given that AB = 2r

(c) find the value of k

**(6)** 

	Leave
	blank
Question 10 continued	
Question to commute	



estion 10 continued	

	Leave
	blank
Question 10 continued	



Leave

Question 10 continued		blank
		Q10
	(Total 12 marks)	
	END TOTAL FOR PAPER IS 75 MARKS	