Please check the examination details bel	Please check the examination details below before entering your candidate information				
Candidate surname		Other names			
Centre Number Candidate N	umber				
Pearson Edexcel Inter	Pearson Edexcel International Advanced Level				
Time 2 hours	Paper reference	WPS02	2/01		
Psychology			0 0		
International Advanced Le	evel				
			rios		
PAPER 2: Biological Psychology, Learning Theories					
and Development					
You do not need any other materia	lc		Total Marks		
loa do not need any other materia	13.		IOtal Marks		
			JL J		

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.

Information

- The total mark for this paper is 96.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- The list of formulae and statistical tables are printed at the start of this paper.
- Candidates may use a calculator.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







FORMULAE AND STATISTICAL TABLES

Standard deviation (sample estimate)

$$\left(\frac{\sum (x-\bar{x})^2}{n-1}\right)$$

Spearman's rank correlation coefficient

$$1 - \frac{6\sum d^2}{n(n^2 - 1)}$$

Critical values for Spearman's rank

Level of significance for a one-tailed test

	Level of significance for a one-tailed test				
	0.05	0.025	0.01	0.005	0.0025
	Level of significance for a two-tailed test				
N	0.10	0.05	0.025	0.01	0.005
5	0.900	1.000	1.000	1.000	1.000
6	0.829	0.886	0.943	1.000	1.000
7	0.714	0.786	0.893	0.929	0.964
8	0.643	0.738	0.833	0.881	0.905
9	0.600	0.700	0.783	0.833	0.867
10	0.564	0.648	0.745	0.794	0.830
11	0.536	0.618	0.709	0.755	0.800
12	0.503	0.587	0.678	0.727	0.769
13	0.484	0.560	0.648	0.703	0.747
14	0.464	0.538	0.626	0.679	0.723
15	0.446	0.521	0.604	0.654	0.700
16	0.429	0.503	0.582	0.635	0.679
17	0.414	0.485	0.566	0.615	0.662
18	0.401	0.472	0.550	0.600	0.643
19	0.391	0.460	0.535	0.584	0.628
20	0.380	0.447	0.520	0.570	0.612
21	0.370	0.435	0.508	0.556	0.599
22	0.361	0.425	0.496	0.544	0.586
23	0.353	0.415	0.486	0.532	0.573
24	0.344	0.406	0.476	0.521	0.562
25	0.337	0.398	0.466	0.511	0.551
26	0.331	0.390	0.457	0.501	0.541
27	0.324	0.382	0.448	0.491	0.531
28	0.317	0.375	0.440	0.483	0.522
29	0.312	0.368	0.433	0.475	0.513
30	0.306	0.362	0.425	0.467	0.504

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



Chi-squared distribution formula

$$X^2 = \sum \frac{(O-E)^2}{E}$$
 $df = (r-1)(c-1)$

Critical values for chi-squared distribution

Level o	f significance f	for a one-tailed test
---------	------------------	-----------------------

	0.10	0.05	0.025	0.01	0.005	0.0005
			ignificance	for a two-		
df	0.20	0.10	0.05	0.025	0.01	0.001
1	1.64	2.71	3.84	5.02	6.64	10.83
2	3.22	4.61	5.99	7.38	9.21	13.82
3	4.64	6.25	7.82	9.35	11.35	16.27
4	5.99	7.78	9.49	11.14	13.28	18.47
5	7.29	9.24	11.07	12.83	15.09	20.52
6	8.56	10.65	12.59	14.45	16.81	22.46
7	9.80	12.02	14.07	16.01	18.48	24.32
8	11.03	13.36	15.51	17.54	20.09	26.12
9	12.24	14.68	16.92	19.02	21.67	27.88
10	13.44	15.99	18.31	20.48	23.21	29.59
11	14.63	17.28	19.68	21.92	24.73	31.26
12	15.81	18.55	21.03	23.34	26.22	32.91
13	16.99	19.81	22.36	24.74	27.69	34.53
14	18.15	21.06	23.69	26.12	29.14	36.12
15	19.31	22.31	25.00	27.49	30.58	37.70
16	20.47	23.54	26.30	28.85	32.00	39.25
17	21.62	24.77	27.59	30.19	33.41	40.79
18	22.76	25.99	28.87	31.53	34.81	42.31
19	23.90	27.20	30.14	32.85	36.19	43.82
20	25.04	28.41	31.41	34.17	37.57	45.32
21	26.17	29.62	32.67	35.48	38.93	46.80
22	27.30	30.81	33.92	36.78	40.29	48.27
23	28.43	32.01	35.17	38.08	41.64	49.73
24	29.55	33.20	36.42	39.36	42.98	51.18
25	30.68	34.38	37.65	40.65	44.31	52.62
26	31.80	35.56	38.89	41.92	45.64	54.05
27	32.91	36.74	40.11	43.20	46.96	55.48
28	34.03	37.92	41.34	44.46	48.28	56.89
29	35.14	39.09	42.56	45.72	49.59	58.30
30	36.25	40.26	43.77	46.98	50.89	59.70
40	47.27	51.81	55.76	59.34	63.69	73.40
50	58.16	63.17	67.51	71.42	76.15	86.66
60	68.97	74.40	79.08	83.30	88.38	99.61
70	79.72	85.53	90.53	95.02	100.43	112.32

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



Wilcoxon Signed Ranks test process

- · Calculate the difference between two scores by taking one from the other
- Rank the differences giving the smallest difference Rank 1

Note: do not rank any differences of 0 and when adding the number of scores, do not count those with a difference of 0, and ignore the signs when calculating the difference

- Add up the ranks for positive differences
- Add up the ranks for negative differences
- T is the figure that is the smallest when the ranks are totalled (may be positive or negative)
- N is the number of scores left, ignore those with 0 difference

Critical values for the Wilcoxon Signed Ranks test

Level of significance for a one-tailed test

	0.05	0.025	0.01		
	Level of significance for a two-tailed test				
n	0.1	0.05	0.02		
N=5	0	-	-		
6	2	0	-		
7	3	2	0		
8	5	3	1		
9	8	5	3		
10	11	8	5		
11	13	10	7		
12	17	13	9		

The calculated value must be equal to or less than the critical value in this table for significance to be shown.



SECTION A

BIOLOGICAL PSYCHOLOGY

Answer ALL questions in this section. Write your answers in the spaces provided.

					(Total for Questi	ion 1 = 3 ma	rks)
	num	an behaviour.					(2)
			ess of the function	of neurotransr	mitters as an expl	anation of	
							(1)
1	(a) State	e the function o	of neurotransmitter	S.			




2	Serenity has carried out a correlation to determine whether there is a relationship between how old her participants are in years and the number of hours they slept on average per night.	
	(a) State the two fully operationalised co-variables in Serenity's correlation.	(2)
1		
2		

Serenity's results are shown in **Table 1**.

Age (years)	Average amount of sleep per night (hours)
21	9
18	10
30	8
27	9
24	7

Table 1

(b)	Draw a scatter diagram to represent the data shown in Table 1 .	(3)
	Title	





(c)	Serenity used the Spearman's rank test to see if her results were significant.	
	Give two reasons why Serenity used the Spearman's rank test for her data.	(2)
1		
2		
	(Total for Question 2 = 7 ma	rks)

BLANK PAGE



3	In your studies of biological psychology, you will have learned about the infradian rhythm of the menstrual cycle.		
	(a) Describe the infradian rhythm of the menstrual cycle.	(4)	
•••••			

(b) Explain two strengths of infradian rhythms as an ex	planation of human behaviour.	(4)
1		
1		
2		
	(Total for Question 3 = 8 mar	ks)

4		uring your studies of biological psychology, you will have learned about one of the lowing contemporary studies in detail:	
	•	McDermott (2008) Hoefelmann et al. (2006).	
	(a)	Describe your chosen contemporary study.	(4)
		Chosen study	

(b) Explain two weaknesses of your chosen contemporar	ry study in terms of validity
(a) Explain the Weakinesses of your enosen contemporal	(4)
l	
2	
	(Total for Question 4 = 8 marks)



5	Evaluate the use of brain-scanning techniques in biological psychology.	(8)

/Tatalfan O
(Total for Question 5 = 8 marks)
(Total for Question 5 = 8 marks)
(Total for Question 5 = 8 marks) TOTAL FOR SECTION A = 34 MARKS

DO NOT WRITE IN THIS AREA

BLANK PAGE



SECTION B

LEARNING THEORIES AND DEVELOPMENT Answer ALL questions in this section. Write your answers in the spaces provided. Jasmine has learned how to clean her shoes after she paid attention to her sister cleaning shoes. (a) Describe 'attention' as it is used in social learning theory, using Jasmine as an example. (2) (b) Explain **one** weakness of social learning theory. (2)

(Total for Question 6 = 4 marks)



7	Elijah has been asked to investigate whether today's teenagers feel more stressed compared to teenagers ten years ago and twenty years ago.	
	He created a questionnaire that contains open questions. Elijah asked 10 teenagers, 10 people in their mid-twenties and 10 people in their mid-thirties to answer them.	
	Once Elijah had all the questionnaires back, he noted down the age of the participants and carried out a thematic analysis on the data.	
	(a) Describe how Elijah could carry out a thematic analysis on his data.	(4)

(b) Explain two improvements Elijah could make to his investigation.	(4)
1	
1	
2	
(Total for Questi	on 7 = 8 marks)



Willow has started psychoanalysis to treat her phobia of expressing her opinion. She has an important meeting in three months' time where she needs to be able to	
The psychoanalyst uses free association as part of the therapy. During free association Willow accidently mentioned her father when talking about her husband. In another session Willow was talking about how she did not like her boss and then mentioned	
The psychoanalyst wanted to focus on these statements, but Willow felt embarrassed about her mistakes and tried to talk about something else. She felt the mistakes were not important.	
(a) Describe free association as used in Willow's psychoanalysis.	(4)
	She has an important meeting in three months' time where she needs to be able to state what she thinks. The psychoanalyst uses free association as part of the therapy. During free association Willow accidently mentioned her father when talking about her husband. In another session Willow was talking about how she did not like her boss and then mentioned how her mother had the same colour hair as her boss. The psychoanalyst wanted to focus on these statements, but Willow felt embarrassed about her mistakes and tried to talk about something else. She felt the mistakes were not important.



(b) Explain one strength an for Willow.	nd one weakness of free association as a tr	eatment (4)
Strength		(4)
Weakness		
	(Total for Qu	uestion 8 = 8 marks)



9 Rose has conducted an investigation into whether males or females spend more time doing jobs around the house. She asked her participants to estimate how many hours a week they spent on average doing jobs around the house.

Rose's results for males are shown in **Table 2**.

Participant	Average number of hours a week males spend doing jobs around the house	$(x-\overline{x})$	$(x-\overline{x})^2$
A	4	-1.83	
В	7	1.17	
С	10	4.17	
D	5	-0.83	
E	7	1.17	
F	2	-3.83	
Mean	5.83	Sum of differences ² =	
Standard deviation =			

Table 2

(a) Calculate the standard deviation to two decimal places for the data gathered by Rose by completing **Table 2**.

You must show your calculations.

The formulae and statistical tables can be found at the front of this paper.

(4)

Space for calculations



(Total for Question 9 = 6 m	arks)
(b) Explain one reason why Rose used the standard deviation for her investigation.	(2)

10	Axel has a young dog. He is taking it to puppy class to teach it how to sit and how to wait. He also wants to teach the puppy how to do tricks such as roll over and put a paw into his hand.	
	The puppy class instructor has told him to use treats and praise to teach the puppy. Axel's father says that if the puppy misbehaves then it should be put in a cage for a short while. Axel is concerned about giving the puppy treats all the time.	
	Discuss how operant conditioning can be used to train Axel's puppy.	
	You must make reference to the context in your answer.	(8)
•••••		
•••••		



(Total for Question 10 = 8 marks) TOTAL FOR SECTION B = 34 MARKS	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
(Total for Question 10 = 8 marks)	
TOTAL FOR SECTION B = 34 MARKS	
TOTAL FOR SECTION B = 34 MARKS	 (Total for Question 10 = 8 marks)
IOIAL FOR SECTION B = 34 MARKS	(Total for Question 10 = 8 marks)

SECTION C

11 To what extent can genes be used as an explanation of aggression?	(12)





DO NOT WRITE IN THIS AREA

717
XX
X
AR
- CO.
 XIII
ğ
0
 9
型
- XXAAX
111
Ž
#
UA:
 ARE
 2
X 20 X
ij
25
 DO
 DO:
 DON
 DON
 DONO
 DO NOT
 DO NOT
 DO NOT W
DO NOT W
 DO NOT W
DO NOT W
 DO NOT W
 DO NOT W
DO NOT W
DO NOT W
DO NOT WRITE IN TH
DO NOT WRITE IN TH
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS
DO NOT WRITE IN THIS A
DO NOT WRITE IN THIS AR
DO NOT WRITE IN THIS ARI
DO NOT WRITE IN THIS ARE
DO NOT WRITE IN THIS ARE
DO NOT WRITE IN THIS ARE
DO NOT WRITE IN THIS AREA

(Total for Question 11 = 12 marks)

12 In your studies of biological psychology and learning theories, you will have learned about the following studies:	
Brendgen et al. (2005)	
Watson and Rayner (1920).	
Evaluate the studies by Brendgen et al. (2005) and Watson and Rayner (1920).	
Evaluate the studies by Brendgerret al. (2003) and Watson and Rayner (1920).	(16)



DO NOT WRITE IN THIS AREA

(Total for Question 12 = 16 marks)
TOTAL FOR SECTION C = 28 MARKS



TOTAL FOR PAPER = 96 MARKS