

Module 1

1. Load the dataset
<https://www.kaggle.com/datasets/shashwatwork/dataco-smart-supply-chain-for-big-data-analysis> into power BI.
2. click Transform data, Move to **Power Query Editor (PQE)**
3. Rename the table as Fact_table
4. Remove columns Customer email, customer password, order zipcode
5. Duplicate the fact_table. Replace the table as Dim_Customer
6. Home -> choose columns. select Customer_id, Customer_city, customer_contry, Customer_Fname, Customer_Lname, customer_Segment, customer_street, customer_zipcode, customer_state
7. Remove duplicates (home -> Remove rows -> remove duplicates) as Customer_id
8. Duplicate the fact_table. Replace the table as Dim_Product
9. Home -> choose columns. select Product_card_id, product_category_id, Product_name, Product_price, product_status, Category_id, Department_id
10. Remove duplicates (home -> Remove rows -> remove duplicates) as Product_card_id
11. Duplicate the fact_table. Replace the table as Dim_Category
12. Home -> choose columns. select Category_id
13. Remove duplicates (home -> Remove rows -> remove duplicates) as category_id
14. Duplicate the fact_table. Replace the table as Dim_Shipping
15. Home -> choose columns. select Days for shipping, days for shipment, delivery status, late delivery risk, shipping date, shipping mode
16. Select all columns (by pressing ctrl). Remove duplicates
17. click add_columns -> Index column -> From 1
18. Rename column name as shipping_id
19. In PQE select Fact_table, Home -> Merge queries
(above)Fact table (below) Dim_shipping

Select Common columns on both table (by pressing ctrl)

Join: Left outer

Click ok

20. In fact table, last column table will appear expand it and select only **Shipping_id**

21. Duplicate the fact_table. Replace the table as Dim_location

22. Home -> choose columns. select Market, Order city, order country, order region, order state

23. Select all columns (by pressing ctrl). Remove duplicates

24. click add_columns -> Index column -> From 1

25. Rename column name as Location_id

26. In PQE select Fact_table, Home -> Merge queries
(above)Fact table (below) Dim_location

Select Common columns on both tables (by pressing ctrl)

Join: Left outer

Click ok

27. In fact table, last column table will appear expand it and select only **Location_id**

28. Duplicate the fact_table. Replace the table as Dim_Department

29. Home -> choose columns. select Department_id

30. Remove duplicates (home -> Remove rows -> remove duplicates) as Department_id

31. Modeling → New Table

```
Dim_Date =  
CALENDAR (  
    MIN ( Fact_table[order date (DateOrders)] ),  
    MAX ( Fact_table[shipping date (DateOrders)] )  
)
```

32. Create new columns for each

a. Year = YEAR(Dim_Date[Date])

b. Month Number = MONTH(Dim_Date[Date])

c. Month = FORMAT(Dim_Date[Date], "MMMM")

- d. Quarter = "Q" & QUARTER(Dim_Date[Date])
- e. Week = WEEKNUM(Dim_Date[Date])
- f. Day = DAY(Dim_Date[Date])
- g. Day Name = FORMAT(Dim_Date[Date], "dddd")

33. Create relationship between fact_table and dim_Date

`Dim_Date[Date] → Fact_table[order date (DateOrders)]`

Cardinality: one (Dim_date) to many (Fact table)

Active

`Dim_Date[Date] → Fact_Orders[shipping date (DateOrders)]`

Cardinality: One-to-Many (1:*)

Inactive

34. Click close and apply in PQE

35. Click save frequently

36.