

Instructor

# Alfaisal University - College of Engineering Software Engineering Department

# **Subject: SE 443 – Cloud Computing for Software Engineers Final Project (Fall 2022)**

Dr. George Violettas

	, and the second		
Date	Dec 23 2022 (2 days before the final Time 11:59 PM		
	exam)		
Room	Online		
<b>Grade Percentage</b>	15%		
Student Name:	Rayan Taha Almudawah		
Student Number:	<u>200203</u>		

#### <u>Information and Instructions</u>

**Student Signature:** 

- This is an open book, open notes project. The University's code of ethics applies.
- > Allocate your time wisely.
- Answer each of the exam questions to the best of your knowledge.
- > Clearly state any assumptions made that might be needed to understand your solution.
- ➤ Show your work any sign of serious effort will be considered.

Ques	Mark	Full
tion		
1		5
1.a		5
1.b		5
2.a		5
2.b		5
2.b.i		5
2.b.ii		5
Total		35

Course Learning Outcomes (CLO)		Quest	
	Course Learning Outcomes (CLO)	ions	
S01	An ability to identify, formulate, and solve complex engineering problems by applying principles of engineering, science, and mathematics.	1-2	
S02	An ability to apply engineering design to produce solutions that meet specified needs with consideration of public health, safety, and welfare, as well as global, cultural, social, environmental, and economic factors	1-2	
S03	An ability to communicate effectively with a range of audiences	N/A	
S04	An ability to recognize ethical and professional responsibilities in engineering situations and make informed judgments, which must consider the impact of engineering solutions in global, economic, environmental, and societal contexts	N/A	
S05	An ability to function effectively on a team whose members together provide leadership, create a collaborative and inclusive environment, establish goals, plan tasks, and meet objectives	N/A	
S06	An ability to develop and conduct appropriate experimentation, analyze and interpret data, and use engineering judgment to draw conclusions.	2	
S07	An ability to acquire and apply new knowledge as needed, using appropriate learning strategies	N/A	

#### **Project Delivery**

For all the following, you have to upload ONE SINGLE FILE (pdf) with all the links for the code created (GitHub), plus as many screenshots as you consider necessary. Please, keep it minimum). You have to deliver the file TWO DAYS before the ORIGINAL final exam date (December 22).

Please write as may scripts as necessary in Python 3 to do the following. You are allowed to use any 3rd libraries and/or frameworks. The easiest Python library to use for such purpose is <a href="here">here</a>.

- 1. The first part is an mqtt broker running locally into your computer (localhost) by using the image eclipse-mosquitto. Then do the following:
  - a. Initialize a single-node Docker Swarm. Try to name the swarm. Is it possible?
  - b. Print out the ID, name, and creation date of the Swarm.
  - c. Creates a network named "se443\_test\_net", using the "overlay" driver, "global" scope, and with an IP CIDR range of 10.10.10.0/24.
  - d. Print out the ID, name, and creation date of the network.
    - e. Deploys a service named "broker" with three (3) replicas of the docker image.
      - i. You will also have to configure the service to automatically restart (always).
- 2. The second part has a subscriber and a publisher again running from your local computer with the docker image efrecon/mqtt-client. By using as many as necessary Python scripts you have to publish/subscribe to the above mqtt broker. The topic has to be "alfaisal\_uni" and the messages have to be <ID-Name-Surname-No-XX> where XX will be an increasing counter. Send and receive as many messages as you need to exhibit the above implementation.
  - a. Deploy a service named "subscriber" with three (3) replicas of the <u>efrecon/mqtt-client</u> docker image
  - b. Deploy a service named "publisher" with three (3) replicas of the <u>efrecon/mqtt-client</u> docker image
  - c. You will also have to configure the services to automatically restart (always)
  - d. Your code should print out the names, IDs, and number of running replicas of both server and client services.
  - e. Start publishing messages to the broker, so your code can show how multiple subscriber replicas subscribe to the same topic of multiple broker replicas and multiple publisher replicas send multiple messages. Do craft your messages as you wish (e.g., 1.1.1) to exhibit the above random behaviours.
- 3. Make all your code run for a set amount of time (e.g., 5 minutes), sends a number of messages, and then shut down cleanly, cleaning up after itself to bring down services, remove the overlay network, and finally tear down the Docker Swarm(s).

# **GITHUB LINK:** https://github.com/RayanTaha/Cloud-Computing-Project.git

#### Part1-Code:

# Broker\_Part1.py

```
import docker
import time
import json
client = docker.from_env()
#Reinitialize the swarm To make sure the swarm is empty and new
client.swarm.leave(force = True)
client.swarm.init()
#Print the swarm ID, name, and creation date
print("Swarm's ID: ", client.swarm.attrs['ID'])
print("Swarm's Name: ", client.swarm.attrs['Spec']['Name'])
print("Swarm's Creation Date: ", client.swarm.attrs['CreatedAt'])
print("-----
-----")
#Creating the network with the name se443_test_net and the subnet and driver and scope
client.networks.create("se443_test_net", driver = "overlay", scope = "global", ipam =
docker.types.IPAMConfig(pool_configs = [docker.types.IPAMPool(subnet =
"10.10.10.0/24")]))
for net in client.networks.list():
   if net.name == "se443_test_net":
       print("Network's ID: ", net.id)
       print("Network's Name: ", net.name)
       print("Network's Creation Date: ", net.attrs['Created'])
print("-----
-----")
#Creating the broker service with scale of 3 (replicas) with the name broker and the
restart policy of 'any' (which is always)
client.services.create("eclipse-mosquitto",name = "broker", restart policy =
docker.types.RestartPolicy(condition = "any")).scale(3)
print("Leave it running for 10 minutes...")
time.sleep(600)
print("-----
  ----")
#Cleanup and termination
print("\nTermination Broker service...")
client.services.get("broker").remove()
print("Termination is complete")
```

### Part1-Output:

```
PS D:\4th-Year\SE443-Cloud Computing\Docker_Project> & C:/Users/rayan/AppData/Local/Programs/Python/Python311/python.exe
Swarm's ID: vicxxjclwu8gixd3o2bbfzske
Swarm's Name: default
Swarm's Creation Date: 2022-12-20T19:57:45.187138352Z
Network's ID: 8v0ulb32d150n5nso7uxomzb4
Network's Name: se443_test_net
Network's Creation Date: 2022-12-20T19:57:45.715605156Z
Leave it running for 10 minutes...
Termination Broker service...
Termination is complete
PS D:\4th-Year\SE443-Cloud Computing\Docker_Project> [
                     broker.1.w2x5hl08vz21wynrs eclipse-mosquitto:latest
        Running
                                                                                                7 seconds agc
                     784f315eca38 🗇
                     broker.3.rnmcgg3r8vvmc4es' eclipse-mosquitto:latest
        Running
                                                                                               4 seconds agc ■
                     4434dbb71865
                     broker.2.jfk6fbsvhrtn7j6o6nli eclipse-mosquitto:latest
        Running
                                                                                               0 seconds agc ■
                     e74ecedb07b4 🗇
                                                                                                             Showing 11 items
```

#### Part2-Code:

RAM 1.99GB CPU 1.74% Connected to Hub

```
import docker
import time
import json
client = docker.from_env()
#Printing the network details required
for net in client.networks.list():
    if net.name == "se443_test_net":
       print("Network ID: ", net.id)
       print("Network Name: ", net.name)
       print("Network Creation Date: ", net.attrs['Created'])
 ----")
#Creating subscriber service with scale of 3 (replicas) with the name Subscriber and
the restart policy of 'any' (which is always) with the image efrecon/mqtt-
client.services.create("efrecon/mqtt-client",
name="Subscriber", restart_policy=docker.types.RestartPolicy(condition="any"),
networks=["se443_test_net"],
                      command='sub -h host.docker.internal -t alfaisal_uni -
v').scale(3)
```

```
print("Susbcriber's ID:" , client.services.list()[0].id)
print("Susbcriber's Name:" , client.services.list()[0].name)
print("Susbcriber's Creation Date:" , client.services.list()[0].attrs['CreatedAt'])
print("Susbcriber's Number Of Replicas:" ,
client.services.list()[0].attrs['Spec']['Mode']['Replicated']['Replicas'])
print("-----
#Creating publisher service with scale of 3 (replicas) with the name Publisher and the
restart policy of 'any' (which is always) with the image efrecon/mqtt-client
client.services.create("efrecon/mqtt-client",
name="Publisher", restart_policy=docker.types.RestartPolicy(condition="any"),
networks=["se443 test net"],
                     command='pub -h host.docker.internal -t alfaisal_uni -m "<200304</pre>
- Meteb - Almadi - 0554271113>"').scale(3)
print("Publisher's ID:" , client.services.list()[0].id)
print("Publisher's Name:" , client.services.list()[0].name)
print("Publisher's Creation Date:" , client.services.list()[0].attrs['CreatedAt'])
print("Publisher's Number Of Replicas:" ,
client.services.list()[0].attrs['Spec']['Mode']['Replicated']['Replicas'])
print("------
-----")
print("Leave it running for 5 minutes...")
time.sleep(300)
print("------
#Cleanup and termination
print("Terminating Publisher, Subscriber, and Network services and finally leaving the
swarm")
client.services.get("Publisher").remove()
print("Publisher Terminated....")
client.services.get("Subscriber").remove()
print("Subscriber Terminated....")
client.networks.get("se443_test_net").remove()
print("Network Terminated....")
client.swarm.leave(force=True)
print("Swarm Left Forcefully....")
```

# Part2-Output:

```
PS \ D: \ Ath-Year\ SE443-Cloud \ Computing \ Docker\_Project> \ \& \ C: \ /Users/rayan/AppData/Local/Programs/Python/Python311/python.exe
Network ID: hk3m78tenanyng16uukehh98i
Network Name: se443_test_net
Network Creation Date: 2022-12-20T19:59:30.999968658Z
Susbcriber's ID: xcg798pszjyne2qe19nj1ch3x
Susbcriber's Name: Subscriber
Susbcriber's Creation Date: 2022-12-20T19:59:31.096258015Z
Susbcriber's Number Of Replicas: 3
Publisher's ID: axrb9ozc1nrpnzpl025ath35f
Publisher's Name: Publisher
Publisher's Creation Date: 2022-12-20T19:59:31.249018076Z
Publisher's Number Of Replicas: 3
Leave it running for 10 minutes...
Terminating Publisher, Subscriber, and Network services and finally leaving the swarm
Publisher Terminated....
Subscriber Terminated....
Network Terminated....
Swarm Left Forcefully....
PS D:\4th-Year\SE443-Cloud Computing\Docker_Project> []
```

	06104945td68 □				
	Publisher.2.s525ww2febrcoerb4e76485facc 🗇	Exited		<b>&gt;</b>	•
	Publisher.3.x93dzggraj2ci64s 49720d7db9ce 🗇	Exited		<b>&gt;</b>	•
	Subscriber.3.lqwoz5aedigm9: 42850742deea 🗇	Running	21 seconds ag	•	ı
	Subscriber.2.y71do25c9mt42 36968cc42bb3 🗇	Running	18 seconds ag	•	ī
	Publisher.1.6hpb3w0d3tketkl 768a228b43db 🗓	Exited		<b>&gt;</b>	•
	<b>Publisher.2.fdi8z0phisorza4a</b> ∙ 37dd8a56c89d 🗓	Exited		<b>&gt;</b>	ı
	Publisher.3.l5pwc44cxfbssljb d4fb9a37f013 🖺	Exited		<b>&gt;</b>	ī

< •	Subscriber.2.y71do25c9mt42 RUNNING	va0kcox13vsn efrecon/mqtt-client:latest
Logs	Inspect Terminal	Stats
2022-12-22 22 2022-12-22 22	2:28:38 alfaisal_uni <200203 2:28:40 alfaisal_uni <200203 2:28:45 alfaisal_uni <200203 2:28:45 alfaisal_uni <200203 2:28:49 alfaisal_uni <200203 2:28:50 alfaisal_uni <200203 2:28:51 alfaisal_uni <200203 2:28:54 alfaisal_uni <200203 2:28:55 alfaisal_uni <200203 2:28:56 alfaisal_uni <200203 2:28:57 alfaisal_uni <200203 2:28:59 alfaisal_uni <200203	- Rayan - Almudawah - 0564086839>