

Nama : Muhammad Radhitya Arifiansyah

Nim : 242410101065

Kelas : A

Aktivitas 1


1. Buat Resource Controller: php artisan make:controller MahasiswaController --resource --model=Mahasiswa

```
<?php

namespace App\Http\Controllers;

use App\Models\Barang;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Storage;
use Illuminate\Validation\Rule;


class BarangController extends Controller
{
    public function index()
    {
```



2. Daftarkan di routes/web.php: Route::resource('mahasiswa', MahasiswaController::class)

```
Route::get('/pengelolaan', [BarangController::class, 'index'])->name('pengelolaan');
Route::get('/pengelolaan/create', [BarangController::class, 'create'])->name('barang.create');
Route::post('/pengelolaan', [BarangController::class, 'store'])->name('barang.store');
Route::get('/pengelolaan/{barang}', [BarangController::class, 'show'])->name('barang.show');
Route::get('/pengelolaan/{barang}/edit', [BarangController::class, 'edit'])->name('barang.edit');
Route::put('/pengelolaan/{barang}', [BarangController::class, 'update'])->name('barang.update');
Route::delete('/pengelolaan/{barang}', [BarangController::class, 'destroy'])->name('barang.destroy');
```

3. Buat semua view: mahasiswa/index.blade.php (tabel + pagination), create.blade.php (form), edit.blade.php (form pre-filled), show.blade.php (detail)



```

6 create.blade.php
7 <section class="hero">
8 <div>
9   <span class="hero-tag">Create - Tambah Barang</span>
10  <h2>Tambah Barang Baru</h2>
11  <p>Isi form berikut untuk menyimpan barang baru ke database inventaris.</p>
12 </div>
13 </section>
14
15 <section class="form-section">
16 <div class="section-heading">
17   <h2>Form Tambah Barang</h2>
18   <p>Semua field wajib diisi supaya data inventaris tetap lengkap.</p>
19 </div>

```

```

7 edit.blade.php
8 <section class="hero">
9 <div>
10   <span class="hero-tag">Update - Edit Barang</span>
11   <h2>Edit Barang</h2>
12   <p>Ubah data barang <strong>{{ $barang->nama }}</strong>.</p>
13 </div>
14 </section>
15
16 <section class="form-section">
17 <div class="section-heading">
18   <h2>Form Edit Barang</h2>
19   <p>Perubahan akan disimpan ke tabel barang setelah tombol update ditekan.</p>
20 </div>
21 <form action="{{ route('barang.update', $barang) }}" method="POST" enctype="multipart/form-data">
22   @method('PUT')
23   @include('barang._form', ['submitLabel' => 'Update Barang'])
24 </form>
25 </section>

```

```

7 <section class="hero">
8 <div>
9   <span class="hero-tag">Detail - Barang</span>
10  <h2>Detail Barang</h2>
11  <p>Informasi lengkap barang <strong>{{ $barang->nama }}</strong>.</p>
12 </div>
13 </section>
14
15 <section class="dashboard-section">
16 <div class="card detail-card">
17   <h3>{{ $barang->nama }}</h3>
18
19   @if ($barang->foto)
20     <div class="barang-photo-wrapper">
21       nama }}" />
22     </div>
23   @else
24     <p>Belum ada foto barang.</p>
25   @endif

```

4. Implementasi method index() — ambil semua mahasiswa dengan paginate(10) dan tampilkan ke view

```

{
    public function index()
    {
        $username = session('username', 'radit');

        $barangs = Barang::latest()->paginate(10);

        $totalBarang = Barang::count();
        $totalStok = Barang::sum('stok');
        $totalNilai = Barang::selectRaw('COALESCE(SUM(stok * harga), 0) as total')->value('total');
        $stokMenipis = Barang::where('stok', '<', 5)->count();

        return view('pengelolaan', compact(
            'username',
            'barangs',
            'totalBarang',
            'totalStok',
            'totalNilai',
            'stokMenipis'
        ));
    }
}

```

```

@forelse ($barangs as $barang)
    <tr>
        <td>{{ $barangs->firstItem() + $loop->index }}</td>
        <td>{{ $barang->kode }}</td>
        <td>{{ $barang->nama }}</td>
    </tr>
@endforelse

```

5. Implementasi create() dan store() — dengan validasi nim (unique), nama (min:3), email (email|unique), jurusan (in:SI,TI,MI)

```

public function create()
{
    $username = session('username', 'radit');

    return view('barang.create', compact('username'));
}

```

```

40 public function store(Request $request)
41 {
42     $validated = $request->validate([
43         'kode' => ['required', 'max:20', 'unique:barangs,kode'],
44         'nama' => ['required', 'min:3', 'max:100'],
45         'kategori' => ['required', Rule::in(['Gamepass', 'Voucher', 'Private Server'])],
46         'stok' => ['required', 'integer', 'min:0'],
47         'harga' => ['required', 'numeric', 'min:1000'],
48         'tanggal_masuk' => ['required', 'date'],
49         'foto' => ['nullable', 'image', 'mimes:jpg,jpeg,png', 'max:2048'],
50     ]);
51
52     $validated['aktif'] = true;
53
54     if ($request->hasFile('foto')) {
55         $validated['foto'] = $request->file('foto')->store('barang', 'public');
56     }
57
58     Barang::create($validated);
59
60     return redirect()
61         ->route('pengelolaan')
62         ->with('success', 'Barang berhasil ditambahkan.');
```

6. Implementasi edit() dan update() — tampilkan form dengan old() atau \$mahasiswa->field, validasi unique kecuali ID ini

```
72     public function edit(Barang $barang)
73     {
74         $username = session('username', 'radit');
75
76         return view('barang.edit', compact('username', 'barang'));
77     }
78
```

```
79     public function update(Request $request, Barang $barang)
80     {
81         $validated = $request->validate([
82             'kode' => ['required', 'max:20', Rule::unique('barangs', 'kode')->ignore($barang->id)],
83             'nama' => ['required', 'min:3', 'max:100'],
84             'kategori' => ['required', Rule::in(['Gamepass', 'Voucher', 'Private Server'])],
85             'stok' => ['required', 'integer', 'min:0'],
86             'harga' => ['required', 'numeric', 'min:1000'],
87             'tanggal_masuk' => ['required', 'date'],
88             'foto' => ['nullable', 'image', 'mimes:jpg,jpeg,png', 'max:2048'],
89         ]);
90
91         if ($request->hasFile('foto')) {
92             if ($barang->foto) {
93                 Storage::disk('public')->delete($barang->foto);
94             }
95
96             $validated['foto'] = $request->file('foto')->store('barang', 'public');
97         }
98
99         $barang->update($validated);
100
101         return redirect()
102             ->route('pengelolaan')
103             ->with('success', 'Barang berhasil diperbarui.');
```

```
1  @csrf
2
3  <div class="form-grid">
4      <div class="form-group">
5          <label for="kode">Kode Barang</label>
6          <input type="text" id="kode" name="kode" value="{{ old('kode', $barang->kode ?? '') }}" placeholder="Co
7          @error('kode') <small class="error-message">{{ $message }}</small> @enderror
8      </div>
9
10     <div class="form-group">
11         <label for="nama">Nama Barang</label>
12         <input type="text" id="nama" name="nama" value="{{ old('nama', $barang->nama ?? '') }}" placeholder="Ma
13         @error('nama') <small class="error-message">{{ $message }}</small> @enderror
14     </div>
15
16     <div class="form-group">
17         <label for="kategori">Kategori</label>
18         <select id="kategori" name="kategori">
19             <option value="">Pilih kategori</option>
20             @foreach (['Gamepass', 'Voucher', 'Private Server'] as $kategori)
21                 <option value="{{ $kategori }}" @selected(old('kategori', $barang->kategori ?? '') === $kategori)>{{
22             @endforeach
23         </select>
24         @error('kategori') <small class="error-message">{{ $message }}</small> @enderror
25     </div>
```

7. Implementasi destroy() — dengan konfirmasi JavaScript sebelum hapus

```

106     public function destroy(Barang $barang)
107     {
108         if ($barang->foto) {
109             Storage::disk('public')->delete($barang->foto);
110         }
111
112         $barang->delete();
113
114         return redirect()
115             ->route('pengelolaan')
116             ->with('success', 'Barang berhasil dihapus.');
```

```

@push('scripts')
<script>
    document.querySelectorAll('.delete-form').forEach(function (form) {
        form.addEventListener('submit', function (event) {
            const namaBarang = form.dataset.name || 'barang ini';
            if (!confirm('Yakin ingin menghapus ' + namaBarang + '?')) {
                event.preventDefault();
            }
        });
    });
</script>
@endpush
```

8. Tambahkan flash message di layout dan tampilkan session('success') / session('error')

```

1  @if (session('success'))
2      <div class="flash flash-success">{{ session('success') }}</div>
3  @endif
4
5  @if (session('error'))
6      <div class="flash flash-error">{{ session('error') }}</div>
7  @endif
8
9  @if (session('info'))
10     <div class="flash flash-info">{{ session('info') }}</div>
11 @endif
12
```

```

11 <body>
12
13     @include('partials.navbar', ['username' => $username ?? 'Guest'])
14
15     <main class="page-content">
16         @include('partials.flash')
17         @yield('content')
18     </main>
19
20     @include('partials.footer')
21
22     @stack('scripts')
23 </body>
24 </html>
```

Barang berhasil ditambahkan.

9. BONUS: Tambahkan fitur upload foto profil dengan validasi
image|mimes:jpg,png|max:2048

```
<div class="form-group">
  <label for="foto">Foto Barang</label>
  <input type="file" id="foto" name="foto" accept="image/png, image/jpeg, image/jpg">
  @error('foto') <small class="error-message">{{ $message }}</small> @enderror

  @isset($barang)
    @if ($barang->foto)
      <small>Foto saat ini: {{ $barang->foto }}</small>
    @endif
  @endisset
</div>
</div>
```

```
'foto' => ['nullable', 'image', 'mimes:jpg,jpeg,png', 'max:2048'],
```

Foto Barang

Choose File No file chosen

The foto field must be a file of type: jpg, jpeg, png.

Aktivitas 6

1. Instal Laravel Breeze: composer require laravel/breeze --dev, kemudian php artisan
breeze:install blade

```
C:\laragon\www\Robuxraditt Activity 6 — Middleware & Autentikasi
λ composer require laravel/breeze --dev
./composer.json has been updated
Running composer update laravel/breeze
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
  - Locking laravel/breeze (v2.4.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
  - Downloading laravel/breeze (v2.4.1)
  - Installing laravel/breeze (v2.4.1): Extracting archive
Generating optimized autoload files
> Illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

INFO Discovering packages.
laravel/breeze ..... DONE
laravel/pail ..... DONE
laravel/tinker ..... DONE
nesbot/carbon ..... DONE
nunomaduro/collision ..... DONE
nunomaduro/termwind ..... DONE
```

```
C:\laragon\www\Robuxraditt
λ php artisan breeze:install blade

[INFO] Installing and building Node dependencies.
[OK] done

up to date, audited 160 packages in 1s

39 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

C:\laragon\www\Robuxraditt
> build
> vite build

vite v8.0.12 building client environment for production...
transforming... ✓ 56 modules transformed.
rendering chunks...
computing gzip size...
public/build/manifest.json      0.33 kB | gzip: 0.16 kB
public/build/assets/app-idj_g1Sz.css 47.84 kB | gzip: 8.80 kB
public/build/assets/app-hXBokQ4a.js 86.49 kB | gzip: 31.55 kB

✓ built in 789ms

C:\laragon\www\Robuxraditt
λ php artisan breeze:install blade

[INFO] Breeze scaffolding installed successfully.
```

2. Jalankan php artisan migrate untuk membuat tabel users

```
C:\laragon\www\Robuxraditt
λ php artisan migrate

[INFO] Running migrations.

2026_05_06_000006_add_role_to_users_table ..... 73.64ms DONE
2026_05_06_000007_add_user_id_to_barangs_table ..... 78.81ms DONE

C:\laragon\www\Robuxraditt
```

3. Jalankan npm install && npm run dev untuk build assets

```
C:\laragon\www\Robuxraditt
λ npm install axios

added 20 packages, and audited 160 packages in 4s

39 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

C:\laragon\www\Robuxraditt
λ npm run dev

vite v8.0.12 building client environment for production...
transforming... ✓ 56 modules transformed.
rendering chunks...
computing gzip size...
public/build/manifest.json      0.33 kB | gzip: 0.16 kB
public/build/assets/app-idj_g1Sz.css 47.84 kB | gzip: 8.80 kB
public/build/assets/app-hXBokQ4a.js 86.49 kB | gzip: 31.55 kB

✓ built in 789ms


C:\laragon\www\Robuxraditt
λ npm run dev


vite v8.0.12 building client environment for production...
transforming... ✓ 56 modules transformed.
rendering chunks...
computing gzip size...
public/build/manifest.json      0.33 kB | gzip: 0.16 kB
public/build/assets/app-idj_g1Sz.css 47.84 kB | gzip: 8.80 kB
public/build/assets/app-hXBokQ4a.js 86.49 kB | gzip: 31.55 kB

✓ built in 789ms
```

4. Coba register dan login di <http://127.0.0.1:8000/register>

Sudah Register





5. Amankan semua route mahasiswa dengan middleware auth:


Route::middleware('auth')->resource('mahasiswa', MahasiswaController::class)

```
Route::middleware(['auth'])->group(function () {
    Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard');

    Route::view('/profil', 'profile')->name('profile');

    Route::get('/pengelolaan', [BarangController::class, 'index'])->name('pengelolaan');
    Route::get('/pengelolaan/create', [BarangController::class, 'create'])->name('barang.create');
    Route::post('/pengelolaan', [BarangController::class, 'store'])->name('barang.store');
    Route::get('/pengelolaan/{barang}', [BarangController::class, 'show'])->name('barang.show');
    Route::get('/pengelolaan/{barang}/edit', [BarangController::class, 'edit'])->name('barang.edit');
    Route::put('/pengelolaan/{barang}', [BarangController::class, 'update'])->name('barang.update');
    Route::delete('/pengelolaan/{barang}', [BarangController::class, 'destroy'])->name('barang.destroy');
});
```

6. Coba akses /mahasiswa tanpa login — pastikan diredirect ke halaman login



7. Tambahkan nama user di navbar: {{ auth()->user()->name }}


```

35     <div class="nav-user">
36         @auth
37         <span>{{ auth()->user()->name }}</span>
38         @else
39         <span>Guest</span>
40         @endauth
41     </div>
42 </nav>
43 </header>

```

8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu

```

C:\laragon\www\Robuxraditt
λ php artisan make:middleware CekAdmin

INFO Middleware [C:\laragon\www\Robuxraditt\app\Http\Middleware\CekAdmin.php] created successfully.

```

```

1  <?php
2
3  namespace App\Http\Middleware;
4
5  use Closure;
6  use Illuminate\Http\Request;
7  use Symfony\Component\HttpFoundation\Response;
8
9  class CekAdmin
10 {
11     public function handle(Request $request, Closure $next): Response
12     {
13         if (!auth()->check()) {
14             return redirect()->route('login');
15         }
16
17         if (auth()->user()->role !== 'admin') {
18             abort(403, 'Halaman ini hanya boleh diakses admin.');

```

```

29 Route::middleware(['auth', 'cek.admin'])
30     ->prefix('admin')
31     ->name('admin.')
32     ->group(function () {
33         Route::view('/dashboard', 'admin.dashboard')->name('dashboard');
34     });
35

```

9. BONUS: Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login

```

{
    public function up(): void
    {
        Schema::table('barangs', function (Blueprint $table) {
            if (!Schema::hasColumn('barangs', 'user_id')) {
                $table->foreignId('user_id')
                    ->nullable()
                    ->after('id')
                    ->constrained('users')
                    ->onDelete('cascade');
            }
        });
    }
}

```

```

use HasFactory, SoftDeletes;

protected $table = 'barangs';

protected $fillable = [
    'kode',
    'nama',
    'kategori',
    'stok',
    'harga',
    'tanggal_masuk',
    'aktif',
    'foto',
];

```

```

class BarangController extends Controller
{
    public function index()
    {
        $username = auth()->user()->name;

        $query = Barang::where('user_id', auth()->id());

        $barangs = (clone $query)->latest()->paginate(10);
        $totalBarang = (clone $query)->count();
        $totalStok = (clone $query)->sum('stok');
        $totalNilai = (clone $query)->selectRaw('COALESCE(SUM(stok * harga), 0) as total')->value('total');
        $stokMenipis = (clone $query)->where('stok', '<', 5)->count();

        return view('pengelolaan', compact(
            'username',
            'barangs',
            'totalBarang',
            'totalStok',
            'totalNilai',
            'stokMenipis'
        ));
    }
}

```