Nama : Muhammad Radhitya Arifiansyah
Nim : 242410101065
Kelas : A

Aktivitas 1

1. Instal XAMPP terbaru, pastikan PHP 8.2+ tersedia (cek: php --version di terminal)

```
C:\laragon\www
λ php --version
PHP 8.3.30 (cli) (built: Jan 13 2026 22:50:40) (ZTS Visual C++ 2019 x64)
Copyright (c) The PHP Group
Zend Engine v4.3.30, Copyright (c) Zend Technologies
```

2. Instal Composer dari getcomposer.org, verifikasi dengan: composer --version

```
C:\laragon\www
λ composer --version
Composer version 2.9.4 2026-01-22 14:08:50
PHP version 8.3.30 (C:\laragon\bin\php\php-8.3.30-Win32-vs16-x64\php.exe)
Run the "diagnose" command to get more detailed diagnostics output.
```

3. Buat proyek Laravel baru: composer create-project laravel/laravel siak-app

```
λ composer create-project laravel/laravel Robuxraditt
Creating a "laravel/laravel" project at "./Robuxraditt"
Installing laravel/laravel (v13.3.0)
  - Installing laravel/laravel (v13.3.0): Extracting archive
Created project in C:\laragon\www\Robuxraditt
> @php -r "file_exists('.env') || copy('.env.example', '.env');"
Loading composer repositories with package information
Updating dependencies
Lock file operations: 107 installs, 0 updates, 0 removals
```

4. Buat database baru 'siak_db' di phpMyAdmin



5. Konfigurasi file .env: isi DB_DATABASE, DB_USERNAME, DB_PASSWORD sesuai lokal

```
DB_CONNECTION=mysql
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=robuxraditt_db
DB_USERNAME=root
DB_PASSWORD=
```

6. Jalankan: php artisan key:generate

```
C:\laragon\www\Robuxraditt
λ php artisan key:generate

  INFO  Application key set successfully.

C:\laragon\www\Robuxraditt
```

7. Jalankan server: php artisan serve — buka http://127.0.0.1:8000 di browser



8. Eksplorasi struktur folder, buka setiap folder dan pahami fungsinya

Oke

9. Jalankan php artisan route:list dan catat route apa saja yang sudah terdaftar

```
GET|HEAD  /  ..............................................................  routes/web.php:5
GET|HEAD  storage/{path} storage.local › vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServiceProv…
PUT       storage/{path} storage.local.upload › vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServ…
GET|HEAD  up  ......... vendor/laravel/framework/src/Illuminate/Foundation/Configuration/ApplicationBuilder.php:223

                                                                          Showing [4] routes
```

GET|HEAD	/	routes/web.php:5
GET|HEAD	storage/{path}	storage.local
PUT	storage/{path}	storage.local.upload
GET|HEAD	up	health check

Aktivitas 2

1. Buat Controller DashboardController: php artisan make:controller DashboardController

```
C:\laragon\www\Robuxraditt
λ  php artisan make:controller DashboardController

  INFO  Controller [C:\laragon\www\Robuxraditt\app\Http\Controllers\DashboardController.php] created successfully.


C:\laragon\www\Robuxraditt
λ
```

2. Tambahkan method index() yang mengembalikan view('dashboard') di DashboardController

```php
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;

class DashboardController extends Controller
{
    public function index()
    {
        return view('dashboard');
    }
}
```

3. Daftarkan route di routes/web.php: Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard')

```php
use App\Http\Controllers\DashboardController;

Route::get('/', function () {
    return view('welcome');
});

Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard');
```

4. Buat file view sementara resources/views/dashboard.blade.php berisi '<h1>Dashboard SIAK</h1>'

```
.env   DashboardController.php   web.php   dashboard.blade.php ×   BLACKBOX
resources > views > dashboard.blade.php > h1
1  <h1>Dashboard Robuxraditt</h1>
2
```

5. Akses http://127.0.0.1:8000/dashboard di browser — pastikan tampil



6. Buat route /tentang dengan Route::view('/tentang', 'tentang') dan buat view-nya



7. Jalankan php artisan route:list — amati semua route yang terdaftar



GET|HEAD /
GET|HEAD dashboard
GET|HEAD storage/{path}
PUT storage/{path}
GET|HEAD tentang
GET|HEAD up

8. Coba buat Route::get('/hitung/{a}/{b}', fn($a, $b) => $a + $b) dan akses /hitung/10/25