

Nama : Muhammad Radhitya Arifiansyah

Nim : 242410101065

Kelas : A

Aktivitas 3

1. Buat layout master: resources/views/layouts/app.blade.php dengan navbar, main content area (@yield('content')), dan footer

```
resources > views > layouts > app.blade.php > html > head > title
1 <!DOCTYPE html>
2 <html lang="id">
3 <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <meta name="description" content="Inventaris RobuxRadit – Sistem Manajemen Barang">
7     <title>@yield('title', 'Inventaris RobuxRadit')</title>
8     <link rel="stylesheet" href="{{ asset('css/style.css') }}">
9     @stack('styles')
10 </head>
11 <body>
12
13     @include('partials.navbar', ['username' => $username ?? 'Guest'])
14
15     <main class="page-content">
16         @include('partials.flash')
17         @yield('content')
18     </main>
19
20     @include('partials.footer')
21
22     @stack('scripts')
23 </body>
24 </html>
25
```

2. Buat partial: resources/views/partials/navbar.blade.php dan sisipkan dengan @include di layout

```
resources > views > partials > navbar.blade.php > header.site-header
1 <header class="site-header">
2     <nav class="navbar">
3         <div class="brand">
4             
6             <div class="brand-badge" style="display:none;">RR</div>
7         </div>
8         <h1>Inventaris RobuxRadit</h1>
9         <p>Kelola data barang dengan lebih rapi dan cepat</p>
10    </div>
11
12    <ul class="nav-menu">
13        <li>
14            <a href="{{ route('dashboard', ['username' => $username]) }}" class="{{ request()->routeIs('dashboard') ? 'active' : '' }}">
15                Dashboard
16            </a>
17        </li>
18        <li>
19            <a href="{{ route('pengelolaan', ['username' => $username]) }}" class="{{ (request()->routeIs('pengelolaan') || request()->routeIs('barang')) ? 'active' : '' }}">
20                Pengelolaan
21            </a>
22        </li>
23        <li>
24            <a href="{{ route('profile', ['username' => $username]) }}" class="{{ request()->routeIs('profile') ? 'active' : '' }}">
25                Profil
26            </a>
27        </li>
28    </ul>
29 </header>
```

3. Buat halaman dashboard: resources/views/dashboard.blade.php yang @extends('layouts.app')

```
resources > views > dashboard.blade.php > ...
1  @extends('layouts.app')
2
3  @section('title', 'Dashboard – Inventaris RobuxRedit')
4
5  @section('content')
6
7  <section class="hero">
8      <div>
9          <span class="hero-tag">Dashboard • Statistik • Ringkasan</span>
10         <h2>Selamat datang, {{ $username }}! 🎮</h2>
11         <p>
12             Pantau statistik inventaris barang Roblox kamu dalam satu tampilan ringkas.
13         </p>
14     </div>
15 </section>
16
17 @php
18     $statCards = [
19         [
20             'judul' => 'Total Jenis Barang',
21             'nilai' => $totalBarang ?? 0,
22             'ikon' => '📦',
23             'warna' => '',
24             'keterangan' => 'Jumlah jenis barang terdaftar',
25         ],
26         [
27             'judul' => 'Total Stok',
28             'nilai' => $totalStok ?? 0,
29             'ikon' => '📦',
30             'warna' => '',
31             'keterangan' => 'Total seluruh unit barang',
32         ],
33     ];
34 @endphp
```

4. Tampilkan flash session message di layout: @if(session('success')) ... @endif

```
11 <body>
12
13     @include('partials.navbar', ['username' => $username ?? 'Guest'])
14
15     <main class="page-content">
16         @include('partials.flash')
17         @yield('content')
18     </main>
19
20     @include('partials.footer')
21
22     @stack('scripts')
23 </body>
24 </html>
25
```

```
resources > views > partials > flash.blade.php > ...
1  @if (session('success'))
2      <div class="flash flash-success">{{ session('success') }}</div>
3  @endif
4
5  @if (session('error'))
6      <div class="flash flash-error">{{ session('error') }}</div>
7  @endif
8
9  @if (session('info'))
10     <div class="flash flash-info">{{ session('info') }}</div>
11 @endif
12
```

5. Buat komponen: resources/views/components/stat-card.blade.php (kartu statistik dengan props: judul, nilai, ikon, warna)

```
resources > views > components > stat-card.blade.php > ...
1  @props([
2      'judul' => 'Judul Statistik',
3      'nilai' => '0',
4      'ikon' => '📊',
5      'warna' => '',
6  ])
7
8  <article class="card stat-card {{ $warna }}">
9      <div class="stat-card-top">
10         <span class="stat-icon">{{ $ikon }}</span>
11         <p class="stat-label">{{ $judul }}</p>
12     </div>
13
14     <h3>{{ $nilai }}</h3>
15
16     @if (trim($slot) !== '')
17         <small>{{ $slot }}</small>
18     @endif
19 </article>
20
```

6. Gunakan @forelse di dashboard untuk loop array data dummy (jumlah mahasiswa, mata kuliah, dll)

```
56 <div class="card-grid">
57     @forelse ($statCards as $stat)
58         <x-stat-card
59             :judul="$stat['judul']"
60             :nilai="$stat['nilai']"
61             :ikon="$stat['ikon']"
62             :warna="$stat['warna']"
63         >
64             {{ $stat['keterangan'] }}
65         </x-stat-card>
66     @empty
67         <article class="card stat-card">
68             <p class="stat-label">Belum Ada Statistik</p>
69             <h3>0</h3>
70             <small>Data statistik belum tersedia.</small>
71         </article>
72     @endforelse

```

7. Buat halaman 'Tentang' dan 'Kontak' yang @extends layout yang sama

```
resources > views > kontak.blade.php > section.dashboard-section > div.detail-grid >
1 @extends('layouts.app')
2
3 @section('title', 'Kontak - RobuxRadit')
4
5 @section('content')
6
7 <section class="hero">
8   <div>
9     <span class="hero-tag">Kontak • Halaman Statis</span>
10    <h2>Kontak</h2>
11    <p>
12      Halaman ini berisi kontak dan informasi tentang adminit
13    </p>
14  </div>
15 </section>
16
17 <section class="dashboard-section">
18   <div class="section-heading">
19     <h2>Informasi Kontak</h2>
20     <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. I
21   </div>
```

```
1 @extends('layouts.app')
2
3 @section('title', 'Tentang - RobuxRadit')
4
5 @section('content')
6
7 <section class="hero">
8   <div>
9     <span class="hero-tag">Tentang • Halaman Statis</span>
10    <h2>Tentang Aplikasi</h2>
11    <p>
12      Halaman ini berisi informasi tentang sistem
13    </p>
14  </div>
15 </section>
16
17 <section class="dashboard-section">
18   <div class="section-heading">
19     <h2>Deskripsi Singkat</h2>
20     <p>
21     Lorem ipsum dolor sit amet, consectetur adipiscing elit. Apl
```

8. Gunakan `@push('scripts')` dan `@stack('scripts')` untuk menambahkan JavaScript spesifik per halaman

```
9 @stack('styles')
10 </head>
11 <body>
12
13 @include('partials.navbar', ['username' => $username ?? 'Guest'])
14
15 <main class="page-content">
16   @include('partials.flash')
17   @yield('content')
18 </main>
19
20 @include('partials.footer')
21
22 @stack('scripts')
23 </body>
24 </html>
```

```
104
105 @push('scripts')
106 <script>
107   document.addEventListener('DOMContentLoaded', function () {
108     console.log('Halaman dashboard berhasil dimuat.');

```

Aktivitas 4

1. Buat Model dan Migration sekaligus: php artisan make:model Mahasiswa -m

```
app > Models > Barang.php > ...
1 <?php
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7 use Illuminate\Database\Eloquent\SoftDeletes;
8
9 class Barang extends Model
10 {
11     use HasFactory, SoftDeletes;
12
13     protected $table = 'barangs';
14
15     protected $fillable = [
16         'kode',
17         'nama',
18         'kategori',
19         'stok',
20         'harga',
21         'tanggal_masuk',
22         'aktif',
23         'foto',
24     ];
25 }
```

```
1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 return new class extends Migration
8 {
9     /**
10      * Run the migrations.
11      */
12     public function up(): void
13     {
14         Schema::create('users', function (Blueprint $table) {
15             $table->id();
16             $table->string('name');
17             $table->string('email')->unique();
18             $table->timestamp('email_verified_at')->nullable();
19             $table->string('password');
20             $table->rememberToken();
21             $table->timestamps();
22         });
23
24         Schema::create('password_reset_tokens', function (Blueprint $table) {
25             $table->string('email')->primary();
26             $table->string('token');
27             $table->timestamp('created_at')->nullable();
28         });
29     }
30 }
```

2. Edit file migration: tambahkan kolom nim, nama, email, jurusan (enum), ipk (decimal), semester, aktif (boolean), foto (nullable)

Done

3. Jalankan migration: php artisan migrate — cek di phpMyAdmin bahwa tabel sudah terbuat

```
C:\laragon\www\Robuxraditt
λ php artisan migrate:--fresh --seed

INFO Preparing database: Creating Migration
Creating migration table ..... 25.47ms DONE

INFO Running migrations.
0001_01_01_000000_create_users_table ..... 80.42ms DONE
0001_01_01_000001_create_cache_table ..... 43.15ms DONE
0001_01_01_000002_create_jobs_table ..... 72.65ms DONE
```

		id	kode	nama	kategori	stok	harga	tanggal_masuk	created_at	updated_at
☐	Edit Copy Delete	1	BRG-001	Gamepass Dandys	Gamepass	12	35000	2026-04-10	2026-04-28 23:51:40	2026-04-28 23:51:40
☐	Edit Copy Delete	2	BRG-002	Voucher Robux 400	Voucher	4	79000	2026-04-11	2026-04-28 23:51:40	2026-04-28 23:51:40
☐	Edit Copy Delete	3	BRG-003	Private Server Sailor Piece	Private Server	7	129000	2026-04-12	2026-04-28 23:51:40	2026-04-28 23:51:40
☐	Edit Copy Delete	4	BRG-004	Gamepass VIP Blox Fruits	Gamepass	3	89000	2026-04-13	2026-04-28 23:51:40	2026-04-28 23:51:40
☐	Edit Copy Delete	5	BRG-005	Voucher Robux 800	Voucher	9	149000	2026-04-14	2026-04-28 23:51:40	2026-04-28 23:51:40
☐	Edit Copy Delete	6	BRG-006	Private Server King Legacy	Private Server	2	99000	2026-04-15	2026-04-28 23:51:40	2026-04-28 23:51:40

4. Edit Model Mahasiswa: isi \$fillable, tambahkan \$casts, dan buat local scope scopeAktif()

```

9  class Barang extends Model
15     protected $fillable = [
16         'kode',
17         'nama',
18         'kategori',
19         'stok',
20         'harga',
21         'tanggal_masuk',
22         'aktif',
23         'foto',
24     ];
25
26     protected $casts = [
27         'stok' => 'integer',
28         'harga' => 'integer',
29         'tanggal_masuk' => 'datetime',
30         'aktif' => 'boolean',
31     ];
32
33     public function scopeAktif($query)
34     {
35         return $query->where('aktif', true);
36     }
37
38     public function scopeStokMenipis($query)
39     {
40         return $query->where('stok', '<', 5);
41     }
42
43     public function suppliers()
44     {
45         return $this->belongsToMany(Supplier::class, 'barang_supplier')
46             ->withTimestamps();

```

5. Buat seeder: php artisan make:seeder MahasiswaSeeder — isi dengan 5-10 data dummy

```

1  <?php
2
3  namespace Database\Seeders;
4
5  use App\Models\Barang;
6  use Illuminate\Database\Seeder;
7
8  class BarangSeeder extends Seeder
9  {
10     public function run(): void
11     {
12         $data = [
13             ['kode' => 'BRG-001', 'nama' => 'Gamepass VIP Roblox', 'kategori' => 'Gamepass'],
14             ['kode' => 'BRG-002', 'nama' => 'Voucher Robux 100', 'kategori' => 'Voucher'],
15             ['kode' => 'BRG-003', 'nama' => 'Private Server Bulanan', 'kategori' => 'Private Server'],
16             ['kode' => 'BRG-004', 'nama' => 'Gamepass Premium', 'kategori' => 'Gamepass'],
17             ['kode' => 'BRG-005', 'nama' => 'Voucher Robux 500', 'kategori' => 'Voucher'],
18             ['kode' => 'BRG-006', 'nama' => 'Private Server Mingguan', 'kategori' => 'Private Server'],
19             ['kode' => 'BRG-007', 'nama' => 'Gamepass Starter', 'kategori' => 'Gamepass'],
20             ['kode' => 'BRG-008', 'nama' => 'Voucher Robux 1000', 'kategori' => 'Voucher'],
21         ];
22
23         foreach ($data as $item) {
24             Barang::updateOrCreate(['kode' => $item['kode']], $item);

```

6. Daftarkan seeder di DatabaseSeeder.php dan jalankan: php artisan db:seed

```

1  <?php
2
3  namespace Database\Seeders;
4
5  use Illuminate\Database\Seeder;
6
7  class DatabaseSeeder extends Seeder
8  {
9      public function run(): void
10     {
11         $this->call([
12             BarangSeeder::class,
13             SupplierSeeder::class,
14         ]);
15     }
16 }
17

```

```

C:\laragon\www\Robuxraditt
λ php artisan db:seed

INFO Seeding database.

```

7. Buka php artisan tinker dan coba query: Mahasiswa::all(), Mahasiswa::where('jurusan','SI')->get(), Mahasiswa::avg('ipk')

```

C:\laragon\www\Robuxraditt
λ php artisan tinker
Psy Shell v0.12.22 (PHP 8.3.30 - cli) by Justin Hile
New PHP manual is available (latest: 3.0.5). Update now? (y/n) [n]
> use App\Models\Barang;
> Barang::all();

= Illuminate\Database\Eloquent\Collection {#7811}
  all: [
    App\Models\Barang {#7819}
      id: 1,
      kode: "BRG-001",
      nama: "Gamepass VIP Roblox",
      kategori: "Gamepass",
      stok: 12,

```

```

> Barang::where('kategori', 'Gamepass')->get();

= Illuminate\Database\Eloquent\Collection {#7791
  all: [
    App\Models\Barang {#7789
      id: 1,
      kode: "BRG-001",
      nama: "Gamepass VIP Roblox",
      kategori: "Gamepass",

```

```

> Barang::avg('harga');

= "58125.000000"

```

8. Coba buat relasi: buat tabel mata_kuliah dan tabel pivot krs, lalu definisikan relasi belongsToMany di Model

```

λ php artisan tinker
Psy Shell v0.12.22 (PHP 8.3.30 - cli) by Justin Hileman
New PHP manual is available (latest: 3.0.5). Update with `doc --update-

> use App\Models\Barang; use App\Models\Supplier;

> Barang::with('suppliers')->first();

= App\Models\Barang {#7841
  id: 1,
  kode: "BRG-001",
  nama: "Gamepass VIP Roblox",
  kategori: "Gamepass",
  stok: 12,
  harga: "35000.00",
  tanggal_masuk: "2026-05-01",
  aktif: 1,
  foto: null,
  created_at: "2026-05-05 19:02:36",
  updated_at: "2026-05-05 19:02:36",
  deleted_at: null,
  suppliers: Illuminate\Database\Eloquent\Collection {#7391
    all: [],
  },

```