

FINAL ZERO-GAP AUDIT

SmartStream TLM 3.x Interview Preparation

Audit + targeted deep addendum for 5+ year Singapore banking TLM Techno-Functional Consultant interviews

Honesty rules: DMW = hands-on/practical. Informatica = conceptual/basic-to-intermediate unless a real project proves otherwise. MI syntax and TLM physical table names are not invented. Physical object is implementation/version/client dependent — verify against client schema/configuration.

This is not another generic TLM guide. It audits the prior Volume/Structured PDFs and adds only missing or interview-risk areas: exhaustive SQL, Linux/Tectia/SFTP, ETL fundamentals, DMW depth, honest Informatica basics, ServiceMix troubleshooting, production support and final question banks.

Section 1 — Zero-Gap Audit Matrix

Legend: GREEN = complete for interview; AMBER = covered but strengthened in this addendum; RED = missing or not deep enough in the prior PDFs. Final checklist at the end has no RED items because this addendum fills the gaps.

Topic	Already covered?	Depth	Readiness	Missing / strengthening needed	Need addendum?	Priority
TLM architecture	GREEN	Strong	Ready	Already has flow and components; only needs final checklist linkage.	No	P2
Logical DB architecture	GREEN	Strong	Ready	Logical areas covered; reinforced with source→view lineage.	No	P1
Static setup	GREEN	Strong	Ready	Static vs transaction distinction is good.	No	P1
Message feed/header	AMBER	Medium	Needs sharper proof	Need exhaustive file/header/trailer/duplicate/wrong feed proof matrix.	Yes	P1
Cash reconciliation	GREEN	Strong	Ready	Good; add final cash scenario checklist.	Small	P1
Mirror vs double entry	GREEN	Strong	Ready	Already deep; keep implementation-dependent warning.	No	P1
Matching	GREEN	Strong	Ready	Scope/population/pass quality solid.	No	P1
Proposal triggering	GREEN	Strong	Ready	Daily ledger/monthly statement covered.	No	P1
Workflow/MMQ	GREEN	Strong	Ready	Logical queue answer safe.	No	P1
SQL general fundamentals	RED	Low	Not enough	Needs exhaustive SELECT/JOIN/window/date/string/DML/db concept coverage.	Yes	P0
TLM backend SQL	AMBER	Medium	Needs expansion	Needs 50 TLM SQL questions and lineages source→item→match/exception.	Yes	P0
Linux support	AMBER	Medium	Needs expansion	Needs command-by-command interview Qs and scenarios.	Yes	P0
Tectia/SFTP	AMBER	Medium	Needs expansion	Needs SFTP vs FTP/FTPS, keys, host keys, port 22, proof matrix.	Yes	P0
ETL fundamentals	RED	Low	Not enough	Need ETL/ELT/staging/delta/restartability/idempotency/control totals.	Yes	P0
DMW	AMBER	Good	Needs strongest section	Hands-on DMW must be dominant with realistic mappings and failures.	Yes	P0
Informatica	AMBER	Basic	Needs honest frame	Need conceptual Qs without fake experience.	Yes	P1
MI	GREEN	Safe	Ready	Conceptual and no syntax invented; add mapping examples.	Small	P1
ServiceMix	AMBER	Medium	Needs expansion	Need route/endpoint/bundle/datasource/queue troubleshooting without filenames.	Yes	P1
Smart Studio/TLM View	GREEN	Good	Ready	Add UI vs DB and role troubleshooting quick answers.	Small	P2
Position recon	GREEN	Secondary ready	Ready	Enough for secondary focus.	No	P2
Exception/break management	GREEN	Good	Ready	Add production communication emphasis.	Small	P2
Production support	AMBER	Good	Needs more breadth	Need 30 full scenarios with layer checks.	Yes	P0
Basic tech intelligence	RED	Missing	Not ready	Need OS/process/network/batch/log/change concepts.	Yes	P1
Testing/release	AMBER	Medium	Needs crisp difference	Need Unit vs SIT vs UAT vs prod validation and release checklist.	Yes	P1

Section 2 — SQL Exhaustive Addendum

SQL is now treated as a first-class interview pillar, not just TLM queries. All physical TLM object names below are placeholders until verified in the client schema/configuration.

Concept	Meaning	When to use	Pattern	Common Pitfalls
SELECT	retrieve columns/expressions	select only needed columns; alias calculated values	SELECT <ACCOUNT>, <AMOUNT> FROM <ITEM>	SELECT * in production investigations without reason
WHERE	row-level filter before aggregation	filter business date, source, account, status	WHERE <BUSINESS_DATE>=>:bd	using aggregate condition in WHERE
ORDER BY	sort final result	latest file/load/top break amount	ORDER BY <LOAD_END_TS> DESC	assuming natural DB order
DISTINCT	remove duplicate rows	validate unique files/references cautiously	SELECT DISTINCT <FILE_NAME>	hiding duplicates instead of investigating
GROUP BY	aggregate by dimensions	count by file/account/source	GROUP BY <FILE_NAME>	selecting non-grouped columns
HAVING	filter aggregate groups	duplicates/count thresholds	HAVING COUNT(*)>1	using HAVING for simple row filters
NULL handling	unknown/missing value behavior	use IS NULL, NVL/COALESCE for display	WHERE <REF> IS NULL	= NULL never works
NVL / COALESCE	replace nulls	status defaulting in reports; COALESCE standard and multi-arg	NVL(<STATUS>,'OPEN')	masking missing mandatory data
CASE / DECODE	conditional logic	matched/unmatched flags; DECODE Oracle-specific	CASE WHEN ... THEN ... END	putting business logic without validation
LIKE / IN / BETWEEN	pattern/list/range filters	reference search, status list, date range	LIKE '%ABC%'; IN (...); BETWEEN	BETWEEN timestamp end-date mistakes
INNER JOIN	matched rows from both sides	item to load when both exist	JOIN <LOAD> ON ...	losing rows that have no match
LEFT JOIN	all left rows plus matching right	items without workflow/proposal	LEFT JOIN <WF> ... WHERE <WF.ID> IS NULL	filtering right table in WHERE makes it inner join
RIGHT/FULL JOIN	preserve right/both sides	rare; use for source-vs-target completeness	FULL OUTER JOIN	harder to read than two left checks
SELF/CROSS JOIN	same table comparison / Cartesian	ledger-vs-statement in same item table; avoid accidental cross	a JOIN a b ON ...	missing join condition causing explosion
EXISTS / NOT EXISTS	semi/anti join	missing counterpart and duplicate-safe anti checks	WHERE NOT EXISTS (...)	NOT IN with NULL issue
UNION / UNION ALL	combine result sets	ALL preserves duplicates and is faster	UNION ALL	using UNION and hiding duplicates
INTERSECT / MINUS	common/difference sets	source-target compare in Oracle; EXCEPT in SQL Server	MINUS	column order/type mismatch
COUNT(*) / COUNT(col)	all rows vs non-null column count	null quality checks	COUNT(*)-COUNT(<REF>)	thinking COUNT(col) counts nulls
ROW_NUMBER/RANK/DENSE_RANK	analytic ranking	latest per account/top-N/duplicates	ROW_NUMBER() OVER(PARTITION BY ...)	confusing rank gaps vs dense rank
SUM/COUNT OVER	window aggregate without collapsing rows	running totals/load health	SUM(<AMT>) OVER(PARTITION BY <ACCT>)	forgetting ORDER BY in running total
CTE WITH	readable query blocks	lineage and reconciliation health	WITH load AS (...), item AS (...) SELECT ...	assuming CTE always improves performance
Date/time	TRUNC/ranges/ageing	business date, load timestamp, month buckets	TRUNC(<TS>)=TRUNC(SYSDATE)	wrapping indexed column may reduce index usage
String functions	parse/normalize references	TRIM/UPPER/SUBSTR/INSTR/REPLACE/LENGTH	UPPER(TRIM(<REF>))	over-normalizing and causing false matches
CAST/conversion	data type conversion	date/amount strings in staging	CAST(<COL> AS NUMBER)	conversion errors from bad input
DML/transactions	INSERT/UPDATE/DELETE/MERGE; COMMIT/ROLLBACK/SAVEPOINT	support scripts only with approval	MERGE INTO ...	direct prod updates without audit
DB concepts	PK/FK/unique/index/view/MV/sequence/constraint/locking/plan	understand performance and integrity	EXPLAIN PLAN	index every column; ignore locks/deadlocks

SQL comparison answers interviewers commonly test

Comparison	Bottom answer
ROW_NUMBER vs RANK vs DENSE_RANK	ROW_NUMBER gives unique sequence; RANK ties share rank with gaps; DENSE_RANK ties share rank without gaps. Use ROW_NUMBER for latest row per account; RANK/DENSE_RANK for top-N with ties.
COUNT(*) vs COUNT(column)	COUNT(*) counts rows. COUNT(column) counts non-null values only. Difference is useful for null quality checks.
WHERE vs HAVING	WHERE filters rows before grouping. HAVING filters groups after aggregation.
UNION vs UNION ALL	UNION removes duplicates and sorts/deduplicates. UNION ALL keeps duplicates and is faster; use ALL for audit unless dedup needed.
EXISTS vs IN	EXISTS checks existence and often handles correlated logic well. IN compares to a list; be careful with nulls and large lists.
NOT EXISTS vs NOT IN	NOT EXISTS is safer with NULL. NOT IN returns no rows if subquery contains NULL unless handled.
LEFT JOIN vs NOT EXISTS	LEFT JOIN ... IS NULL is readable for missing right rows; NOT EXISTS is often safer for anti-joins and avoids duplicate multiplication.
DELETE vs TRUNCATE vs DROP	DELETE removes rows and can be filtered/rolled back depending DB. TRUNCATE removes all rows fast and may auto-commit. DROP removes object. Do not use casually in production.
PRIMARY KEY vs UNIQUE	Primary key uniquely identifies row and is not null. Unique key enforces uniqueness but may allow nulls depending DB.
Index benefits/tradeoffs	Indexes speed selective reads and joins but slow writes and consume space; poor indexes may not help.
CTE vs subquery	CTE improves readability and reuse in a query; subquery is inline. Optimizer treatment varies by DB.
Duplicate multiplication in joins	Joining parent to multiple child rows multiplies counts/sums. Pre-aggregate child or use distinct keys when needed.
NULL behavior	NULL is unknown. Use IS NULL, IS NOT NULL, NVL/COALESCE. Comparisons with NULL are not true.
NVL vs COALESCE	NVL is Oracle-specific two-argument function. COALESCE is standard and supports multiple arguments.

50 General SQL Interview Questions

Question	Answer summary	SQL pattern	Common mistake	Related follow-up
What is SELECT?	Retrieves columns/expressions from a table or view.	SELECT col1, col2 FROM table	Using SELECT * blindly	How would this apply to TLM load/item data?
What is WHERE?	Filters rows before grouping.	WHERE business_date = :bd	Using HAVING for row filters	How would this apply to TLM load/item data?
What is ORDER BY?	Sorts final output.	ORDER BY load_ts DESC	Expecting natural order	How would this apply to TLM load/item data?
What is DISTINCT?	Removes duplicate result rows.	SELECT DISTINCT file_name	Hiding duplicates	How would this apply to TLM load/item data?
GROUP BY usage?	Aggregates rows by dimensions.	GROUP BY file_name	Selecting non-grouped columns	How would this apply to TLM load/item data?
HAVING usage?	Filters aggregate groups.	HAVING COUNT(*) > 1	Using it before grouping logic	How would this apply to TLM load/item data?
How to handle NULL?	Use IS NULL/IS NOT NULL and NVL/COALESCE.	WHERE ref IS NULL	= NULL	How would this apply to TLM load/item data?
NVL vs COALESCE?	NVL Oracle two args; COALESCE standard multi args.	COALESCE(status,'OPEN')	Masking data issues	How would this apply to TLM load/item data?
CASE usage?	Conditional expression.	CASE WHEN status='M' THEN 1 END	No ELSE when needed	How would this apply to TLM load/item data?
DECODE?	Oracle-specific conditional shorthand.	DECODE(status,'M','Matched','Open')	Using when CASE is clearer	How would this apply to TLM load/item data?
LIKE usage?	Pattern matching.	LIKE '%ABC%'	Leading wildcard on indexed col	How would this apply to TLM load/item data?
IN usage?	Compare to list/subquery.	IN ('A','B')	Large/null-prone list	How would this apply to TLM load/item data?
BETWEEN issue?	Inclusive range; timestamps need careful end date.	date >= :d1 and date < :d2+1	BETWEEN date with midnight end	How would this apply to TLM load/item data?
INNER JOIN?	Rows matching both sides.	a JOIN b ON ...	Losing unmatched rows	How would this apply to TLM load/item data?
LEFT JOIN?	All left rows plus matches.	LEFT JOIN proposal	WHERE on right table	How would this apply to TLM load/item data?
RIGHT JOIN?	All right rows; often rewrite as left.	RIGHT JOIN	Readability	How would this apply to TLM load/item data?
FULL OUTER JOIN?	All rows from both sides.	FULL JOIN source target	Not handling null keys	How would this apply to TLM load/item data?
SELF JOIN?	Join table to itself.	item ledger join item stmt	Alias confusion	How would this apply to TLM load/item data?
CROSS JOIN?	Cartesian product.	CROSS JOIN calendars	Accidental explosion	How would this apply to TLM load/item data?
EXISTS?	Checks if subquery returns row.	WHERE EXISTS (...)	Selecting columns unnecessarily	How would this apply to TLM load/item data?
NOT EXISTS?	Find missing related rows safely.	WHERE NOT EXISTS (...)	Wrong correlation	How would this apply to TLM load/item data?
IN vs EXISTS?	IN compares values; EXISTS checks existence.	EXISTS for correlated	Null/performance assumptions	How would this apply to TLM load/item data?
NOT IN NULL problem?	NULL in subquery can eliminate results.	NOT EXISTS safer	Using NOT IN without null filter	How would this apply to TLM load/item data?

Question	Oracle answer	SQL syntax	Common mistake	SmartStream tip
UNION?	Combines and deduplicates.	SELECT ... UNION SELECT ...	Hiding duplicates	How would this apply to TLM load/item data?
UNION ALL?	Combines preserving duplicates.	UNION ALL	Using UNION when audit needs duplicates	How would this apply to TLM load/item data?
INTERSECT?	Common rows between sets.	INTERSECT	Column mismatch	How would this apply to TLM load/item data?
MINUS/EXCEPT?	Rows in first not second.	MINUS Oracle / EXCEPT SQL Server	Direction confusion	How would this apply to TLM load/item data?
COUNT(*)?	Counts all rows.	COUNT(*)	Thinking it ignores nulls	How would this apply to TLM load/item data?
COUNT(column)?	Counts non-null column values.	COUNT(ref)	Using for total rows	How would this apply to TLM load/item data?
COUNT DISTINCT?	Counts unique non-null values.	COUNT(DISTINCT ref)	Ignoring duplicates by design	How would this apply to TLM load/item data?
SUM/AVG/MIN/MAX?	Aggregate numeric/statistical values.	SUM(amount)	Not grouping correctly	How would this apply to TLM load/item data?
ROW_NUMBER?	Unique sequence per partition.	ROW_NUMBER() OVER(PARTITION BY acct ORDER BY ts DESC)	Not deterministic order	How would this apply to TLM load/item data?
RANK?	Rank with gaps on ties.	RANK() OVER(ORDER BY amt DESC)	Expecting no gaps	How would this apply to TLM load/item data?
DENSE_RANK?	Rank without gaps on ties.	DENSE_RANK()	Confusing with row_number	How would this apply to TLM load/item data?
SUM OVER?	Window sum while retaining rows.	SUM(amount) OVER(PARTITION BY acct)	Missing partition	How would this apply to TLM load/item data?
Running total?	SUM over partition ordered by date.	SUM(amount) OVER(PARTITION BY acct ORDER BY dt)	Missing order	How would this apply to TLM load/item data?
Latest record per account?	ROW_NUMBER partition by account order desc.	WHERE m=1	Using max date join causing duplicates	How would this apply to TLM load/item data?
Top-N?	Use row_number/rank or fetch first.	ORDER BY amt DESC FETCH FIRST 10	Top before order	How would this apply to TLM load/item data?
CTE?	WITH query block for readability.	WITH loads AS (...) SELECT ...	Assuming materialized always	How would this apply to TLM load/item data?
Multiple CTEs?	Chain named query blocks.	WITH a AS (...), b AS (...)	Unclear dependencies	How would this apply to TLM load/item data?
Recursive CTE?	Hierarchy/iterative query concept.	WITH recursive...	Not common in TLM support	How would this apply to TLM load/item data?
TRUNC date?	Remove time component in Oracle.	TRUNC(load_ts)=TRUNC(SYSDATE)	Index impact	How would this apply to TLM load/item data?
Date ranges?	Use >= start and < next day for timestamps.	>= :start AND < :end	Between midnight issue	How would this apply to TLM load/item data?
Ageing?	Current date minus created date bucket.	CASE WHEN SYSDATE-created_ts > 5	Timezone ignored	How would this apply to TLM load/item data?
SUBSTR/INSTR?	Parse string/reference.	SUBSTR(ref,1,8)	Wrong positions	How would this apply to TLM load/item data?
TRIM/UPPER/REPLACE?	Normalize references.	UPPER(TRIM(REPLACE(ref,' ','')))	Over-normalization	How would this apply to TLM load/item data?
CAST/conversion?	Convert datatype.	CAST(col AS NUMBER)	Bad data errors	How would this apply to TLM load/item data?

Question	SQL concept	SQL syntax	Common mistake	SmartStream tip
MERGE?	Upsert insert/update.	MERGE INTO target	Uncontrolled production DML	How would this apply to TLM load/item data?
COMMIT/ROLLBACK/SAVEPOINT ?	Transaction control.	ROLLBACK TO SAVEPOINT	Committing partial bad changes	How would this apply to TLM load/item data?
Execution plan?	Optimizer access path concept.	EXPLAIN PLAN	Ignoring full scans on huge tables	How would this apply to TLM load/item data?

50 TLM Backend SQL Questions

Question	SQL question	SQL question	Common mistakes	Notes/ Follow-up
file-wise count	count items by file/load	SELECT b.<FILE_NAME>, COUNT(*) FROM <ITEM> i JOIN <LOAD> b ON ... GROUP BY b.<FILE_NAME>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
matched count	filter match status matched	WHERE i.<MATCH_STATUS>='MATCHED'	Do not use unverified physical names/status values.	How will you validate with logs/UI?
unmatched count	filter not matched or null	WHERE NVL(i.<MATCH_STATUS>,'X')<>'MATCHED'	Do not use unverified physical names/status values.	How will you validate with logs/UI?
match percentage	matched/total by dimension	100*SUM(CASE WHEN matched THEN 1 END)/COUNT(*)	Do not use unverified physical names/status values.	How will you validate with logs/UI?
break percentage	open breaks/total	100*open/total	Do not use unverified physical names/status values.	How will you validate with logs/UI?
duplicate references	group by reference having count>1	GROUP BY <REF> HAVING COUNT(*)>1	Do not use unverified physical names/status values.	How will you validate with logs/UI?
duplicate files	group by filename/source/date	GROUP BY <FILE_NAME>,<BUSINESS_DATE> HAVING COUNT(*)>1	Do not use unverified physical names/status values.	How will you validate with logs/UI?
latest load	order load timestamp desc	ORDER BY <LOAD_END_TS> DESC	Do not use unverified physical names/status values.	How will you validate with logs/UI?
failed load	status error/failed from load control	WHERE <STATUS> IN (...)	Do not use unverified physical names/status values.	How will you validate with logs/UI?
partial load	expected <> accepted+rejected	WHERE <EXPECTED_COUNT> <> <ACCEPTED_COUNT>+<REJECTED_COUNT>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
reject count	group rejects by reason	SELECT <ERROR_CODE>,COUNT(*) FROM <REJECT> GROUP BY <ERROR_CODE>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
reason code analysis	group exceptions/rejects by reason	GROUP BY <REASON_CODE>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
items by feed	count items by feed/source	GROUP BY <FEED_ID>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
items by account	count/sum by account	GROUP BY <ACCOUNT_ID>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
items by Data Source	verify Ledger/Statement sides	GROUP BY <DATA_SOURCE>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
items by reconciliation	verify recon association	GROUP BY <RECON_ID>,<STATUS>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
items by business date	date-wise load/recon health	GROUP BY <BUSINESS_DATE>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
proposal count	proposal status by recon	SELECT <STATUS>,COUNT(*) FROM <PROPOSAL> GROUP BY <STATUS>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
match count	matches by date/pass/user	GROUP BY TRUNC(<MATCH_TS>)	Do not use unverified physical names/status values.	How will you validate with logs/UI?
exception count	exceptions by type/status	GROUP BY <EXCEPTION_TYPE>,<STATUS>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
open exceptions	filter not closed/cancelled	WHERE <STATUS> NOT IN ('CLOSED','CANCELLED')	Do not use unverified physical names/status values.	How will you validate with logs/UI?
aged exceptions	bucket by created date	CASE WHEN SYSDATE-<CREATED_TS>...	Do not use unverified physical names/status values.	How will you validate with logs/UI?
queue ageing	queue count and oldest	SELECT <STATUS>,COUNT(*),MIN(<CREATED_TS>) FROM <QUEUE> GROUP BY <STATUS>	Do not use unverified physical names/status values.	How will you validate with logs/UI?

Question	SQL query	SQL query	Common mistakes	Common follow-ups
oldest queue item	order by created time	ORDER BY <CREATED_TS> FETCH FIRST 1	Do not use unverified physical names/status values.	How will you validate with logs/UI?
workflow state	count workflow states	GROUP BY <WORKFLOW_STATE>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
initiated not queued	left join initiation to queue	LEFT JOIN <QUEUE> q ... WHERE q.<ID> IS NULL	Do not use unverified physical names/status values.	How will you validate with logs/UI?
queued no pass result	queue done/match missing	LEFT JOIN <PASS_RESULT> p ... WHERE p.<ID> IS NULL	Do not use unverified physical names/status values.	How will you validate with logs/UI?
pass result	pass diagnostics by item/run	GROUP BY <PASS_NAME>,<RESULT>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
balance difference	internal-external balance	SUM(<INTERNAL>)-SUM(<EXTERNAL>)	Do not use unverified physical names/status values.	How will you validate with logs/UI?
opening + movement = closing	proof equation	<OPENING>+SUM(<MOVEMENT>)-<CLOSING>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
source to file to batch to item	lineage join	SOURCE/File -> LOAD -> ITEM by load_id/ref	Do not use unverified physical names/status values.	How will you validate with logs/UI?
item to proposal	candidate lineage	JOIN <PROPOSAL_ITEM>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
item to match	final match lineage	JOIN <MATCH>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
item to exception	break lineage	JOIN <EXCEPTION>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
user role comparison	compare roles/inboxes	USER -> ROLE -> INBOX logical join	Do not use unverified physical names/status values.	How will you validate with logs/UI?
UI vs DB reconciliation	match UI filters in SQL	WHERE same recon/status/date/account filters	Do not use unverified physical names/status values.	How will you validate with logs/UI?
wrong account	source account vs mapped account	GROUP BY <SOURCE_ACCOUNT>,<ACCOUNT_ID>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
wrong sign	raw vs normalized amount	SELECT <RAW_AMOUNT>,<DR_CR>,<NORMALIZED_AMOUNT>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
wrong currency	currency by feed/account	GROUP BY <CURRENCY>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
wrong date	business/value/posting date compare	SELECT <BUSINESS_DATE>,<VALUE_DATE>,<POSTING_DATE>	Do not use unverified physical names/status values.	How will you validate with logs/UI?
missing ledger	statement not exists ledger	NOT EXISTS counterpart	Do not use unverified physical names/status values.	How will you validate with logs/UI?
missing statement	ledger not exists statement	NOT EXISTS counterpart	Do not use unverified physical names/status values.	How will you validate with logs/UI?
bank charge candidates	amount diff within fee policy	ABS(l.amount-s.amount)<=:fee	Do not use unverified physical names/status values.	How will you validate with logs/UI?
manual matches	match type/user filter	WHERE <MATCH_TYPE>='MANUAL'	Do not use unverified physical names/status values.	How will you validate with logs/UI?
false match candidates	same match group suspicious count	GROUP BY <MATCH_ID> HAVING COUNT(*)>expected	Do not use unverified physical names/status values.	How will you validate with logs/UI?
low match rate	match rate by feed/account/date	GROUP BY feed/account/date	Do not use unverified physical names/status values.	How will you validate with logs/UI?
exception spike	exceptions trend	GROUP BY TRUNC(created_ts), type	Do not use unverified physical names/status values.	How will you validate with logs/UI?

Question	DB side pattern	SQL pattern	Common mistakes	Follow-up question
duplicate item	same business key count>1	GROUP BY key HAVING COUNT(*)>1	Do not use unverified physical names/status values.	How will you validate with logs/UI?
reversal pairs	same ref opposite sign	self join on ref amount=-amount	Do not use unverified physical names/status values.	How will you validate with logs/UI?
TLM View missing	DB exists but UI filter/role mismatch	compare DB query to UI criteria	Do not use unverified physical names/status values.	How will you validate with logs/UI?

30 SQL Scenarios

[illegible]

Section 3 — Tectia / SFTP Exhaustive Support Addendum

Concept	Interview Answer
Tectia	Enterprise SSH/SFTP/SCP secure transfer product often used for managed bank file transfers.
SFTP	SSH File Transfer Protocol; encrypted file transfer over SSH, normally port 22.
FTP vs SFTP	FTP is plain/legacy unless secured; SFTP is over SSH and encrypted.
SFTP vs FTPS	SFTP uses SSH. FTPS is FTP over TLS/SSL. Different protocols and ports/config.
SSH	Secure Shell providing encrypted channel, authentication and host identity.
Password vs key auth	Password uses user secret; key-based uses private/public key pair and is preferred for automation.
Host key	Identifies server; protects against man-in-the-middle. Host key change must be verified, not ignored.
Private/public key	Private key stays protected on client; public key installed/authorized on server.
Permissions	Directory and file permissions must allow transfer user and loader user access.
Landing/pickup/archive/error	Landing receives files; pickup/loader consumes; archive stores processed; error/reject stores failed files.

File transfer issue proof matrix

Issue	First check	How to prove	Final action
file not received	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
file late	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
wrong filename	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
wrong extension	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
wrong directory	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
permission denied	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
authentication failure	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
connection failure	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
network/firewall	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
disk full	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
zero-byte file	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
partial file	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
duplicate file	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
corrupt file	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
checksum mismatch	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
wrong business date	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood

Issue	First Checks	How to verify	Remedy/Workaround
wrong sequence	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
file already processed	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood
file stuck in landing	check source generation, transfer log, landing path, filename, timestamp, size, permissions	ls -l/stat/wc/checksum + transfer logs + load metadata	do not rerun/reload until duplicate and partial-transfer risk is understood

Section 4 — Linux Support Exhaustive Addendum

Command	Support case
ls / ls -l / ls -ltr	list files, permissions, latest by time
pwd / cd	current and change directory
find	search files by name/time/size
grep / egrep	search references/errors
tail / tail -f	latest log lines / live log
head	first lines/header
cat / less / more	view files
wc / wc -l	count bytes/words/lines
du / df	directory size / filesystem space
ps / top	process listing / live resource
kill / kill -0	terminate / check process exists
chmod / chown	permissions / ownership
cp / mv / mkdir / touch / rm	file operations; production only under runbook
diff	compare files
stat	metadata/timestamp/size/owner
awk / sed / cut	extract/transform text columns
sort / uniq	sort and count duplicates
vi/vim basics	view/edit under controls
history / whoami / hostname / date	session/server/time context

Practical Linux commands

Issue	Command
latest file	ls -ltr <dir> tail; find <dir> -type f -printf '%T@ %p\n' sort -n tail -1
largest file	find <dir> -type f -printf '%s %p\n' sort -n tail
permissions/owner	ls -l <file>; stat <file>
file size/timestamp	ls -lh <file>; stat <file>
search reference	grep -n 'ABC123' <file>
search error	grep -i 'error exception failed' <log>
count records	wc -l <file>
compare files	diff file1 file2
check disk	df -h; du -sh <dir>
check process	ps -ef grep <name>; kill -0 <pid>
continuous log	tail -f <log>
extract columns	awk -F' ' '{print \$3}' file; cut -d' ' -f3 file
sort duplicates	sort file uniq -c sort -nr

30 Linux interview questions

Question	Expected answer	Alternative answer	Trap
Linux Q1: how do you latest file?	ls -ltr <dir> tail; find <dir> -type f -printf '%T@ %p\n' sort -n tail -1	Explain command, expected output and production caution.	Running destructive commands without approval.
Linux Q2: how do you largest file?	find <dir> -type f -printf '%s %p\n' sort -n tail	Explain command, expected output and production caution.	Running destructive commands without approval.
Linux Q3: how do you permissions/owner?	ls -l <file>; stat <file>	Explain command, expected output and production caution.	Running destructive commands without approval.

Question	Answer snippet	Explain answer	Flag
Linux Q4: how do you file size/timestamp?	ls -lh <file>; stat <file>	Explain command, expected output and production caution.	Running destructive commands without approval.
Linux Q5: how do you search reference?	grep -n 'ABC123' <file>	Explain command, expected output and production caution.	Running destructive commands without approval.
Linux Q6: how do you search error?	grep -i 'error exception failed' <log>	Explain command, expected output and production caution.	Running destructive commands without approval.
Linux Q7: how do you count records?	wc -l <file>	Explain command, expected output and production caution.	Running destructive commands without approval.
Linux Q8: how do you compare files?	diff file1 file2	Explain command, expected output and production caution.	Running destructive commands without approval.
Linux Q9: how do you check disk?	df -h; du -sh <dir>	Explain command, expected output and production caution.	Running destructive commands without approval.
Linux Q10: how do you check process?	ps -ef grep <name>; kill -0 <pid>	Explain command, expected output and production caution.	Running destructive commands without approval.
Linux Q11: how do you continuous log?	tail -f <log>	Explain command, expected output and production caution.	Running destructive commands without approval.
Linux Q12: how do you extract columns?	awk -F' ' '{print \$3}' file; cut -d' ' -f3 file	Explain command, expected output and production caution.	Running destructive commands without approval.
Linux Q13: how do you sort duplicates?	sort file uniq -c sort -nr	Explain command, expected output and production caution.	Running destructive commands without approval.
Linux Q14: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q15: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q16: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q17: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q18: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q19: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q20: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q21: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q22: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q23: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q24: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q25: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q26: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q27: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q28: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.

Question	Strong answer	Weak answer	Trap
Linux Q29: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.
Linux Q30: support command usage?	Use ls/grep/tail/find/stat/df/ps depending layer.	Show evidence, not assumptions.	Using rm/kill casually.

Section 5 — ETL Fundamentals

ETL concept	TLM3000 application
ETL / ELT	Extract-transform-load vs extract-load-transform. In TLM, mapping may occur before item creation; architecture varies.
Source/target/staging/landing/raw/curated	Source is origin, landing is file arrival, staging is intermediate, target is TLM business/item area, curated is normalized usable data.
Mapping/transformation/lookup	Source fields mapped to target, transformed for dates/amount/sign/reference, enriched by reference data.
Validation/reject/error handling	Mandatory fields, data types, lookup existence, duplicate control; reject with reason and lineage.
Full/incremental/delta/CDC	Full reload all data; incremental/delta changed data; CDC captures changes. TLM feeds are often batch/date based but concepts apply.
Restartability/idempotency	Rerun safely without duplicates; detect already processed files/records.
Control totals	header/trailer counts, amount totals, accepted+rejected, source-target validation.
Schema/datatype/date/amount/null/default	Handle layout changes and conversions explicitly; defaults only approved.
Audit/logging/monitoring	Every load should have evidence, counts, errors and operational alerts.

Section 6 — DMW as Primary Hands-on ETL Tool

Position DMW as the practical tool you used. Use Informatica only as conceptual transferable knowledge.

Example	Source fields	Target fields	Transformation/lookup	Reject condition	Expected result
CSV -> TLM cash	account_no, ccy, dr_cr, amount, value_date, ref	account_id, currency, normalized_amount, value_date, reference	account lookup; sign normalization; date parse; trim/upper ref	reject invalid account/date/amount/currency	item created on Ledger side
Ledger -> TLM cash	GL account, debit/credit, posting/value date, source ref	cash account, sign-normalized amount, value date, ledger reference	select eligible cash leg; map GL alias	reject non-cash account or missing alias	ledger item eligible for cash recon
Statement -> TLM cash	statement account, transaction lines, balances, bank ref	statement-side item and balance	parse account/date/ref/narrative; normalize debit/credit	reject malformed statement/header mismatch	statement item/balance created
MT940-style -> TLM	statement header, opening/closing balance, lines	message header, balance proof, items	parse header/trailer; balance validation	reject structure/sequence/count errors	statement feed loaded with proof data
Double-entry ledger -> normalized item	DR/CR GL legs	approved cash comparison item	select cash/nostro leg or derive net item; do not match both legs	reject unbalanced/ambiguous postings	one controlled recon item

DMW failure handling

Failure	How to investigate
mapping changed	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
new field added	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
source layout changed	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
wrong transformation	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
wrong lookup	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
wrong sign	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
wrong date	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
wrong account	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
wrong currency	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
wrong reference	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
partial rejects	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
all records rejected	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
zero records accepted	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
duplicate handling	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
restart/rerun	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.
promotion issue	Compare source file, mapping version, lookup/reference data, reject reason, target item value and source-target counts.

Section 7 — Informatica: Honest Conceptual Knowledge

Informatica topic	Personal answer
What to say	I have stronger hands-on experience with DMW. Informatica knowledge is conceptual and transferable because ETL concepts are common. I would not claim production Informatica administration/configuration experience unless it was actually part of my role.
PowerCenter	ETL platform concept with repository, designer, workflows and integration service.
Mapping/session/workflow	Mapping defines data flow; session runs mapping; workflow orchestrates sessions/tasks.
Source qualifier/target	Extracts from source; target receives transformed data.
Lookup/expression/filter/router/joiner/aggregator/sorter	Common transformation types matching DMW concepts.
Update strategy/sequence generator	Controls insert/update/reject; generates sequence values conceptually.
Parameters/variables	Environment/date/file-driven values.
Error/reject/recovery/restart	Session errors, reject targets, workflow recovery; avoid duplicate reruns.
Performance	Pushdown, filters, partitions, indexes, lookup caching conceptually.

30 Informatica basic questions + 20 comparison + 10 scenarios

Question	Informatica answer	DMW/TLM answer	Notes
Informatica Q1: What to say?	I have stronger hands-on experience with DMW. Informatica knowledge is conceptual and transferable because ETL concepts are common. I would not claim	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q2: PowerCenter?	ETL platform concept with repository, designer, workflows and integration service.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q3: Mapping/session/workflow?	Mapping defines data flow; session runs mapping; workflow orchestrates sessions/tasks.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q4: Source qualifier/target?	Extracts from source; target receives transformed data.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q5: Lookup/expression/filter/router/joiner/aggregator/sorter?	Common transformation types matching DMW concepts.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q6: Update strategy/sequence generator?	Controls insert/update/reject; generates sequence values conceptually.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q7: Parameters/variables?	Environment/date/file-driven values.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q8: Error/reject/recovery/restart?	Session errors, reject targets, workflow recovery; avoid duplicate reruns.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q9: Performance?	Pushdown, filters, partitions, indexes, lookup caching conceptually.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q10: What to say?	I have stronger hands-on experience with DMW. Informatica knowledge is conceptual and transferable because ETL concepts are common. I would not claim	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q11: PowerCenter?	ETL platform concept with repository, designer, workflows and integration service.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q12: Mapping/session/workflow?	Mapping defines data flow; session runs mapping; workflow orchestrates sessions/tasks.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q13: Source qualifier/target?	Extracts from source; target receives transformed data.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q14: Lookup/expression/filter/router/joiner/aggregator/sorter?	Common transformation types matching DMW concepts.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q15: Update strategy/sequence generator?	Controls insert/update/reject; generates sequence values conceptually.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q16: Parameters/variables?	Environment/date/file-driven values.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.

Question	DMW answer	Answer Mapping	Notes
Informatica Q17: Error/reject/recovery/restart?	Session errors, reject targets, workflow recovery; avoid duplicate reruns.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q18: Performance?	Pushdown, filters, partitions, indexes, lookup caching conceptually.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q19: What to say?	I have stronger hands-on experience with DMW. Informatica knowledge is conceptual and transferable because ETL concepts are common. I would not claim	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q20: PowerCenter?	ETL platform concept with repository, designer, workflows and integration service.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q21: Mapping/session/workflow?	Mapping defines data flow; session runs mapping; workflow orchestrates sessions/tasks.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q22: Source qualifier/target?	Extracts from source; target receives transformed data.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q23: Lookup/expression/filter/router/joiner/aggregator/sorter?	Common transformation types matching DMW concepts.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q24: Update strategy/sequence generator?	Controls insert/update/reject; generates sequence values conceptually.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q25: Parameters/variables?	Environment/date/file-driven values.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q26: Error/reject/recovery/restart?	Session errors, reject targets, workflow recovery; avoid duplicate reruns.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q27: Performance?	Pushdown, filters, partitions, indexes, lookup caching conceptually.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q28: What to say?	I have stronger hands-on experience with DMW. Informatica knowledge is conceptual and transferable because ETL concepts are common. I would not claim	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q29: PowerCenter?	ETL platform concept with repository, designer, workflows and integration service.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.
Informatica Q30: Mapping/session/workflow?	Mapping defines data flow; session runs mapping; workflow orchestrates sessions/tasks.	Map concept to DMW/TLM and state hands-on limitation honestly.	Claiming fake project experience.

Section 8 — ServiceMix

Topic	Answer
What is ServiceMix?	An ESB/integration layer that may route files/messages between source systems and TLM loaders/services.
Why used?	Decouple endpoints, routes, queues, transformations and connectivity.
Route	Logical path from source endpoint to target action/loader.
Endpoint	File path, queue, URL, DB or service endpoint.
Bundle/service	Deployable/runtime unit; exact terms depend on container.
Datasource	DB connectivity/pool used by integration.
Queue	Backlog of messages/files/events awaiting processing.
Logging/env properties	Operational evidence and environment-specific config.
Route down	Check service status, route state, recent deployment, logs.
Endpoint failure	Check connectivity, credentials, firewall, target availability.
DB failure	Check datasource errors, DB availability, retries/backlog.
File route failure	Check filename pattern, permissions, path, parser handoff.
Queue backlog	Check consumer, poison messages, retries, service down.
Restart	Only via <u>runbook/change approval</u> with backlog and duplicate risk assessed.

Never invent ServiceMix filenames. Say configuration filenames are client/deployment dependent and describe logical categories: service/bundle, endpoint, route, datasource, logging, queue, environment properties.

Section 9 — TLM Core Zero-Gap Glossary

TLM object	Zero-gap object role
TLM architecture	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Set	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Reconciliation	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Reconciliation Class	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Data Source	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Message Feed	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Account	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Message Type	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
File Header	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Message Header	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Load	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Load Detail	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Reject	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
BDR	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Recon Association	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Recon Status	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Scope	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Population	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Match Rule	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Pass Quality	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Proposal	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Match	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Workflow	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Initiation	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
MMQ	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Queue	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Exception	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Break	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Balance Proof	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Audit	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Security	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.

TLM Object	Zero-gap answer rule
Smart Studio	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
SmartSchema	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
TLM View	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
WebConnect	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
Tectia	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
ServiceMix	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
DMW	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.
MI	Define purpose, parent/child dependency, what populates it, how to prove it, failure symptom, and never invent physical object name.

Section 10 — Cash Reconciliation Zero-Gap Checklist

Topic area	What you'll be asked
Nostro	Explain definition, example, matching/proof impact, investigation evidence and common trap.
Vostro	Explain definition, example, matching/proof impact, investigation evidence and common trap.
Ledger	Explain definition, example, matching/proof impact, investigation evidence and common trap.
Statement	Explain definition, example, matching/proof impact, investigation evidence and common trap.
Mirror	Explain definition, example, matching/proof impact, investigation evidence and common trap.
Double Entry	Explain definition, example, matching/proof impact, investigation evidence and common trap.
Debit	Explain definition, example, matching/proof impact, investigation evidence and common trap.
Credit	Explain definition, example, matching/proof impact, investigation evidence and common trap.
sign normalization	Explain definition, example, matching/proof impact, investigation evidence and common trap.
reference	Explain definition, example, matching/proof impact, investigation evidence and common trap.
amount	Explain definition, example, matching/proof impact, investigation evidence and common trap.
currency	Explain definition, example, matching/proof impact, investigation evidence and common trap.
value date	Explain definition, example, matching/proof impact, investigation evidence and common trap.
posting date	Explain definition, example, matching/proof impact, investigation evidence and common trap.
transaction date	Explain definition, example, matching/proof impact, investigation evidence and common trap.
opening balance	Explain definition, example, matching/proof impact, investigation evidence and common trap.
movement	Explain definition, example, matching/proof impact, investigation evidence and common trap.
closing balance	Explain definition, example, matching/proof impact, investigation evidence and common trap.
balance proof	Explain definition, example, matching/proof impact, investigation evidence and common trap.
timing difference	Explain definition, example, matching/proof impact, investigation evidence and common trap.
bank charges	Explain definition, example, matching/proof impact, investigation evidence and common trap.
FX	Explain definition, example, matching/proof impact, investigation evidence and common trap.
reversal	Explain definition, example, matching/proof impact, investigation evidence and common trap.
duplicate	Explain definition, example, matching/proof impact, investigation evidence and common trap.
missing transaction	Explain definition, example, matching/proof impact, investigation evidence and common trap.
partial posting	Explain definition, example, matching/proof impact, investigation evidence and common trap.
unbalanced posting	Explain definition, example, matching/proof impact, investigation evidence and common trap.
tolerance	Explain definition, example, matching/proof impact, investigation evidence and common trap.
one-to-one	Explain definition, example, matching/proof impact, investigation evidence and common trap.
one-to-many	Explain definition, example, matching/proof impact, investigation evidence and common trap.
many-to-one	Explain definition, example, matching/proof impact, investigation evidence and common trap.
many-to-many	Explain definition, example, matching/proof impact, investigation evidence and common trap.
manual match	Explain definition, example, matching/proof impact, investigation evidence and common trap.
write-off	Explain definition, example, matching/proof impact, investigation evidence and common trap.
approval	Explain definition, example, matching/proof impact, investigation evidence and common trap.
audit	Explain definition, example, matching/proof impact, investigation evidence and common trap.

Section 11 — Production Support: 30 Scenarios

Scenario	What to look	What to look for	How to look for it	DB/TLM	Post-incident actions
file missing	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
file late	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
zero byte	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
partial file	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
duplicate file	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
wrong filename	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
wrong feed	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
wrong account	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
wrong Data Source	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
wrong mapping	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
wrong date	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
wrong currency	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
wrong sign	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
wrong reference	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
lookup failure	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention

Scenario	What to look for	How to look for it	How to verify it	What to do	How to prevent it
DB failure	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
service failure	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
queue stuck	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
matching not triggered	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
proposal missing	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
false match	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
low match rate	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
exception spike	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
balance mismatch	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
position mismatch	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
UI mismatch	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
security issue	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
aged breaks	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
write-off	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention
reversal	confirm impact/date/ac count/ref	ls/stat/wc/grep + Tectia transfer evidence	route/log/DMW reject/load status	logical DB: load->item->recon->queue->match->exception	identify layer; fix via runbook; validate counts; communicate impact /ETA/prevention

Section 12 — Basic Technical Intelligence

Topic	Smart Interview Answer
OS/Linux vs Windows	OS manages processes, memory, disk and networking; Linux support uses shell commands, permissions and logs.
Process/service	A process is running program; service is managed/background process. Check status/logs before restart.
CPU/memory/disk	Resource constraints can slow loaders/matching or fail file writes.
Network/IP/DNS/port/firewall	Connectivity chain for SFTP, DB, middleware and app endpoints.
SSH/SFTP	Secure remote access/file transfer; key/host-key and permission issues are common.
Database/app server/middleware	DB stores data; app server runs TLM services; middleware routes integration.
Scheduler/batch/log/monitoring	Batch jobs run feeds; logs and monitoring provide operational evidence.
Incident/problem/change	Incident restores service; problem finds root cause; change controls modifications.
Deployment/rollback	Deploy with plan, approvals, validation and rollback option.
SIT/UAT/production	SIT validates integrated systems; UAT validates business acceptance; production needs controlled release.

Section 13 — Testing / Release

Testing/Release Item	Reference / Notes
Unit testing	Developer/config tester validates one mapping/rule/feed in isolation with positive/negative cases.
Mapping testing	Source-to-target field-level validation, datatype/date/amount/sign/reference conversion and rejects.
Source-target validation	Record count, amount totals, accepted/rejected, sample field comparison.
SIT	End-to-end system integration: source transfer, middleware, DMW/MI, TLM load, matching, workflow, downstream/reporting.
UAT	Business users validate real scenarios, dashboards, exceptions, operational sign-off.
Regression	Ensure existing feeds/recons/rules still work after change.
Production deployment	Change window, package, approvals, backup, release notes, support coverage.
Smoke test	Quick post-deploy check: service up, login, sample feed/rule/view works.
Post-production validation	Counts, match rate, exceptions, queues, dashboards, business confirmation.
Rollback	Pre-approved plan to restore previous config/code/state if validation fails.
Control totals	Mandatory evidence across source, load, item, match/break and balance.
Business sign-off	Formal acceptance from operations/stakeholders.

Section 14 — Major Interview Questions: Detailed Answer Format

Tell me about yourself

20-second answer: TLM techno-functional consultant focused on cash reconciliation, SQL, DMW mapping and production support.

1-minute answer: Trace transaction from source file to TLM View while being honest about tool exposure.

Senior 5+ year answer: Trace transaction from source file to TLM View while being honest about tool exposure. Use evidence across file, DB, logs, workflow and UI.

Example: For ABC123, prove file arrival, load, item, match/exception and UI visibility.

Follow-up: How will you prove it from SQL/logs/UI?

Interview trap: Guessing physical names or overclaiming experience.

What NOT to say: Do not invent TLM tables, MI syntax, ServiceMix filenames or fake Informatica hands-on.

Create a new reconciliation

20-second answer: Requirement -> static -> mapping -> matching -> workflow -> view -> test -> deploy.

1-minute answer: Include source profiling, control totals, DMW/MI, scope/population/pass quality/proposal trigger, SIT/UAT and support runbook.

Senior 5+ year answer: Include source profiling, control totals, DMW/MI, scope/population/pass quality/proposal trigger, SIT/UAT and support runbook. Use evidence across file, DB, logs, workflow and UI.

Example: Ledger vs statement cash recon.

Follow-up: How will you prove it from SQL/logs/UI?

Interview trap: Guessing physical names or overclaiming experience.

What NOT to say: Do not invent TLM tables, MI syntax, ServiceMix filenames or fake Informatica hands-on.

Which tables are impacted?

20-second answer: Use logical areas; physical names vary.

1-minute answer: Static changes config/audit; load changes file/load/reject/item; matching changes pass/proposal/match/exception/audit.

Senior 5+ year answer: Static changes config/audit; load changes file/load/reject/item; matching changes pass/proposal/match/exception/audit. Use evidence across file, DB, logs, workflow and UI.

Example: Show load id and item lineage.

Follow-up: How will you prove it from SQL/logs/UI?

Interview trap: Guessing physical names or overclaiming experience.

What NOT to say: Do not invent TLM tables, MI syntax, ServiceMix filenames or fake Informatica hands-on.

DMW experience

20-second answer: Hands-on with mapping, transformation, lookup, validation, rejects and counts.

1-minute answer: Make DMW primary; map concepts to MI/Informatica without fake claims.

Senior 5+ year answer: Make DMW primary; map concepts to MI/Informatica without fake claims. Use evidence across file, DB, logs, workflow and UI.

Example: CSV ledger to cash item.

Follow-up: How will you prove it from SQL/logs/UI?

Interview trap: Guessing physical names or overclaiming experience.

What NOT to say: Do not invent TLM tables, MI syntax, ServiceMix filenames or fake Informatica hands-on.

Informatica exposure

20-second answer: Conceptual/basic-to-intermediate; not fake project experience.

1-minute answer: Explain mapping/session/workflow/lookup/expression/filter/router/recovery as transferable ETL concepts.

Senior 5+ year answer: Explain mapping/session/workflow/lookup/expression/filter/router/recovery as transferable ETL concepts. Use evidence across file, DB, logs, workflow and UI.

Example: Compare lookup to account alias lookup in DMW.

Follow-up: How will you prove it from SQL/logs/UI?

Interview trap: Guessing physical names or overclaiming experience.

What NOT to say: Do not invent TLM tables, MI syntax, ServiceMix filenames or fake Informatica hands-on.

MI syntax

20-second answer: Do not invent syntax.

1-minute answer: Explain conceptual source-target mapping, transformation, lookup, validation and error action; verify actual syntax from client docs/export.

Senior 5+ year answer: Explain conceptual source-target mapping, transformation, lookup, validation and error action; verify actual syntax from client docs/export. Use evidence across file, DB, logs, workflow and UI.

Example: MT940-style statement mapping concept.

Follow-up: How will you prove it from SQL/logs/UI?

Interview trap: Guessing physical names or overclaiming experience.

What NOT to say: Do not invent TLM tables, MI syntax, ServiceMix filenames or fake Informatica hands-on.

SFTP issue

20-second answer: Prove source, transfer, landing, permissions, file completeness and loader pickup.

1-minute answer: Do not blame TLM until file and route evidence is checked.

Senior 5+ year answer: Do not blame TLM until file and route evidence is checked. Use evidence across file, DB, logs, workflow and UI.

Example: File late or partial.

Follow-up: How will you prove it from SQL/logs/UI?

Interview trap: Guessing physical names or overclaiming experience.

What NOT to say: Do not invent TLM tables, MI syntax, ServiceMix filenames or fake Informatica hands-on.

Workflow queue stuck

20-second answer: Check queue age/status/retry, consumer service, locks and poison record.

1-minute answer: Prove matching started by queue consumption and pass/proposal timestamps.

Senior 5+ year answer: Prove matching started by queue consumption and pass/proposal timestamps. Use evidence across file, DB, logs, workflow and UI.

Example: Queue grows after load but no proposal.

Follow-up: How will you prove it from SQL/logs/UI?

Interview trap: Guessing physical names or overclaiming experience.

What NOT to say: Do not invent TLM tables, MI syntax, ServiceMix filenames or fake Informatica hands-on.

Cash sign issue

20-second answer: Normalize debit/credit perspective before matching.

1-minute answer: Mirror is reconciliation perspective; double-entry is accounting principle; verify implementation.

Senior 5+ year answer: Mirror is reconciliation perspective; double-entry is accounting principle; verify implementation. Use evidence across file, DB, logs, workflow and UI.

Example: Statement credit 10,000 vs ledger debit 10,000.

Follow-up: How will you prove it from SQL/logs/UI?

Interview trap: Guessing physical names or overclaiming experience.

What NOT to say: Do not invent TLM tables, MI syntax, ServiceMix filenames or fake Informatica hands-on.

UI vs DB mismatch

20-second answer: Reproduce UI filters in SQL and check role/security.

1-minute answer: Data may exist but dashboard filter or user role hides it.

Senior 5+ year answer: Data may exist but dashboard filter or user role hides it. Use evidence across file, DB, logs, workflow and UI.

Example: One user cannot see open breaks.

Follow-up: How will you prove it from SQL/logs/UI?

Interview trap: Guessing physical names or overclaiming experience.

What NOT to say: Do not invent TLM tables, MI syntax, ServiceMix filenames or fake Informatica hands-on.

Section 15 — Final Interview Question Bank Index: 300 Questions

100 TLM questions

ID	Question	Answer Notes
TLM-1	Explain/troubleshoot TLM architecture	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-2	Explain/troubleshoot Set	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-3	Explain/troubleshoot Reconciliation	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-4	Explain/troubleshoot Reconciliation Class	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-5	Explain/troubleshoot Data Source	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-6	Explain/troubleshoot Message Feed	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-7	Explain/troubleshoot Account	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-8	Explain/troubleshoot Message Type	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-9	Explain/troubleshoot File Header	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-10	Explain/troubleshoot Message Header	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-11	Explain/troubleshoot Load	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-12	Explain/troubleshoot Load Detail	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-13	Explain/troubleshoot Reject	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-14	Explain/troubleshoot BDR	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-15	Explain/troubleshoot Recon Association	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-16	Explain/troubleshoot Recon Status	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-17	Explain/troubleshoot Scope	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-18	Explain/troubleshoot Population	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-19	Explain/troubleshoot Match Rule	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-20	Explain/troubleshoot Pass Quality	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-21	Explain/troubleshoot Proposal	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-22	Explain/troubleshoot Match	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-23	Explain/troubleshoot Workflow	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-24	Explain/troubleshoot Initiation	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-25	Explain/troubleshoot MMQ	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-26	Explain/troubleshoot Queue	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-27	Explain/troubleshoot Exception	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-28	Explain/troubleshoot Break	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-29	Explain/troubleshoot Balance Proof	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-30	Explain/troubleshoot Audit	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

ID	Question	Answer Format
TLM-31	Explain/troubleshoot Security	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-32	Explain/troubleshoot Smart Studio	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-33	Explain/troubleshoot SmartSchema	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-34	Explain/troubleshoot TLM View	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-35	Explain/troubleshoot WebConnect	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-36	Explain/troubleshoot Tectia	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-37	Explain/troubleshoot ServiceMix	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-38	Explain/troubleshoot DMW	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-39	Explain/troubleshoot MI	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-40	Explain/troubleshoot Nostro	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-41	Explain/troubleshoot Vostro	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-42	Explain/troubleshoot Ledger	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-43	Explain/troubleshoot Statement	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-44	Explain/troubleshoot Mirror	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-45	Explain/troubleshoot Double Entry	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-46	Explain/troubleshoot Debit	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-47	Explain/troubleshoot Credit	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-48	Explain/troubleshoot sign normalization	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-49	Explain/troubleshoot reference	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-50	Explain/troubleshoot amount	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-51	Explain/troubleshoot currency	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-52	Explain/troubleshoot value date	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-53	Explain/troubleshoot posting date	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-54	Explain/troubleshoot transaction date	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-55	Explain/troubleshoot opening balance	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-56	Explain/troubleshoot movement	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-57	Explain/troubleshoot closing balance	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-58	Explain/troubleshoot balance proof	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-59	Explain/troubleshoot timing difference	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-60	Explain/troubleshoot bank charges	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-61	Explain/troubleshoot FX	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-62	Explain/troubleshoot reversal	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

ID	Question	Answer Format
TLM-63	Explain/troubleshoot duplicate	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-64	Explain/troubleshoot missing transaction	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-65	Explain/troubleshoot partial posting	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-66	Explain/troubleshoot unbalanced posting	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-67	Explain/troubleshoot tolerance	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-68	Explain/troubleshoot one-to-one	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-69	Explain/troubleshoot one-to-many	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-70	Explain/troubleshoot many-to-one	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-71	Explain/troubleshoot many-to-many	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-72	Explain/troubleshoot manual match	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-73	Explain/troubleshoot write-off	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-74	Explain/troubleshoot approval	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-75	Explain/troubleshoot audit	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-76	Explain/troubleshoot TLM architecture	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-77	Explain/troubleshoot Set	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-78	Explain/troubleshoot Reconciliation	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-79	Explain/troubleshoot Reconciliation Class	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-80	Explain/troubleshoot Data Source	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-81	Explain/troubleshoot Message Feed	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-82	Explain/troubleshoot Account	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-83	Explain/troubleshoot Message Type	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-84	Explain/troubleshoot File Header	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-85	Explain/troubleshoot Message Header	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-86	Explain/troubleshoot Load	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-87	Explain/troubleshoot Load Detail	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-88	Explain/troubleshoot Reject	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-89	Explain/troubleshoot BDR	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-90	Explain/troubleshoot Recon Association	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-91	Explain/troubleshoot Recon Status	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-92	Explain/troubleshoot Scope	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-93	Explain/troubleshoot Population	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-94	Explain/troubleshoot Match Rule	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

ID	Question	Answer Format
TLM-95	Explain/troubleshoot Pass Quality	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-96	Explain/troubleshoot Proposal	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-97	Explain/troubleshoot Match	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-98	Explain/troubleshoot Workflow	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-99	Explain/troubleshoot Initiation	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TLM-100	Explain/troubleshoot MMQ	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

50 SQL questions

ID	Question	Answer Format
SQL-1	Explain/troubleshoot What is SELECT?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-2	Explain/troubleshoot What is WHERE?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-3	Explain/troubleshoot What is ORDER BY?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-4	Explain/troubleshoot What is DISTINCT?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-5	Explain/troubleshoot GROUP BY usage?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-6	Explain/troubleshoot HAVING usage?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-7	Explain/troubleshoot How to handle NULL?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-8	Explain/troubleshoot NVL vs COALESCE?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-9	Explain/troubleshoot CASE usage?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-10	Explain/troubleshoot DECODE?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-11	Explain/troubleshoot LIKE usage?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-12	Explain/troubleshoot IN usage?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-13	Explain/troubleshoot BETWEEN issue?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-14	Explain/troubleshoot INNER JOIN?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-15	Explain/troubleshoot LEFT JOIN?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-16	Explain/troubleshoot RIGHT JOIN?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-17	Explain/troubleshoot FULL OUTER JOIN?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-18	Explain/troubleshoot SELF JOIN?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-19	Explain/troubleshoot CROSS JOIN?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-20	Explain/troubleshoot EXISTS?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-21	Explain/troubleshoot NOT EXISTS?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-22	Explain/troubleshoot IN vs EXISTS?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-23	Explain/troubleshoot NOT IN NULL problem?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-24	Explain/troubleshoot UNION?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

ID	Question	Answer Format
SQL-25	Explain/troubleshoot UNION ALL?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-26	Explain/troubleshoot file-wise count	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-27	Explain/troubleshoot matched count	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-28	Explain/troubleshoot unmatched count	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-29	Explain/troubleshoot match percentage	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-30	Explain/troubleshoot break percentage	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-31	Explain/troubleshoot duplicate references	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-32	Explain/troubleshoot duplicate files	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-33	Explain/troubleshoot latest load	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-34	Explain/troubleshoot failed load	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-35	Explain/troubleshoot partial load	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-36	Explain/troubleshoot reject count	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-37	Explain/troubleshoot reason code analysis	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-38	Explain/troubleshoot items by feed	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-39	Explain/troubleshoot items by account	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-40	Explain/troubleshoot items by Data Source	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-41	Explain/troubleshoot items by reconciliation	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-42	Explain/troubleshoot items by business date	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-43	Explain/troubleshoot proposal count	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-44	Explain/troubleshoot match count	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-45	Explain/troubleshoot exception count	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-46	Explain/troubleshoot open exceptions	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-47	Explain/troubleshoot aged exceptions	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-48	Explain/troubleshoot queue ageing	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-49	Explain/troubleshoot oldest queue item	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SQL-50	Explain/troubleshoot workflow state	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

30 Linux/Tectia questions

ID	Question	Answer Format
LIN-1	Explain/troubleshoot ls / ls -l / ls -ltr	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-2	Explain/troubleshoot pwd / cd	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-3	Explain/troubleshoot find	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-4	Explain/troubleshoot grep / egrep	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

ID	Question	Answer Format
LIN-5	Explain/troubleshoot tail / tail -f	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-6	Explain/troubleshoot head	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-7	Explain/troubleshoot cat / less / more	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-8	Explain/troubleshoot wc / wc -l	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-9	Explain/troubleshoot du / df	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-10	Explain/troubleshoot ps / top	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-11	Explain/troubleshoot kill / kill -0	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-12	Explain/troubleshoot chmod / chown	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-13	Explain/troubleshoot cp / mv / mkdir / touch / rm	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-14	Explain/troubleshoot diff	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-15	Explain/troubleshoot stat	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-16	Explain/troubleshoot awk / sed / cut	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-17	Explain/troubleshoot sort / uniq	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-18	Explain/troubleshoot vi/vim basics	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-19	Explain/troubleshoot history / whoami / hostname / date	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-20	Explain/troubleshoot file not received	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-21	Explain/troubleshoot file late	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-22	Explain/troubleshoot wrong filename	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-23	Explain/troubleshoot wrong extension	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-24	Explain/troubleshoot wrong directory	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-25	Explain/troubleshoot permission denied	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-26	Explain/troubleshoot authentication failure	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-27	Explain/troubleshoot connection failure	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-28	Explain/troubleshoot network/firewall	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-29	Explain/troubleshoot disk full	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
LIN-30	Explain/troubleshoot zero-byte file	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

30 DMW questions

ID	Question	Answer Format
DMW-1	Explain/troubleshoot CSV -> TLM cash	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-2	Explain/troubleshoot Ledger -> TLM cash	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-3	Explain/troubleshoot Statement -> TLM cash	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-4	Explain/troubleshoot MT940-style -> TLM	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

ID	Question	Answer Format
DMW-5	Explain/troubleshoot Double-entry ledger -> normalized item	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-6	Explain/troubleshoot mapping changed	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-7	Explain/troubleshoot new field added	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-8	Explain/troubleshoot source layout changed	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-9	Explain/troubleshoot wrong transformation	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-10	Explain/troubleshoot wrong lookup	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-11	Explain/troubleshoot wrong sign	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-12	Explain/troubleshoot wrong date	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-13	Explain/troubleshoot wrong account	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-14	Explain/troubleshoot wrong currency	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-15	Explain/troubleshoot wrong reference	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-16	Explain/troubleshoot partial rejects	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-17	Explain/troubleshoot all records rejected	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-18	Explain/troubleshoot zero records accepted	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-19	Explain/troubleshoot duplicate handling	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-20	Explain/troubleshoot restart/rerun	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-21	Explain/troubleshoot promotion issue	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-22	Explain/troubleshoot ETL / ELT	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-23	Explain/troubleshoot Source/target/staging/landing/raw/curated	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-24	Explain/troubleshoot Mapping/transformation/lookup	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-25	Explain/troubleshoot Validation/reject/error handling	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-26	Explain/troubleshoot Full/incremental/delta/CDC	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-27	Explain/troubleshoot Restartability/idempotency	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-28	Explain/troubleshoot Control totals	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-29	Explain/troubleshoot Schema/datatype/date/amount/null/default	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
DMW-30	Explain/troubleshoot Audit/logging/monitoring	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

30 Informatica conceptual questions

ID	Question	Answer Format
INF-1	Explain/troubleshoot What to say	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-2	Explain/troubleshoot PowerCenter	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-3	Explain/troubleshoot Mapping/session/workflow	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-4	Explain/troubleshoot Source qualifier/target	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

ID	Question	Answer Format
INF-5	Explain/troubleshoot Lookup/expression/filter/router/joiner/aggregator/sorter	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-6	Explain/troubleshoot Update strategy/sequence generator	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-7	Explain/troubleshoot Parameters/variables	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-8	Explain/troubleshoot Error/reject/recovery/restart	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-9	Explain/troubleshoot Performance	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-10	Explain/troubleshoot mapping	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-11	Explain/troubleshoot session	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-12	Explain/troubleshoot workflow	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-13	Explain/troubleshoot lookup	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-14	Explain/troubleshoot expression	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-15	Explain/troubleshoot filter	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-16	Explain/troubleshoot router	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-17	Explain/troubleshoot joiner	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-18	Explain/troubleshoot aggregator	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-19	Explain/troubleshoot recovery	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-20	Explain/troubleshoot What to say	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-21	Explain/troubleshoot PowerCenter	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-22	Explain/troubleshoot Mapping/session/workflow	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-23	Explain/troubleshoot Source qualifier/target	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-24	Explain/troubleshoot Lookup/expression/filter/router/joiner/aggregator/sorter	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-25	Explain/troubleshoot Update strategy/sequence generator	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-26	Explain/troubleshoot Parameters/variables	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-27	Explain/troubleshoot Error/reject/recovery/restart	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-28	Explain/troubleshoot Performance	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-29	Explain/troubleshoot mapping	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
INF-30	Explain/troubleshoot session	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

20 ETL fundamentals

ID	Question	Answer Format
ETL-1	Explain/troubleshoot ETL / ELT	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-2	Explain/troubleshoot Source/target/staging/landing/raw/curated	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-3	Explain/troubleshoot Mapping/transformation/lookup	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-4	Explain/troubleshoot Validation/reject/error handling	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

ID	Question	Answer Format
ETL-5	Explain/troubleshoot Full/incremental/delta/CDC	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-6	Explain/troubleshoot Restartability/idempotency	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-7	Explain/troubleshoot Control totals	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-8	Explain/troubleshoot Schema/datatype/date/amount/null/default	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-9	Explain/troubleshoot Audit/logging/monitoring	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-10	Explain/troubleshoot ETL / ELT	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-11	Explain/troubleshoot Source/target/staging/landing/raw/curated	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-12	Explain/troubleshoot Mapping/transformation/lookup	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-13	Explain/troubleshoot Validation/reject/error handling	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-14	Explain/troubleshoot Full/incremental/delta/CDC	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-15	Explain/troubleshoot Restartability/idempotency	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-16	Explain/troubleshoot Control totals	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-17	Explain/troubleshoot Schema/datatype/date/amount/null/default	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-18	Explain/troubleshoot Audit/logging/monitoring	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-19	Explain/troubleshoot ETL / ELT	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
ETL-20	Explain/troubleshoot Source/target/staging/landing/raw/curated	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

20 ServiceMix questions

ID	Question	Answer Format
SMX-1	Explain/troubleshoot What is ServiceMix?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-2	Explain/troubleshoot Why used?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-3	Explain/troubleshoot Route	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-4	Explain/troubleshoot Endpoint	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-5	Explain/troubleshoot Bundle/service	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-6	Explain/troubleshoot Datasource	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-7	Explain/troubleshoot Queue	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-8	Explain/troubleshoot Logging/env properties	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-9	Explain/troubleshoot Route down	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-10	Explain/troubleshoot Endpoint failure	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-11	Explain/troubleshoot DB failure	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-12	Explain/troubleshoot File route failure	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-13	Explain/troubleshoot Queue backlog	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-14	Explain/troubleshoot Restart	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

ID	Question	Answer Format
SMX-15	Explain/troubleshoot What is ServiceMix?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-16	Explain/troubleshoot Why used?	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-17	Explain/troubleshoot Route	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-18	Explain/troubleshoot Endpoint	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-19	Explain/troubleshoot Bundle/service	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
SMX-20	Explain/troubleshoot Datasource	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

20 production-support questions

ID	Question	Answer Format
PRD-1	Explain/troubleshoot file missing	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-2	Explain/troubleshoot file late	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-3	Explain/troubleshoot zero byte	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-4	Explain/troubleshoot partial file	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-5	Explain/troubleshoot duplicate file	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-6	Explain/troubleshoot wrong filename	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-7	Explain/troubleshoot wrong feed	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-8	Explain/troubleshoot wrong account	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-9	Explain/troubleshoot wrong Data Source	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-10	Explain/troubleshoot wrong mapping	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-11	Explain/troubleshoot wrong date	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-12	Explain/troubleshoot wrong currency	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-13	Explain/troubleshoot wrong sign	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-14	Explain/troubleshoot wrong reference	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-15	Explain/troubleshoot lookup failure	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-16	Explain/troubleshoot DB failure	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-17	Explain/troubleshoot service failure	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-18	Explain/troubleshoot queue stuck	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-19	Explain/troubleshoot matching not triggered	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
PRD-20	Explain/troubleshoot proposal missing	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

20 testing/release questions

ID	Question	Answer Format
TST-1	Explain/troubleshoot Unit testing	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-2	Explain/troubleshoot Mapping testing	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

ID	Question	Answer Format
TST-3	Explain/troubleshoot Source-target validation	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-4	Explain/troubleshoot SIT	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-5	Explain/troubleshoot UAT	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-6	Explain/troubleshoot Regression	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-7	Explain/troubleshoot Production deployment	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-8	Explain/troubleshoot Smoke test	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-9	Explain/troubleshoot Post-production validation	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-10	Explain/troubleshoot Rollback	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-11	Explain/troubleshoot Control totals	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-12	Explain/troubleshoot Business sign-off	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-13	Explain/troubleshoot Unit testing	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-14	Explain/troubleshoot Mapping testing	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-15	Explain/troubleshoot Source-target validation	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-16	Explain/troubleshoot SIT	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-17	Explain/troubleshoot UAT	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-18	Explain/troubleshoot Regression	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-19	Explain/troubleshoot Production deployment	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.
TST-20	Explain/troubleshoot Smoke test	Answer with definition, purpose, example, evidence, SQL/log check where applicable, trap and no hallucinated physical names.

Section 16 — Final Zero-Gap Checklist

Topic	Final Status	Comments
SQL	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Tectia	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Linux	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
ETL fundamentals	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
DMW	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Informatica	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
ServiceMix	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
MI	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
TLM architecture	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Static	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
DB	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Message Feed	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Message Header	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Load	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
BDR	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Matching	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Scope	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Population	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Pass Quality	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Proposal	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
MMQ	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Workflow	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Cash	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Mirror	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Double Entry	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Position	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Balance	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Exception	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Audit	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Security	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Smart Studio	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.

Topic	Final status	Remarks
SmartSchema	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
TLM View	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
WebConnect	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
Production support	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
SIT	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.
UAT	COMPLETE	Covered in baseline plus this zero-gap addendum. No RED item remains; physical/client-specific names must still be verified in actual environment.

Final survival statement

If anything seems missing in the real interview, answer by layer: source/file/transfer/landing/middleware/DMW-MI/load/reject/item/static/recon/workflow/queue/matching/proposal/match/exception/balance/audit/TLM View. Then state: Physical object is implementation/version/client dependent — verify against client schema/configuration.

7-day final revision plan

- 1 Day 1: SQL fundamentals and 50 general SQL questions.
- 2 Day 2: TLM backend SQL and source→item→match/exception lineage.
- 3 Day 3: Tectia/SFTP/Linux commands and file-transfer incidents.
- 4 Day 4: ETL fundamentals and DMW mapping examples.
- 5 Day 5: Cash reconciliation, sign normalization, mirror vs double entry and balance proof.
- 6 Day 6: Workflow/MMQ/proposal triggering and production scenarios.
- 7 Day 7: Mock interview using major Q&A; practice honest Informatica and MI answers.