Assignment 1e

Future Modeling, Recursive Competency Mapping, and Adaptive Planning

Harvey Chowdhury | MTEC 4502 | Dr. David B. Smith | November 11, 2026

1. Future-of-work synthesis

My goal is to become an applied AI engineer who builds agentic systems, retrieval applications, and automation tools. I also want to connect that work with game design, visual design, sound, and video. Game design was my original ambition. My portfolio now includes a small browser game, gesture-controlled experiences, an audio story, and workout applications. Those projects give me a starting point, but they do not establish that I am ready for every engineering role.

In Assignment 1d, I clarified that automation and integration matter more to me than choosing a polished job title. My project evidence now makes that direction more concrete. My contribution to Tesseract gives me an example of working on an existing shared-memory system. JimBro and my creative projects show other ways I connect an idea with an interactive result. I need a strategy that develops the engineering underneath those experiences.

The World Economic Forum expects AI-related skills to grow in importance while analytical thinking, creativity, and adaptability remain valuable [S1]. Its forecast reaches 2030. For the following five to ten years, approximately 2031 to 2036, I treat changes as scenarios rather than predictions. One possibility is that applied engineers spend less time assembling standard components and more time defining problems, evaluating results, and maintaining systems. Another is that roles split between general integration work and deeper specializations in retrieval, evaluation, or interactive tools.

Anthropic's coding study shows substantial delegation to coding agents, including workflows that still involve human feedback [S2]. That supports my interest in directing systems, but the study does not prove that generated code is correct or that developers become more productive. Repetitive scaffolding, simple interface assembly, and routine asset variations may become less distinctive portfolio evidence. Debugging, data handling, evaluation, and explaining why a system behaves as it does remain priorities in my plan.

My interest in games needs the same scrutiny. GDC's survey reports both generative-AI use and strong negative sentiment, alongside employment concerns [S3]. Easier prototyping does not guarantee a good player experience or a job. I want to build beyond Wasp Dodge+, but I need to demonstrate mechanics, feedback, iteration, and testing. My creative background can help me identify useful applications, rather than assume every game task benefits from automation.

My strategy is to connect technical systems with practical and creative problems. Tesseract began with a need I could explain: several agents should share useful memory without repeated interruptions. I tested the original setup, investigated weaknesses, reviewed code, and directed changes. My merged contribution addresses concurrent note creation and agent identity [E1]. Daily maintenance, live writing, and reduced interruptions work in my setup. I still need measured results before claiming the same reliability for other users.


The vulnerable part is retrieval quality. I sometimes received outdated or less relevant memory, and I have not implemented a specific fix. My planned Rust system will investigate dated records, conflicting facts, and verified updates. Newer records cannot automatically count as more accurate. I need tests that distinguish when information was recorded from when it became valid, and retain uncertainty when a conflict cannot be resolved.

My revised chart separates integration, programming, and evaluation so that working prototypes do not hide gaps in implementation or testing. An applied-AI role example also expects programming, retrieval, reliable prototypes, and communication [S4]. I will first build a small memory-evaluation set, then a bounded Rust retrieval prototype. A later game prototype can test the same engineering habits in a creative setting. I will review the chart after each milestone instead of raising scores simply because I have added another feature.

Synthesis: 593 words. References and tables are excluded.

2. Role-level competency map

These self-assessments describe my current practice on November 11, 2026. Targets are development goals for May 2028. Each score follows its behavior rubric and project evidence. Main scores describe overall capability rather than the arithmetic average of sub-skills. Testing remains at 2 because my exploratory work is stronger than my measured, repeatable evaluation.




Current levels and May 2028 targets. Scale: 1 not yet demonstrated, 2 emerging, 3 basic, 4 strong, 5 advanced.

Axis	Current	Target	Evidence
AI integration	3	4	E1, E7, E8 and student setup report
Programming	2	4	E1, E3, E6 and student code-review account
Interactive prototyping	3	4	E3, E4, E6, E9, E10
Creative production	3	4	E9, E10, E11, E12
Testing and evaluation	2	4	Student Tesseract stress tests, E1 and E3 test artifacts
Research and adaptation	3	4	Prior 1b job analysis, 1d decisions and Tesseract investigation
Collaboration and communication	3	4	E1, E2, E3 reflection and E12
Workflow and delivery	4	4	E3, E5-E12 and repository release records


3. Recursive competency maps

AI integration



Current levels and May 2028 targets. Behavior, evidence, and next actions appear in the competency rubrics.

Testing and evaluation



Current levels and May 2028 targets. Behavior, evidence, and next actions appear in the competency rubrics.

4. Competency rubrics

A level describes demonstrated performance. Tools and collaborators can contribute when their roles are explained. The parent assessment is holistic, not a calculated average.

M1 - AI integration

Observable behavior	Connect existing models, memory, and tools into a usable application.
1	Cannot yet connect a model or tool in a guided exercise.
2	Connects one component with guidance but cannot trace the full flow.
3	Demonstrates a bounded integration and explains its input and output.
4	Reproduces integrations consistently and handles dependency failures.
5	Leads reusable integration architecture and validates adoption by others.
Current / target	3 / 4
Evidence	E1, E7, E8 and student setup report
Rationale	A merged multi-agent contribution and creative model integrations support basic integration. Wider reliability remains unverified.
Next action	Document one complete integration with repeatable setup and failure tests.

M2 - Programming

Observable behavior	Read program flow and make guided changes to application code.
1	Cannot yet trace a simple program.
2	Reads basic program flow and makes guided changes.
3	Implements and explains a bounded module with checks.
4	Builds maintainable modules and handles unfamiliar requirements.
5	Designs reusable software architecture and teaches its implementation.
Current / target	2 / 4
Evidence	E1, E3, E6 and student code-review account
Rationale	My self-assessment is level 2. I inspect code and direct changes, while developing independent implementation skills.
Next action	Explain and implement one small Rust module with input, output, and error checks.

Competency rubrics - continued

M3 - Interactive prototyping

Observable behavior	Build a task or play loop with clear input, state, and feedback.
1	Cannot yet assemble an interactive sequence.
2	Creates isolated controls with incomplete state transitions.
3	Produces a working bounded flow with understandable feedback.
4	Refines complete flows through observed use and edge-case testing.
5	Leads reusable interaction patterns validated across users and projects.
Current / target	3 / 4
Evidence	E3, E4, E6, E9, E10
Rationale	Several working project structures support basic competence. Recent human validation is not established by this inspection.
Next action	Observe another person completing a task and revise one confusing interaction.

M4 - Creative production

Observable behavior	Shape visual or audio material to communicate an intended experience.
1	Cannot yet prepare a usable visual or audio asset.
2	Produces simple assets with inconsistent technical or narrative control.
3	Creates a coherent bounded piece and documents production decisions.
4	Iterates consistent media quality against audience and delivery needs.
5	Directs a cohesive production and mentors others through its pipeline.
Current / target	3 / 4
Evidence	E9, E10, E11, E12
Rationale	Published visuals and a documented audio story support a bounded production claim. The music video remains uninspected.
Next action	Publish a before-and-after edit with rationale and audience feedback.

Competency rubrics - continued

M5 - Testing and evaluation

Observable behavior	Define success, challenge failures, and compare observed outcomes.
1	Cannot yet identify a checkable success or failure condition.
2	Explores failures and records observations informally.
3	Runs repeatable cases with expected results and records fixes.
4	Combines regression, retrieval, and usability evidence across releases.
5	Designs evaluation strategy and independently audits coverage and limits.
Current / target	2 / 4
Evidence	Student Tesseract stress tests, E1 and E3 test artifacts
Rationale	Exploratory stress testing is described. Existing automated test artifacts do not establish which evaluations the student personally ran.
Next action	Convert exploratory checks into a repeatable test set with expected outcomes.

M6 - Research and adaptation

Observable behavior	Compare evidence and use it to justify a technical or career decision.
1	Cannot yet locate or identify a relevant source.
2	Collects sources but accepts claims without checking fit.
3	Uses relevant sources and explains a decision with stated limitations.
4	Triangulates conflicting sources and tests uncertain technical claims.
5	Builds reusable research methods and helps others evaluate evidence.
Current / target	3 / 4
Evidence	Prior 1b job analysis, 1d decisions and Tesseract investigation
Rationale	My career analysis and Tesseract investigation connect source evidence with decisions.
Next action	Compare two retrieval approaches with citations, tradeoffs, and a small experiment.

Competency rubrics - continued

M7 - Collaboration and communication

Observable behavior	Explain contributions, coordinate changes, and respond to feedback.
1	Cannot yet explain role or communicate a planned change.
2	Shares progress but contribution boundaries remain unclear.
3	Explains a bounded contribution and responds to review or feedback.
4	Coordinates multi-person changes with clear handoffs and documented outcomes.
5	Leads collaboration and develops practices adopted by others.
Current / target	3 / 4
Evidence	E1, E2, E3 reflection and E12
Rationale	The merged pull request and clarified contributor role support a bounded collaboration claim, not team leadership.
Next action	Add a concise contribution case study linking request, review, change, and outcome.

M8 - Workflow and delivery

Observable behavior	Package, publish, document, and maintain usable project versions.
1	Cannot yet produce a runnable or shareable project version.
2	Shares a project that depends on undocumented setup.
3	Publishes a usable version with setup and limitation notes.
4	Repeatedly delivers projects with organized source and release evidence.
5	Leads a reproducible delivery process that others can maintain independently.
Current / target	4 / 4
Evidence	E3, E5-E12 and repository release records
Rationale	Multiple live projects and dated release records demonstrate repeated delivery. Independent maintenance by other users is the next validation step.
Next action	Test one clean installation or recovery with another user.

Competency rubrics - continued

A1 - Model and tool configuration

Observable behavior	Configure a model or service and explain its operational inputs.
1	Cannot yet configure a guided model call.
2	Runs a sample configuration without explaining its options.
3	Configures a bounded service and explains key options and outputs.
4	Reproduces configuration and manages version or dependency changes.
5	Creates reusable configuration standards validated by other users.
Current / target	3 / 4
Evidence	E7, E8 and student Tesseract setup
Rationale	Creative projects integrate existing vision models. This is application evidence, not evidence of model training.
Next action	Reproduce configuration from a clean documented setup.

A2 - Memory workflows

Observable behavior	Describe and implement when agents read, write, and maintain memory.
1	Cannot yet trace where a memory record is stored.
2	Reads or writes a sample note with guidance.
3	Demonstrates a bounded write, retrieval, and maintenance flow.
4	Checks persistence and recovery across repeated sessions.
5	Designs audited memory lifecycles used reliably by other teams.
Current / target	3 / 4
Evidence	E1 and student report of daily maintenance and live writes
Rationale	Daily maintenance and live memory writing work in my personal setup. Repeated run records will strengthen this evidence.
Next action	Record a repeatable write-to-recall journey and recovery case.

Competency rubrics - continued

A3 - Agent identity and shared writes

Observable behavior	Preserve contributor identity and prevent conflicting note creation.
1	Cannot yet distinguish contributors or detect a collision.
2	Labels agents manually without checking concurrent writes.
3	Implements a bounded identity or collision fix with test evidence.
4	Reproduces concurrent behavior across supported platforms and failure paths.
5	Designs shared-write contracts and validates independent multi-agent deployments.
Current / target	3 / 4
Evidence	E1 and its multi-agent test file
Rationale	Merged PR #21 addresses agent identity and note-creation collisions, with accompanying test artifacts.
Next action	Reproduce concurrent writes and inspect identity metadata.

A4 - Retrieval relevance and freshness

Observable behavior	Select relevant current evidence while retaining historical context.
1	Cannot yet explain whether a retrieved item answers a question.
2	Recognizes irrelevant or stale recall but lacks a measured correction.
3	Evaluates a repeatable query set and implements one verified improvement.
4	Handles current, historical, and conflicting evidence with measured results.
5	Leads temporal retrieval evaluation with independently reviewed benchmarks.
Current / target	2 / 4
Evidence	Student report of stale or less relevant recall
Rationale	The problem was observed and explained. No specific Tesseract retrieval correction was implemented.
Next action	Build dated and contradictory memory cases with expected answers.

Competency rubrics - continued

A5 - Autonomous operation

Observable behavior	Schedule background work with clear behavior and visible failures.
1	Cannot yet run a background task reliably in a guided setup.
2	Runs a manual task but repeated execution needs intervention.
3	Demonstrates scheduled operation and explains its intended behavior.
4	Records repeated runs and recovers from a realistic interruption.
5	Designs unattended operation validated across independently maintained installations.
Current / target	3 / 4
Evidence	Student report of daily maintenance and fewer interruptions
Rationale	The personal setup is reported working. One-time setup for a wider user population is an untested usability hypothesis.
Next action	Record scheduled runs, exceptions, and a failure-recovery example.

T1 - Exploratory testing

Observable behavior	Challenge a system with varied inputs and record what happens.
1	Cannot yet suggest a meaningful variation in input.
2	Tries variations without recording their purpose or result.
3	Targets a failure area and explains an observed problem.
4	Systematically explores boundaries and preserves reproducible findings.
5	Leads risk-based exploratory sessions and improves others' test coverage.
Current / target	3 / 4
Evidence	Student Tesseract stress-testing account
Rationale	The student identified interruption and retrieval problems through varied personal use.
Next action	Turn one exploratory session into a dated issue log.

Competency rubrics - continued

T2 - Debugging

Observable behavior	Investigate a defect, explain its cause, and direct or implement a correction.
1	Cannot yet describe a failure clearly.
2	Recognizes symptoms and investigates with guidance.
3	Explains a bounded problem and directs or implements a correction.
4	Diagnoses unfamiliar failures and verifies fixes across affected modules.
5	Leads complex diagnosis and teaches repeatable debugging methods.
Current / target	3 / 4
Evidence	E1 and my Tesseract investigation
Rationale	My self-assessment is level 3. I investigated Tesseract problems, inspected code, and directed changes. Retrieval freshness remains unresolved.
Next action	Record one defect with reproduction steps, cause, correction, and a regression check.

T3 - Automated regression

Observable behavior	Use repeatable checks to protect behavior after changes.
1	Cannot yet identify what a regression check protects.
2	Identifies existing checks and uses assistance to work with them.
3	Adds and explains a regression case and interprets its result.
4	Maintains representative regression coverage across releases.
5	Designs evaluation infrastructure and audits weak assertions.
Current / target	2 / 4
Evidence	E1 and E3 automated test artifacts
Rationale	E1 and E3 contain regression artifacts. I place this at emerging level while building independent test execution and interpretation.
Next action	Personally run a focused suite and explain a failing and passing case.

Competency rubrics - continued

T4 - Retrieval evaluation

Observable behavior	Compare returned evidence against a defined correct or acceptable answer.
1	Cannot yet define a relevant answer for a sample query.
2	Judges individual results informally without a stable evaluation set.
3	Runs labeled queries and reports relevance or freshness outcomes.
4	Compares versions with defined measures and analyzes failures.
5	Publishes reproducible evaluations with independent review and contamination controls.
Current / target	2 / 4
Evidence	Student report of stale or irrelevant memory
Rationale	Informal recall challenges were reported. No measured relevance or freshness score is established.
Next action	Create 20 queries covering current facts, changes, conflicts, and unknowns.

T5 - Usability evaluation

Observable behavior	Identify interaction difficulties and evaluate whether a flow supports its task.
1	Cannot yet identify a task or an interaction problem.
2	Identifies usability risks through interface inspection and personal use.
3	Records observed task difficulties and makes a justified revision.
4	Repeats testing across users and checks whether revisions help.
5	Leads a systematic usability evaluation with defensible outcomes.
Current / target	2 / 4
Evidence	E3, E4 and E6 interaction flows
Rationale	My prototypes include confirmation, correction, and feedback paths. The next step is observed task testing rather than informal interface inspection.
Next action	Observe two people completing a task and record whether a revision resolves their difficulty.

5. Adaptive action plan

I will prioritize retrieval quality, programming, and repeatable evaluation through a small Rust memory project. Game development remains a connected application, with a small prototype after the retrieval milestone. My planning allowance is 3-4 project hours weekly and $20-$60 monthly total spending on model tools. I will check those limits before expanding scope.

Weeks 1-2 - Define a memory evaluation set

20 labeled queries covering current facts, older facts, contradictions, irrelevant matches, and unknown answers. Record expected evidence and output before changing retrieval.

Constraint: Two weekly sessions within 3-4 project hours. Axes: M5, A4, T2, T4.

Weeks 3-4 - Test the current baseline

Run the same queries, record source dates and relevance judgments, and write a reproducible account of at least one stale-result failure. Record maintenance runs and interruption causes separately.

Constraint: No new paid service assumed. Axes: A2, A5, T1, T4.

Weeks 5-8 - Build a bounded Rust retrieval prototype

Use a small synthetic dataset. Store event time, record time, source, and update links. Test verified updates, incorrect newer statements, and unresolved conflicts against the baseline.

Constraint: Keep full Tesseract feature parity outside this milestone. Axes: M1, M2, A4, T3.

Weeks 9-12 - Validate and communicate

Ask another person to run setup or recall tasks. Document results and my contribution. Build one small game or creative interaction only if the retrieval milestone is complete and time permits.

Constraint: Retain school and family priorities. Axes: M3, M7, M8, T5.

Each milestone through May 2028 - Review the chart

Update scores only when the rubric and evidence support a change. Recheck relevant job expectations, revise the portfolio, and select the next gap.

Constraint: Reconfirm available time and budget before expansion. Axes: All axes.

Review scores after each milestone. Keep recording dates separate from event dates. Retain uncertainty when a newer statement cannot be verified.

6. Annotated research

S1 - The Future of Jobs Report 2025 - Skills outlook

World Economic Forum. 2025. Core reading. Accessed November 11, 2026.

The employer survey anticipates changing skill needs through 2030 and emphasizes analytical, technical, creative, and adaptive capabilities. I use it to justify a mixed competency map, while treating employer expectations as forecasts rather than guaranteed outcomes.

Source | Saved Zotero record

S2 - Anthropic Economic Index: AI's impact on software development

Anthropic. 2025-04-28. New independent research. Accessed November 11, 2026.

This analysis examines 500,000 coding interactions and distinguishes task automation from collaboration with developers. It helps me examine how implementation work could change, but it does not measure final code quality or prove productivity gains.

Source | Saved Zotero record

S3 - GDC 2026 State of the Game Industry Reveals Impact of Layoffs, Generative AI, and More

Beth Elderkin. 2026. New independent research. Accessed November 11, 2026.

The official survey summary describes AI use, employment pressures, and contrasting attitudes among game-industry professionals. I use it to challenge the assumption that easier production automatically means easier entry into games, while recognizing that respondents do not represent every studio.

Source | Saved Zotero record

S4 - Applied AI Demo Engineer

Anthropic. n.d.. New role-specific source. Accessed November 11, 2026.

This employer listing combines LLM applications, retrieval, integrations, reliable prototypes, and technical communication. I use its duties as one concrete role comparison rather than an entry-level promise or a universal definition of AI engineering.

Source | Saved Zotero record

7. Project evidence register

E1 - Tesseract MCP contribution | Merged contribution

Concurrent note creation and configurable agent identity. PR #21 by Rayhanson-Git merged November 4, 2026. Source and tests inspected. No new test run in this review.

Open project evidence

E2 - Tesseract macOS/Linux contribution | Open contribution

Portability, scheduling, and workflow guidance. PR #10 itself is not marked merged. Similar upstream changes must not be attributed solely from this PR.

Open project evidence

E3 - JimBro | Published

Integrated scheduling, workout logging, local storage, backups, and animated character. Core source and live entry screen inspected. November 10 QA record reports 49 domain checks and deployed Chromium journeys. Those checks were not rerun in this review.

Open project evidence

E4 - GymLog | Published prototype

Post-set logging, editable values, confirmation, and correction paths. Sample data lasts for the page session. Portfolio describes participant testing as a next validation step.

Open project evidence

E5 - LeaveBy | Published

Backward scheduling with input validation and date calculations. Source and live form inspected. Uses user estimates rather than live transit information.

Open project evidence

E6 - Wasp Dodge+ | Published browser game

Movement, collision detection, four lives, cooldown, scoring, and restart logic. Source and live game menu inspected. Full playthrough and player testing were not performed in this review.

Open project evidence

E7 - Gesture Particles | Published

MediaPipe landmarks mapped to Three.js particle behavior. Source and live interface inspected. Camera-based behavior was not tested in this review. Integrates an existing model.

Open project evidence

E8 - Virtual Theremin | Published

Hand tracking mapped to pitch, volume, bass, and drum triggers. MediaPipe and Tone.js integration inspected. Live start screen opened. Camera and audio performance were not tested.

Open project evidence

E9 - Neon Orbit Arcade | Published

Particles, portals, forces, and Calm/Chaos modes. Source and rendered live canvas inspected.

Open project evidence

E10 - Orbit Playground | Published

Orbiters, changing palettes, adjustable speed, and input response. Source and rendered live canvas inspected.

Open project evidence

E11 - Studio Apartment Evening | Published audio

Audio storytelling and multitrack editing in Adobe Audition. Published 186-second audio loaded and session screenshot inspected. The page credits 11 self-recorded sounds. No listening assessment was performed in this review.

Open project evidence

E12 - Portfolio website | Published

Case studies, visual identity, responsive navigation, and project presentation. Nine case studies and core portfolio interaction code inspected.

Open project evidence

E13 - Devil May Cry music video | Completed, student-reported

Video editing and game-related storytelling. Not yet published on the portfolio. Media and editing timeline not inspected.

E14 - Rust retrieval system | Planned

Time-aware memory, conflict resolution, and retrieval evaluation. No working Rust implementation established in this conversation.