```
Search
                        Run Compile Debug
                                                       Options
                                                                   Window
                                                                           Help
    File
          Edit
                                              Pro ject
                                  NONAMEO1.CPP =
                                                                          -3=[ $ ]--
#include<stdio.h>
#include<comio.h>
void main()
int i, j, rows, columns, a[10][10], sum=0;
clrscr();
printf("enter the rows and coloums:");
scanf ("xd xd",&i,&j);
printf("enter the elements\n");
for(rows=0;rows<i;rows++)
for(columns=0;columns<j;columns++)
scanf ("xd", &a[rows][columns]);
for(i=0;i<3;i++)
for(j=0;j<3;j++)
printf("xd",a[i][j]);
      = 1:14 ===
F1 Help Alt-F8 Next Msg Alt-F7 Prev Msg
                                                            F9 Make
                                            Alt-F9 Compile
                                                                      F10 Menu
```

```
File
          Edit
                Search Run Compile Debug
                                             Project |
                                                      Options
                                                                 Window
                                                                         Help
                                                                        =3=[$]=
                                 NONAMEO1.CPP =
scanf ("xd", &a[rows][columns]);
for(i=0;i<3;i++)
for(j=0;j<3;j++)
printf("zd",a[i][j]);
printf("\n");
for(rows=0;rows<i;rows++)
sum=sum+a[rows][rows];
printf("\n sum=zd",sum);
getch();
       33:14 =
F1 Help Alt-F8 Next Msg
                          Alt-F7 Prev Msg
                                           Alt-F9 Compile
                                                                     F10 Menu
```