DOCUMENT 02 - DEVELOPED APPLICATION

Salesforce Application & Agentforce Configuration

Smart Real Estate System

Configuration evidence for objects, automation, Lightning UI, Agentforce, and role-based security

Prepared by	Rayian Hussain Harboosh
Application	Real Estate Agent Console
Agentforce agent	Property Sales Assistant - Version 2 (Active)
Date	August 27, 2026

Table of Contents

1. Configuration Overview 3

2. Application Architecture, Objects, and Fields 4

3. Validation Rules 5

4. Lightning Application Configuration 6

5. Record Pages and Dynamic Forms 7

6. Lightning Web Component 8

7. Agentforce Definition and Guardrails 9

8. Topics and Routing 10

9. Agent Actions 11

10. Flow Automation 12

11. Permission Sets and Field Security 13

12. Security Operating Model 14

13. Deployment and Maintenance 15

14. Conclusion and Evidence Index 16

Documentation basis: The configuration described in this document is supported by the supplied Salesforce screenshots and SFDX project archive. Detailed functional test cases and outcome screenshots are maintained separately in the project test workbook.

1. Configuration Overview

The Smart Real Estate System is implemented as the Real Estate Agent Console in Salesforce Lightning Experience. It centralizes leads, accounts, contacts, properties, showings, offers, tasks, reports, and dashboards. The Property Sales Assistant extends this CRM with governed conversational automation that retrieves Salesforce records, updates lead preferences, checks availability, and creates confirmed showings through active Autolaunched Flows.




Figure 1. Real Estate Agent Console and operational dashboard

> **Configuration principle:** All AI responses that read or change business data are grounded through Salesforce records and approved Agent Actions; the assistant is not allowed to invent property, offer, availability, or client details.

2. Application Architecture, Objects, and Fields

The data model combines standard CRM records with three custom operational objects. Lead stores qualification inputs and outcomes; Property holds inventory; Showing links a lead or contact to a property and agent; Offer records commercial proposals; Task supports automated follow-up. Lookup relationships connect the transaction flow without duplicating master data.




Figure 2. Salesforce Schema Builder evidence

Object	Purpose and key fields
Lead	Budgets, bedrooms, timeline, preferred city/type, qualification score/status, AI recommendation
Property	Code, type, status, price, city, address, bedrooms, bathrooms, area, image, listing agent
Showing	Property, lead/contact, agent, start/end date-time, status, notes
Offer	Property, contact, opportunity, amount, offer/expiration dates, status, manager notes
Task / User	Assigned owner, subject, due date, priority, status, ownership and agent assignment

3. Validation Rules

Six active validation rules protect data quality before automation or user actions commit a record. The rules reject non-positive prices and offer amounts, invalid date sequences, past requested showings, and reversed lead budget ranges.

Rule	Object	Business control
Offer_amount	Offer	Offer Amount must be greater than zero
Offer_expiration	Offer	Expiration Date cannot precede Offer Date
Property_Price	Property	Price must be greater than zero
Showing_in_the_past	Showing	Requested showings must start in the future
Showing_chronological_order	Showing	End Date/Time must be later than Start Date/Time
Lead_budget	Lead	Maximum Budget cannot be less than Minimum Budget




Figure 3. Active validation-rule configuration evidence

4. Lightning Application Configuration

The Real Estate Agent Console is configured through Lightning App Manager. Its navigation follows the sales lifecycle from lead intake and customer context through properties, showings, offers, tasks, reporting, and management dashboards.




Figure 4. Configured application navigation

- Selected navigation: Home, Leads, Accounts, Contacts, Properties, Showing, Offers, Tasks, Reports, and Dashboards.
- Assigned profiles: System Administrator and Custom: Sales Profile.
- The application is optimized for internal sales operations rather than an external customer website.

5. Record Pages and Dynamic Forms

Lightning record pages organize operational data into task-oriented sections. The Lead page uses Dynamic Forms for Lead Information, Property Preferences, Qualification Details, and AI Recommendation. The recommendation field is conditionally displayed when Qualification Status is Hot or Qualified, reducing clutter for unqualified records.




Figure 5. Lead Dynamic Forms and conditional AI Recommendation visibility

> **Visibility rule:** Show AI Recommendation when Qualification Status equals Hot or Qualified. The page uses Any filters are true so either qualifying state displays the field.

6. Lightning Web Component

The custom propertyCard Lightning Web Component is deployed on the Property Record Page. It reads the current Property record through Lightning Data Service and presents the most useful inventory details in a compact card. The component is responsive and is evidenced in both desktop and phone previews.





Figure 6. Responsive propertyCard LWC

Configuration	Implementation
Record context	Property record ID supplied by the Lightning record page
Displayed fields	Name, Price, City, Property Type, Bedrooms, Bathrooms, Status, and optional Image URL
Source and test assets	HTML, JavaScript, component metadata, and Jest test file in the supplied SFDX archive

7. Agentforce Definition and Guardrails

Property Sales Assistant Version 2 is active and uses an Agent Router with seven specialized subagents. Agent-level instructions restrict the assistant to Salesforce records and approved actions, require explicit confirmation before creating a showing, protect private information, and require honest failure reporting.

Active Agentforce architecture



Agent-level system instructions




Figure 7. Active Agentforce architecture and system guardrails

> **Critical guardrail:** If an action fails, the assistant explains the failure and must not claim that a record was created or updated.

8. Topics and Routing

The Agent Router classifies each request and transfers control to the narrowest applicable topic. Clear topic boundaries reduce accidental action execution and separate business operations from ambiguity, unsupported requests, and human escalation.

Topic / subagent	Responsibility	Action policy
Property Details Inquiry	Search and present grounded property records	Get Property Details
Lead Qualification	Collect preferences and start qualification automation	Update Lead Preferences
Agent Availability	Check scheduling conflicts for a requested period	Check Agent Availability
Schedule Showing	Create a showing only after exact details and confirmation	Create Showing
Ambiguous Question	Request clearer, more focused input	No action
Escalation	Transfer an explicit request to a live human	Escalate to human
Off Topic	Politely redirect clearly unrelated requests	No action

- Property searches may use city, budget, bedrooms, property type, and status filters.
- Showing creation requires one exact Property record, the client email or Lead/Contact, and confirmed start/end times.
- Unsupported or sensitive requests are redirected or escalated instead of answered speculatively.

9. Agent Actions

Four active Agent Actions expose the approved automation surface to Agentforce. Each action references an Autolaunched Flow and includes a focused description that tells the reasoning layer when the action should be used.




Figure 8. Agent Action configuration

Action	API name	Referenced Flow
Update Lead Preferences	Lead_Qual	Update Lead Preferences
Check Agent Availability	Check_Agent_Availability	Check Agent Availability
Create Showing	Create_Showing	Create Showing From Agent
Get Property Details	Get_Property_Details	Search Available Properties

10. Flow Automation

All four Agentforce actions are backed by active Autolaunched Flows that run as system. The flows keep record operations deterministic: they query Salesforce, validate required inputs, evaluate conflicts, create or update records, and return explicit success or failure outputs to the agent.




Figure 9. Active Flow automation

Flow	Core logic	Primary result
Update Lead Preferences V4	Get Lead by email, update qualification inputs	Updated Lead and status message
Check Agent Availability V1	Query conflicting showings and branch on conflict	isAvailable true/false
Create Showing From Agent V7	Get Property/Lead, validate, check conflict, create Showing	showingId, success, message
Search Available Properties V3	Filter available Property records by user criteria	Matching property collection

11. Permission Sets and Field Security

Two custom permission sets apply least privilege: Property Sales Agent Access and Property Sales Manager Access. Both roles can work with the operational records required by the application, while destructive and sensitive capabilities are reserved for managers.



Figure 10. Offer permissions and Manager Notes field-level security

Control	Sales Agent	Sales Manager
Lead / Property / Showing / Offer	Read, Create, Edit	Read, Create, Edit, Delete
Tasks	Operational read/edit fields	Operational read/edit fields
Manager Notes	No read or edit access	Read and edit access
View All / Modify All	Not granted	Not granted

12. Security Operating Model

Application access is limited to the System Administrator and Custom: Sales Profile. Permission sets then add role-specific object and field permissions. Agentforce remains subject to the running user's data access and is explicitly instructed not to reveal private offers, manager notes, or customer information beyond those permissions.




Figure 11. Application profile assignment

- Profiles control application entry; permission sets grant business capabilities without broad profile expansion.
- Field-level security protects Manager Notes from standard sales users.
- No View All Records, Modify All Records, or View All Fields permission is granted in the documented object settings.
- Validation rules and action input checks form a second line of defense against invalid transactions; human escalation remains available for requests the assistant should not complete autonomously.

13. Deployment and Maintenance

The solution follows a configuration-first deployment model. Salesforce Setup manages objects, fields, validation rules, Lightning pages, application navigation, permission sets, Flows, and Agentforce versions. The custom propertyCard component is maintained in the supplied SFDX project and deployed through Salesforce CLI.

Component	Deployment / maintenance approach
Objects and validation	Promote metadata through a controlled change set or Salesforce CLI deployment and retest invalid inputs
Lightning app and pages	Activate for intended profiles and form factors; repeat desktop and phone smoke tests
Flows	Deploy inactive first where possible, validate mappings, then activate the tested version
Agentforce	Save and commit a tested version, activate it, and regression-test routing, actions, ambiguity, and Off Topic behavior
Permission sets	Review object, field, and system permissions after every schema change; preserve least privilege
propertyCard LWC	Deploy the bundle, run Jest tests, verify record context, and confirm field permissions

13.1 Troubleshooting Priorities

- Wrong Agentforce topic: review router and topic instructions, then add a regression prompt.
- Action or Flow failure: verify inputs, Flow interview path, queried records, and returned message.
- Blank LWC values: confirm Property record context, recordId, field API names, and FLS.
- Missing field or record: inspect profile, permission set, FLS, page activation, ownership, and sharing.

> **Implementation note:** No custom Apex classes or triggers were required for the documented capabilities; the implementation uses declarative Salesforce configuration, Flow, Agentforce, and one LWC bundle.

14. Conclusion and Evidence Index

The developed application provides a coherent Salesforce operating model for lead qualification, property inventory, showing coordination, offers, follow-up work, and management reporting. Its Agentforce implementation is governed by narrow topics, approved actions, deterministic Flows, explicit confirmation, honest error handling, and role-based security. The supplied evidence demonstrates an active Version 2 agent, active actions and Flows, configured Lightning experiences, responsive LWC behavior, active validation rules, and differentiated manager versus sales-agent access.

> **Readiness statement:** Application and Agentforce configuration documentation is complete. Functional execution evidence remains in the separate test workbook and test-case screenshots rather than being duplicated in this configuration document.

Evidence Index

Evidence group	Files used or indexed
Application and pages	4f5c7c36...png; APP-01; APP-02; PAGE-Lead
Data model	ERP Schema Builder.png; representative Lead, Property, Showing, Offer, and Task screens
Validation rules	VAL-01 through VAL-06
LWC	LWC-Desktop; LWC-Mobile; RealEstateApp.zip/propertyCard
Agentforce	AGENT-01; AGENT-02
Agent Actions	FLOW5 through FLOW8
Autolaunched Flows	FLOW1 through FLOW4
Security	SEC-FLS; SEC-FLS2 through SEC-FLS10; APP-01
Separate test evidence	Book1(1).xlsx and TC-01 through TC-13