

Report 04/07/2020


P. Hacker

HELMHOLTZ
SPITZENFORSCHUNG FÜR
GROSSE HERAUSFORDERUNGEN




This work has been carried out within the framework of the EUROfusion Consortium and has received funding from the Euratom research and training programme 2014-2018 and 2019-2020 under grant agreement No 633053. The views and opinions expressed herein do not necessarily reflect those of the European Commission.

'Standard' Case vs. Planar Fix




(forward integration of STRAHL simulations)




(forward integration of STRAHL simulations with 'fixed' LoS)

➤ virtually no changes?

'Standard' Case vs. Toroidal Transformation




(forward integration of STRAHL simulations)




(geometry matrix in Bolometer plane at 108°
with symmetric LoS orientation)

- qualitatively small changes: SOL radiation zones now more peaked
- radially no shift/difference in forward calculation
- comparatively same level of asymmetry remains (fault in own calculation?)

'Standard' Case vs. Toroidal Transformation and Tilt




(forward integration of STRAHL simulations)




(geometry matrix in Bolometer plane at 108° with symmetric LoS orientation and -1.0° tilt (up))

- asymmetry becomes stronger
- left hand side or brightness for 'negative' radii more peaked
- alignment with fluxsurfaces better
- also radial movement of radiation peaks further out (instead of inwards)

Different Tilts




(0.5° tilt (down))




(-0.5° tilt (up))

- asymmetry switched around
- alignment better now upside (tilt down!)
- likewise radial movement as before!

Different Tilts




(1.0° tilt (down))




(-1.0° tilt (up))

Different Tilts





(2.5° tilt (down))




(-2.5° tilt (up))

Centering of Aperture and Random Error


- center the aperture center (black) on $z = 0$ axis and shift entire array accordingly to **red**
- introduce measurement error to aperture and detector positions of maximum 0.1mm (randomly distributed) and see resulting tilt in camera fan
- degree of tilt $0.5^\circ - 2.0^\circ$, but omnidirectional



Standard v. Centered Aperture




(standard case)




(centered aperture)

- introduction of some more asymmetry close to SOL
- possibly resolvable by one of earlier transformations

Standard v. Centered Aperture




(centered aperture)




(centered aperture and 'planar fix')

➤ still not symmetric, aperture normal and LoS fan tilted still

Standard v. Centered Aperture



(centered aperture)





(centered aperture and toroidal transformation)

➤ ???

- intrinsic tilt and toroidal shift indicate the asymmetry from inherently symmetric radiation distribution
- possibly flawed inversion if geometry used?
- symmetric chordal profiles produced by 0.5° tilt down (from STRAHL)


(effective radii with
also different
weighting methods)



(K factors and LoS
volumes from simple
2D projection)


1.: 'Fix' Bolometer Planar Error

- guided by lower half of detector array (**green**)
- observe difference (**red**) between opposite channel (e.g. CH#0 <-> CH#31) through rotating around aperture normal by 180° and measuring angle
- transforming second channel through rotating it by angle from before (**blue**)
- only really easy for HBCm, because central aperture axis alignment; VBC cameras not possible



2.: Toroidal Transformation to Axis Plane


- guide is normal of plane constructed by detector fan (**blue**)
- transforming all channels so that normal points in/at toroidal direction (**red**)
- transformation for each channel individual (see previous argument (1.)) (**orange**)
- done for all cameras individually



VBCr

3.: Tilting the Detector Fan Up/Down

- take results of (2.) and tilt the entire fan including the aperture poloidally (grey to blue and black to red)



(results for (2.) with aperture change included)

HBCm