NEXO / UX

UX strategy to reactivate technology content

Research, information architecture and testing prototype

CHALLENGE Recover visibility, participation and recurrence in the blog, social networks and newsletter through a more findable, relevant and actionable experience.

CASE STUDY

Organisation	Audience	Main content
NexoTech (fictional case)	Digital professionals and students	Article: “Getting started with AI generative safely”

Academic deliverable · version 1.0

1. Executive summary

Engagement drop is interpreted as an entire experience issue, not just volume
editorial. The proposal connects research, content organization, design of the piece and measurement.

Finding / hypothesis	Design decision	Indicator
Overload and mixed levels	Paths by goal and level	Task success / depth
Correct headlines but little focused on usefulness	Promise + time + level + outcome	CTR and meaningful reading
Limited continuity between channels	Save, follow topic and newsletter contextual	Return visits and subscription
Generic or late CTAs	Micro-CTA after the first useful content	Interaction and conversion

90-DAY GOAL Increase CTR towards content by 20%, interaction by 15%
significant and 10% recurrence. They are project goals, not already obtained results.

Proposed process

Benchmark →interviews and analytics→card sorting →architecture →prioritisation→Figma prototype → moderated test →iteration →A/B experiment.

2. Success Reference: HubSpot Blog

HubSpot Blog is selected as a functional benchmark due to its status as an editorial hub technological/commercial, your navigation through blogs and topics, visible search, content in various formats, explicit updating, contextual newsletter and calls to action connected to the topic.

Observed practice	UX value	Adaptation to NexoTech
Architecture by areas and topics	Reduces uncertainty about navigation	AI, Cybersecurity, Programming and Digital transformation
Accessible search	Addresses specific needs	Predictive search with filters for level and format
Visible metadata	Help users decide before clicking	Time, level, date, author and update
Article + video combination	Supports content preferences	Text, summary, short video and resource downloadable
Contextual subscription	Turns initial interest into a relationship	Follow a topic and choose frequency
High contrast	Improves accessibility	WCAG AA, visible focus and controls clear

What not to copy literally

- Commercial density and extensive menus: NexoTech must prioritize learning and clarity.
- The number of categories: the main navigation will be limited to six options.
- Repetitive conversion patterns: each CTA must correspond to the moment and the content.

CRITERION Benchmarking does not mean visual imitation; means detecting transferable principles and validate them with your own audience.

3. Research and design requirements

Research plan

Method	Sample / source	Question answered
Analytics and funnels	90 days, by channel/device	Where do users leave and what content returns?
Semi-structured interviews	8 users: 4 students, 4 professionals	What do users find useful and credible?
Hybrid card sorting	15-20 participants	How do users group and name the contents?
Tree testing	20 participants	Can users find what they need in the proposed IA proposal?
Prototype testing	5-8 users per round	Do users understand, find and Do they interact?

Derived requirements (hypotheses)

- R1. Show level, duration, format and date before opening a piece.
- R2. Allow exploration by objective (“learn”, “solve”, “upgrade”) and by topic.
- R3. Include initial summary, anchored index, and scannable examples.
- R4. Offer to save, share with context and follow a topic without interrupting reading.
- R5. Maintain responsive experience, keyboard navigation, AA contrast and resizable text.
- R6. Instrument events: impression, open, 50/90% scroll, save, share, CTA and return.

4. Card sorting: preferences and perception

A hybrid card sorting is proposed: four initial categories and freedom to create or rename groups. The figures below are a simulated pilot exercise to show how the data would be analyzed; they must be replaced by real results.

Cards

Expected group	Content cards
AI and data	First prompt; Automation; AI ethics; Analysis of data
Cybersecurity	Phishing; Passwords; Privacy; Incident response
Programming	Basic Python; APIs; Git; Web development
Digital work	Tools; Productivity; Trends; Success stories

Simulated pilot: patterns

Grouping	Consistency	Interpretation
Python + Git + APIs + Web	88 %	“Programming” is a label stable
Phishing + Passwords + Privacy	84 %	“Security” feels more natural than “Cyber defense”
Prompts + Automation + AI	76 %	“Practical AI” outperforms “Innovation”
Productivity + Tools	72 %	Seen as useful for work
Trends + Success stories	48 %	Ambiguous: better separated by intention

RESULTING AI Learn · Solve · News · Resources, with transversal Topic filters, Level, Format and Duration.

5. Information architecture proposal

Level 1	Level 2 / behaviour
Learn	Guided paths · Short courses · Basics
Solve	Tutorials · Templates · Troubleshooting
News	News explained · Trends · Analysis
Resources	Guides · Checklists · Tools
Topics	AI and data · Security · Programming · Digital work
My space	Saved items · Followed topics · Preferences

Labeling principles

- User words before internal taxonomy.
- Mutually understandable categories; overlaps are resolved with filters and labels.
- The same piece has a primary location and can appear in secondary collections.
- The architecture must be validated with tree testing; card sorting generates hypotheses, not navigation definitive.

Search and filters

The search will suggest queries and display results with level, format, duration and date chips. The Filters will be persistent throughout the session and will have a clear reset option.

6. Empathy map

Analyzed piece: “How to get started with generative AI safely.” Provisional person: Lucía, 29 years, administrative who wants to incorporate AI without advanced technical knowledge.

SAYS	THINKS
“I want examples that I can apply today.” “I need to know what data I should not share.”	“I don't want to be left behind.” “Can I trust this tool?”

DOES	FEELS
Search Google, scan subtitles, save guides and contrast two sources. Drop if the text starts with extensive theory.	Curiosity and urgency; certain technical insecurity; relief when you find clear steps and limits.

Pain points	Expected gains
Jargon, lack of time, fear of mistakes, few examples realistic.	Secure checklist, replicable example, credibility and feeling of progress.

DESIGN OPPORTUNITY Open with a 60 second summary, indicate “initial level · 7 min”, show a privacy alert before the example and close with a saveable template.

7. Content prioritization

MoSCoW matrix

Priority	Content / function
MUST	Task-oriented title; summary; index; level/time; sources; examples; accessibility; CTA save/follow topic; measurement.
SHOULD	Short video; related content by intent; contextual newsletter; author profile; review date.
COULD	Advanced personalisation; progress; comments moderate; audio mode; light gamification.
WON'T (now)	Open forum, social wall, opaque AI recommendations and native app.

Impact/effort matrix

Initiative	Impact (1-5)	Effort (1-5)	Decision
Metadata + summary	5	1	Do now
New information architecture + filters	5	3	Priority
Save / follow topic	4	2	Priority
Video in every article	3	4	Selective
AI personalisation	3	5	After
Social forum	2	5	Not now

RULE Findability and clarity are corrected first; then personalization is added.
Automating chaos only produces chaos faster.

8. Visual prototype for Figma

The prototype should be of medium-high fidelity and focus on an evaluable flow. No need to do entire web clickable; yes each task-relevant decision.

Frame	Key content	Interaction
1. Home / hub	Search, paths by intent, topics and featured content	Search or choose “Learn”
2. Results	Filters, chips, sorting and cards with metadata	Filter: AI + beginner + <10 min
3. Article	Summary, contents, warning about privacy, example, progress	Save and navigate using anchors
4. Resource	Downloadable checklist and next steps	Open template
5. Subscription	Topic, frequency and preview	Confirm “Practical AI / weekly”

visual system

Element	Specification
Colour	Blue #176B87; turquoise #64CCC5; background #EDF6F8; orange #F59E0B for emphasis only
Typography	Inter or Aptos; 16 px base; 1.5 line height; reading width 65-75 characters
Components	Cards, chips, search, sticky contents, progress, CTA primary/secondary, alerts
Accessibility	AA contrast; visible focus; targets ≥44 px; labels; do not depend only on the color

9. Usability test script

Participants and protocol

First round: 5–8 participants, balancing students and digitally competent professionals basic/intermediate. 30-minute moderated sessions, consent, think aloud, and closure with abbreviated SUS or UMUX-Lite.

Task	Success criterion	Metric
Find an AI starter guide from less than 10 minutes	Finds the article without help	Success, time, path and errors
Identify what data should not be sharing	Finds and understands the warning	Correct answer + confidence
Saves the guide to review later	Uses “Save” and understands the state	Success + perception
Only subscribe to AI frequently weekly	Chooses topic and frequency	Success + abandonment
Explain what you would do next	Recognises the checklist or related content	Understanding and intent

Decision thresholds

- Task success ≥80 %.
- Median time to find content ≤60 s.
- Critical errors ≤10% of sessions.
- Understanding the privacy warning ≥90 %.
- UMUX-Lite ≥70/100 as an internal reference.

MODERATION Do not explain the interface or confirm that an action is correct. Ask: “What “Did you expect it to happen?” and record behavior before opinion.

10. Measurement, roadmap and closure

Phase	Weeks	Output
Discover	1–2	Analytics, interviews, inventory and benchmark
Structure	3–4	Card sorting, information architecture, tree testing and MoSCoW
Prototype	5–6	Figma, components and content realistic
Validate	7	Tests, severity and a second iteration
Experiment	8–12	Controlled A/B testing and monitoring of cohorts

Dashboard

Target	Main indicator	Guardrail
Findability	Search / task success	Reformulations and zero results
Meaningful interaction	Save, share, opened resource	Do not inflate with accidental clicks
Depth	90% scroll + interaction	Active time, not tab-open time
Return visits	Return at 7/30 days	Unsubscriptions and newsletter fatigue
Conversion	Topic subscription	Confirmation and unsubscribe rate

Conclusion

The strategy shifts the focus from “publishing more” to “helping better.” The priority is that each user understands what they will find, arrives without friction, obtains value in the first seconds and has of a relevant next action. The attached infographic summarizes this logic to reconstruct it as board or prototype in Figma.

Sources consulted

- HubSpot Blog — https://blog.hubspot.com/
- Nielsen Norman Group, Card Sorting — https://www.nngroup.com/articles/card-sorting-definition/
- Nielsen Norman Group, Empathy Mapping — https://www.nngroup.com/articles/empathy-mapping/
- Nielsen Norman Group, Card Sorting vs. Tree Testing — https://www.nngroup.com/articles/card-sorting-tree-testing-differences/
- Figma, AI Usability Testing Guide — https://www.figma.com/resource-library/ai-usability-testing/