# Application Organizer User Guide

Raymond Feckoury, Het Patel, Ashwin Nayak, Sunny Shah

May 4, 2022

### **Contents**

- 1 Entry Point
- 2 Starting the Project
- 3 Functionality
- 4 Supported Browsers and Operating Systems
- 5 Libraries and Frameworks Used
- 6 Code
- **7** Directory Structure

### 1 The Entry Point

Index.html is the entry point for both registered and unregistered users. It points to the home page, from which the only subsequent page which is accessible is the login page. Attempting to access pages that contain the site's main functionality from this page will redirect the user to the login page. The site was designed in this manner because without sign in information we cannot store the user's information. Do not confuse index.html with index2.html. The second index page is what the user sees once they have logged in. We designed the site in this manner in order to provide users with information about their progress in the home page once logged in. As a result, making a similar but different index page was necessary.

This index page may be viewed by simply opening the index.html file from our source code. Do note however that no server-side functionality is possible using this method, so this should only be done to view the front end style of the website's home page. This is not the recommended method, since the main functionality of the site will be inaccessible. The preferred method is outlined in the next section.

### 2 Starting Application Organizer


> Step 1: Download XAMPP

- XAMPP can be downloaded from the official Apache Friends website using the following link: <a href="https://www.apachefriends.org/download.html">https://www.apachefriends.org/download.html</a>

This tutorial will use version 7.4.29 for OSX, however similar steps can be used on other operating systems. XAMPP makes the installation process intuitive through their tutorials. After downloading has been completed, open the application and you should see the following display:



> Step 2 - Start all servers from the "Manage Servers" tab:



### > Step 3 - Copy Source Code folder into htdocs:

- HTDOCS is where all programs for web pages that are being developed with XAMPP are stored.
- Navigate to the github repository with this link:
   <a href="https://github.com/RaymondFeckoury/Group5">https://github.com/RaymondFeckoury/Group5</a> FinalProject

### Option 1:

- 1. Copy the https web url under the green "code" button.
- 2. In your terminal, navigate to the htdocs directory and clone the git repository using: "git clone <url>"

### Option 2:

- 1. Under the green "code" button, download the repository as a zip file.
- 2. Move this zip file into your htdocs directory.

- In your htdocs directory, you should now see a folder titled "Group5\_FinalProject" containing all of the source code.

### > Step 4 - Setting up the database:

Enter this command in phpmyadmin to create the database:

### "CREATE DATABASE applicationOrganizer"

- Next, create and seed all the database tables by copying and pasting these commands from within the applicationOrganizer database:
- Alternatively, you can import the sql file which is in the same location as the source code.

```
CREATE TABLE `userlist` (
  `username` varchar(100) NOT NULL,
  `password` varchar(100) NOT NULL,
  `email` varchar(100) NOT NULL,
  `reset_token` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
CREATE TABLE `saved` (
  `priority` int(11) NOT NULL,
  `company` text NOT NULL,
  `location` text NOT NULL,
  `jobTitle` text NOT NULL,
  `date` text NOT NULL,
  `workLocation` text NOT NULL,
  `comments` text NOT NULL,
  `username` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
CREATE TABLE `rejections` (
   `company` text NOT NULL,
   `location` text NOT NULL,
   `jobTitle` text NOT NULL,
   `date` date NOT NULL,
   `comments` text NOT NULL,
   `username` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
CREATE TABLE `offers` (
```

```
`company` varchar(255) NOT NULL,
    location` varchar(255) NOT NULL,
    jobTitle` varchar(255) NOT NULL,
    date` varchar(255) NOT NULL,
    workLocation` text NOT NULL,
    comments` varchar(255) NOT NULL,
    username` varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
CREATE TABLE `interviews` (
   `company` varchar(255) NOT NULL,
   `location` varchar(255) NOT NULL,
   `jobTitle` varchar(255) NOT NULL,
   `date` varchar(100) NOT NULL,
   `comments` varchar(255) NOT NULL,
   `username` varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
CREATE TABLE `completed` (
  `company` varchar(255) NOT NULL,
  `location` varchar(255) NOT NULL,
  `jobTitle` varchar(255) NOT NULL,
  `date` varchar(255) NOT NULL,
  `workLocation` text NOT NULL,
  `comments` varchar(255) NOT NULL,
  `username` varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

### **Table Seeding**

1. Finally, to initialize the tables with some sample data please insert the following commands:

```
INSERT INTO `completed` (`company`, `location`, `jobTitle`, `date`, `workLocation`,
  `comments`, `username`) VALUES

('NCR', 'Atlanta', 'SWE Intern', '2022-03-23', 'in-person', 'Really cool people.',
  'user1'),

('Microsoft', 'Atlanta', 'SWE', '2022-04-15', 'remote', 'Apparently they have a really
  cool office here in ATL.', 'user1'),

('Google', 'Atlanta', 'SWE', '2022-03-26', 'unclear', 'Everyone is applying here
  haha.', 'user1'),
```

```
user1'),
'Amazon', 'Seattle', 'SWE', '2022-04-10', 'unclear', 'Leetcode ', 'user1'),
'Meta', 'Cali', 'SWE', '2022-04-12', 'in-person', 'stock is tanking ', 'user1'),
'Startup 1', 'SF', 'SWE', '2022-04-17', 'in-person', 'Cool startup.', 'userl'),
user1'),
('Startup 1', 'ATL', 'SWE', '2022-04-23', 'in-person', 'Another location for the cool
('BigCommerce', 'Tenessee', 'Full Stack Engineer', '2022-03-17', 'remote',
'Revolutionizing commerce', 'user1'),
('Alfred', 'New York', 'Front end engineer', '2022-03-24', 'in-person', 'Real Estate
company.', 'user1'),
('Ascent', 'Chicago', 'SWE', '2022-04-18', 'hybrid', 'Fintech company', 'user1'),
('Dandy', 'New York', 'Data Analysis', '2022-04-22', 'unclear', 'Health tech company,
cool stuff', 'user1'),
('Workiva', 'Florida', 'SWE', '2022-04-23', 'in-person', 'Cloud software company',
'user1'),
('NCR', 'Atlanta', 'SWE', '2022-03-17', 'hybrid', 'Met them at a hackathon', 'user2'),
'CNA', 'Chicago', 'SWE', '2022-03-10', 'remote', 'Insurance company', 'user2'),
'8fig', 'Austin', 'SWE', '2022-03-18', 'in-person', 'Ecommerce company.', 'user2'),
'Striveworks', 'Austin', 'SWE', '2022-03-23', 'in-person', 'AI company', 'user2'),
ompany', 'user2'),
('Yotpo', 'North Carolina', 'SWE', '2022-03-25', 'unclear', 'Marketing tech company',
user2'),
('Benchling', 'San Francisco', 'SWE', '2022-03-26', 'in-person', 'Healthcare tech
company', 'user2'),
('NCR', 'Overseas', 'SWE', '2022-03-23', 'remote', 'Foreign language requirement might
finally come in handy.', 'user1'),
('AccuWeather', 'Kentucky', 'Data Scientist', '2022-04-20', 'in-person', 'Would be
('Workhuman', 'MA', 'ML Engineer', '2022-05-01', 'in-person', 'HR software. High pay
for fully remote', 'user1'),
company ', 'user1'),
('Medtelligent', 'Chicago', 'IT specialist', '2022-04-14', 'unclear', 'Upcoming
HealthTech company that solves challenges around drug discounts in the US.', 'userl'),
```

```
('DreamBox Learning', 'Bellevue', 'SWE', '2022-04-10', 'remote', 'Edtech company, making tutoring software ', 'user1');
```

```
INSERT INTO `interviews` (`company`, `location`, `jobTitle`, `date`, `comments`,
   `username`) VALUES
('Company1', 'Atlanta', 'SWE', '2022-05-20', 'Get on the leetcode grind!', 'user1'),
('Company2', 'SF', 'SWE', '2022-05-15', 'Behavioral interview', 'user1'),
('Company3', 'Seattle', 'SWE', '2022-05-27', 'They like to ask system design
questions.', 'user1'),
('Company4', 'Houston', 'Full Stack Engineer', '2022-06-03', 'Brush up on some web dev
technologies beforehand.', 'user1'),
('Company5', 'Palo Alto', 'SWE', '2022-06-25', 'It would be cool to live in that area.
They like to use python so be prepared for that.', 'user1');
```

```
INSERT INTO `offers` (`company`, `location`, `jobTitle`, `date`, `workLocation`,
'user1'),
('Company2', 'Seattle', 'SWE', '2022-04-16', 'in-person', 'The housing costs
though..', 'user1'),
('Company3', 'SF', 'SWE', '2022-03-17', 'in-person', 'Negotiating salary', 'userl'),
('Torii', 'New York', 'SWE', '2022-04-05', 'remote', 'software focused company, about
40 employees', 'user2'),
('Jellyvision', 'Chicago', 'SWE', '2022-04-19', 'unclear', 'HR tech software',
'user2'),
('Wing', 'Palo Alto', 'SWE', '2022-03-10', 'remote', 'IOT company', 'user2'),
'Aurora Solar', 'Fully Remote', 'SWE', '2022-02-18', 'remote', 'Fully remote company
focused on having a positive social impact. Competitive pay and a lot of benefits.',
user2'),
('Company5', 'Atlanta', 'Backend Engineer', '2022-04-15', 'hybrid', 'Good pay and
penefits', 'user1'),
('Company 6', 'Palo Alto', 'Full Stack Engineer', '2022-04-22', 'hybrid', 'Pay is low
for the cost of living ', 'user1'),
('Company 7 ', 'Chicago', 'Devops engineer', '2022-03-14', 'remote', 'Would have to
learn a lot beforehand.', 'user1'),
('Company 8', 'Austin', 'Front end engineer', '2022-04-09', 'unclear', 'Know some
```

```
('Company 10', 'Atlanta', 'SWE', '2022-04-28', 'in-person', 'Very good offer.', 'user1'),
('Company11', 'Seattle', 'SWE', '2022-04-29', 'unclear', 'Very good offer.', 'user1');
```

```
INSERT INTO `saved` (`priority`, `company`, `location`, `jobTitle`, `date`,
(1, 'Syndigo', 'Atlanta', 'SWE', '2022-05-14', 'in-person', 'Focused on marketing tech
and analytics. Make sure to emphasize personal project based on retail.', 'userl'),
(2, 'TravelPerk', 'Boston', 'SWE', '2022-05-21', 'in-person', 'IOT software company.
Talk about experience traveling and personal project on the topic.', 'userl'),
(3, 'CodeSignal', 'Fully Remote', 'SWE', '2022-05-28', 'in-person', 'Very flexible
work style. HR tech company. About 80 employees', 'user1'),
(4, 'Kalderos', 'Chicago', 'SWE', '2022-04-11', 'in-person', 'HealthTech company that
solves challenges around drug discounts in the US.', 'user1'),
(5, 'Pawp', 'Brooklyn', 'SWE', '2022-05-29', 'in-person', 'A digital clinic for
pets.', 'user1'),
(6, 'Blind', 'Austin TX', 'SWE', '2022-06-04', 'remote', 'Fintech company focused on
payments and real estate.', 'user1'),
(7, 'Insurify', 'Cambridge', 'SWE', '2022-07-01', 'in-person', 'Online insurance
(8, 'OpenWeb', 'New York', 'SWE', '2022-06-21', 'in-person', 'News, entertainment,
social media, \"elevating quality conversations\"', 'user1'),
(9, 'BlueVine', 'Gretna', 'SWE', '2022-08-11', 'in-person', 'Empowering small
businesses with innovative banking designed for them.', 'userl'),
(10, 'Gearset', 'Chicago', 'SWE', '2022-05-21', 'remote', 'Working fully remotely
```

```
INSERT INTO `userlist` (`username`, `password`, `email`, `reset_token`) VALUES
('user1', '$2y$10$9n6GItbvmKtljH4p8MHeoOS.J8Uh7ge5RpFLX2KCinXtHNfPMIzXq',
'raymondfeckoury@icloud.com', '16516779597a4d6853a9f967c7d3957ff8c9fc59al'),
```

```
('user2', '$2y$10$Bhw8bwbpwqGPEaYLW.jmNekpAz5etHnJTh9IHomTq2UVljl.yd/3C',
'email@email.com', ''),
('user3', '$2y$10$0NmxWz.WRju5wWMOcuLJ2uqTiqhTT3/0aEs4USZLulLNn2/kYcp9O',
'fakeemail@email.com', '');
COMMIT;
```

- The database is now seeded with data that demonstrates the site's functionality.

### > Opening Application Organizer:

- In XAMPP, click "go to application," and replace the URL with localhost/Group5\_FinalProject. Please note that this URL may change in response to the port being used.
- You should see the following screen:

# **Index of /Group5\_FinalProject**

<u>Name</u>	<b>Last modified</b>	Size Description
Parent Directory		-
Documentation/	2022-05-04 21:52	. <u>-</u>
Source Code/	2022-05-04 21:52	-

- Click "Source Code":

Parent Directory		
CSS/	2022-05-04 21:52	-
HTML/	2022-05-04 21:52	-
Images/	2022-05-04 21:52	-
JavaScript/	2022-05-04 21:52	-
PHP/	2022-05-04 21:52	-
applicationOrgan	izer> 2022-05-04 21:52	11 <b>K</b>
composer.json	2022-05-04 21:52	65
composer.lock	2022-05-04 21:52	3.8K
<u>vendor/</u>	2022-05-04 21:52	-

- Click "HTML," and you should see our index.html page:



- Log in with the following account information:
- <u>Username</u>: user1
- <u>Password:</u> password123

### 3 Functionality

### > <u>Account Functionality</u>:

- Create a new account with username, email, password.
- Email a link to reset password if the user forgets their login information.
- Reset password once logged in.

### > <u>Security/Validation</u>:

- Passwords are hashed.
- All forms are validated using PHP and/or JavaScript.
- Passwords have a minimum length requirement.
- Session variables are used to track the user.

#### > Site features:

- Save applications you would like to apply to in the future along with the deadline and a priority field that the user enters.
- Add and view completed applications.
- Move applications from completed to accepted or rejected.
- Save upcoming interviews along with their respective dates.

## 4 Supported Operating Systems and Browsers

### > Operating Systems:

- Mac OSX
- Windows

#### > Browsers:

- Safari
- Chrome


### 5 Libraries and Frameworks

Application Organizer was created using HTML, CSS, Bootstrap, Google Font API, vanilla JavaScript, PHP, and MySQL.

### 6 Code

No starter code was used, all source code is available at the github repository.

# 7 Directory Structure



### ∨ PHP

- en completed.php
- completedStyle.php
- connDB.php
- ereateAccount.php
- forgotPassword.php
- m interviews.php
- 👫 Login.php
- 👫 logout.php
- new-password.php
- newApplication.php
- newInterview.php
- newOffer.php
- newSaved.php
- e offers.php
- m passReset.php
- m rejections.php
- m reset-password.php
- saved.php
- send-recovery-mail.php
- ession.php